

**AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT**

1. CONTRACT ID CODE

PAGE OF PAGES

1 | 2

2. AMENDMENT/MODIFICATION NO.  
0001

6. ISSUED BY

3. EFFECTIVE DATE  
3/10/00

CODE W38XGR

4. REQUISITION/PURCHASE REQ. NO.

5. PROJECT NO. (If applicable)

Department of the Army  
 Memphis District, Corps of Engineers  
 167 North Main Street, Rm B202 ATTN: CEMVM-CT  
 Memphis, TN 38103-1894

8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)

(✓) 9A. AMENDMENT OF SOLICITATION NO.

DACW66-00-B-0009

X

9B. DATED (SEE ITEM 11)

2/17/00

10A. MODIFICATION OF CONTRACTS/ORDER NO.

10B. DATED (SEE ITEM 13)

CODE

FACILITY CODE

**11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS**

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers  is extended,  is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning 1 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

**12. ACCOUNTING AND APPROPRIATION DATA (If required)**
**13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS,  
IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.**

- |     |   |
|-----|---|
| (✓) | A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.  |
|     | B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b). |
|     | C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:  |
|     | D. OTHER (Specify type of modification and authority)   |

**E. IMPORTANT:** Contractor  is not,  is required to sign this document and return \_\_\_\_\_ copies to the issuing office.

**14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)**

This solicitation for Kilgore Manhole and Culvert Replacement, Cairo, Alexander County, Illinois, Mississippi River and Levees - Maintenance, scheduled to open 21 MAR 2000 at 2:30 p.m., is amended as follows:

1. SECTION 03304, Paragraph 2.1 MATERIALS: Change "...ultimate compressive strength of 28Mpa (4,000 psi)..." To "...ultimate compressive strength of 18 Mpa (2,500 psi)..." .

2. SECTION 03304, Paragraph 2.2 EQUIPMENT: Add the following to the end of the Paragraph:  
 "The Contractor shall provide total volume of grout pumped to the Contracting Officer. The volume pumped shall be compared to the volume required in lines and manhole as a check to insure that lines have been completely filled."

(CONTINUED ON NEXT PAGE)

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)

16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)

15B. CONTRACTOR/OFFEROR

15C. DATE SIGNED

16B. UNITED STATES OF AMERICA

16C. DATE SIGNED

(Signature of person authorized to sign)

(Signature of Contracting Officer)

3. SECTION 03304, Paragraph 3.1 PIPE AND STRUCTURE PREPARATION: Delete Paragraph in its entirety and substitute the following therefore:

“Existing pipes and brick manhole shall be cleaned of any sticks, mud, or other debris so that pipes and manhole can be completely filled with grout such that there are no voids within pipes and manhole. Inlet ends of pipes shall be sealed to prevent inflow of water during grouting sequence. Vent pipes shall be provided for pipes allowing air to be vented during the grouting process.”