

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES 1 6
2. AMENDMENT/MODIFICATION NO. 0001	3. EFFECTIVE DATE 17 Jun 02	4. REQUISITION/PURCHASE REQ. NO. W38XGR-2127-5947	5. PROJECT NO. (If applicable)	
6. ISSUED BY CODE	B1P0100	7. ADMINISTERED BY (If other than Item 6) See Item 6	CODE	
DEPARTMENT OF THE ARMY CORPS OF ENGINEERS, MEMPHIS DISTRICT 167 N. MAIN ST., B202 MEMPHIS, TN 38103-1894				
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)			(<input checked="" type="checkbox"/>)	9A. AMENDMENT OF SOLICITATION NO. DACW66-02-B-0021
			(<input checked="" type="checkbox"/>)	9B. DATED (SEE ITEM 11) 05/24/02
				10A. MODIFICATION OF CONTRACTS/ORDER NO.
				10B. DATED (SEE ITEM 13)
CODE	FACILITY CODE			

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers tended. is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning 1 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

(<input checked="" type="checkbox"/>)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)
This solicitation is for Francis Bland Floodway Ditch, Item 2, Phase 1, Channel Enlargement, Greene County, Arkansas, scheduled to open 27 June 2002, at 2:40 p.m., is amended as follows:

(CONTINUED ON NEXT PAGE)

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
_____ (Signature of person authorized to sign)		BY _____ (Signature of Contracting Officer)	

SPECIFICATIONS

1. SECTION 00010, Page 3, SUPPLIES OR SERVICES AND PRICES/COSTS, is deleted in its entirety and the attached page 3 is substituted therefor.
2. Section 02542-4, paragraph 2.1.5 Gradation Test. At the end of the paragraph add the following:

“For each sample, the Contractor shall record, plot, and submit the gradation data, using the forms noted at the end of this section, to the Contracting Officer.”
3. Section 2542. Insert the attached drawing “Toe Protection Detail” at the end of the section.
4. Section 02552-2, paragraph 1.4 Applicable Publication. Insert the following to the list of publications:

“ASTM A 974 Standard Specification for Welded Wire Fabric Gabions and Gabion Mattresses”
“ASTM A 975 Standard Specification for Double-Twisted hexagonal Mesh Gabions and Revet Mattresses”
5. Section 02552-3 paragraph 2.1 PVC-Coated Galvanized Steel Twisted Wire Mesh Gabions and Gabion Mattress Units. Delete the table shown under “PVC Coated Galvanized Wire” and replace with the following:

“

TYPE OF WIRE	DIAMETER AFTER COATING (inches)	WITH PVC COATING (inches)	COATING WEIGHT (oz/sq ft)	TENSILE STRENGTH (psi)
Mesh Wire	0.12	0.16	0.85	60,000
Selvage Wire	0.132	0.172	0.85	60,000
Lacing Wire or Internal Connecting Wire	0.087	0.127	0.70	60,000

“

6. Section 02936-TOC-1 1.3 AREAS TO BE TURFED. Delete paragraph titles “1.3.1 Station 423+70 to Station 479+85” and “1.3.2 Excavated Material Disposal Areas.” Replace with “1.3.1 Finish Dressing and Turfing” and “1.3.2 Dressing and Seeding.”

7. Section 02936-2, paragraph 1.3.1 Station 423+70 to Station 479+85. Delete the existing paragraph 1.3.1 and replace with the following:

“ 1.3.1 Finish Dressing and Turfing

From approximate Station 432+50 to approximate Station 460+00, the combination of finish dressing, fertilizing, mulching, and sprigging and/or spot sodding shall be performed upon the surfaces of the excavated channel slopes to the water’s edge, the top banks of the improved channel, and all other disturbed areas; all as directed by the Contracting Officer.”

8. Section 02936-2, paragraphs 1.3.2 Excavated Material Disposal Areas. Delete the existing paragraph 1.3.2 and replace with the following:

“ 1.3.2 Dressing and Seeding

From the vicinity of Highway 412 downstream to BL Station 423+70, from BL Station 460+00 upstream to BL Station 479+85, excavated material disposal Areas #1 and # 2, the excavated material disposal embankment placed adjacent to channel excavation from approximate BL Station 464+00 to Approximate BL Station 479+85, and excavated material disposal embankment created in the city of Paragould’s landfill, the combination of dressing, fertilizing, mulching, and seeding shall be performed on all surfaces of the excavated channel slopes to the waters edge, the berms, the excavated material disposal embankments, and the top banks of the improved channel, and all other disturbed areas; all as directed by the Contracting Officer.”

DRAWINGS

1. Drawing 002a0652 and Drawing 003a0652. Insert the following note:

“Toe protection shall be continuous throughout the length of the project except areas where gabion or riprap protection is being placed.”

2. Drawing 004a0652, Lake Street Detail and Court Street Detail. Insert the following note:

“Lake Street Bridge and Court Street Bridge have been extended.”

3. Drawing 005a0652, Typical Section - Critical Bendway. Insert the following note:

“24” R200 Riprap to be placed with 6” Filter Material above water or 9” Filter Material below water.”

**FRANCIS BLAND FLOODWAY DITCH; ITEM 2, PHASE 1
CHANNEL ENLARGEMENT**

SECTION 00010

SUPPLIES OR SERVICES AND PRICES/COSTS

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>ESTIMATED QUANTITY</u>	<u>U/M</u>	<u>U/P</u>	<u>AMOUNT</u>
0001	Mobilization and Demobilization	1	LS	XXX.XX	_____.
0002	Clearing	1	LS	XXX.XX	_____.
0003	Excavation	185,000	CY	_____.	_____.
0004	Dressing, Fertilizing, and Seeding	20	AC	_____.	_____.
0005	Finish Dressing, Fertilizing, Mulching, and Sodding	3	AC	_____.	_____.
0006	Filter Material	19,680	TN	_____.	_____.
0007	Riprap "R 90"	3225	TN	_____.	_____.
0008	Riprap "R 200"	42,515	TN	_____.	_____.
0009	Grout for Riprap	285	CY	_____.	_____.
0010	Grout for Gabions and Gabion Blanket Units	560	CY	_____.	_____.
0011	Stone Filled Wire Mesh Gabions and Gabion Mattress Units	5,100	SY	_____.	_____.
0012	Corrugated Metal Pipe, 24- inch	334	LF	_____.	_____.
0013	Flared End Section, 24-inch	14	EA	_____.	_____.
0014	Corrugated Metal Pipe, 48- inch	35	LF	_____.	_____.
0015	Flared End Section, 48-inch	2	EA	_____.	_____.
0016	Culvert Cutoff with Riprap Placement	9	EA	_____.	_____.
0017	Environmental Protection	1	LS	XXX.XX	_____.
	Total Items 0001 thru 0017				_____.

NOTE: Bidders shall furnish unit prices for all items listed on the schedule of bid items, which require unit prices. If the bidder fails to insert a unit price in the appropriate blank for required items, but does furnish an extended total or an estimated amount for such items, the Government will deem his unit price to be the quotient obtained by dividing the extended estimated amount for that line item by the quantity. IF THE BIDDER OMITTS BOTH THE UNIT PRICE AND THE EXTENDED ESTIMATED AMOUNT FOR ANY ITEM, HIS BID WILL BE DECLARED NON-RESPONSIVE.

Award will be made as a whole to one bidder.

All quantities are estimated except where unit is given as "LS" or "EA".

If a bid or modification to a bid based on unit prices is submitted and provides for a lump sum adjustment to the total estimated cost, the application of the lump sum adjustment to each unit price, including lump sum units, in bid schedule must be stated, or, if it is not stated, the bidder agrees that the lump sum adjustment shall be applied on a pro rata basis to every unit price in the bid schedule.

Bidders are cautioned to read Contract Clause entitled "Required Central Contractor Registration" (252.204-7004) located in Section 00700.

NON - WORK
BANK

EXISTING
GROUND

INVERT EL.

24" R200 RIPRAP

6" FILTER MATERIAL ABOVE WATER
9" FILTER MATERIAL BELOW WATER

WORK BANK

INVERT EL.

EXCAVATED SLOPE

24" R200 RIPRAP

6" FILTER MATERIAL ABOVE WATER
9" FILTER MATERIAL BELOW WATER

FRANCIS BLAND FLOODWAY DITCH
CHANNEL ENLARGEMENT ITEM 2, PHASE 1

TOE PROTECTION DETAIL

DEPARTMENT OF THE ARMY
WATERWAYS DISTRICT CORPS OF ENGINEERS
CIVIL DESIGN BRANCH