DAILY STAGES FOR 1994

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. MILE 6.9, TWO MILES WEST OF RAMER, TENN. ON STATE HIGHWAY 57 BRIDGE. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 7,264 CFS COMPUTED FOR DEC. 4, 1983. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET — GAGE ZERO, 376.67 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	----	----	----	----	----	----	----	----	----	----	----	----
2	----	----	----	----	----	----	----	----	----	----	----	----
3	----	----	----	----	----	----	----	----	----	----	----	----
4	----	----	----	----	----	----	----	10.7	----	----	----	----
5	11.9	----	----	----	----	----	----	----	----	----	----	12.1
6	----	----	----	----	----	----	----	----	----	----	----	11.9
7	----	----	----	----	----	----	----	----	----	----	----	11.7
8	----	12.9	----	----	----	----	----	----	----	----	----	11.5
9	----	----	----	----	----	----	----	----	----	----	----	12.3
10	----	----	----	----	----	----	----	----	----	----	----	16.3
11	----	----	----	----	----	----	----	----	----	----	----	16.4
12	----	----	----	----	----	----	----	----	----	----	----	13.5
13	----	----	----	----	----	----	----	----	----	----	----	12.5
14	----	----	----	----	----	----	10.8	----	----	----	----	12.1
15	----	----	----	----	----	----	----	----	----	----	----	11.9
16	----	----	----	----	----	----	----	----	----	----	----	11.9
17	----	----	----	----	----	----	----	----	----	10.9	----	11.9
18	----	----	----	----	----	----	----	10.7	----	----	----	11.7
19	----	----	----	----	----	----	----	----	----	----	----	11.6
20	----	----	----	----	----	----	----	----	----	----	----	11.5
21	----	----	----	----	----	----	----	----	----	----	----	11.4
22	----	----	----	----	----	----	----	----	----	----	----	15.3
23	----	----	----	----	----	----	----	----	----	----	----	16.5
24	----	----	----	----	----	----	----	----	----	----	----	16.1
25	----	----	----	----	----	----	----	----	----	----	----	15.7
26	----	----	----	----	----	----	----	----	----	----	----	15.3
27	----	----	----	----	----	----	----	----	----	----	----	14.9
28	----	----	----	----	----	----	----	----	----	----	----	14.5
29	----	----	14.4	----	----	----	----	----	----	----	----	14.1
30	----	----	----	----	----	----	----	10.6	----	----	----	13.6
31	----	----	----	----	----	----	----	----	----	----	----	13.2
MEAN	----	----	----	----	----	----	----	----	----	----	----	----
MAX	----	----	----	----	----	----	----	----	----	----	----	----
MIN	----	----	----	----	----	----	----	----	----	----	----	----

THE MEAN STAGE FOR THE YEAR ----
HIGHEST AND LOWEST STAGES WERE NOT DETERMINED.

DAILY STAGES FOR 1993

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. MILE 6.9, TWO MILES WEST OF RAMER, TENN. ON STATE HIGHWAY 57 BRIDGE. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 7,264 CFS COMPUTED FOR DEC. 4, 1983. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	A	A	A	A	A	A	A	A	A	A
2	A	A	A	A	A	A	A	A	A	A	A	A
3	A	A	A	A	A	A	A	A	A	A	A	A
4	A	A	A	A	A	A	A	A	A	A	A	A
5	A	A	A	A	A	A	A	A	A	A	A	A
6	A	A	A	A	A	A	A	A	A	A	A	A
7	A	A	A	A	A	A	A	A	A	A	A	A
8	A	A	A	A	A	A	A	A	A	A	A	A
9	A	A	A	A	A	A	A	A	A	A	A	A
10	A	A	A	A	A	A	A	A	A	A	A	A
11	A	A	A	A	A	A	A	A	A	A	A	A
12	A	A	A	A	A	A	A	A	A	A	A	A
13	A	A	A	A	A	A	A	A	A	A	A	A
14	A	A	A	A	A	A	A	A	A	A	A	A
15	A	A	A	A	A	A	A	A	A	A	A	A
16	A	A	A	A	A	A	A	A	A	A	A	12.5
17	A	A	A	A	A	A	A	A	A	A	A	A
18	A	A	A	A	A	A	A	A	A	A	A	A
19	A	A	A	A	A	A	A	A	A	A	A	A
20	A	A	A	A	A	A	A	A	A	A	A	A
21	A	A	A	A	A	A	A	A	A	A	A	A
22	A	A	A	A	A	A	A	A	A	A	A	A
23	A	A	A	A	A	A	A	A	A	A	A	A
24	A	A	A	A	A	A	A	A	A	A	A	A
25	A	A	A	A	A	A	A	A	A	A	A	A
26	A	A	A	A	A	A	A	A	A	A	A	A
27	A	A	A	A	A	A	A	A	A	A	A	A
28	A		A	A	A	A	A	A	A	A	A	A
29	A		A	A	A	A	A	A	A	A	A	A
30	A		A		A		A	A		A		A
31												

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN
MAX.
MIN.

A-NO RECORD.
YEARLY RECORD INCOMPLETE.
STAGES SHOWN ARE MEAN STAGES FOR TIME OF DISCHARGE OBSERVATIONS.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. MILE 6.9, TWO MILES WEST OF RAMER, TENN. ON STATE HIGHWAY 57 BRIDGE. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 7,264 CFS COMPUTED FOR DEC. 4, 1983. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	11.5	11.2	11.8	11.6	11.1	10.9	12.5	11.2	11.1	11.4	11.8	A
2	11.4	11.1	11.6	11.5	11.0	10.8	11.6	11.1	11.1	11.3	11.8	A
3	11.6	11.1	11.6	11.5	11.0	10.9	11.4	11.1	11.2	11.3	11.7	A
4	11.5	11.1	11.5	11.5	10.9	12.9	11.6	11.1	11.4	11.3	11.7	A
5	11.4	11.1	11.5	11.4	10.9	11.4	13.1	11.1	11.6	11.3	11.7	A
6	11.4	11.1	11.4	11.4	10.9	11.1	13.2	11.1	11.2	11.3	A	A
7	11.3	11.1	11.4	11.5	10.9	17.3	11.9	11.1	11.2	11.3	A	A
8	11.3	11.0	11.3	11.4	10.9	12.1	11.6	11.1	11.1	11.3	A	A
9	12.0	11.0	11.3	11.4	10.9	11.7	11.4	11.0	11.1	11.3	A	A
10	11.6	11.0	18.7	11.4	10.9	11.7	11.3	11.0	11.1	11.3	A	A
11	11.4	11.0	15.8	11.4	10.9	12.3	11.2	11.2	11.1	11.5	A	A
12	11.4	11.0	13.1	11.3	10.8	17.0	11.2	11.5	11.1	11.4	A	A
13	11.8	11.1	12.5	11.3	11.0	14.3	11.1	11.1	11.0	11.3	A	A
14	12.5	11.1	12.3	11.3	10.9	12.7	11.1	11.0	11.0	11.3	A	A
15	11.8	12.1	12.0	11.2	10.9	12.2	11.4	11.0	11.0	11.3	A	A
16	11.6	11.5	11.8	11.5	10.9	11.9	11.2	11.0	11.0	11.6	A	A
17	11.5	11.4	11.8	11.3	10.9	11.7	11.2	10.9	11.0	11.6	A	A
18	11,5	12.5	15.6	11.5	11.1	11.5	11.2	10.9	14.1	11.4	A	A
19	11.4	11.7	15.3	11.3	11.0	13.3	11.1	10.9	11.8	11.4	A	A
20	11.4	11.5	12.8	11.7	11.2	11.9	11.1	10.9	11.4	11.4	A	A
21	11.3	11.4	12.4	12.5	11.0	11.7	11.1	11.4	11.7	11.4	A	A
22	11.3	11.3	12.2	11.9	10.9	11.5	11.1	11.0	14.6	11.4	A	A
23	11.6	12.3	12.8	11.6	10.9	11.4	11.4	11.0	12.3	11.4	A	A
24	11.4	13.1	12.2	11.4	10.9	11.3	11.1	11.1	11.7	11.4	A	A
25	11.3	12.3	12.1	11.3	10.9	11.2	11.2	11.0	11.6	11.5	A	A
26	11.3	15.3	12.0	11.2	10.9	12.0	11.5	11.0	12.0	11.5	A	A
27	11.3	12.7	11.9	11.2	10.9	12.5	11.2	11.0	12.4	11.7	A	A
28	11.2	12.2	11.8	11.2	10.9	11.8	11.2	11.9	11.8	11.6	A	A
29	11.2	12.0	11.7	11.2	10.9	11.6	11.1	11.3	11.6	11.5	A	A
30	11.2		11.7	11.1	11.0	11.4	11.1	11.2	11.4	11.6	A	A
31	11.2		11.6		10.9		11.2	11.1		12.1		A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	11.47	11.66	12.50	11.43	10.92	12.19	11.43	11.11	11.58	11.43
MAX.	12.5	15.3	18.7	12.5	11.2	17.3	13.2	11.9	14.6	12.1
MIN.	11.2	11.0	11.3	11.1	10.8	10.8	11.1	10.9	11.0	11.3

A- NO RECORD.
HIGHEST RECORDED STAGE WAS 19.03 ON MAR 10.
LOWEST RECORDED STAGE WAS 10.82 ON JUN 2 AND 3.

NOTE: GAGE WAS TEMPORARILY REMOVED ON NOVEMBER 5, 1992 TO CONSTRUCT NEW BRIDGE.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. MILE 6.9, TWO MILES WEST OF RAMER, TENN. ON STATE HIGHWAY 57 BRIDGE. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 7,264 CFS COMPUTED FOR DEC. 4, 1983. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.2	10.0	10.6	11.5	13.0	11.5	10.2	9.6	9.7	9.6	A	A
2	11.4	10.0	12.3	11.1	12.1	12.5	10.1	9.6	9.6	9.6	A	17.2
3	11.0	10.0	11.9	10.9	11.6	11.5	10.1	9.6	9.5	9.6	A	A
4	10.8	10.0	11.4	10.7	12.3	11.2	10.0	9.6	9.6	9.6	A	A
5	10.7	10.0	11.1	10.9	17.9	11.2	10.0	9.5	9.5	9.7	A	A
6	10.6	13.3	10.9	10.7	16.6	10.8	9.9	9.5	9.5	10.0	A	A
7	16.1	11.2	10.7	10.5	12.8	10.7	9.9	9.5	9.5	9.8	A	A
8	12.0	10.7	10.6	10.5	12.0	10.6	9.8	9.5	9.5	9.7	A	A
9	11.3	10.6	10.5	10.5	14.9	10.5	9.8	9.7	9.5	9.7	A	A
10	11.0	E 10.5	10.4	10.5	12.5	10.4	9.8	9.8	11.8	9.7	A	A
11	12.4	E 10.3	10.4	10.3	17.0	10.4	9.7	9.7	10.2	9.7	A	A
12	11.8	E 10.2	10.3	11.0	13.0	10.8	9.7	9.6	10.0	9.7	10.1	A
13	11.2	10.3	10.6	10.7	19.0	11.2	9.7	9.6	9.8	9.7	A	A
14	11.0	12.2	10.3	17.5	15.8	10.6	9.6	9.6	9.8	9.9	A	A
15	10.8	11.1	10.2	19.0	13.3	10.4	9.6	9.5	9.7	10.1	A	A
16	10.9	10.7	10.2	15.0	12.6	11.1	9.6	9.5	9.7	9.9	A	12.1
17	10.7	10.9	10.2	12.7	12.0	11.0	9.6	9.5	9.6	9.9	A	12.0
18	10.6	18.5	10.6	12.0	16.4	10.6	9.6	9.5	9.6	9.8	A	11.8
19	10.5	19.3	10.3	15.9	12.9	10.5	9.7	9.5	10.1	9.8	A	11.7
20	10.5	19.0	10.2	13.0	12.0	10.3	9.6	9.4	9.7	9.8	A	11.6
21	10.4	15.0	10.2	12.1	11.7	10.2	9.6	9.4	9.6	9.8	A	11.5
22	10.3	13.4	10.2	11.6	11.4	10.4	9.6	9.5	9.6	9.8	A	11.6
23	10.3	12.8	16.3	11.3	11.3	11.0	9.5	9.4	9.6	9.9	A	12.4
24	10.2	11.9	11.6	11.1	11.1	11.5	9.7	9.4	9.7	10.3	A	12.3
25	10.2	11.3	11.0	10.9	11.4	11.2	10.7	9.4	10.2	10.5	A	11.8
26	10.1	11.0	10.7	10.7	15.2	10.8	12.5	9.7	9.8	10.3	A	11.7
27	10.1	10.9	10.6	10.9	19.3	10.6	10.2	9.6	9.7	10.3	A	11.6
28	10.2	10.7	10.8	15.3	14.9	10.5	9.9	9.7	9.7	10.3	A	11.6
29	10.1		15.8	18.3	13.1	10.4	9.8	9.8	9.6	10.3	A	11.8
30	10.1		15.0	16.3	12.4	10.3	9.7	9.9	9.6	10.3	A	11.6
31	10.1		12.1		11.9		9.7	10.0		10.3		11.5

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	10.94	11.98	11.23	12.44	13.66	10.82	9.89	9.58	9.76	9.92
MAX.	16.1	19.3	16.3	19.0	19.3	12.5	12.5	10.0	11.8	10.5
MIN.	10.1	10.0	10.2	10.3	11.1	10.2	9.5	9.4	9.5	9.6

A- NO RECORD.
E- ESTIMATED.
HIGHEST RECORDED STAGE WAS 19.46 ON FEB 19.
LOWEST RECORDED STAGE WAS 9.39 ON AUG 25.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. MILE 6.9, TWO MILES WEST OF RAMER, TENN. ON STATE HIGHWAY 57 BRIDGE. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 7,264 CFS COMPUTED FOR DEC. 4, 1983. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	11.7	10.4	10.2	10.4	10.4	9.8	9.3	9.2	9.1	9.1	9.3	9.6
2	10.6	16.3	10.9	10.5	10.8	9.8	9.3	9.2	9.1	9.1	9.3	9.6
3	10.3	17.8	12.0	10.4	12.9	13.7	9.3	9.2	9.1	9.1	9.3	12.5
4	16.7	19.4	11.0	10.2	11.2	10.4	9.3	9.2	9.1	9.4	9.3	10.3
5	11.9	16.7	10.7	10.2	11.0	10.1	9.3	9.2	9.1	9.4	9.3	9.9
6	11.2	13.7	10.4	11.0	10.7	9.9	9.3	9.2	9.1	9.3	9.5	9.8
7	10.6	12.9	10.3	10.8	10.4	9.7	9.3	9.2	9.0	9.2	9.4	9.7
8	10.9	12.3	15.7	10.5	10.3	9.7	9.3	9.2	10.0	10.0	9.4	9.7
9	10.4	12.0	14.9	10.3	10.1	9.7	9.2	9.2	9.2	9.4	9.4	9.6
10	10.1	17.7	12.3	10.3	10.2	9.7	9.2	9.2	9.2	9.6	11.4	9.6
11	10.0	14.4	11.6	10.5	10.0	9.6	9.3	9.2	9.2	9.4	9.9	9.6
12	9.9	12.2	11.2	10.2	10.0	9.7	14.6	9.2	9.2	9.3	9.7	9.6
13	9.7	11.5	11.1	10.1	11.0	9.5	10.5	9.2	9.3	9.3	9.6	9.6
14	9.7	11.0	10.9	10.1	10.2	9.5	10.0	9.3	9.2	9.3	9.6	9.6
15	9.7	11.3	11.4	10.1	10.0	9.5	9.8	9.2	9.3	9.2	9.5	9.6
16	9.7	13.6	15.6	10.0	9.8	9.7	9.6	9.2	9.2	9.2	9.5	9.8
17	9.6	11.4	12.4	10.0	11.2	9.5	9.6	9.2	9.2	9.2	9.5	9.8
18	11.5	11.0	11.6	10.5	9.9	9.6	9.5	9.2	9.2	10.0	9.5	13.6
19	10.2	10.8	11.2	10.2	9.8	9.5	9.4	9.1	9.1	9.4	9.4	13.3
20	11.4	10.5	10.9	10.1	15.7	9.5	9.4	9.1	9.2	9.3	9.4	11.3
21	10.9	10.4	10.7	17.3	15.4	11.0	9.4	9.1	9.2	9.3	9.4	14.6
22	10.3	13.2	10.6	16.6	13.1	9.8	9.4	9.1	9.2	9.6	9.5	18.8
23	10.1	11.8	10.5	12.4	11.6	10.0	9.3	9.1	9.1	9.6	9.5	14.8
24	10.0	11.0	10.4	11.6	11.0	9.7	9.4	9.1	9.1	9.4	9.5	12.1
25	10.0	10.6	10.3	11.2	10.7	9.6	9.3	9.1	9.1	9.3	9.4	11.4
26	9.8	10.4	10.2	10.8	10.4	9.6	9.3	9.1	9.1	9.3	9.4	11.0
27	9.8	10.3	10.2	10.5	10.2	9.5	9.3	9.1	9.1	9.3	9.4	11.3
28	9.7	10.3	10.1	13.4	10.1	9.5	9.3	9.1	9.1	9.3	11.6	16.7
29	16.0		10.4	11.2	10.0	9.4	9.3	9.1	9.1	9.3	10.0	12.5
30	11.7		10.7	10.7	9.9	9.4	9.2	9.1	9.1	9.3	9.7	11.7
31	10.7		10.7		9.8		9.2	9.1		9.3		16.2

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	10.80	12.66	11.32	11.06	10.89	9.85	9.57	9.16	9.17	9.35	9.62	11.52
MAX.	16.7	19.4	15.7	17.3	15.7	13.7	14.6	9.3	10.0	10.0	11.6	18.8
MIN.	9.6	10.3	10.1	10.0	9.8	9.4	9.2	9.1	9.0	9.1	9.3	9.6

HIGHEST STAGE WAS 19.61 ON FEB 3 AND 4.
LOWEST STAGE WAS 9.04 ON SEP 3 AND SUBSEQUENT DAYS.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. MILE 6.9, TWO MILES WEST OF RAMER, TENN. ON STATE HIGHWAY 57 BRIDGE. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 7,264 CFS COMPUTED FOR DEC. 4, 1983. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	13.7	10.7	11.8	11.4	9.5	9.2	9.3	9.1	8.9	12.7	9.3	9.5
2	11.4	10.4	11.2	10.8	9.4	9.1	17.4	9.2	8.9	10.3	9.3	9.5
3	11.0	10.3	10.8	10.5	9.3	9.2	12.2	9.0	8.9	9.8	9.2	9.4
4	10.4	10.9	10.6	17.5	9.3	9.2	12.2	9.0	8.9	9.5	9.2	9.4
5	10.2	10.6	17.7	13.4	10.6	9.4	11.2	9.0	8.9	9.4	9.2	9.4
6	10.5	10.2	18.0	11.5	10.3	10.3	10.7	9.0	8.9	9.3	10.3	9.4
7	10.1	10.1	13.2	12.3	9.8	9.5	10.2	9.0	8.9	9.3	9.9	9.4
8	12.4	10.0	12.0	11.5	9.6	9.3	10.9	8.9	8.9	9.2	10.1	9.5
9	10.4	9.9	11.5	10.8	9.9	16.0	10.2	9.0	8.9	9.2	10.9	9.6
10	10.1	9.8	11.1	10.5	10.6	10.3	9.9	9.0	8.9	9.2	10.1	9.5
11	10.0	9.7	10.9	10.3	9.8	9.8	10.1	9.0	8.9	9.2	9.9	9.5
12	18.4	9.7	10.6	10.1	9.6	18.2	9.7	9.0	8.9	9.1	9.7	9.4
13	18.9	9.7	10.4	10.0	9.5	19.2	9.8	8.9	8.9	9.1	9.6	9.4
14	16.4	10.9	10.3	9.9	9.4	18.4	9.6	8.9	9.2	9.1	9.8	9.4
15	19.0	17.2	10.2	10.1	11.4	18.4	9.3	8.9	9.0	9.1	12.1	9.4
16	15.2	14.0	10.0	9.9	10.1	14.5	9.3	8.9	9.3	9.1	13.6	9.5
17	13.2	12.4	9.9	9.8	9.8	12.3	9.5	8.9	9.0	16.4	11.0	9.4
18	12.3	16.7	9.9	9.7	9.6	11.5	9.3	8.9	9.0	10.2	10.4	9.4
19	11.5	12.6	9.9	9.6	9.6	12.4	9.4	8.9	8.9	9.8	10.0	9.5
20	11.0	11.7	10.4	9.6	9.6	11.2	9.5	8.9	8.9	9.6	9.9	9.5
21	10,6	19.0	10.2	9.5	14.5	10.8	9.3	8.9	8.9	9.6	9.8	9.4
22	10.4	16.7	9.9	9.5	10.5	10.4	9.2	8.9	8.9	9.4	9.7	9.3
23	10.2	13.2	9.8	9.4	10.5	10.1	9.2	8.9	9.3	9.4	11.7	9.4
24	10.1	12.5	9.8	9.4	9.9	9.9	9.1	8.8	9.0	9.3	10.4	9.3
25	10.0	11.7	9.7	9.3	9.7	9.7	9.1	9.2	9.0	9.3	10.1	9.3
26	9.9	11.1	9.7	9.3	9.7	9.6	9.1	9.0	9.1	9.3	10.0	9.3
27	10.4	11.4	9.6	9.3	9.6	9.5	9.0	9.0	9.0	9.3	9.8	9.3
28	10.0	14.8	9.6	9.2	9.4	9.5	9.0	8.9	9.0	9.2	9.7	9.4
29	10.0		14.7	11.1	9.3	9.5	9.0	8.9	9.0	9.2	9.6	9.0
30	13.9		11.3	9.7	9.2	9.4	9.0	8.9	17.1	9.2	9.5	9.6
31	11.4		15.8		9.2		9.1	9.0		9.3		16.3

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	12.02	12.05	11.31	10.49	9.93	11.52	9.99	8.94	9.22	9.71	10.13	9.64
MAX.	19.0	19.0	18.0	17.5	14.5	19.2	17.4	9.2	17.1	16.4	13.6	16.3
MIN.	9.9	9.7	9.6	9.2	9.2	9.1	9.0	8.8	8.9	9.1	9.2	9.0

HIGHEST STAGE WAS 19.22 ON JUN 13.
LOWEST STAGE WAS 8.84 ON AUG 24.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. MILE 6.9, TWO MILES WEST OF RAMER, TENN. ON STATE HIGHWAY 57 BRIDGE. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 7,264 CFS COMPUTED FOR DEC. 4, 1983. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET — GAGE ZERO, 376.67 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	11.7	9.6	9.6	10.7	9.3	9.3	8.9	8.9 E	8.8	10.1	9.0	10.0
2	10.5	13.1	9.6	11.0	9.3	9.2	8.9	9.0 E	8.8	10.8	9.1	9.8
3	10.2	11.8	11.4	10.8	9.2	9.2	8.9	10.3 E	8.8	9.6	9.0	9.7
4	10.0	11.6	10.5	10.3	9.3	9.2	8.9	9.2 E	9.1	9.3	8.9	9.6
5	9.8	10.6	10.1	10.0	9.3	9.2	8.9 E	9.0 E	8.9	9.2	9.7	9.5
6	9.7	10.2	10.0	10.1	9.2	9.1	9.3 E	8.9 E	8.8	9.1	9.2	9.4
7	9.6	10.0	9.9	9.8	9.2	9.1	8.9 E	8.9 E	8.8	9.1	9.1	9.4
8	9.6	10.0	9.8	9.7	9.2	9.0	8.9 E	8.9 E	8.8	9.0	9.2	9.3
9	9.6	9.9	12.9	9.6	9.2	9.0	8.9 E	8.9 E	8.8	9.0	9.0	9.3
10	9.6	9.8	12.7	9.6	9.1	9.0	8.9 E	8.9 E	8.8	9.0	9.0	9.3
11	9.6	9.7	11.0	9.5	9.1	9.0	8.9 E	8.8 E	8.8	8.9	9.1	9.3
12	9.5	9.8	10.6	10.5	9.1	9.0	9.0 E	8.8 E	8.8	8.9	9.1	9.2
13	10.5	9.8	10.8	9.8	9.1	9.0	9.5 E	8.8 E	8.8	8.9	9.4	9.2
14	9.7	9.9	10.4	9.6	9.0	9.0	9.7 E	8.8	8.8	8.9	9.2	9.2
15	9.6	16.5	10.2	9.5	9.0	9.0	9.3 E	8.8	8.8	8.9	9.1	9.2
16	9.6	11.1	10.0	9.5	9.1	8.9	9.2 E	8.8	8.8	8.9	9.1	9.1
17	10.0	10.5	9.9	9.4	9.0	8.9	9.1 E	8.8	9.6	8.9	9.4	9.1
18	10.5	10.3	9.9	16.7	9.0	8.9	9.0 E	8.8	9.0	8.9	9.2	9.1
19	16.7	11.6	9.9	11.5	9.0	8.9	9.0 E	8.8	9.0	9.1	9.1	9.1
20	15.7	10.6	9.8	10.6	9.0	8.9	9.0 E	11.8	8.9	8.9	18.5	9.1
21	11.3	10.2	9.7	10.2	9.0	8.9	9.5 E	9.2	8.9	8.9	12.5	9.5
22	10.6	10.0	9.7	10.0	9.4	8.9	9.1 E	9.0	8.9	8.9	10.9	10.5
23	10.3	9.9	9.6	9.9	17.3	8.9	9.0 E	8.9	8.8	8.9	10.3	17.1
24	10.1	10.1	9.6	10.2	11.5	8.9	9.0 E	8.9	8.8	9.3	10.0	12.6
25	10.0	9.9	9.7	9.8	11.1	8.9	9.0 E	8.9	9.4	9.0	9.8	11.9
26	9.8	9.9	9.7	9.7	10.3	8.9	9.1 E	8.9	9.0	9.0	10.3	10.8
27	9.7	9.8	9.6	9.5	10.0	8.9	9.0 E	8.8	8.9	8.9	17.5	10.4
28	9.7	9.7	9.5	9.4	9.6	8.8	9.0 E	8.8	8.9	10.6	11.8	17.7
29	9.6	9.7	9.5	9.4	9.5	8.8	9.0 E	8.8	8.9	9.2	10.7	14.1
30	9.6		10.1	9.4	9.4	8.8	8.9 E	8.8	8.9	9.1	10.3	11.6
31	9.6		9.9		9.3		8.9 E	8.8		9.0		11.7

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	10.38	10.53	10.17	10.18	9.64	8.98	9.05	9.02	8.91	9.16	10.21	10.48
MAX.	16.7	16.5	12.9	16.7	17.3	9.3	9.7	11.8	9.6	10.8	18.5	17.7
MIN.	9.5	9.6	9.5	9.4	9.0	8.8	8.9	8.8	8.8	8.9	8.9	9.1

E- ESTIMATED.
HIGHEST STAGE WAS 18.50 ON NOV. 20.
LOWEST STAGE WAS 8.78E ON AUG. 17, 18, AND 19.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. MILE 6.9, TWO MILES WEST OF RAMER, TENN. ON STATE HIGHWAY 57 BRIDGE. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 7,264 CFS COMPUTED FOR DEC. 4, 1983. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	9.6	9.5	18.4	9.7	8.9	10.3 E	8.8	8.5	8.4	8.5	8.6	9.0
2	9.5	12.4	13.3	9.6	8.9	9.7 E	8.7	8.5	8.4	8.5	8.6	8.9
3	9.4	10.3	12.3	9.8	9.0	9.4	8.8	8.5	8.4	8.4	8.7	8.9
4	9.4	9.9	11.4	9.6	8.9	9.2	9.5	8.5	8.4	8.4	8.6	8.9
5	9.4	9.7	10.8	9.5	8.9	9.0	9.0	8.5	8.4	8.4	8.7	8.9
6	9.3	9.6	10.4	9.4	8.9	8.9	8.9	8.5	8.4	8.5	8.6	8.9
7	9.3	9.6	10.2	9.3	8.9	8.9	8.8	8.5	8.4	8.4	8.7	8.8
8	9.3	9.5	10.1	9.3	8.9	8.9	8.7	8.5	8.4	8.5	8.6	8.8
9	9.3	9.4	10.1	9.2	8.9	8.8	8.8	8.5	8.4	8.5	8.7	8.8
10	9.4	9.4	9.8	9.2	8.9	8.8	8.8	8.4	8.4	8.5	11.7	8.8
11	9.3	9.4	9.7	9.3	9.1	8.8	8.7	8.5	8.6	8.4	9.2	8.8
12	9.3	9.3	9.6	9.3	10.2	8.8	8.7	8.5	8.6	8.5	8.9	8.8
13	9.3	9.3	9.6	9.2	9.2	8.9	8.6	8.5	8.6	8.5	8.9	8.8
14	9.2	9.3	9.5	16.3	9.0	8.9	8.7	8.5	8.5	8.5	8.8	8.8
15	9.2	9.6	9.5	11.1	10.1	9.1	8.6	8.5	8.5	8.5	8.8	9.0
16	9.2	11.5	9.4	10.7	9.3	8.9	8.6	8.4	8.5	8.5	8.8	9.0
17	9.2	11.0	9.4	10.2	9.0	8.8	8.6	8.4	8.5	8.5	9.8	8.9
18	9.4	10.3	13.2	9.9	8.9	8.8	8.6	8.4	8.5	8.5	9.1	8.8
19	10.9	10.0	12.2	9.7	8.9	8.8	8.6	8.5	8.5	8.5	8.8	8.8
20	9.7	9.8	10.3	9.6	8.9	8.8	8.6	8.4	8.6	8.6	8.8	9.0
21	9.6	10.0	10.0	9.4	8.8	8.8	8.5	8.4	8.5	8.6	8.7	8.9
22	9.5	9.8	9.8	9.3	9.2	8.8	8.5	8.4	8.5	8.5	8.7	8.9
23	9.4	13.3	9.7	9.3	9.8	9.0	8.5	8.4	8.5	8.6	8.7	8.8
24	9.4	10.8	9.9	9.2	9.0	10.3	8.5	8.4	8.5	8.6	9.0	9.3
25	13.3	10.3	9.7	9.1	10.5	9.5	8.5	8.4	8.5	8.6	8.9	14.6
26	11.5	10.1	9.5	9.1	17.8	9.3	8.5	8.4	8.5	8.6	8.8	15.2
27	10.3	18.6	9.5	9.0	11.2	8.9	8.5	8.4	8.4	8.8	8.9	13.6
28	10.0	17.8	9.4	9.0	10.2 E	8.9	8.5	8.5	8.4	8.7	11.5	16.4
29	9.9		9.3	9.0	9.8 E	8.8	8.5	8.5	8.5	8.6	9.6	11.8
30	9.8		9.6	8.9	9.6 E	8.8	8.5	8.4	8.5	8.6	9.2	10.7
31	9.6		10.2		9.6		8.5	8.4		8.8		10.3

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	9.70	10.70	10.50	9.70	9.58	9.05	8.67	8.45	8.47	8.52	9.04	9.86
MAX.	13.3	18.6	18.4	16.3	17.8	10.3	9.5	8.5	8.6	8.8	11.7	16.4
MIN.	9.2	9.3	9.3	8.9	8.8	8.8	8.5	8.4	8.4	8.4	8.6	8.8

E- ESTIMATED.
HIGHEST STAGE WAS 18.82 ON FEB. 28.
LOWEST STAGE WAS 8.37 ON SEP. 6.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. MILE 6.9, TWO MILES WEST OF RAMER, TENN. ON STATE HIGHWAY 57 BRIDGE. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 5,271 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	9.4	9.1	9.2	9.1	8.9	9.0	9.2	A	8.6	8.7	8.8	10.3
2	9.3	9.1	9.2	9.1	8.9	9.5	9.2	A	8.6	8.8	8.9	10.0
3	9.3	9.1	9.2	9.1	8.9	9.1	9.2	A	8.6	8.8	8.8	9.7
4	9.3	9.1	9.2	9.1	8.9	9.0 E	9.1	A	8.6	8.8	8.8	9.6
5	9.2	9.2	9.2	9.6	8.9	15.0 E	9.1	A	8.6	8.8	9.1	9.5
6	9.2	9.2	9.2	9.4	8.8	13.0 E	9.0	A	8.6	8.8	9.0	9.4
7	9.2	9.3	9.1	9.3	8.8	11.8 E	9.0	A	8.6	8.8	9.0	9.4
8	9.2	9.2	9.1	9.8	8.8	10.8 E	8.9	A	8.6	8.8	13.1	9.9
9	9.2	9.2	9.1	9.3	8.8	13.5	8.9	A	8.6	8.8	13.6	17.1
10	9.2	9.2	9.1	9.2	8.8	10.6	8.9	A	8.6	8.7	10.1	17.7
11	9.2	9.2	9.1	9.1	9.6	12.5	8.9	A	8.6	8.7	10.6	12.1
12	9.2	9.2	9.2	9.1	9.0	10.6	A	A	8.9	8.7	10.2	11.1
13	9.3	9.2	13.7	9.1	8.8	9.9	A	A	8.6	8.9	9.7	10.6
14	9.3	9.2	10.4	9.0	8.8	9.6	A	A	8.6	8.8	9.5	10.3
15	9.2	10.0	9.9	9.1	8.8	9.5	A	A	8.6	8.8	9.6	10.1
16	9.2	9.6	9.7	9.0	8.8	9.3	A	A	8.6	8.7	9.5	9.9
17	9.2	9.6	9.6	9.0	8.8	9.2	A	A	8.6	8.7	9.4	9.9
18	9.2	12.4	9.5	9.0	8.8	9.3	A	A	8.6	8.7	9.3	10.0
19	9.7	10.0	15.1	8.9	8.8	9.2	A	A	10.3	8.7	9.3	9.7
20	9.3	9.7	10.4	9.1	8.8	9.2	A	A	8.7	8.7	9.4	9.6
21	9.2	9.6	9.9	9.1	8.8	9.2	A	A	8.7	8.7	9.4	9.5
22	9.2	9.5	9.7	9.0	8.7	9.2	A	8.6	8.7	8.7	9.3	9.5
23	9.2	9.4	9.6	9.0	9.2	9.2	A	8.6	8.7	8.7	9.2	9.5
24	9.2	9.4	9.5	8.9	8.8	9.2	A	8.6	8.7	8.8	14.9	15.6
25	9.2	9.3	9.5	8.9	9.4	9.2	A	8.6	8.7	10.0	10.4	11.0
26	9.2	9.3	9.4	8.9	8.9	9.2	A	8.6	8.8	9.0	16.5	10.4
27	9.1	9.3	9.3	8.9	9.4	9.2	A	8.6	8.8	9.0	10.8	10.1
28	9.1	9.3	9.3	8.9	11.1	9.2	A	8.6	8.8	8.9	10.2	9.9
29	9.2		9.3	8.9	11.1	9.9	A	8.6	8.7	8.9	9.9	9.7
30	9.1		9.2	8.9	9.5	9.2	A	8.6	8.7	8.9	9.7	9.6
31	9.1		9.2		9.2		A	8.6		8.8		9.5

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	9.22	9.46	9.75	9.09	9.07	10.08	8.71	8.83	10.20	10.65
MAX.	9.7	12.4	15.1	9.8	11.1	15.0	10.3	10.0	16.5	17.7
MIN.	9.1	9.1	9.1	8.9	8.7	9.0	8.6	8.7	8.8	9.4

A- NO RECORD.
E- ESTIMATED.
HIGHEST STAGE WAS 18.43 ON DEC. 9.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. MILE 6.9, TWO MILES WEST OF RAMER, TENN. ON STATE HIGHWAY 57 BRIDGE. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 7,264 CFS COMPUTED DEC. 4, 1983. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	15.1	11.2	10.0	10.8	16.7	9.0	9.0	9.0	8.9	9.4	10.1	10.0
2	10.8	11.2	9.9	10.7	12.5	9.0	9.2	8.9	8.9	9.1	9.8	10.5
3	10.3	10.7	9.8	10.5	11.0 E	9.0	8.9	8.9	8.9	9.0	9.6	9.9
4	10.5	10.7	9.8	10.4	10.2 E	9.0	9.1	8.9	9.4	9.0	9.5	9.7
5	10.2	10.3	10.0	10.3	10.0 E	8.9	9.4	8.9	9.0	9.0	9.4	9.7
6	10.2	11.8	9.7	11.3	9.9 E	8.9	9.1	9.0	9.0	9.0	9.3	9.5
7	10.1	11.1	9.7	10.6	9.9 E	8.9	9.0	8.9	8.9	8.9	9.3	9.4
8	10.4	10.3	9.7	10.4	15.2 E	8.9	8.9	8.9	8.9	8.9	9.2	9.4
9	10.1	10.2	9.7	10.3	10.9 E	8.9	8.9	8.9	9.7	8.9	9.2	9.3
10	11.0	10.3	9.6	10.3	10.4 E	8.9	8.9	8.9	8.9	8.9	9.2	9.3
11	10.6	15.8	9.6	10.3	10.1 E	8.9	8.9	8.9	8.9	8.9	9.1	9.2
12	10.1	14.6	9.6	10.3 E	9.9 E	8.9	8.9	9.2	8.9	8.9	9.1	9.6
13	9.9	11.6	9.6	10.3 E	9.8	8.9	8.9	8.9	8.9	8.9	9.1	9.7
14	9.9	11.2	9.6	10.3 E	9.6	8.9	8.8	8.9	8.9	8.9	9.1	9.4
15	9.7	10.7	9.6	10.6 E	9.5	8.9	8.8	9.0	8.9	13.2	9.1	9.4
16	9.7	10.4	9.6	9.9 E	9.3	8.9	9.1	9.1	8.9	9.6	9.6	9.4
17	12.1	10.3	9.6	9.7 E	9.2	8.9	8.9	11.1	8.9	9.3	9.5	9.4
18	10.3	10.2	9.6	9.7 E	9.2	11.3	8.9	9.3	8.8	9.2	12.6	9.4
19	10.0	10.7	9.6	9.7 E	9.2	9.2	8.9	9.1	8.8	9.2	9.8	9.3
20	9.8	10.3	9.6	9.7 E	9.2	9.0	8.8	9.0	8.8	9.1	9.6	9.4
21	9.8	10.1	9.6	9.7 E	9.1	9.2	8.8	9.1	8.8	9.7	9.4	9.3
22	10.6	10.0	14.2	9.7 E	9.2	9.2	8.8	9.0	8.8	9.2	9.4	9.3
23	10.3	9.9	10.8	9.7 E	10.2	10.9	8.8	9.0	8.8	9.2	9.3	9.4
24	10.0	16.9	10.4	17.6 E	9.7	9.1	9.0	9.0	9.9	10.6	9.3	9.3
25	9.7	11.7	10.1	11.9 E	9.5	9.0	8.9	10.4	9.0	9.7	9.3	9.3
26	9.6	10.9	10.0	10.8 E	9.3	9.5	8.9	9.4	12.6	9.4	9.3	9.3
27	9.6	10.4	9.9	10.6 E	9.2	9.0	11.1	9.1	9.3	9.3	12.4	9.3
28	10.1	10.1	10.2	10.8 E	9.1	9.4	9.4	9.1	9.1	9.4	12.0	9.3
29	9.8		10.0	10.2 E	12.2	9.1	9.2	9.0	9.0	9.4	10.4	9.3
30	9.9		10.0	9.9 E	9.4	9.0	9.2	9.0	9.0	9.3	10.0	9.2
31	14.3		15.2		9.2		9.0	8.9		9.8		9.3

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	10.46	11.19	10.14	10.56	10.25	9.16	9.04	9.11	9.11	9.35	9.73	9.45
MAX.	15.1	16.9	15.2	17.6	16.7	11.3	11.1	11.1	12.6	13.2	12.6	10.5
MIN.	9.6	9.9	9.6	9.7	9.1	8.9	8.8	8.9	8.8	8.9	9.1	9.2

E- ESTIMATED.
HIGHEST STAGE WAS 17.79 ON APR. 24.
LOWEST STAGE WAS 8.78 ON JUL. 22 AND SUBSEQUENT DAYS.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. MILE 6.9, TWO MILES WEST OF RAMER, TENN. ON STATE HIGHWAY 57 BRIDGE. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 7,264 CFS COMPUTED FOR DEC. 4, 1983. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	10.2	9.3	10.2	10.5	11.2 E	9.2	9.1	9.1	9.1 E	9.2	9.2	9.9
2	9.9	9.3	10.1	10.4	16.7 E	9.2	9.0	9.2	9.1 E	9.2	11.4	9.7
3	9.9	9.7	10.0	11.6	18.5 E	9.1	9.0	9.1	9.1 E	9.2	9.5	9.7
4	9.9	9.5	9.9	10.6	17.8 E	9.1	9.0	9.1	9.1 E	9.2	9.3	9.5
5	9.9	9.4	15.9	10.3	12.4 E	9.1	9.0	9.1	9.1 E	9.2	9.2	9.5
6	9.9	9.2	14.2	10.2	11.8 E	9.1	9.1	9.1	9.1 E	9.2	9.2	9.7
7	9.8	9.2	11.4	10.1	15.1 E	9.0	9.0	9.1	9.1	9.3	9.2	9.5
8	9.8	9.2	10.8	10.0	18.6 E	9.0	9.4	9.1	9.1	11.5	9.2	9.5
9	9.8	9.7	10.4	12.8	14.8 E	9.0	9.0	9.1	9.1	9.2	9.2	9.5
10	10.4	10.4	10.3	10.9	11.8 E	9.0	9.0	9.1	9.1	9.1	9.7	9.5
11	10.9	10.2	10.2	10.5	11.0 E	9.0	9.0 E	9.2	9.1	9.1	10.5	9.5
12	10.3	10.0	10.1	10.3	10.5 E	9.0	9.5 E	9.4	9.1	9.1	9.6	9.4
13	10.4	11.4	11.2	10.2	10.4 E	9.0	9.0 E	9.6	9.1	9.1	9.4	9.4
14	10.2	10.4	10.6	10.0	10.4	9.0	9.0 E	9.9	9.1	9.1	9.3	9.4
15	10.0	10.2	10.4	10.0	10.4	9.0	9.0 E	9.9	9.1	9.1	9.4	9.4
16	10.0	10.1	13.5	10.0	10.4 E	9.0	9.0 E	9.8	9.1	9.1	9.7	9.4
17	9.9	10.0	11.9	10.0	10.4 E	9.0	9.0 E	9.8	9.1	10.2	9.4	9.4
18	9.9	9.9	16.5	10.0	10.4 E	9.0	9.2 E	9.8 E	9.1	9.1	9.4	9.4
19	9.8	10.3	12.1	10.0	10.4 E	9.0	8.2 E	9.7 E	9.1	9.1	16.0	9.4
20	9.8	9.9	12.5	10.0	10.4	9.0	8.2 E	9.7 E	9.1	9.1	10.6	15.5
21	9.9	9.9	11.1	10.0	10.4	9.0	8.2 E	9.6 E	9.2	10.0	10.0	14.0
22	9.9	9.8	10.6	18.6	10.4	8.9	8.2 E	9.6 E	9.2	9.4	9.7	12.3
23	9.8	9.8	10.4	15.8	10.4	9.0	8.2 E	9.6 E	9.2	16.1	9.7	10.7
24	13.8	9.7	10.5	11.7	9.6	9.1	8.2 E	9.5 E	9.3	10.3	9.6	10.3
25	10.7	9.7	10.9	11.0 E	9.4	9.0	8.2 E	9.5 E	9.3	9.9	9.6	11.1
26	10.1	9.7	10.6	10.6 E	9.4	9.0	8.2 E	9.5 E	9.3	9.5	9.5	10.2
27	9.8	14.6	10.4	10.3 E	9.3	9.0	8.2 E	9.4 E	9.3	9.3	9.5	10.1
28	9.7	10.8	17.5	16.3 E	9.3	8.9	8.7 E	9.4 E	9.3	9.2	12.6	10.0
29	9.6	10.4	12.8	13.4 E	9.3	10.1	8.3	9.7 E	9.3	9.2	10.2	9.9
30	9.5		11.3	14.9 E	9.3	9.1	8.3	9.1 E	9.2	9.2	9.9	9.8
31	9.3		10.8	E	9.2		9.1	9.1		9.2		10.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	10.08	10.05	11.58	11.36	11.59	9.06	8.75	9.41	9.14	9.60	9.95	10.14
MAX.	13.8	14.6	17.5	18.6	18.6	10.1	9.5	9.9	9.3	16.1	16.0	15.5
MIN.	9.3	9.2	9.9	10.0	9.2	8.9	8.2	9.1	9.1	9.1	9.2	9.4

E- ESTIMATED.
HIGHEST STAGE WAS 18.83 ON APR. 22.
LOWEST STAGE WAS 8.14 ON JUL. 17.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. MILE 6.9, TWO MILES WEST OF RAMER, TENN. ON STATE HIGHWAY 57 BRIDGE. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 5,271 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET — GAGE ZERO, 376.67 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	15.0	15.0	14.5	11.6	15.6	E 10.8	9.8	9.0	9.1	9.1	9.3	9.9
2	14.9	16.5	13.8	15.5	12.2	E 10.7	9.7	9.0	9.1	9.1	9.3	9.8
3	14.9	15.4	13.3	13.2	17.3	E 10.5	9.7	9.0	9.0	9.1	9.3	17.5
4	14.7	14.9	13.1	12.3	15.6	E 10.4	9.6	9.0	9.1	9.1	9.6	18.8
5	14.6	14.7	13.2	17.4	12.3	E 10.2	9.6	9.0	9.0	9.1	9.5	14.4
6	14.5	15.9	18.4	18.0	12.1	E 10.1	9.7	9.1	9.1	9.1	9.3	12.4
7	14.4	15.3	15.2	14.8	11.7	E 9.9	9.7	9.4	9.1	9.1	9.3	10.8
8	14.3	14.9	13.8	16.5	11.7	E 9.7	9.6	9.1	9.1	9.1	9.3	10.4
9	16.1	14.8	13.1	15.0	11.6	E 9.7	9.6	9.5	9.0	9.1	9.3	10.0
10	15.4	17.0	12.8	13.3	11.6	E 9.7	9.5	9.1	9.0	9.1	9.3	10.1
11	15.1	17.7	12.6	12.7	11.6	E 9.7	9.5	9.1	9.0	9.1	9.4	10.6
12	14.7	15.9	12.3	12.3	11.6	E 9.6	9.5	10.4	9.0	9.2	9.3	11.1
13	14.6	15.4	12.2	12.2	11.6	E 9.6	9.4	9.1	9.1	10.3	9.3	10.3
14	14.5	15.1	12.2	17.0	11.6	E 9.6	9.4	9.1	9.1	9.3	9.3	14.0
15	14.3	14.9	12.2	13.6	13.7	E 9.6	E 9.4	9.1	9.1	9.2	9.9	10.8
16	14.2	14.8	12.0	12.4	15.5	E 9.6	E 9.4	9.1	9.1	9.2	9.5	10.2
17	14.2	14.6	11.9	12.2	12.2	E 9.6	E 9.4	9.1	9.1	9.2	9.4	9.9
18	14.1	14.6	12.0	15.3	11.7	E 9.6	9.4	9.1	9.1	9.3	9.4	9.9
19	14.0	14.4	12.1	13.5	19.5	E 9.7	E 9.3	9.0	9.0	9.3	9.4	9.8
20	14.0	14.4	11.9	12.5	18.5	E 9.7	E 9.3	9.0	9.1	9.2	15.6	9.7
21	15.6	14.3	13.4	12.2	14.4	E 9.7	E 9.3	9.1	9.5	9.2	10.1	9.7
22	18.2	14.3	12.3	12.1	17.1	E 9.8	E 9.3	9.2	9.2	9.3	9.7	13.3
23	15.7	16.0	12.2	15.1	12.9	E 9.8	E 9.3	9.1	9.1	9.7	16.6	10.4
24	15.3	14.8	12.0	14.7	12.0	E 9.8	E 9.2	9.1	9.1	9.4	16.8	10.1
25	15.0	14.9	11.9	12.6	11.8	E 9.8	E 9.2	9.1	9.1	9.3	10.7	10.1
26	14.8	14.3	11.8	12.2	11.8	E 9.9	9.2	9.1	9.1	9.3	10.1	10.1
27	14.9	14.0	12.3	12.1	E 11.6	E 9.9	9.1	9.1	9.1	9.3	10.1	10.1
28	14.7	13.9	12.0	12.1	E 11.5	E 9.9	9.0	9.1	9.1	9.3	12.3	10.1
29	14.5		11.8	11.9	E 11.3	10.0	9.0	9.0	9.1	9.3	10.5	11.5
30	14.8		11.7	11.7	E 11.2	9.8	9.0	9.0	9.1	9.3	10.1	10.9
31	14.5		11.7		E 11.0		9.0	9.0		9.3		10.9

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	14.78	15.09	12.77	13.60	13.09	9.88	9.38	9.13	9.09	9.26	10.36	11.21
MAX.	16.2	17.7	18.4	18.0	19.5	10.8	9.8	10.4	9.5	10.3	16.8	18.8
MIN.	14.0	13.9	11.7	11.6	11.0	9.6	9.0	9.0	9.0	9.1	9.3	9.7

E- ESTIMATED.
HIGHEST STAGE WAS 19.61 ON MAY 19.
LOWEST STAGE WAS 8.98 ON AUG. 4 AND SUBSEQUENT DAYS.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. MILE 6.9, TWO MILES WEST OF RAMER, TENN. ON STATE HIGHWAY 57 BRIDGE. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 5,271 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	13.9	15.5	14.7	15.0	14.4	13.8	13.4	12.9	12.7	12.7	13.0	14.6
2	13.7	15.2	14.6	14.6	14.2	13.6	12.9	12.6	13.0	12.7	13.0	14.4
3	17.3	15.1	14.5	16.0	14.1	13.5	12.8	12.6	13.2	12.7	13.3	14.2
4	17.8	15.2	14.4	15.0	13.9	14.0	12.8	12.6	12.7	12.7	13.1	18.5
5	15.6	15.0	14.2	15.2	13.8	13.7	15.0	12.6	12.6	12.7	13.1	17.2
6	15.1	15.3	14.1	15.1	13.7	13.5	13.2	13.1	12.4	12.7	13.0	15.5
7	14.8	15.0	14.3	14.7	13.7	13.3	12.9	14.3	12.5	13.4	13.1	15.0
8	14.5	14.9	14.1	14.6	15.0	13.2	13.6	13.2	12.5	13.1	13.0	14.7
9	14.4	18.6	14.0	17.1	14.1	13.1	E 12.9	13.5	12.5	12.9	13.1	14.4
10	14.2	17.6	14.0	15.4	13.8	13.0	E 12.7	13.2	12.5	13.9	13.1	14.3
11	14.2	15.9	14.0	15.0	13.6	13.0	E 13.1	12.9	12.5	13.2	13.1	15.5
12	14.2	15.1	14.0	14.7	13.5	13.0	E 13.5	13.5	12.6	13.0	13.1	15.7
13	14.2	15.0	14.0	14.5	13.4	13.0	E 12.9	12.9	15.1	14.0	13.4	15.0
14	14.2	14.8	14.1	14.4	13.3	13.0	E 12.7	13.2	13.2	13.3	13.2	14.8
15	14.2	14.7	17.1	14.2	13.3	12.9	E 12.7	13.0	12.9	13.1	13.1	16.1
16	14.1	14.8	15.9	14.2	13.2	12.9	E 12.7	12.9	15.4	13.0	13.1	17.4
17	14.1	15.3	15.2	18.0	14.0	13.1	12.7	12.8	13.6	12.9	13.1	15.6
18	14.1	14.9	14.9	17.9	13.3	13.0	12.7	12.7	13.1	13.0	13.2	15.2
19	14.1	14.7	14.7	15.7	13.1	12.9	12.6	12.7	13.4	12.9	13.1	14.9
20	14.7	14.6	14.5	15.4	13.2	12.8	12.6	12.7	13.0	12.9	13.7	14.6
21	17.9	14.5	15.9	15.0	17.7	12.8	12.6	12.6	12.9	12.9	13.5	14.4
22	16.4	14.4	15.4	14.7	15.0	12.8	12.6	12.6	12.8	12.9	13.4	14.3
23	18.0	14.2	14.9	14.5	14.6	12.8	12.6	12.6	12.8	12.9	13.5	14.5
24	16.3	14.2	14.6	14.4	14.1	12.8	12.6	12.6	12.8	12.9	15.4	14.5
25	15.6	14.1	14.4	14.2	14.0	12.7	12.6	12.6	12.8	12.9	14.2	15.7
26	15.3	14.1	14.7	14.4	14.6	12.7	12.7	12.6	13.7	12.9	13.7	19.0
27	15.1	15.6	14.3	15.7	14.0	12.9	12.8	12.6	13.0	12.9	13.6	18.8
28	15.0	15.0	14.1	14.8	16.3	12.9	12.8	12.6	12.8	12.9	18.0	18.3
29	14.9		14.1	14.5	14.8	13.7	12.8	12.5	12.8	12.9	16.0	16.4
30	14.9		14.0	14.8	14.1	13.0	12.7	12.6	12.7	13.1	14.9	15.6
31	15.1		14.0		13.8		13.4	12.5		13.1		15.3

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	15.08	15.12	14.56	15.12	14.11	13.10	12.92	12.85	13.01	13.00	13.62	15.62
MAX.	18.0	18.6	17.1	18.0	17.7	14.0	15.0	14.3	15.4	14.0	18.0	19.0
MIN.	13.7	14.1	14.0	14.2	13.1	12.7	12.6	12.5	12.4	12.7	13.0	14.2

E- ESTIMATED.
HIGHEST STAGE WAS 19.14 ON DEC 26.
LOWEST STAGE WAS 12.43 ON SEP 6.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. MILE 6.9, TWO MILES WEST OF RAMER, TENN. ON STATE HIGHWAY 57 BRIDGE. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 5,271 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	13.5	13.9	14.6	14.9	13.7	15.2	12.9	13.0	12.9	12.7	13.2	17.9
2	13.4	16.1	14.3	14.6	13.5	14.5	13.6	13.0	13.1	12.7	13.1	15.5
3	13.4	14.8	14.1	14.5	13.4	14.6	13.0	12.9	14.2	12.8	13.1	14.8
4	13.4	14.5	14.2	14.4	13.4	14.3	12.9	12.9	13.2	12.7	13.1	14.4
5	13.4	14.3	15.5	16.0	13.4	14.1	15.1	12.9	12.9	12.7	13.8	14.1
6	13.4	14.3	14.8	14.8	13.4	15.2	15.0	13.9	12.8	12.7	13.4	14.0
7	14.2	14.2	14.5	14.5	13.4	14.7	13.9	13.5	12.8	12.7	13.3	13.9
8	13.8	14.3	14.4	14.4	13.4	14.3	13.5	13.0	12.8	12.7	13.1	13.9
9	13.6	14.2	14.2	15.1	13.4	14.0	13.2	12.8	12.7	12.6	13.1	13.7
10	13.5	14.2	14.1	15.0	13.7	13.8	13.2	12.8	12.7	12.7	13.1	13.6
11	13.5	15.5	14.1	14.6	14.0	13.7	14.8	12.8	12.7	12.7	13.1	13.6
12	13.4	14.8	14.0	14.4	13.6	14.1	13.7	12.8	12.7	12.7	13.1	13.5
13	13.4	14.6	14.0	14.3	13.5	14.8	13.3	12.8	12.7	12.7	13.0	13.5
14	13.5	14.4	13.9	14.1	13.4	14.0	13.1	12.8	12.7	12.7	13.1	13.9
15	13.5	14.4	13.8	14.0	13.4	13.6	13.1	12.8	14.7	13.0	13.0	13.9
16	13.5	14.4	14.2	13.9	13.3	13.4	13.0	12.7	13.9	12.9	13.1	13.7
17	13.4	15.3	13.9	14.0	13.4	13.3	13.4	12.7	13.1	12.8	13.1	13.6
18	13.2	15.1	13.9	14.0	14.5	13.2	13.6	12.8	12.9	16.2	13.1	13.5
19	13.4	14.9	14.0	13.8	14.7	13.1	13.1	12.9	12.8	14.1	13.1	13.5
20	13.5	14.6	13.8	13.8	14.2	13.3	13.0	13.4	12.8	13.3	13.2	13.4
21	14.1	14.5	13.8	14.1	13.9	13.2	15.0	13.9	12.8	13.1	13.1	13.5
22	13.8	14.4	13.9	13.9	13.7	13.0	13.5	13.1	12.8	13.0	13.1	15.2
23	13.7	14.3	14.7	14.4	13.5	13.0	13.1	12.9	12.8	13.4	13.1	15.3
24	13.6	14.1	14.3	14.5	13.4	13.0	13.4	12.8	12.7	13.3	13.4	14.6
25	13.6	14.0	14.1	14.2	14.1	12.9	14.8	12.8	12.7	13.1	13.3	14.3
26	13.5	14.2	14.0	14.0	15.9	13.8	13.7	12.8	12.7	13.4	13.2	14.2
27	13.8	14.1	13.9	13.8	15.7	13.1	13.3	12.7	12.7	14.5	16.2	14.1
28	14.0	14.0	13.9	13.7	14.8	12.9	13.1	12.8	12.8	13.7	14.9	14.0
29	13.7		13.8	13.9	14.4	12.9	13.0	13.0	12.7	13.4	14.1	13.8
30	13.6		18.1	14.1	14.1	12.9	13.7	12.9	12.7	13.3	14.0	13.7
31	13.6		15.6		14.7		13.2	12.8		13.2		13.7

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	13.57	14.52	14.34	14.32	13.89	13.73	13.56	12.96	12.95	13.14	13.39	14.14
MAX.	14.2	16.1	18.1	16.0	15.9	15.2	15.1	13.9	14.7	16.2	16.2	17.9
MIN.	13.2	13.9	13.8	13.7	13.3	12.9	12.9	12.7	12.7	12.6	13.0	13.4

HIGHEST STAGE WAS 18.27 ON MAR. 30.
LOWEST STAGE WAS 12.63 ON OCT. 8.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. MILE 6.9, TWO MILES WEST OF RAMER, TENN. ON STATE HIGHWAY 57 BRIDGE. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 5,271 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	14.4	14.4	14.0	14.7	14.2	13.9	14.1	13.2	E 12.9	13.3	13.4	13.8
2	14.3	14.3	14.1	14.7	14.1	13.8	13.8	13.2	E 12.9	13.2	13.4	13.8
3	14.3	14.3	14.1	14.6	14.1	13.8	13.7	13.2	13.3	13.1	13.4	13.7
4	14.7	14.3	14.1	14.6	14.1	13.7	13.6	13.2	E 13.2	13.0	13.4	13.6
5	14.4	14.3	14.8	14.5	14.1	13.7	13.5	13.2	E 13.1	13.0	13.4	13.6
6	14.3	14.3	14.4	14.5	14.1	13.7	13.5	13.2	E 13.1	13.0	13.4	13.6
7	14.3	14.3	14.3	14.4	14.1	13.6	13.4	13.2	E 13.0	13.0	13.4	13.6
8	14.4	14.2	18.2	15.1	14.5	13.7	13.4	13.2	E 13.0	13.1	13.4	13.6
9	14.3	15.0	15.1	15.8	14.1	13.9	13.4	13.2	E 12.9	13.1	13.4	13.8
10	14.3	14.6	14.7	14.7	14.0	13.7	13.4	13.2	12.9	13.1	13.4	14.2
11	15.0	14.5	14.5	14.5	14.0	13.6	13.3	13.3	12.9	13.0	13.4	13.8
12	15.0	14.4	14.5	17.4	14.0	13.6	13.3	13.3	12.8	13.0	13.4	13.7
13	14.6	14.3	14.7	16.2	14.1	13.6	13.3	13.2	12.9	13.0	13.4	13.7
14	14.5	14.3	14.5	17.9	14.0	13.6	13.3	13.2	13.4	13.0	13.4	13.6
15	14.4	14.2	14.4	15.4	14.0	13.6	13.3	13.2	13.0	13.1	14.6	13.6
16	14.4	14.4	14.4	14.9	13.9	13.5	13.3	13.2	12.9	13.1	13.9	13.6
17	14.6	14.2	18.8	14.7	14.2	14.1	13.2	13.2	13.9	13.1	13.9	13.6
18	14.9	14.1	18.5	15.0	14.2	13.7	13.2	13.2	13.6	14.6	15.8	13.5
19	14.5	14.2	15.2	14.7	14.5	13.6	13.2	E 13.1	13.2	13.6	14.5	13.5
20	14.4	14.9	15.4	14.5	14.5	13.6	13.2	E 13.1	13.0	13.3	14.1	13.5
21	14.4	14.5	19.0	14.4	14.3	13.6	13.2	E 13.1	13.0	13.3	14.0	13.4
22	14.5	14.4	16.9	14.4	14.1	13.5	13.3	E 13.0	13.0	13.3	13.9	13.4
23	15.4	14.3	15.0	14.3	14.3	13.5	14.3	E 13.0	13.0	13.3	13.8	13.5
24	14.7	14.2	16.6	14.3	14.1	16.8	13.6	E 13.0	13.0	13.3	13.9	13.6
25	14.5	14.2	15.1	14.9	14.0	14.5	13.4	E 13.0	13.0	13.6	13.8	13.7
26	14.4	14.1	14.9	14.5	14.0	14.0	13.3	E 13.0	13.3	13.4	13.7	13.5
27	14.4	14.1	14.7	14.4	13.9	13.8	13.3	E 13.0	13.1	13.3	14.8	13.6
28	14.3	14.1	17.5	14.3	13.9	13.7	13.3	E 13.0	13.1	14.7	14.3	13.5
29	14.3	14.1	15.7	14.3	13.8	13.6	13.3	E 12.9	13.8	13.8	14.0	13.5
30	14.2		15.1	14.2	14.1	15.0	13.3	E 12.9	13.6	13.5	13.9	13.5
31	14.7		14.9		13.9		13.2	E 12.9		13.4		13.5

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	14.51	14.32	15.42	14.89	14.10	13.87	13.41	13.13	13.13	13.31	13.81	13.61
MAX.	15.4	15.0	19.0	17.9	14.5	16.8	14.3	13.3	13.9	14.7	15.8	14.2
MIN.	14.2	14.1	14.0	14.2	13.8	13.5	13.2	12.9	12.8	13.0	13.4	13.4

E- ESTIMATED.
HIGHEST STAGE WAS 19.01 ON MAR. 21.
LOWEST STAGE WAS NOT DETERMINED.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. MILE 6.9, TWO MILES WEST OF RAMER, TENN. ON STATE HIGHWAY 57 BRIDGE. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 4,940 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 (STAGE, 5.45).

MEAN. NOT COMPUTED FOR PERIOD OF RECORD.

GAGE ZERO, 376.67 FEET, N.G.V.D. OF 1929

DAILY EIGHT A.M. STAGE IN FEET

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	17.1	13.1	14.2	16.6	13.3	13.8	A	A	13.1	13.4	13.5	14.4
2	17.1	13.2	13.9	18.1	13.2	13.4	12.0	A	15.1	13.3	13.8	14.3
3	A	13.6	14.2	17.8	14.2	16.5	A	13.9	13.3	A	13.4	A
4	A	13.5	18.0	15.7	18.3	14.6	A	13.6	14.1	A	13.3	A
5	A	13.3	14.7	14.8	17.3	13.9	A	13.1	13.1	A	A	A
6	A	13.3	14.2	14.3	14.6	13.7	A	12.7	A	A	A	A
7	A	15.0	14.0	14.0	14.2	14.1	A	A	A	A	A	A
8	A	14.2	13.9	13.9	14.0	13.6	13.2	A	A	A	A	A
9	13.9	14.1	13.7	15.4	13.8	13.3	15.1	A	A	A	A	A
10	A	13.8	14.0	14.3	13.7	13.1	13.6	A	12.2	A	14.7	16.1
11	A	13.7	14.0	14.0	13.5	12.8	13.1	A	A	A	13.9	16.7
12	A	13.8	13.8	18.4	14.3	A	17.1	A	A	A	13.6	17.3
13	A	13.7	13.7	17.5	13.9	A	14.7	12.1	13.2	A	13.2	17.9
14	A	13.6	13.6	14.6	13.6	A	13.8	A	18.0	A	13.4	16.5
15	A	13.6	13.5	14.2	13.4	A	13.4	A	16.4	A	13.3	14.9
16	13.3	13.5	13.4	14.0	13.2	A	13.6	A	14.0	A	A	14.6
17	A	13.3	13.3	13.9	13.2	A	13.2	A	13.7	A	A	14.4
18	A	13.3	13.4	13.8	13.1	A	13.1	A	13.6	A	A	14.4
19	A	13.4	13.3	13.7	13.1	12.2	13.0	A	14.2	A	A	A
20	A	13.7	13.6	13.6	12.9	A	14.2	12.9	13.8	A	13.1	A
21	A	15.3	13.9	13.6	12.8	A	13.9	13.0	17.5	A	14.4	A
22	A	14.2	13.6	13.5	13.4	A	13.2	13.1	17.5	13.0	16.1	A
23	A	15.4	16.5	14.0	13.6	A	12.8	13.2	14.5	13.7	17.1	14.3
24	A	15.4	14.6	13.7	13.9	13.2	A	13.4	14.1	13.3	18.4	17.6
25	A	16.7	14.1	13.9	13.3	12.7	A	13.6	13.9	A	16.4	16.0
26	A	14.7	13.8	14.0	13.2	A	15.5	13.7	13.8	A	18.7	14.9
27	A	14.2	13.7	13.8	13.2	A	14.4	13.8	13.7	A	16.1	14.6
28	A	14.0	13.7	13.6	13.4	A	13.6	13.1	13.7	A	15.2	14.5
29	A		13.6	13.5	13.8	A	13.6	13.3	13.6	13.9	14.7	14.4
30	13.4		13.5	13.4	13.4	A	12.9	A	13.5	13.4	14.5	14.5
31	13.4		16.3		15.1		A	A		13.3		14.4

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	14.02	14.12	14.65	13.87
MAX.	16.7	18.0	18.4	18.3
MIN.	13.1	13.3	13.4	12.8

A- NO RECORD.
HIGHEST STAGE WAS 18.94 ON NOV. 26.
LOWEST STAGE NOT DETERMINED.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-56, LONG. 88-39-32. MILE 6.9, TWO MILES WEST OF RAMER, TENN. ON STATE HIGHWAY 57 BRIDGE. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 4,940 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 (STAGE, 5.45).

MEAN. NOT COMPUTED FOR PERIOD OF RECORD.

DAILY EIGHT A.M. STAGE IN FEET — GAGE ZERO, 376.67 FEET, M.S.L. (1929 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	A	A	12.3	A	12.0	11.6	11.9	11.4	12.0	11.9
2	A	A	A	A	A	12.2	12.0	11.6	11.8	11.4	12.0	11.8
3	A	A	A	A	A	12.4	12.9	11.6	11.6	11.4	12.0	11.8
4	A	A	A	A	A	12.3	12.0	11.5	11.6	11.4	12.0	16.2
5	A	A	A	A	A	12.1	11.9	11.5	11.6	11.4	12.0	15.0
6	A	12.6	A	A	A	12.1	11.8	11.6	11.5	11.4	12.0	13.2
7	A	A	A	A	A	13.1	11.8	11.6	11.5	11.4	12.0	14.0
8	A	A	A	A	A	14.7	11.8	11.6	11.5	11.4	12.0	18.2
9	A	A	A	A	A	13.3	11.8	11.6	11.5	11.4	11.9	18.4
10	A	A	A	A	A	12.7	11.7	11.6	11.5	11.4	11.9	14.3
11	A	A	A	A	A	12.4	11.8	11.9	11.5	11.4	11.9	13.6
12	A	A	A	A	A	12.3	12.2	11.7	11.6	11.4	11.9	13.3
13	A	A	A	A	A	12.3	11.9	11.7	11.6	11.4	11.9	13.1
14	A	12.8	A	A	A	12.1	12.1	11.7	11.6	12.1	11.9	13.0
15	A	A	A	A	A	12.1	11.9	11.6	12.4	11.8	11.9	12.9
16	A	A	A	A	A	12.0	11.8	11.6	12.0	11.7	11.9	13.3
17	A	A	A	A	A	12.0	11.8	11.6	11.8	11.6	12.8	12.9
18	A	A	A	A	A	12.0	11.7	11.6	11.8	11.6	12.6	12.8
19	A	A	A	A	A	12.5	11.7	11.7	11.6	11.6	12.3	12.8
20	A	A	A	A	A	12.0	11.6	12.5	11.6	11.6	12.1	12.8
21	A	A	A	A	A	13.5	11.6	11.8	11.5	11.6	12.0	14.8
22	A	A	A	A	A	12.5	11.6	11.6	11.5	11.6	12.0	13.5
23	A	A	A	A	A	12.8	11.6	11.6	11.5	11.6	12.8	13.2
24	A	A	A	A	A	12.3	11.6	11.6	11.5	11.7	12.5	13.1
25	A	A	A	A	A	12.1	11.6	11.6	11.5	11.7	12.4	12.9
26	A	A	A	A	12.3	12.1	11.6	13.7	11.5	11.7	12.3	12.7
27	A	A	A	12.3	A	12.0	11.6	11.9	11.4	11.9	13.0	12.6
28	A	13.1	A	A	A	12.0	11.6	11.7	11.4	11.9	12.2	12.6
29	A		A	A	A	12.0	11.6	11.7	11.4	11.9	12.0	12.7
30	A		A	A	A	12.0	11.6	11.8	11.4	11.9	11.9	15.1
31	13.1		12.8		A		11.6	11.8		11.9		17.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	11.79	11.75	11.60	11.61	12.11	13.79
MAX.	12.9	13.7	12.4	12.1	13.0	18.4
MIN.	11.6	11.5	11.4	11.4	11.9	11.8

A= NO RECORD.
YEARLY RECORD INCOMPLETE.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. STATE HIGHWAY 57 BRIDGE, TWO MILES WEST OF RAMER, TENN. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 4,940 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 [STAGE, 5.45].

DAILY EIGHT A.M. STAGE IN FEET — GAGE ZERO, 376.67 FEET, M.S.L. [1941 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	12.1	13.1	12.4	12.4	11.4	A	A	A	A	A	A
2	A	12.0	12.9	12.4	12.1	11.3	A	A	10.6	A	A	A
3	A	12.0	12.8	13.0	12.1	11.3	A	10.8	A	A	A	A
4	A	12.2	18.7	17.4	13.0	11.3	A	A	A	11.9	A	A
5	12.4	12.2	18.0	17.4	12.5	11.2	A	A	A	A	A	A
6	12.5	12.0	13.8	13.7	12.2	A	10.8	A	A	A	A	A
7	14.2	11.9	13.3	13.2	12.0	A	A	A	10.8	A	13.0	A
8	13.1	11.9	13.1	13.0	11.9	A	A	A	A	A	A	A
9	13.0	11.9	12.9	12.8	11.8	A	A	10.7	A	A	A	A
10	14.5	12.0	12.8	12.7	11.7	A	A	A	A	A	A	A
11	13.7	12.0	12.7	12.5	11.8	A	A	A	A	A	A	A
12	13.2	12.3	17.8	12.4	11.6	A	A	A	A	A	A	A
13	13.2	12.5	17.9	12.3	11.7	A	A	A	10.6	A	A	A
14	15.5	12.2	13.7	12.3	11.6	A	A	A	A	A	A	A
15	14.6	12.1	13.2	12.2	11.5	A	A	A	A	A	A	A
16	13.3	12.0	13.0	12.1	11.5	A	A	11.5	A	A	A	A
17	12.9	11.9	12.8	12.0	11.4	A	A	A	A	A	A	A
18	12.9	12.0	12.8	11.9	11.4	A	A	A	A	A	A	A
19	12.9	12.0	12.6	11.9	11.4	A	10.8	A	A	A	A	A
20	12.9	11.9	12.6	11.9	11.3	11.1	A	A	A	A	A	12.0
21	12.9	11.9	12.5	11.8	11.3	A	A	A	11.4	11.5	A	A
22	12.9	11.9	12.5	14.7	11.3	A	A	10.6	A	A	A	A
23	12.8	11.9	12.4	14.3	11.3	A	A		A	A	A	A
24	12.4	15.9	12.3	15.6	11.3	A	A	A	A	A	A	A
25	12.8	13.2	12.3	13.4	11.4	A	A	A	A	A	A	A
26	12.6	12.8	12.2	12.9	11.4	A	A	A	A	A	A	A
27	12.7	17.8	12.2	12.7	11.3	A	10.7	A	A	11.7	A	A
28	12.6	13.6	12.3	12.5	11.3	11.1	A	A	A	A	A	A
29	12.4		12.7	12.4	11.3	A	A	A	A	A	A	A
30	12.3		12.5	12.4	11.2	A	A	A	A	A	A	A
31	12.2		12.6		11.7		A	A		A		A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	12.49	13.44	13.06	11.66
MAX.	17.8	18.7	17.4	13.0
MIN.	11.9	12.2	11.8	11.2

A- NO RECORD
HIGHEST STAGE WAS 18.71 AT 100 P.M., MAR. 4.
RECORD INCOMPLETE FOR LOWEST STAGE.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32, STATE HIGHWAY 57 BRIDGE, TWO MILE WEST OF RAMER, TENN. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.8 FEET ON MAR. 13, 1975. LOWEST, 5.3 FEET ON SEPT. 23 AND 24, 1940. MAXIMUM, 4,940 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEPT. 14, 1954 [STAGE, 5.45].

DAILY EIGHT A.M. STAGE IN FEET — GAGE ZERO, 376.67 FEET, M.S.L. [1941 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.5	12.4	12.4		A	12.0	11.7	A	A	10.7	12.0	12.1
2	12.3	12.3	12.3	12.8	A	12.0	11.2	A	A	10.6	11.8	12.0
3	17.1	12.3	12.2	12.7	A	13.0	11.1	A	A	10.6	11.7	12.0
4	13.8	12.2	12.2	12.6	A	12.3	11.0	A	A	10.6	11.7	11.9
5	12.9	12.2	12.2	12.5	A	12.6	11.1	A	A	10.6	11.6	11.8
6	12.7	14.0	13.3	12.4	A	12.1	11.1	A	A	11.9	11.6	11.7
7	12.7	12.9	12.7	12.3	A	11.9	11.1	A	A	11.0	11.6	12.2
8	13.7	12.7	12.5	12.2	A	11.8	11.0	A	A	10.8	11.6	12.1
9	12.8	12.5	16.3	12.1	A	11.6	11.0	A	A	10.7	11.6	11.8
10	12.6	12.4	14.0	12.0	A	11.6	10.9	A	A	10.7	11.6	11.8
11	12.6	12.4	13.2	12.0	12.0	11.4	10.9	A	A	10.7	11.6	11.8
12	12.9	12.4	12.9	12.3	11.8	11.4	10.8	A	A	10.7	11.7	12.3
13	12.7	12.3	13.7	12.0	11.6	11.3	10.7	A	A	10.6	11.6	12.1
14	13.1	12.2	13.1	12.0	12.3	11.3	11.2	A	A	10.6	11.6	11.9
15	12.7	12.2	12.9	12.4	12.6	11.2	11.0	A	A	10.6	11.8	11.9
16	12.6	12.1	12.8	12.1	12.6	11.2	11.0	A	A	10.6	11.8	11.9
17	12.4	12.1	12.6	12.0	12.6	11.4	11.0	A	A	10.6	11.6	11.8
18	12.3	16.6	12.5	11.9	12.6	11.4	10.7	A	A	10.6	11.6	11.8
19	12.2	15.9	12.4	11.8	12.5	11.4	10.8	A	A	10.7	11.6	11.7
20	12.2	13.3	12.4	11.7	12.3	11.4	10.8	A	A	10.9	11.6	11.7
21	12.2	12.9	14.2	11.7	12.1	11.4	10.7	A	A	11.2	11.6	11.7
22	12.2	14.6	14.0	11.7	12.0	11.3	A	A	A	10.9	11.5	11.6
23	12.1	13.2	13.5	11.6	12.0	11.2	A	A	A	10.8	11.5	11.6
24	12.1	12.9	13.0	11.5	11.9	11.2	A	A	A	10.9	11.5	11.6
25	12.6	12.8	A	14.4	11.9	11.2	A	A	A	15.8	11.5	11.7
26	16.7	12.7	A	12.5	11.7	11.2	A	A	A	13.4	11.5	13.9
27	13.3	12.6	A	12.2	11.7	11.1	A	A	A	12.2	12.9	13.8
28	12.9	12.5	A	12.0	11.8	11.2	A	A	11.1	11.8	12.7	13.8
29	12.7	12.4	A	11.9	13.0	11.4	A	A	10.7	11.7	12.6	13.7
30	12.6		A	A	12.3	11.1	A	A	10.7	11.9	12.3	13.6
31	12.5		A		12.1		A	A		12.4		13.6

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	12.92	12.89	11.54	11.21	11.75	12.21
MAX.	17.1	16.6	13.0	15.8	12.9	13.9
MIN.	12.1	12.1	11.1	10.6	11.5	11.6

A- NO RECORD
HIGHEST STAGE WAS 17.63 ON FEB. 18.
LOWEST STAGE WAS 10.59 ON OCT. 3 AND 4.

DAILY STAGES FOR 1975

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. STATE HIGHWAY 57 BRIDGE, TWO MILES WEST OF RAMER. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.4 FEET ON FEB. 13, 1948. LOWEST, 5.3 FEET ON SEP. 23AND 24, 1940. MAXIMUM, 5,212 CFS COMPUTED FOR JAN. 11, 1974. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 [STAGE, 5.45].

DAILY EIGHT A.M. STAGE IN FEET — GAGE ZERO, 376.67 FEET, M.S.L. [1941 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	14.4	11.8	11.8	12.7	12.0	11.5	10.7	11.4	10.5	10.6	10.9	14.2
2	12.4	15.5	11.7	12.4	12.0	11.2	10.6	13.0	10.4	10.6	10.9	12.6
3	12.2	13.8	11.5	12.0	12.0	11.2	10.8	14.3	10.4	10.6	10.9	12.3
4	12.5	13.4	11.5	11.8	11.9	11.1	11.1	15.4	10.4	10.6	10.9	12.1
5	12.0	14.2	11.4	11.7	11.5	11.0	10.9	12.6	10.4	10.6	10.9	12.0
6	11.9	13.8	11.3	11.6	11.3	11.0	11.2	11.6	10.6	10.6	11.2	11.9
7	11.7	12.7	11.3	11.5	12.0	11.0	10.6	11.0	10.5	10.6	13.2	12.1
8	11.6	12.3	11.4	11.5	11.4	10.9	10.6	10.8	10.4	10.7	11.8	11.9
9	12.6	12.0	11.4	11.6	12.7	10.9	10.6	11.3	10.4	10.7	11.5	11.8
10	16.4	11.8	12.6	12.9	11.9	11.0	10.6	10.8	10.4	10.6	11.9	11.7
11	18.5	11.7	12.8	12.2	11.7	10.9	10.8	10.7	10.6	10.6	11.7	11.7
12	14.6	12.9	15.9	11.9	11.8	11.4	10.6	10.6	10.5	10.6	11.5	11.6
13	12.7	12.2	19.5	11.8	11.5	11.0	10.6	10.5	10.6	10.6	11.3	11.6
14	12.3	11.9	18.4	11.8	11.4	10.8	10.5	10.5	10.4	10.6	11.2	11.6
15	12.2	11.7	15.1	11.8	12.0	10.8	10.5	10.4	10.4	10.6	11.1	11.5
16	12.1	15.4	13.0	11.6	12.0	10.7	10.5	10.4	10.4	10.6	11.1	13.2
17	11.8	13.9	12.7	11.6	12.0	10.7	10.5	11.4	10.4	14.0	11.1	12.4
18	11.7	12.6	12.4	11.5	12.0	10.6	10.4	10.7	10.5	11.8	11.0	12.2
19	12.3	12.3	12.6	13.5	12.0	10.6	11.2	11.1	10.4	11.2	11.0	12.0
20	14.7	12.0	12.0	11.8	12.0	10.6	10.6	10.6	12.4	11.1	11.0	12.0
21	12.7	11.7	11.9	11.5	12.0	10.5	11.8	10.4	10.9	11.0	11.7	11.9
22	12.3	11.6	11.8	11.4	11.8	10.5	10.9	10.4	10.6	10.9	11.2	11.8
23	12.0	17.1	11.9	11.3	11.6	10.5	10.7	10.4	10.6	10.9	11.2	11.8
24	11.9	18.6	13.4	11.3	11.5	10.5	11.0	10.3	11.1	10.9	11.2	11.8
25	12.0	14.5	12.0	11.6	11.5	10.5	12.0	10.3	11.6	10.9	11.1	11.8
26	11.8	12.6	11.7	11.4	11.4	10.6	11.3	10.3	11.0	11.4	11.1	14.6
27	11.6	12.3	11.7	11.2	11.6	10.6	10.9	10.2	10.8	11.1	13.3	12.8
28	11.5	12.0	12.0	11.2	11.3	10.5	10.8	10.4	10.7	11.0	12.2	12.5
29	11.5		17.7	12.0	11.3	12.0	10.7	10.4	10.6	11.0	11.9	12.3
30	11.5		18.0	12.0	11.8	11.0	10.7	10.4	10.6	11.0	11.8	12.3
31	11.4		13.4		11.5		10.6	10.7		10.9		12.4

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	12.6	13.2	13.1	11.8	11.8	10.9	10.8	11.1	10.7	10.9	11.4	12.2
MAX	18.5	18.6	19.5	13.5	12.7	12.0	12.0	15.4	12.4	14.0	13.3	14.6
MIN	11.4	11.6	11.3	11.2	11.3	10.5	10.4	10.2	10.4	10.6	10.9	11.5

HIGHEST STAGE WAS 19.76 AT 1200 NOON MAR. 13.
LOWEST STAGE WAS 10.25 FROM 1000 A.M, AUG. 26 TO 800 A.M., AUG. 27.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. STATE HIGHWAY 57 BRIDGE, TWO MILE S WEST OF RAMER. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.4 FEET ON FEB. 13, 1948. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1940. MAXIMUM, 4,940 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 [STAGE, 5.45].

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, M.S.L. [1941 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	10.6	A	10.7	10.3	10.1	11.1	A	A	A	A	10.3	11.7
2	10.4	A	10.7	10.7	10.5	16.6	A	A	A	A	10.3	11.4
3	16.0	A	10.6	10.4	10.4	17.9	A	A	A	A	10.3	11.2
4	17.9	10.7	10.5	10.7	14.8	15.4	A	A	A	A	11.0	11.1
5	16.7	10.6	10.5	10.4	13.0	13.8	A	A	A	A	11.0	11.0
6	12.3	10.6	10.5	10.3	11.5	13.3	A	A	A	A	10.7	10.9
7	13.5	10.8	11.9	10.2	10.9	13.0	A	A	A	A	10.6	13.6
8	12.2	10.6	11.2	15.2	10.6	12.8	A	A	A	A	10.5	13.3
9	15.7	10.5	10.9	11.6	10.5	12.5	A	A	A	A	10.5	13.0
10	17.0	10.4	10.8	11.0	10.5	12.2	A	A	A	10.2	10.5	12.5
11	19.3	10.3	10.7	10.7	10.4	11.9	A	A	A	10.3	10.9	11.5
12	18.4	10.3	11.3	11.4	10.7	11.6	A	A	A	10.3	10.6	11.9
13	17.2	10.3	10.8	12.4	10.2	11.3	A	A	A	10.3	10.6	11.4
14	A	14.8	10.6	11.5	10.1	11.0	A	A	A	10.3	10.5	11.2
15	A	14.1	10.5	10.9	10.5	A	A	A	A	10.5	10.5	15.4
16	A	16.4	11.5	10.7	12.7	A	A	A	A	10.5	10.5	12.6
17	A	12.4	10.7	10.6	11.2	A	A	A	9.9	10.5	10.5	11.9
18	A	11.6	10.6	10.5	10.7	A	A	A	9.8	10.7	10.6	11.5
19	A	15.6	10.6	10.4	10.4	A	A	A	9.7	10.7	14.7	11.4
20	A	11.9	10.6	10.3	10.2	A	A	A	9.7	10.7	12.6	11.2
21	A	11.4	14.7	10.2	10.1	A	A	A	9.6	10.6	11.6	11.1
22	A	16.9	11.4	11.0	10.1	A	A	A	A	10.5	11.4	11.0
23	A	12.2	11.1	12.4	12.6	A	A	A	A	10.3	11.1	10.9
24	A	11.6	10.8	11.1	10.8	A	A	A	A	10.3	11.6	16.5
25	A	11.1	10.6	10.7	10.4	A	A	A	A	10.3	11.3	17.7
26	A	10.9	10.5	10.5	10.2	A	A	A	A	10.3	11.2	14.6
27	A	10.9	10.5	10.4	10.5	A	A	A	A	10.3	11.2	14.9
28	A	10.8	10.6	10.2	10.2	A	A	A	A	10.3	11.1	15.7
29	A		10.6	10.1	10.1	A	A	A	A	10.3	11.0	14.3
30	A		10.7	10.0	10.0	A	A	A	A	10.3	10.9	13.9
31	A		10.3		13.5		A	A		10.3		13.6

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN			10.89	10.88	10.91						10.99	12.70
MAX.			14.7	15.2	14.8						14.7	17.7
MIN.			10.3	10.0	10.0						10.3	10.9

A- NO RECORD
HIGHEST STAGE WAS 19.34 AT 600 A.M., JAN. 11.
LOWEST RECORD INCOMPLETE.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32, STATE HIGHWAY 57 BRIDGE, TWO MILE S WEST OF RAMER. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEP. 23, 1948, TO DATE.

EXTREMES. HIGHEST, 19.4 FEET ON FEB. 13, 1948. LOWEST, 5.3 FEET ON SEP. 23 AND 24, 1948. MAXIMUM, 4,940 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEP. 14, 1954 [STAGE, 5.45].

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, M.S.L. [1941 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	11.0	11.3	10.0	A	16.7	10.7	9.6	9.2	9.1	9.0	9.3	10.6
2	10.6	11.8	10.1	A	16.7	10.6	9.7	9.1	9.0	9.5	9.2	10.3
3	10.5	11.0	11.8	A	17.1	10.5	9.5	9.1	9.0	9.1	9.1	10.2
4	14.2	10.6	10.7	A	11.7	10.5	9.6	9.1	9.0	9.0	9.1	10.4
5	11.3	10.5	10.9	10.9	10.9	10.4	9.7	9.0	9.0	9.0	9.7	10.5
6	11.1	11.0	10.5	10.7	10.6	10.3	9.3	9.0	9.0	9.0	9.3	10.1
7	10.7	10.7	15.0	11.0	12.2	10.3	9.3	9.0	9.2	9.0	9.2	10.0
8	10.7	17.1	11.2	12.6	11.4	10.2	9.5	9.0	9.1	9.4	9.2	9.9
9	10.5	16.6	10.8	11.4	10.7	9.7	9.3	9.0	9.0	9.3	9.4	9.9
10	10.5	16.5	10.5	11.2	10.4	9.5	9.3	9.5	9.0	9.1	9.2	9.8
11	10.4	16.2	16.7	10.9	10.2	9.5	9.5	9.1	9.0	9.0	9.2	9.8
12	10.2	15.9	16.6	10.7	10.2	9.8	9.2	9.2	9.0	9.0	9.2	9.8
13	10.1	15.6	16.7	10.6	10.1	9.6	9.2	9.4	9.0	9.0	9.3	9.8
14	10.1	15.3	16.7	10.5	10.0	12.0	9.2	14.8	9.2	9.7	9.3	9.7
15	10.3	12.1	18.2	10.4	9.9	10.2	9.4	9.7	9.0	9.2	9.3	9.7
16	10.3	11.2	18.2	10.7	9.9	9.9	9.8	9.3	9.0	9.1	9.4	9.6
17	10.2	10.8	A	11.3	9.9	9.8	10.5	9.2	9.0	9.0	9.3	9.6
18	10.1	10.7	A	11.2	9.8	9.7	9.5	9.1	9.0	9.0	9.3	9.6
19	10.3	10.6	A	13.9	9.8	9.6	9.4	9.1	9.0	9.0	9.4	9.6
20	10.2	10.5	A	17.6	10.1	9.4	9.4	9.1	9.0	9.0	9.3	11.6
21	11.5	10.4	A	18.0	9.8	9.3	9.3	9.1	9.0	9.0	13.5	10.3
22	18.1	10.3	A	12.0	9.7	9.3	9.2	9.0	9.0	9.0	10.1	9.9
23	16.1	10.3	A	13.7	10.2	9.3	9.2	9.0	9.0	9.0	9.5	10.0
24	11.8	10.2	A	17.3	10.5	9.3	9.1	9.0	9.0	9.0	9.4	9.9
25	10.9	10.1	A	16.7	10.0	9.3	9.1	9.0	9.0	9.0	18.2	16.5
26	11.2	10.1	A	16.8	9.8	9.3	9.1	9.0	9.0	9.0	9.7	14.6
27	12.8	10.1	A	16.8	17.3	9.2	9.2	9.0	9.0	9.0	17.9	15.4
28	12.5	10.0	A	16.8	18.2	14.3	9.1	9.0	9.2	9.2	18.4	13.9
29	12.0		A	16.8	16.2	9.6	9.0	9.0	9.1	9.3	16.8	12.6
30	11.2		A	16.7	15.1	9.4	9.0	9.1	9.0	9.2	11.2	11.5
31	10.9		A		12.4		9.1	9.6		9.1		11.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	11.35	12.04	11.84	10.01	9.35	9.31	9.02	9.09	10.40	10.83
MAX.	18.1	17.1	18.2	14.3	10.5	14.8	9.2	9.7	18.4	16.5
MIN.	10.1	10.0	9.7	9.2	9.0	9.0	9.0	9.0	9.1	9.6

A- NO RECORD
HIGHEST STAGE WAS 18.44 AT 100 A.M., NOV. 28.
LOWEST STAGE WAS 8.95 FROM 1000 A.M. TO 200 P.M., SEP. 18.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. STATE HIGHWAY 57 BRIDGE, TWO MILES WEST OF RAMER. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA. 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEPT. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.4 FEET AT 400 P.M. ON FEB. 13, 1948. LOWEST, 5.3 FEET ON SEPT. 23 AND 24, 1940. MAXIMUM, 4,940 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEPT. 14, 1954 [STAGE, 5.45].

DAILY EIGHT A.M. STAGE IN FEET — GAGE ZERO, 376.87 FEET, M.S.L. [1941 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	8.1	9.0	8.6	9.3	8.6	8.1	7.9	9.0	7.7	7.9	9.5	10.2
2	8.1	9.0	11.5	9.1	9.4	8.0	8.0	9.6	7.7	7.9	11.5	9.8
3	10.4	8.9	10.9	8.8	9.3	7.9	9.2	8.6	7.8	7.9	10.2	9.6
4	13.5	8.8	9.7	13.2	9.1	7.9	8.2	8.1	7.8	7.9	9.3	9.6
5	12.2	8.6	9.9	9.7	9.0	7.8	9.4	8.0	7.9	7.8	9.0	9.5
6	9.9	8.7	9.4	9.3	8.9	7.8	8.3	7.8	7.9	7.8	8.8	10.6
7	9.6	10.5	9.2	9.1	8.8	7.8	8.1	7.8	7.8	7.7	17.3	10.5
8	9.4	9.4	11.6	9.7	14.6	7.8	8.0	7.7	7.8	7.7	17.1	10.2
9	9.4	9.2	9.5	9.0	9.8	7.8	8.0	7.6	7.8	7.7	16.7	18.6
10	12.8	9.0	9.2	8.8	9.2	8.0	8.0	7.7	7.7	7.7	10.2	18.6
11	10.6	8.9	9.0	8.8	8.8	8.4	7.9	7.8	7.7	7.7	9.7	18.8
12	9.7	8.8	8.8	8.8	8.6	7.9	7.9	7.7	7.7	7.7	9.5	16.5
13	9.4	9.8	8.7	8.8	8.9	8.2	7.9	10.5	7.7	7.6	9.3	14.3
14	9.1	9.2	9.0	8.8	8.7	8.2	7.9	8.4	7.7	7.6	13.0	12.0
15	8.9	9.0	8.8	8.8	8.4	8.2	7.8	8.0	7.7	7.9	10.5	17.3
16	8.7	8.8	11.5	8.8	8.3	8.1	8.2	8.2	7.6	7.7	9.9	16.6
17	8.7	8.7	9.9	8.7	9.0	8.1	9.9	7.8	7.6	7.7	9.5	16.5
18	8.7	8.7	9.2	8.5	8.7	8.2	8.8	7.8	8.2	7.7	9.3	16.5
19	8.7	8.5	9.0	8.4	8.6	8.2	9.0	7.7	8.0	8.7	15.8	10.8
20	9.7	8.5	8.8	8.3	8.4	7.8	9.2	7.7	7.8	8.1	11.9	11.6
21	9.0	8.5	8.7	8.4	8.2	7.7	8.3	7.6	7.6	7.9	10.6	11.1
22	9.2	8.5	9.1	16.1	8.0	7.7	8.1	7.6	7.6	7.9	10.0	10.7
23	8.9	8.7	8.9	9.8	8.0	7.7	8.0	7.6	7.6	8.9	9.7	10.5
24	8.7	8.8	8.7	9.1	8.0	7.6	7.9	8.5	7.8	8.3	9.4	10.4
25	9.0	8.9	10.0	8.8	8.8	7.6	8.0	7.8	7.8	8.2	14.2	10.3
26	8.8	8.9	9.2	8.7	8.1	7.6	7.9	8.3	7.8	8.1	11.5	10.2
27	8.8	9.2	11.1	8.6	8.1	7.6	7.9	7.7	7.6	8.2	10.4	10.1
28	9.3	8.8	10.1	8.5	8.1	13.2	7.8	7.6	8.1	10.0	16.4	10.0
29	9.6	8.6	10.0	8.7	8.1	8.5	12.4	7.6	10.9	8.8	11.5	9.9
30	9.5		10.0	8.8	8.1	8.0	15.9	7.6	11.6	8.6	10.6	9.8
31	9.1		9.7		8.2		10.3	7.7		11.3		14.1
THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE												
MEAN	9.52	8.92	9.59	9.26	8.79	8.10	8.70	8.03	7.99	8.14	11.40	12.42
MAX.	13.5	10.5	11.6	16.1	14.6	13.2	15.9	10.5	11.6	11.3	17.3	18.8
MIN.	8.1	8.5	8.6	8.3	8.0	7.6	7.8	7.6	7.6	7.6	8.8	9.5

HIGHEST STAGE WAS 18.86 AT 100 A.M., DEC. 11.
LOWEST STAGE WAS 7.57 AT 300 A.M., AUG. 30.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. STATE HIGHWAY 57 BRIDGE, TWO MILES WEST OF RAMER. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEPT. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.4 FEET AT 400 P.M. ON FEB. 13, 1948. LOWEST, 5.3 FEET ON SEPT. 23 AND 24, 1940. MAXIMUM, 4,940 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEPT. 14, 1954 [STAGE, 5.45].

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, M.S.L. [1941 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	8.9	8.2	10.9	9.1	7.8	7.4	7.2	7.6	8.1	7.4	7.4	7.6
2	8.4	8.1	9.0	14.8	7.8	8.9	7.2	7.6	7.5	7.4	7.4	7.5
3	8.5	8.0	9.2	10.0	7.7	7.6	7.2	7.8	7.4	7.4	7.4	7.8
4	14.3	8.2	9.1	9.3	7.6	7.5	7.2	7.5	7.4	7.4	7.4	8.3
5	11.4	12.8	9.2	9.0	7.6	7.5	7.4	7.4	7.4	7.5	7.4	7.8
6	9.1	9.1	9.3	8.7	7.6	7.5	7.2	7.4	7.3	7.5	7.4	7.9
7	8.8	9.0	9.0	8.5	7.6	7.5	7.2	8.0	7.7	7.4	7.6	8.3
8	8.6	8.9	8.7	8.3	8.0	7.5	7.1	7.4	7.4	7.4	7.5	8.1
9	8.4	8.9	8.5	8.2	7.6	7.5	7.1	7.3	7.4	7.4	7.4	7.9
10	8.3	9.8	8.7	8.1	7.5	7.5	7.1	11.1	7.3	7.4	7.5	16.8
11	8.2	8.7	8.5	8.0	7.8	7.5	7.2	8.5	7.3	7.4	7.4	14.3
12	8.2	10.0	8.4	7.9	7.8	7.5	7.2	7.9	7.3	7.4	7.4	11.2
13	8.3	15.5	8.8	8.2	15.9	7.5	7.1	7.5	7.5	7.3	7.4	9.1
14	8.4	10.4	9.0	8.1	10.0	7.5	7.2	7.4	7.3	7.3	7.4	8.9
15	11.0	9.9	12.0	8.1	9.0	7.5	7.2	7.4	7.3	7.3	7.4	8.8
16	9.2	9.3	9.0	8.0	8.6	7.5	7.1	7.3	7.3	7.3	7.4	8.8
17	8.9	9.1	8.6	8.0	8.2	7.9	7.1	7.3	7.6	7.3	7.4	8.8
18	8.7	8.8	8.5	8.0	7.8	7.7	7.1	7.3	7.3	7.3	7.5	8.8
19	8.5	8.8	10.7	7.9	7.7	10.0	7.1	7.3	7.3	7.3	7.8	8.8
20	8.3	12.2	9.0	7.8	7.7	8.0	7.1	7.3	7.7	7.3	7.7	8.8
21	8.3	10.3	8.6	8.4	7.6	8.5	7.0	7.2	7.5	7.4	7.6	8.7
22	8.4	18.3	8.6	8.1	7.6	7.5	7.0	7.8	7.4	7.4	7.5	8.5
23	14.3	17.7	8.4	9.7	7.6	7.3	7.0	7.8	7.4	7.4	7.5	8.4
24	14.6	11.0	8.3	9.1	7.5	7.4	7.4	7.4	7.4	7.6	7.3	8.3
25	12.4	10.0	8.3	8.4	9.2	7.2	7.3	7.4	7.3	7.6	7.6	8.3
26	10.0	10.2	11.7	8.2	7.6	7.2	7.7	7.3	7.3	7.5	7.6	8.1
27	9.3	10.0	9.5	8.1	7.4	7.2	8.5	8.5	8.3	7.4	7.6	8.1
28	9.0	10.7	9.1	8.0	7.5	7.2	7.6	7.5	7.7	7.4	7.5	8.0
29	8.8		14.6	7.9	7.4	7.2	8.9	7.1	7.5	7.4	8.4	8.1
30	8.6		9.8	7.9	7.4	7.2	8.1	7.2	7.5	7.4	7.7	8.1
31	8.4		9.2		7.4		7.7	7.4		7.4		8.1

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	9.49	10.42	9.35	8.58	8.10	7.62	7.33	7.63	7.46	7.39	7.51	8.86
MAX.	14.6	18.3	14.6	14.8	15.9	10.0	8.9	11.1	8.3	7.6	8.4	16.8
MIN.	8.2	8.0	8.3	7.8	7.4	7.2	7.0	7.1	7.3	7.3	7.3	7.5

MAXIMUM STAGE WAS 18.30 FEET AT 700 A.M., FEB. 22.
LOWEST STAGE WAS 6.98 FEET AT 200 P.M., JULY 16.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. STATE HIGHWAY 57 BRIDGE, TWO MILES WEST OF RAMER. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEPT. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.4 FEET AT 400 P.M. ON FEB. 13, 1948. LOWEST, 5.3 FEET ON SEPT. 23 AND 24, 1940. MAXIMUM, 4,940 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEPT. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 376.67 FEET, M.S.L. (1941 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	10.6	7.7	8.2	8.7	8.5	7.6	7.3	7.2	7.1	7.1	7.5	7.5
2	9.6	12.8	8.2	17.4	9.1	8.1	7.3	7.1	7.1	7.1	7.5	7.4
3	8.9	8.9	8.1	11.3	8.6	10.0	7.3	7.2	7.1	7.1	7.4	7.5
4	8.4	7.9	17.7	9.8	8.3	8.2	7.3	7.3	8.1	7.1	7.4	7.4
5	8.3	8.1	11.4	9.2	8.2	7.9	7.3	7.2	7.7	7.1	7.4	7.4
6	8.2	8.1	9.9	8.9	8.0	8.0	7.3	7.4	7.5	7.1	7.4	7.5
7	7.8	8.1	9.2	8.6	7.9	7.9	7.2	7.2	7.3	7.1	7.4	7.4
8	8.1	8.0	8.9	8.5	7.9	7.6	7.2	7.2	7.2	7.4	7.4	7.4
9	8.2	8.7	8.6	8.5	7.8	7.5	7.4	7.4	7.2	8.9	7.5	7.4
10	8.2	8.4	8.3	8.4	8.0	7.5	7.3	7.4	7.2	7.6	8.0	7.4
11	8.4	8.1	8.2	8.2	8.0	7.5	7.2	7.3	7.2	7.3	7.6	7.4
12	8.8	7.9	8.4	8.2	7.8	7.4	7.2	7.3	7.2	11.2	7.5	7.8
13	8.3	7.9	8.4	9.1	7.7	7.4	7.2	7.3	7.2	8.3	7.5	7.6
14	8.3	7.8	8.2	8.2	7.6	7.9	7.2	7.2	7.2	7.7	7.8	7.6
15	8.2	13.0	8.1	8.1	7.6	7.8	7.2	7.3	7.1	7.6	8.0	7.4
16	8.2	16.6	8.0	8.1	7.5	8.4	7.2	7.2	7.1	7.4	7.7	9.1
17	8.1	10.6	8.0	9.5	7.7	7.8	7.2	7.4	7.1	7.3	7.6	8.2
18	8.1	9.5	11.1	9.8	7.6	7.6	7.2	7.1	7.1	7.3	7.5	7.8
19	7.9	8.9	9.1	9.0	7.5	8.1	7.2	7.1	7.1	7.3	7.5	7.8
20	7.8	8.5	12.8	14.9	7.5	7.6	7.2	7.3	7.1	7.5	11.3	8.0
21	7.6	8.2	10.4	9.8	7.4	7.6	7.2	7.4	7.1	7.4	8.0	11.5
22	7.7	8.2	10.9	9.1	7.4	7.6	7.2	7.2	7.1	7.3	7.8	8.7
23	7.7	8.2	9.5	8.8	7.6	7.4	7.6	8.9	7.1	7.3	7.7	16.7
24	7.7	8.0	9.5	9.0	7.5	7.4	7.3	7.4	7.1	7.4	7.5	11.0
25	7.7	8.1	9.2	9.9	7.5	7.5	7.2	7.2	7.1	7.6	7.5	9.4
26	7.7	8.2	14.8	17.2	7.5	7.4	7.5	7.2	7.1	7.4	7.6	9.0
27	7.6	8.2	9.7	13.7	7.4	7.4	7.2	8.3	7.2	7.4	7.6	8.8
28	7.5	8.1	9.1	10.1	7.3	7.3	7.2	7.3	7.1	7.3	7.5	8.8
29	7.6		8.3	9.3	7.4	7.3	7.2	7.2	7.1	8.8	7.6	8.5
30	7.9		8.9	8.9	7.7	7.3	7.2	7.2	7.1	7.8	7.5	8.5
31	7.7		8.6		7.7		7.2	7.1		7.6		8.7

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	8.15	8.95	9.59	9.93	7.77	7.73	7.25	7.33	7.19	7.60	7.70	8.46
MAX.	10.6	16.6	17.7	17.4	9.1	10.0	7.6	8.9	8.1	11.2	11.3	16.7
MIN.	7.5	7.7	8.0	8.1	7.3	7.3	7.2	7.1	7.1	7.1	7.4	7.4

HIGHEST STAGE WAS 17.74 AT 500 A.M., MAR. 4.
LOWEST STAGE WAS 7.04 AT 1000 A.M., SEPT. 23.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. STATE HIGHWAY 57 BRIDGE, TWO MILES WEST OF RAMER. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEPT. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.4 FEET AT 400 P.M. ON FEB. 13, 1948. LOWEST, 5.3 FEET ON SEPT. 23 AND 24, 1940. MAXIMUM, 4,940 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEPT. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET — GAGE ZERO, 376.67 FEET, M.S.L. (1941 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	7.7	15.4	7.8	8.0	7.4	7.1	7.2	6.8	6.8	6.9	7.5	7.4
2	7.7	17.0	7.7	7.9	7.4	7.1	6.9	6.8	7.0	9.5	7.1	7.4
3	7.7	12.9	7.7	7.9	7.3	7.1	6.9	6.9	6.8	7.2	7.1	7.4
4	7.6	9.3	7.7	7.9	7.3	7.1	6.8	6.9	7.2	7.1	7.1	7.4
5	7.4	8.8	7.6	14.0	7.2	7.1	6.8	6.8	7.2	7.0	7.1	7.4
6	7.5	9.9	7.6	9.9	7.1	7.0	6.8	6.8	7.3	7.0	7.1	7.4
7	7.5	9.5	7.7	8.7	7.1	7.0	6.8	6.8	6.9	7.0	7.1	10.0
8	7.4	9.2	7.6	8.3	7.1	7.0	6.8	6.8	7.1	7.0	7.1	8.1
9	7.5	8.9	7.8	8.2	8.4	7.0	6.8	6.8	6.9	7.0	7.1	7.8
10	7.3	8.4	7.6	17.9	7.4	7.5	6.8	7.3	6.9	7.0	7.1	7.6
11	7.3	8.2	7.6	15.1	7.3	7.1	6.8	6.9	6.9	7.0	7.1	7.6
12	7.2	8.1	7.6	9.9	7.2	7.0	6.8	6.8	6.9	7.0	7.8	7.5
13	7.3	7.9	7.5	10.2	7.2	7.0	6.8	6.7	6.9	7.0	7.3	7.5
14	7.3	7.9	7.5	18.1	7.1	7.0	6.8	6.7	6.9	7.0	7.2	7.5
15	7.2	8.4	7.5	16.1	7.1	7.2	6.8	6.8	6.9	7.0	7.2	7.5
16	7.3	11.2	7.5	10.4	7.1	7.1	6.8	7.1	6.8	7.0	7.2	7.4
17	7.3	9.1	7.5	9.4	7.2	7.0	6.8	6.9	6.8	7.0	7.2	7.4
18	7.6	8.5	7.5	16.6	10.3	7.0	6.8	6.8	6.8	7.0	7.3	7.4
19	7.7	8.2	7.9	11.5	7.8	7.0	6.8	9.6	6.9	7.0	16.3	7.5
20	7.6	8.1	7.6	9.6	7.5	7.0	6.8	7.3	6.9	7.0	8.5	7.4
21	7.5	8.0	7.5	9.0	7.3	7.1	6.8	7.1	6.9	7.0	7.9	7.7
22	7.6	8.0	7.5	8.6	7.2	7.1	6.8	7.2	6.9	6.9	7.7	8.2
23	7.5	8.9	7.5	8.2	7.2	7.0	6.8	7.0	6.8	6.9	7.6	7.6
24	7.7	8.3	16.7	8.1	7.2	6.9	7.2	7.0	6.9	6.9	7.6	7.5
25	7.5	8.1	9.9	8.0	7.7	6.9	6.9	6.9	6.9	7.0	7.4	7.7
26	7.5	8.0	8.9	7.8	8.3	6.8	6.8	6.9	6.9	7.0	7.4	8.0
27	7.5	7.9	8.5	7.7	7.4	6.8	6.8	6.9	7.0	7.0	7.4	7.7
28	7.6	7.9	8.4	7.7	7.2	6.8	7.0	6.9	6.9	7.0	7.4	7.6
29	7.5		8.3	7.5	7.2	6.8	6.8	6.9	6.9	7.0	7.4	17.4
30	7.5		8.3	7.5	7.2	6.8	6.8	6.9	6.9	7.0	7.4	18.0
31	15.3		8.1		7.1		6.8	6.8		7.0		16.8

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	7.73	9.28	8.13	10.18	7.43	7.01	6.83	6.98	6.92	7.08	7.65	8.60
MAX.	15.3	17.0	16.7	18.1	10.3	7.5	7.2	9.6	7.3	9.5	16.3	18.0
MIN.	7.2	7.9	7.5	7.5	7.1	6.8	6.8	6.7	6.8	6.9	7.1	7.4

HIGHEST STAGE WAS 18.10 FROM 800 A.M. TO 1100 A.M., APR. 14.
LOWEST STAGE WAS 6.70 AT 800 A.M., AUG. 14.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. STATE HIGHWAY 57 BRIDGE, TWO MILES WEST OF RAMER. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEPT. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.4 FEET AT 400 P.M. ON FEB. 13, 1948. LOWEST, 5.3 FEET ON SEPT. 23 AND 24, 1940. MAXIMUM, 4,940 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEPT. 14, 1954 (STAGE, 5.45).

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, M.S.L. (1941 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	8.4	7.9	7.4	8.7	7.5	7.2	6.9	6.9	6.9	6.9	7.1	11.4
2	8.0	11.4	7.4	8.0	7.4	7.2	6.9	7.3	7.0	6.9	7.1	8.8
3	8.4	8.4	7.4	12.8	7.4	7.4	6.9	7.0	6.9	6.9	7.1	8.2
4	15.2	8.1	7.3	9.7	7.3	7.2	6.9	6.9	6.9	7.0	7.3	8.2
5	9.4	7.9	7.3	11.5	7.2	7.1	6.9	6.9	6.9	7.0	7.2	7.9
6	13.8	7.8	7.3	9.0	7.2	7.1	6.9	6.9	7.0	9.6	7.1	7.7
7	9.9	7.7	7.2	8.5	7.2	7.0	6.9	6.9	6.9	7.6	7.1	7.6
8	8.5	7.6	7.3	9.0	7.4	7.0	6.9	6.9	6.9	7.3	7.2	7.5
9	8.6	7.6	7.3	11.2	7.6	7.0	6.9	6.9	6.9	7.2	7.1	7.5
10	17.5	7.6	8.3	9.4	7.4	8.5	6.9	6.8	6.9	7.2	7.2	7.5
11	16.9	7.6	7.7	8.6	7.4	7.1	6.9	6.8	6.9	7.1	7.2	7.4
12	10.7	7.4	17.2	8.3	8.2	7.0	7.1	6.9	6.9	7.1	7.2	7.4
13	9.8	7.4	10.4	8.1	7.8	7.0	6.9	6.9	6.9	7.1	7.2	7.9
14	9.8	7.4	8.9	8.7	13.1	7.0	6.9	6.9	6.9	7.2	7.2	7.6
15	8.8	7.5	8.4	8.4	9.8	7.0	6.9	6.9	6.9	7.1	7.2	7.4
16	8.7	7.5	8.3	8.1	15.3	7.0	6.9	7.2	7.0	7.1	7.7	7.3
17	8.3	7.5	8.1	8.0	11.2	7.4	6.9	6.9	7.4	7.1	7.3	7.3
18	8.4	7.4	8.0	7.9	9.2	7.0	6.9	6.9	7.4	7.1	7.4	7.3
19	8.8	7.4	7.9	7.8	8.5	7.0	6.9	6.9	7.2	7.1	7.2	7.3
20	8.7	7.4	7.8	7.7	8.0	7.0	7.1	6.8	7.1	7.1	7.2	7.2
21	8.4	7.4	8.0	7.6	7.7	6.9	7.3	6.9	7.0	7.1	7.2	7.2
22	8.2	7.3	14.0	7.6	7.6	6.9	6.9	6.9	7.0	7.1	7.2	11.0
23	8.2	7.3	10.2	8.2	7.5	6.9	8.7	6.9	7.0	7.1	7.2	9.6
24	8.1	7.3	9.2	7.7	7.4	6.9	7.0	6.9	7.0	7.1	7.4	8.2
25	7.9	7.3	10.8	7.5	7.3	6.9	7.1	6.9	6.9	7.1	7.4	7.8
26	7.8	7.3	9.5	7.5	9.0	8.0	6.9	6.9	7.0	7.1	7.3	7.7
27	7.8	7.3	8.8	8.7	7.6	7.1	6.9	6.8	7.0	7.1	7.5	7.6
28	7.7	7.3	8.4	8.0	7.4	7.0	6.9	6.8	7.0	7.1	18.0	14.9
29	7.7	7.7	8.2	7.7	7.3	7.0	6.9	6.8	7.0	7.1	14.4	8.8
30	7.7		8.1	7.7	7.3	6.9	6.9	6.8	7.0	7.1	8.8	8.2
31	7.9		8.1		7.2		7.0	6.8		7.1		8.1

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	9.47	7.67	8.71	8.58	8.23	7.12	6.99	6.89	6.98	7.18	7.88	8.23
MAX.	17.5	11.4	17.2	12.8	15.3	8.5	8.7	7.3	7.4	9.6	18.0	14.9
MIN.	7.7	7.3	7.2	7.5	7.2	6.9	6.9	6.8	6.9	6.9	7.1	7.2

HIGHEST STAGE WAS 18.10 AT 600 P.M., NOV. 28.
LOWEST STAGE WAS 6.82 FROM 400 A.M., AUG. 28 TO 1200 NOON, 29.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. STATE HIGHWAY 57 BRIDGE, TWO MILES WEST OF RAMER. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEPT. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.4 FEET AT 400 P.M. ON FEB. 13, 1948. LOWEST, 5.3 FEET ON SEPT. 23 AND 24, 1940. MAXIMUM, 4,940 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEPT. 14, 1954 [STAGE, 5.45].

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, M.S.L. [1941 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	7.9	7.2	8.2	7.2	12.9	7.6	6.6	6.6	6.8	6.8	7.1	7.6
2	7.7	7.2	7.8	7.2	16.1	7.0	6.8	6.6	6.6	6.8	7.1	7.4
3	7.5	8.1	7.6	7.1	9.5	6.9	6.7	6.6	6.6	6.8	7.1	12.8
4	7.4	7.6	7.5	7.1	8.1	6.8	6.6	11.0	6.6	6.8	7.2	8.2
5	7.3	7.5	7.4	7.0	7.6	6.8	6.5	7.1	6.7	6.8	7.1	7.8
6	7.3	7.4	15.6	7.0	7.5	6.8	12.3	6.8	6.6	6.8	7.0	7.6
7	7.3	7.3	17.9	7.0	17.5	6.7	7.2	6.8	6.6	6.8	7.0	7.6
8	7.3	7.2	12.5	6.9	10.3	6.7	6.9	6.7	6.6	6.8	7.0	7.5
9	7.2	7.2	9.1	6.9	8.4	6.7	6.8	6.7	10.0	6.9	7.0	7.4
10	7.2	7.2	8.6	6.8	7.9	6.7	7.3	6.7	7.1	6.8	7.0	17.5
11	7.2	7.2	8.1	7.0	7.8	6.6	6.8	6.6	7.0	6.8	7.0	17.0
12	7.2	7.1	7.9	6.8	7.5	6.6	6.9	6.6	7.0	6.8	7.3	10.4
13	7.2	7.1	7.8	6.8	8.4	6.6	7.9	6.6	6.8	6.8	7.1	8.9
14	8.4	7.1	7.6	7.3	7.8	6.6	6.9	6.6	6.8	6.8	7.0	8.3
15	7.6	7.1	7.5	7.0	11.5	6.6	6.8	6.6	7.7	6.8	7.0	10.3
16	7.4	7.0	7.4	6.8	8.0	6.6	6.7	6.6	6.8	6.8	7.0	8.8
17	7.4	7.3	7.4	6.8	7.6	6.6	6.7	6.7	6.7	14.3	7.0	8.3
18	7.3	7.4	7.3	6.8	7.4	6.6	6.6	6.7	6.7	8.5	7.0	15.9
19	7.3	7.2	7.3	6.7	7.2	6.6	6.6	8.8	6.6	7.4	7.0	9.9
20	7.3	9.3	7.3	6.7	7.1	6.5	6.6	7.2	6.6	7.2	7.0	8.6
21	7.3	8.9	7.6	6.7	7.2	6.5	6.6	7.0	6.6	7.2	7.0	12.3
22	7.2	7.9	7.4	6.7	7.5	6.5	6.6	6.9	7.6	7.1	9.6	15.5
23	7.2	7.6	7.3	7.5	7.1	6.6	7.3	6.7	6.9	7.1	7.5	9.9
24	7.1	7.4	7.2	7.3	7.0	6.6	6.8	6.6	6.8	7.0	7.3	8.6
25	7.1	7.3	7.2	7.0	7.0	6.6	6.7	7.3	6.8	7.1	7.2	8.3
26	7.1	7.2	7.2	11.4	6.9	6.6	6.9	7.2	6.8	7.0	7.1	8.0
27	10.4	7.3	7.7	10.2	6.9	6.5	6.8	7.1	6.7	7.1	7.1	7.8
28	8.3	11.0	7.4	7.9	6.8	6.5	6.7	6.8	7.2	7.0	7.0	7.8
29	7.5		7.3	7.5	6.8	6.6	7.1	6.7	6.9	7.0	7.0	7.7
30	7.3		7.3	7.3	6.8	6.8	7.0	6.6	6.8	7.0	8.5	7.6
31	7.3		7.3		7.0		6.7	6.6		7.0		8.1

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	7.48	7.57	8.34	7.27	8.48	6.67	7.00	6.96	6.92	7.21	7.20	9.65
MAX.	10.4	11.0	17.9	11.4	17.5	7.6	12.3	11.0	10.0	14.3	9.6	17.5
MIN.	7.1	7.0	7.2	6.7	6.8	6.5	6.5	6.6	6.6	6.8	7.0	7.4

HIGHEST STAGE WAS 17.91 AT 700 A.M., MAR. 7 AND AT 700 P.M., DEC. 10
LOWEST STAGE WAS 6.50 FROM 700 TO 1000 A.M., JUNE 28.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 88-39-32. STATE HIGHWAY 57 BRIDGE, TWO MILES WEST OF RAMER. CYPRESS CREEK IS A TRIBUTARY OF TUSCUMBIA RIVER.

GAGE. AUTOMATIC RECORDER ON BRIDGE.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE AND DAILY DISCHARGE, SEPT. 23, 1940, TO DATE.

EXTREMES. HIGHEST, 19.4 FEET AT 400 P.M. ON FEB. 13, 1948. LOWEST, 5.3 FEET ON SEPT. 23 AND 24, 1940. MAXIMUM, 4,940 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEPT. 14, 1954 [STAGE, 5.45].

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, M.S.L. [1941 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	6.7	7.2	7.6	7.1	15.3	6.8	6.5	6.8	6.6	7.3	6.7	6.7
2	7.1	8.1	7.3	7.1	10.9	6.8	6.6	6.6	6.5	6.9	6.9	6.8
3	8.0	7.1	7.2	7.1	9.2	6.8	6.7	6.6	6.5	6.7	6.8	6.8
4	7.2	7.0	17.1	7.1	8.3	6.8	6.7	6.6	6.5	6.5	6.8	6.8
5	7.7	6.9	9.8	7.0	7.9	6.8	6.5	6.6	6.5	6.5	6.8	6.8
6	7.5	6.9	8.6	7.0	7.6	6.8	6.5	6.6	6.4	6.4	6.9	6.8
7	7.2	7.0	8.1	7.0	7.5	8.5	6.4	6.6	6.4	6.4	6.8	6.8
8	7.1	6.9	7.9	7.0	7.2	7.9	6.5	7.0	6.4	6.4	6.8	6.8
9	7.0	6.8	7.7	7.1	7.0	6.9	6.5	6.6	6.4	6.8	6.8	12.1
10	7.0	16.0	7.6	7.0	6.9	6.7	6.5	6.5	6.4	7.8	6.8	11.2
11	7.0	17.4	7.6	7.0	6.9	6.7	6.5	8.9	6.4	7.0	7.4	8.1
12	6.9	10.8	7.5	7.1	6.9	6.7	6.4	7.0	6.5	6.8	7.1	7.5
13	7.1	16.2	7.5	7.0	7.0	6.6	6.4	9.2	6.5	6.8	7.0	7.3
14	7.0	9.6	7.5	7.0	7.0	7.4	6.4	6.9	6.4	6.9	6.9	7.2
15	7.0	8.5	7.5	7.0	6.9	6.8	6.4	7.0	6.4	6.8	6.9	7.1
16	6.9	9.1	7.4	7.0	13.6	6.6	6.4	8.0	6.5	7.0	6.8	7.1
17	6.8	8.2	7.4	7.0	8.2	6.6	6.5	6.9	6.4	6.8	6.8	7.0
18	6.8	8.0	7.4	7.0	16.8	6.6	6.4	6.7	6.4	6.9	6.8	7.0
19	6.8	7.8	7.4	7.0	10.8	6.6	6.5	6.8	6.7	7.0	6.8	7.0
20	6.7	7.6	7.3	7.0	8.5	6.6	6.6	6.7	6.6	6.8	6.8	7.0
21	6.7	7.5	7.3	8.8	8.0	6.5	6.5	6.7	6.5	6.8	6.8	6.9
22	6.8	7.4	7.3	7.2	7.7	6.5	6.4	6.7	6.5	6.8	6.8	6.9
23	6.8	7.4	7.2	7.0	7.4	6.5	6.4	6.6	6.5	6.8	6.8	6.9
24	6.8	7.3	7.2	7.0	7.3	6.5	6.4	6.5	6.5	6.8	6.8	7.2
25	6.8	7.3	7.2	8.1	7.4	6.5	6.4	6.6	6.5	6.7	6.8	7.0
26	6.8	7.2	7.2	7.4	7.2	6.5	6.5	6.6	6.5	6.7	6.8	7.0
27	6.7	7.4	7.2	8.6	7.1	6.5	6.5	6.6	6.5	6.7	6.8	7.0
28	6.8	7.4	7.2	7.4	7.0	6.5	6.5	6.6	6.5	6.7	6.8	15.5
29	6.9		7.2	7.8	7.0	6.5	6.4	6.5	6.6	6.7	6.8	9.6
30	7.2		7.2	7.9	6.9	6.5	7.8	6.5	6.6	6.7	6.8	8.1
31	7.2		7.1		6.8		7.0	6.5		6.7		7.9

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	6.99	8.63	7.82	7.25	8.38	6.76	6.53	6.86	6.48	6.78	6.84	7.73
MAX.	8.0	17.4	17.1	8.8	16.8	8.5	7.8	9.2	6.7	7.8	7.4	15.5
MIN.	6.7	6.8	7.1	7.0	6.8	6.5	6.4	6.5	6.4	6.4	6.7	6.7

HIGHEST STAGE WAS 17.49 AT 400 A.M., FEB. 11.
LOWEST STAGE WAS 6.37 AT 1000 A.M., JULY 14.

CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 89-39-22. MILE 7.5, TENNESSEE STATE HIGHWAY 57 BRIDGE, TWO MILES WEST OF RAMER, TENN.

GAGE. RECORDER ON BRIDGE. GAGE IS READ AND MAINTAINED BY MEMPHIS DISTRICT, CORPS OF ENGINEERS.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE, SEPT. 23, 1940 TO DATE. DISCHARGE, DAILY COMPUTED, SEPT. 23, 1940 TO DATE.

EXTREMES. HIGHEST, 19.4 FEET AT 400 P.M. ON FEB. 13, 1948. LOWEST, 5.3 FEET ON SEPT. 23 AND 24, 1940. MAXIMUM, 4,940 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEPT. 14, 1954 [STAGE, 5.45].

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 376.67 FEET, M.S.L. [1941 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	8.5	7.3	8.2	9.5	E 6.8	E 6.8	6.6	6.4	6.4	6.7	6.5	6.6
2	8.0	7.2	16.0	8.9	E 6.8	6.8	6.6	6.4	6.4	6.5	6.5	6.6
3	10.7	7.2	9.8	8.8	E 6.7	6.8	6.6	6.3	6.4	6.5	6.5	6.6
4	8.6	7.2	9.8	17.1	6.7	6.8	7.6	6.4	6.4	6.4	6.5	6.6
5	8.1	7.2	E 9.0	17.4	6.7	6.8	6.8	6.3	6.4	6.5	6.5	6.6
6	7.8	7.2	E 8.7	15.2	6.7	6.8	6.7	6.29	6.4	6.4	6.5	6.6
7	7.6	7.4	E 8.3	10.4	6.7	6.8	6.7	6.4	6.4	7.5	6.5	6.6
8	7.5	7.2	E 8.0	9.3	6.7	6.7	6.7	6.9	6.4	6.7	6.7	6.6
9	8.7	12.4	7.9	8.8	6.7	7.1	6.7	6.6	6.3	6.6	6.7	6.6
10	17.4	15.1	7.7	8.4	6.7	6.8	7.2	6.5	6.3	6.6	6.7	6.6
11	12.5	16.0	7.6	8.2	6.7	6.8	6.6	6.4	6.4	6.5	6.6	6.6
12	9.2	17.2	8.2	8.0	6.7	6.8	6.6	6.4	6.7	6.5	6.6	7.4
13	8.7	11.0	8.0	7.6	6.7	6.8	6.6	6.4	6.5	6.5	6.7	7.2
14	8.3	9.0	7.8	7.6	6.7	E 11.0	6.6	6.4	6.4	6.5	6.7	6.9
15	8.1	8.4	7.6	7.5	6.7	12.4	6.6	6.4	6.4	6.5	6.7	6.9
16	8.3	8.1	7.5	E 7.9	6.7	10.2	6.5	6.4	6.4	6.5	6.6	6.8
17	7.7	7.9	8.2	E 7.5	E 7.5	E 7.8	6.5	6.3	6.4	6.5	6.6	6.8
18	7.7	7.8	10.5	E 7.5	7.5	E 7.4	6.5	6.3	6.7	6.5	6.6	6.8
19	7.6	7.7	8.7	E 8.5	7.4	E 7.1	6.5	6.4	6.5	6.5	6.6	6.7
20	7.6	7.6	8.3	7.4	7.4	E 6.9	6.5	6.4	6.4	6.5	6.6	6.7
21	7.6	7.6	7.9	E 7.3	14.4	E 6.7	6.4	6.4	6.4	6.5	6.7	6.7
22	7.6	7.5	7.8	E 7.2	8.2	6.7	6.4	6.4	6.5	6.5	7.2	6.7
23	7.9	7.4	7.8	E 7.1	8.1	6.7	6.4	6.4	6.6	6.5	6.8	6.7
24	7.8	7.4	7.7	E 7.1	7.3	6.7	6.4	6.9	6.8	6.5	6.7	6.7
25	7.6	E 15.3	16.0	E 7.0	7.2	6.7	6.4	6.5	6.5	6.5	6.7	7.0
26	7.4	E 9.3	17.7	E 7.0	7.2	6.7	7.0	6.4	6.5	6.5	6.7	6.8
27	7.2	E 9.2	15.9	7.0	9.0	6.7	6.6	6.4	6.5	6.5	7.3	6.8
28	7.3	E 8.5	9.9	E 6.9	7.8	6.7	6.4	6.4	6.4	6.5	6.8	6.7
29	7.3		12.2	E 6.9	E 7.1	6.6	6.4	6.4	6.4	6.5	6.7	6.7
30	7.2		17.6	E 6.8	E 7.0	6.6	6.4	6.4	6.4	6.5	6.7	6.7
31	7.2		11.3		E 6.9		6.4	6.4		6.5		6.7
THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE												
MEAN	8.41	9.23	9.92	8.73	7.34	7.27	6.61	6.43	6.45	6.55	6.67	6.74
MAX.	17.4	17.2	17.7	17.4	14.4	12.4	7.6	6.9	6.8	7.5	7.3	7.4
MIN.	7.2	7.2	7.5	E 6.8	E 6.7	6.6	6.4	6.29	6.3	6.4	6.5	6.6

E- ESTIMATED
HIGHEST STAGE WAS 17.70 FROM 800 A.M. TO 200 P.M., MAR. 26.
LOWEST STAGE WAS 6.29, AUG. 6.

C22 CYPRESS CREEK NEAR RAMER, TENN.

LOCATION. LAT. 35-03-58, LONG. 89-39-22. MILE 7.5, TENNESSEE STATE HIGHWAY 57 BRIDGE, TWO MILES WEST OF RAMER, TENN.

GAGE. RECORDER ON BRIDGE. GAGE IS READ AND MAINTAINED BY MEMPHIS DISTRICT, CORPS OF ENGINEERS.

GENERAL INFORMATION. DRAINAGE AREA, 95 SQUARE MILES.

RECORDS AVAILABLE. STAGE, SEPT. 23, 1940 TO DATE. DISCHARGE, DAILY COMPUTED, SEPT. 23, 1940 TO DATE.

EXTREMES. HIGHEST, 19.4 FEET AT 400 P.M. ON FEB. 13, 1948. LOWEST, 5.3 FEET ON SEPT. 23 AND 24, 1940. MAXIMUM, 4,940 CFS COMPUTED FOR RECORD HIGH STAGE. MINIMUM, 4 CFS OBSERVED ON SEPT. 14, 1954 [STAGE, 5.45].

DAILY EIGHT A.M. STAGE IN FEET FOR 1964 GAGE ZERO, 376.67 FEET, M.S.L. [1941 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	6.7	7.4	7.4	7.7	8.0	6.8	6.2	6.5	6.3	6.8	6.6	7.0
2	6.7	7.1	7.3	7.6	7.8	6.6	6.2	6.4	6.3	6.7	6.6	7.0
3	6.8	7.0	10.1	7.6	7.9	6.5	6.2	6.4	6.3	6.7	6.5	16.0
4	6.9	7.0	8.2	17.6	7.4	6.5	6.2	6.4	6.3	6.6	6.5	17.8
5	6.8	7.0	17.0	16.6	7.2	6.4	6.2	6.4	6.3	6.6	6.5	16.7
6	6.9	9.6	9.4	17.0	7.0	6.4	6.2	6.4	6.3	6.5	6.5	9.2
7	7.5	7.7	8.5	16.7	6.9	6.4	6.9	6.4	6.3	6.5	6.5	8.2
8	7.0	7.3	8.2	11.2	6.9	6.3	6.5	6.4	6.3	6.5	6.7	7.8
9	13.4	7.2	8.0	9.3	6.8	6.3	6.5	6.8	6.3	6.5	6.6	7.5
10	7.9	7.1	11.0	8.8	6.9	6.3	6.5	6.5	6.3	6.5	6.6	7.4
11	7.4	7.0	8.7	8.4	7.3	6.3	7.3	6.5	6.3	6.5	6.6	15.6
12	8.2	6.9	8.2	8.8	7.0	6.3	12.1	6.5	6.3	6.5	6.6	14.4
13	7.5	7.5	7.9	16.4	7.7	6.3	8.6	6.4	6.3	6.5	6.6	9.1
14	7.1	8.1	7.8	13.1	6.9	6.3	6.8	6.4	6.3	6.5	6.6	8.2
15	7.0	8.2	15.9	9.5	6.8	6.3	6.7	6.5	6.3	6.5	6.6	7.8
16	7.0	10.7	9.0	8.8	6.7	6.3	6.6	8.6	6.3	6.6	6.6	7.6
17	7.0	8.2	8.2	8.3	6.6	6.3	6.6	6.8	6.3	6.5	6.6	7.5
18	7.0	8.8	7.8	8.0	6.6	6.6	6.5	6.6	6.3	6.5	6.8	7.5
19	7.0	8.2	7.6	7.8	6.6	6.3	6.5	6.5	6.3	6.6	8.6	7.3
20	8.4	7.7	7.6	7.7	6.5	6.3	6.5	6.5	6.3	6.5	8.0	7.9
21	7.2	7.5	7.5	7.5	6.5	6.3	6.5	6.5	6.3	6.5	7.2	7.5
22	7.1	7.4	7.4	8.3	6.5	6.3	6.5	6.5	6.3	6.5	7.0	7.5
23	7.1	7.3	7.4	9.6	6.5	6.2	6.8	6.4	6.3	6.5	6.9	7.4
24	7.0	7.3	7.3	17.7	6.4	6.2	6.5	6.4	6.3	6.5	6.9	7.4
25	7.4	7.2	11.8	16.3	6.4	6.2	6.7	6.4	6.3	6.5	7.5	13.7
26	7.2	7.1	11.3	10.1	6.4	6.2	6.7	6.4	6.3	6.5	7.1	12.9
27	7.1	7.1	8.5	15.8	6.4	6.2	6.5	6.4	6.3	6.5	7.0	8.6
28	7.0	7.6	8.2	10.4	6.4	6.2	6.5	6.4	9.9	6.6	10.2	8.1
29	6.9	7.6	8.9	8.9	6.4	6.2	6.5	6.4	8.4	6.8	7.5	7.7
30	7.0		8.1	8.3	6.4	6.2	7.1	6.4	7.1	6.6	7.1	7.7
31	7.0		7.9		6.4		6.5	6.3		6.6		9.2

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	7.36	7.65	8.97	10.99	6.85	6.33	6.79	6.53	6.52	6.55	6.99	9.52
MAX.	13.4	10.7	17.0	17.7	8.0	6.8	12.1	8.6	9.9	6.8	10.2	17.8
MIN.	6.7	6.9	7.3	7.5	6.4	6.2	6.2	6.3	6.3	6.5	6.5	7.0

HIGHEST STAGE WAS 17.81 AT 1100 A.M., DEC. 4.
LOWEST STAGE WAS 6.15 FROM 400 P.M. JUNE 30 TO 800 A.M. JULY 2.
MEMPHIS DISTRICT, CORPS OF ENGINEERS.

1963

CYPRESS CREEK
Ramer, Tennessee

Zero of gage: 376.67 m.s.l. (Memphis to Cairo 1946)
Mile: 7.5
Lat.: 35° 03' 58" - Long.: 88° 39' 22"
Memphis District, CE gage.

Recording gage is on State Highway bridge over Cypress Creek Canal 2 miles west of Ramer, Tennessee.

Highest: 18.30 at 6:00 a.m. on 30 April.
Lowest: 6.15 at 6:00 p.m. on 28 August.
Period of record: 23 September 1940 to date.
Highest for period of record: 19.40 at 4:00 p.m. on 13 February 1948.
Lowest for period of record: 5.30 on 23-24 September 1940.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	6.8	7.0	7.8	7.2	14.0	7.3	6.6	6.5	6.3	6.3	6.4	6.6
2	6.8	7.1	8.3	7.1	9.1	7.1	6.6	6.4	6.3	6.3	6.4	6.6
3	6.8	7.7	7.6	7.1	8.0	7.0	6.5	6.4	6.3	6.3	6.4	6.5
4	6.7	7.0	7.4	7.0	7.6	6.9	6.5	6.4	6.3	6.3	6.4	6.5
5	6.7	7.0	14.9	6.9	7.3	6.9	6.5	6.4	6.3	6.3	6.7	6.5
6	6.8	7.0	10.9	7.3	7.1	6.8	6.5	6.6	6.3	6.3	6.6	6.5
7	6.8	6.9	8.4	8.9	7.2	6.7	6.5	6.6	6.3	6.3	6.5	6.5
8	6.8	6.9	7.9	7.8	6.9	6.7	6.6	6.6	6.3	6.3	6.5	6.6
9	6.7	6.8	7.6	7.5	6.8	6.7	6.5	6.5	6.3	6.3	6.5	6.6
10	6.7	6.8	7.5	7.3	6.7	6.6	6.5	6.5	6.3	6.3	6.5	6.6
11	6.7	14.7	8.3	7.2	6.7	6.6	6.5	6.4	6.3	6.3	6.5	9.6
12	7.2	8.7	17.1	7.0	6.6	6.6	6.6	6.4	6.3	6.3	6.4	8.0
13	6.8	7.8	*	6.9	6.6	6.6	6.6	6.4	6.6	6.3	6.4	7.1
14	6.6	7.6	*	6.9	6.5	6.5	6.8	6.4	6.4	6.3	6.4	6.9
15	6.7	7.3	*	6.9	6.4	6.6	6.5	6.3	6.4	6.2	6.4	6.7
16	6.7	7.2	*	6.9	6.4	8.2	6.4	6.3	6.3	6.2	6.4	6.8
17	6.6	7.2	12.2	6.8	6.3	7.0	6.4	6.3	6.3	6.2	6.4	6.7
18	6.7	7.1	8.9	6.8	6.4	6.8	6.4	6.3	6.3	6.2	6.4	6.7
19	6.8	7.7	8.3	6.7	6.3	6.8	8.2	6.3	6.3	6.2	6.4	6.6
20	6.8	7.6	8.7	6.9	6.3	6.7	6.6	6.4	6.3	6.3	6.4	6.8
21	6.7	7.3	7.9	6.7	6.4	7.1	7.1	6.3	6.3	6.3	7.1	6.8
22	6.6	6.9	7.6	6.7	6.4	6.9	6.6	6.3	6.3	6.3	6.6	7.1
23	6.8	6.9	7.5	6.6	6.4	6.8	6.5	6.3	6.3	6.2	7.5	7.0
24	6.9	7.1	7.4	6.6	6.4	6.8	10.3	6.2	6.3	6.3	6.7	7.2
25	6.8	7.1	7.4	6.7	6.4	6.8	7.0	6.3	6.3	6.3	6.6	7.1
26	6.9	7.1	11.8	6.7	9.2	6.8	6.7	6.3	6.3	6.3	6.5	7.1
27	6.9	6.9	8.2	6.6	15.1	6.8	6.7	6.3	6.3	6.4	6.5	7.4
28	6.7	7.0	7.7	6.8	11.0	6.8	6.6	6.15	6.3	6.4	6.5	7.5
29	7.0		7.5	7.8	11.0	7.0	6.7	6.4	6.3	6.4	6.8	7.2
30	7.4		7.4	18.30	8.2	6.7	6.9	6.4	6.3	6.4	6.6	6.8
31	7.4		7.3		7.6		6.6	6.3		6.4		6.7

8:00 a.m. readings.
* - Recorder out of order.
LMM 21
Feb 64

1962

CYPRESS CREEK
Ramer, Tennessee

Zero of gage: 376.67 m.s.l. (Memphis to Cairo 1946)
Mile: 7.5
Lat.: 35° 03' 58" - Long.: 88° 39' 22"
Memphis District, CE gage

Recording gage is on State Highway bridge over Cypress Creek Canal 2 miles west of Ramer, Tennessee.

Highest: 17.58 at 6:00 a.m. on 26 February
Lowest: Low water record incomplete
Period of record: 23 September 1940 to date
Highest for period of record: 19.40 at 4:00 p.m. on 13 February 1948
Lowest for period of record: 5.30 on 23-24 September 1940

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	12.8	8.3	11.2	13.2								6.7
2	8.8	8.0	9.4	9.2								6.6
3	8.3	8.0	9.0	8.6								6.6
4	8.0	7.8	8.7	8.3								6.6
5	10.0	7.8	8.4	8.3								6.6
6	17.4	7.7	8.2	9.0								6.6
7	12.3	7.6	8.0	9.2								6.6
8	10.0	7.7	8.0	8.4								6.6
9	8.7	11.2	14.3	10.0								6.6
10	8.4	8.2	9.0	*								6.6
11	8.4	7.8	9.5									6.6
12	7.8	7.8	9.2									6.6
13	7.6	7.7	8.6									6.9
14	7.4	7.6	8.2									6.8
15	16.2	7.5	8.0									6.9
16	11.0	8.9	7.9									7.2
17	8.8	7.8	7.7									6.8
18	8.5	7.8	7.6									6.6
19	9.4	8.4	7.6									6.6
20	8.6	7.8	7.7									6.6
21	8.2	8.0	10.4									6.6
22	8.4	8.4	8.1									7.1
23	17.0	14.8	7.8									6.8
24	12.3	16.8	7.8									6.8
25	11.6	10.7	7.8									6.8
26	10.7	17.58	10.5									7.1
27	14.2	16.8	8.4								6.7	7.0
28	14.8	16.2	8.0								6.7	7.0
29	9.8		7.9								6.7	7.1
30	9.0		7.8								6.7	7.0
31	8.5		16.8									6.9

IMS 21
June 62

8:00 a.m. readings
*Recorder was removed due to bridge construction and was replaced after construction was completed.

1961

CYPRESS CREEK
RAMER, TENNESSEE

Zero of gage: 376.67 m.s.l. (Memphis to Cairo 1946)
Mile: 7.5
Lat.: 35° 03' 58" - Long.: 88° 39' 22"
Memphis District, CE gage.

Recording gage is on State Highway bridge over Cypress Creek Canal 2 miles west of Ramer, Tennessee.

Highest: 17.50 at 1:00 p.m. on 18 December.
Lowest: 6.36 on 10 July.
Period of record: 23 September 1940 to date.
Highest for period of record: 19.40 at 4:00 p.m. on 13 February 1948.
Lowest for period of record: 5.30 on 23-24 September 1940.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	10.7	7.0	10.1	10.2	7.0	6.6	6.4	6.7	6.6	6.4	6.5	7.3
2	8.2	7.1	8.8	8.8	7.2	6.6	6.4	6.7	6.6	6.8	6.5	7.2
3	7.8	8.0	8.4	8.4	7.1	6.6	6.4	6.7	6.6	6.8	6.6	7.2
4	7.5	7.8	8.2	8.1	7.1	6.5	6.5	6.6	6.6	6.7	7.4	7.2
5	7.4	7.3	8.5	8.0	7.0	6.6	6.4	6.6	6.7	6.6	7.2	8.4
6	7.4	7.3	14.9	7.8	7.0	6.6	6.4	6.6	6.8	6.6	7.1	7.5
7	7.2	8.8	16.4	7.6	7.4	7.4	6.6	6.6	6.6	6.6	6.9	7.3
8	7.2	10.8	17.4	7.4	7.0	7.0	6.5	6.6	6.6	6.5	6.8	7.2
9	7.0	8.4	14.5	7.8	8.8	6.8	6.4	6.6	6.6	6.5	6.8	7.4
10	7.0	7.8	9.8	7.8	7.3	6.7	6.36	6.6	6.5	6.4	6.8	15.6
11	7.1	7.6	9.1	7.6	7.1	7.4	6.4	6.6	6.4	6.4	6.8	10.6
12	7.0	7.5	8.8	16.1	7.0	8.9	6.4	6.6	6.5	6.4	6.8	16.8
13	7.0	7.4	12.6	10.2	7.0	7.4	6.7	6.6	6.5	6.4	14.4	10.0
14	7.0	7.3	9.2	8.7	7.0	7.0	6.5	6.5	7.0	6.4	7.7	8.8
15	7.6	7.2	8.6	11.2	10.6	6.8	6.4	6.6	6.5	6.4	7.3	8.2
16	7.3	7.2	8.4	9.4	7.1	6.8	6.6	6.6	6.5	6.4	14.4	8.0
17	7.2	7.2	8.2	8.4	7.1	6.8	6.6	6.6	6.5	6.4	7.9	16.6
18	7.1	9.0	12.9	8.1	7.0	6.8	6.5	6.6	6.5	6.5	7.4	17.50
19	7.2	9.3	8.8	7.9	6.9	6.6	6.5	6.6	6.5	6.5	7.2	12.9
20	7.2	8.2	8.4	7.8	6.8	6.6	6.4	6.6	6.5	6.5	7.0	10.2
21	7.2	17.1	16.6	7.6	6.8	6.8	13.5	6.6	6.5	6.5	7.0	9.7
22	6.9	15.0	10.2	7.5	6.8	6.7	7.4	6.6	6.5	6.5	7.0	9.1
23	7.1	10.6	9.0	7.4	7.1	6.6	7.0	6.6	6.4	6.5	16.6	8.4
24	7.0	9.1	8.4	7.3	6.8	6.5	9.4	6.6	6.4	6.5	10.4	8.0
25	6.8	11.0	8.1	7.2	6.8	6.5	7.3	7.6	6.4	6.5	8.4	7.9
26	7.0	8.9	8.0	8.6	6.9	6.5	9.6	6.8	6.4	6.5	8.0	7.8
27	7.0	8.5	7.9	7.3	6.8	6.5	7.3	6.6	6.4	6.5	7.8	10.0
28	6.8	16.0	10.0	7.0	6.7	6.5	7.1	6.6	6.4	6.5	7.5	9.1
29	7.0		9.0	7.0	6.7	6.5	7.2	6.6	6.4	6.5	7.4	8.2
30	6.8		8.7	7.0	6.6	6.4	6.8	6.6	6.4	6.5	7.3	8.0
31	6.9		14.2		6.6		6.8	6.6		6.5		8.0

8:00 a.m. readings.

1960

CYPRESS CREEK
RAMER, TENNESSEE

Zero of gage: 376.67 m.s.l. (Memphis to Cairo 1946)
Mile: 7.5
Lat.: 35° 03' 58" - Long.: 88° 39' 22"
Memphis District, CE gage

Recording gage is on State Highway bridge over Cypress Creek Canal 2 miles west of Ramer, Tennessee.

Highest: 16.83 at 3:00 a.m. on 3 March.
Lowest: 6.35 on 6 - 9 September.
Period of record: 23 September 1940 to date.
Highest for period of record: 19.40 at 4:00 p.m. on 13 February 1948.
Lowest for period of record: 5.30 on 23-24 September 1940.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	7.6	8.1	7.6	7.8	7.0	6.6	6.4	6.4	6.4	6.4	6.8	6.9
2	7.6	7.9	8.0	11.3	7.0	6.6	6.4	6.4	6.4	6.4	6.7	6.8
3	8.8	7.8	16.88	8.0	7.0	6.7	7.5	6.4	6.4	6.4	6.6	6.8
4	7.3	7.8	9.6	7.8	7.0	6.6	10.8	6.4	6.4	6.4	6.6	6.8
5	7.6	9.3	8.8	7.6	7.0	6.6	7.0	6.6	6.4	6.5	6.6	6.8
6	8.1	8.3	8.3	7.6	7.2	6.5	6.8	6.4	6.35	7.4	6.7	6.8
7	8.4	8.0	8.1	7.5	12.8	6.5	6.7	6.4	6.35	6.8	6.6	7.4
8	8.2	7.8	8.0	7.4	8.0	6.5	6.6	6.4	6.35	6.7	6.6	7.0
9	8.6	7.8	16.2	7.4	7.5	6.5	6.6	6.5	6.35	7.0	6.6	6.9
10	9.2	9.1	11.5	7.2	7.3	6.5	6.6	6.5	6.8	6.6	7.5	6.9
11	8.6	8.4	11.7	7.2	7.2	6.5	6.6	6.7	7.2	6.6	6.9	10.6
12	8.2	7.8	9.6	7.2	7.1	6.5	6.6	6.5	6.6	6.6	6.8	7.5
13	8.3	7.8	8.8	7.2	7.1	6.5	6.5	6.4	6.5	6.6	6.8	7.2
14	9.1	7.8	8.4	7.2	7.0	6.8	6.5	6.4	6.5	6.6	6.8	7.0
15	9.1	7.7	8.6	7.2	7.0	6.6	6.4	6.4	6.4	6.6	6.7	7.1
16	8.0	8.0	16.0	7.1	7.0	6.5	6.4	6.4	6.4	6.7	9.1	7.0
17	7.8	7.8	9.9	7.1	6.9	8.8	6.4	6.4	6.4	6.6	7.5	7.0
18	9.4	7.8	8.8	7.2	6.9	6.7	6.4	6.4	6.4	6.6	7.1	6.9
19	8.2	7.5	8.5	7.1	8.0	6.6	6.4	6.5	6.4	6.6	7.0	6.9
20	7.8	7.4	8.2	7.1	7.4	6.6	6.4	6.5	6.4	6.9	6.9	6.9
21	7.6	7.6	8.0	11.4	7.0	6.5	6.5	10.6	6.4	6.6	6.8	7.2
22	7.6	7.6	7.8	7.8	6.8	6.5	7.1	7.1	6.4	6.6	6.8	6.8
23	7.2	7.4	7.7	7.4	6.8	6.4	6.5	7.0	6.4	6.6	6.9	7.0
24	7.3	7.4	7.7	7.3	6.7	6.4	6.7	6.6	6.4	6.6	6.8	6.9
25	7.3	14.5	7.6	7.2	6.7	6.5	6.6	6.5	6.4	6.6	6.8	6.9
26	7.3	8.9	7.6	7.2	6.6	6.6	6.5	6.4	6.4	6.6	6.8	7.0
27	11.8	8.1	7.5	7.2	6.7	6.6	6.5	6.4	6.6	6.6	6.8	7.0
28	9.3	8.0	7.4	7.0	6.6	6.7	6.5	6.4	6.6	6.6	6.8	6.9
29	8.4	8.0	7.4	7.0	6.6	6.6	6.4	6.4	6.5	6.6	7.6	9.5
30	10.0		13.0	7.0	6.6	6.4	6.4	6.4	6.4	6.6	7.0	9.6
31	8.5		8.2		6.6		6.4	6.4		7.6		8.0

8:00 a.m. readings.

1959
CYPRESS CREEK
RAMER, TENNESSEE

Zero of gage: 376.67 m.s.l. (Memphis to Cairo 1946)
Mile: 7.5
Lat.: 35° 03' 58" - Long.: 88° 39' 22"
Memphis District, CE gage

Recording gage is on State Highway bridge over Cypress Creek Canal 2 miles west of Ramer, Tennessee.

Highest: 17.30 at 2:00 a.m. on 22 January.
Lowest: 6.20 on 10-18 August; 25, 26 September; 5 October.
Period of record: 23 September 1940 to date.
Highest for period of record: 19.40 at 4:00 p.m. on 13 February 1948.
Lowest for period of record: 5.30 on 23-24 September 1940.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	11.0	7.2	8.0	7.4	6.8	7.4	6.6	6.25	6.4	6.25	7.0	7.3
2	7.6	7.2	7.5	15.8	6.7	7.4	6.9	6.3	6.5	6.25	7.0	8.7
3	7.3	7.2	7.5	9.4	6.6	7.1	6.5	6.25	6.4	6.25	6.9	7.3
4	7.1	8.6	7.4	8.3	6.6	6.8	6.4	6.25	6.3	6.25	7.0	7.2
5	6.8	7.5	7.4	8.0	6.6	6.8	6.4	6.4	6.3	6.20	7.4	7.2
6		7.3	8.9	7.8	6.6	6.8	6.8	6.25	6.3	7.6	7.0	7.2
7		7.2	7.9	7.7	6.5	6.6	6.5	6.25	6.3	6.4	7.0	7.1
8		8.8	7.6	7.6	6.5	6.6	6.4	6.25	6.3	13.5	7.0	7.0
9		8.9	7.6	8.2	6.4	6.6	6.4	6.25	6.3	15.4	7.0	7.0
10		8.0	7.4	8.0	6.6	14.0	6.4	6.20	6.5	9.0	7.0	7.0
11		7.8	7.9	7.7	6.5	14.2	6.4	6.20	6.4	8.0	7.0	7.2
12		7.6	8.3	8.6	6.8	10.6	6.4	6.20	6.4	7.4	7.0	17.0
13		8.2	7.8	8.0	7.0	8.0	6.3	6.20	6.4	7.2	7.0	10.4
14		16.8	7.6	7.6	6.8	7.4	6.3	6.20	6.3	8.7	7.1	8.6
15		15.7	9.0	7.5	6.6	7.1	6.4	6.20	6.3	7.8	7.2	8.2
16		9.7	7.6	7.4	6.5	6.9	6.3	6.20	6.3	7.6	7.2	8.0
17		8.8	7.6	7.3	6.5	6.8	6.4	6.20	6.3	7.4	7.4	8.2
18		8.4	7.4	7.6	6.5	6.7	6.4	6.20	6.3	7.2	7.2	13.0
19		7.9	7.3	7.5	6.4	6.6	6.5	6.4	6.3	7.0	7.1	11.4
20		7.7	7.2	7.6	6.8	6.6	6.4	7.2	6.25	7.0	7.1	8.8
21	14.0	7.6	7.3	10.0	7.4	6.6	6.4	6.4	6.25	7.0	7.0	8.3
22	17.30	7.6	7.6	7.8	6.8	6.5	6.4	6.3	6.25	7.0	7.0	8.0
23	9.7	10.8	7.3	7.5	7.2	6.5	6.3	6.3	6.25	7.0	7.0	7.8
24	9.0	8.2	7.2	7.4	6.8	6.9	7.0	6.25	6.25	7.4	8.3	7.7
25	8.4	7.8	7.2	7.2	6.7	7.9	6.8	6.25	6.20	7.0	7.4	7.6
26	7.9	7.7	7.4	7.1	6.6	7.0	6.5	6.6	6.20	7.0	7.3	7.6
27	7.8	7.6	8.8	7.0	7.7	6.8	6.4	7.5	6.4	6.9	14.6	7.6
28	7.6	7.6	7.8	7.0	7.2	6.6	6.4	6.6	6.3	6.9	8.3	13.8
29	7.5		7.6	7.0	6.8	6.6	6.4	6.5	6.3	6.9	7.6	8.6
30	7.4		7.6	6.8	10.0	6.5	6.3	6.4	6.3	7.0	7.4	8.0
31	7.3		7.4		8.4		6.3	6.4		7.0		7.7

8:00 a.m. readings.

1958
CYPRESS CREEK
RAMER, TENNESSEE

Zero of gage: 376.67 m.s.l. (Memphis to Cairo 1946)
Mile: 7.5
Lat.: 35° 03' 58" - Long.: 88° 39' 22"
Memphis District, CE gage

Recording gage is on State Highway bridge over Cypress Creek Canal 2 miles West of Ramer, Tennessee.

Highest: 17.50 at 4:00 p.m. on 21 September.
Lowest: 6.20 on 7-10 September.
Period of record: 23 September 1940 to date.
Highest for period of record: 19.40 at 4:00 p.m. on 13 February 1948.
Lowest for period of record: 5.30 on 23-24 September 1940.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	7.5	7.6	7.2	7.4	9.1	6.8	6.4	6.4	6.25	7.4	7.1	7.0
2	7.2	7.2	7.1	7.3	14.7	10.8	6.4	6.4	6.4	6.9	6.8	7.0
3	7.0	7.2	7.0	7.2	9.6	7.2	6.4	6.4	6.8	6.8	6.7	7.0
4	7.0	7.0	7.0	13.4	8.8	6.9	6.4	6.4	6.3	6.8	6.7	7.0
5	7.0	7.2	6.9	7.9	8.8	6.8	6.4	6.4	6.25	6.8	6.7	6.8
6	7.0	7.6	6.9	7.8	8.4	6.8	7.3	6.3	6.25	6.8	6.6	6.8
7	7.0	7.8	7.0	7.4	8.0	6.6	6.6	6.3	6.20	6.8	6.6	6.7
8	6.8	7.2	7.4	7.2	7.9	6.6	7.0	6.3	6.20	6.8	6.6	6.8
9	6.8	7.1	8.8	7.2	15.0	6.6	8.0	6.25	6.20	6.7	6.8	6.7
10	6.8	7.1	7.4	9.0	15.2	6.6	7.4	6.25	6.20	6.7	6.7	6.7
11	6.8	7.0	7.3	7.5	9.7	6.6	6.8	6.25	6.25	6.7	6.7	6.7
12	6.8	6.8	7.2	7.3	8.8	6.6	6.8	6.3	7.9	6.6	6.7	6.7
13	7.2	6.6	7.3	7.2	8.3	6.6	7.1	6.3	6.6	6.6	6.7	6.7
14	8.8	6.9	7.2	7.2	7.8	6.5	6.8	6.25	6.4	6.6	6.7	6.6
15	7.8	7.1	7.0	13.2	7.6	6.4	6.6	6.25	6.3	6.6	10.8	6.6
16	7.4	6.8	7.0	12.3	7.5	6.6	6.5	6.25	6.3	6.6	7.4	6.7
17	7.4	6.8	7.0	8.7	8.2	6.6	7.2	6.4	6.4	6.6	7.0	6.7
18	7.2	6.8	8.6	8.2	7.4	6.5	6.5	6.4	6.4	6.6	7.0	6.7
19	7.1	7.0	7.5	7.8	7.4	6.4	6.4		6.3	6.6	8.2	6.7
20	7.1	6.8	7.2	7.6	8.1	6.6	6.4		15.8	6.6	7.2	6.7
21	13.9	6.8	7.2	8.8	7.6	6.6	6.7		17.50	6.6	7.0	6.6
22	8.2	7.2	7.1	7.9	7.3	6.8	7.4		13.8	6.6	6.9	6.6
23	7.6	7.2	7.1	7.6	7.1	6.6	8.9		8.5	6.6	6.8	6.6
24	7.8	7.1	14.8	7.4	7.0	6.5	13.4	6.5	7.8	6.6	6.8	7.4
25	9.6	7.0	9.3	16.4	6.9	6.4	7.4	6.4	7.4	6.6	6.8	6.9
26	9.4	7.0	8.9	10.9	6.8	9.3	7.3	6.3	7.2	6.6	6.7	6.8
27	8.7	10.0	8.6	9.6	6.9	6.7	7.1	6.3	7.0	6.6	6.7	6.8
28	8.3	7.6	8.0	10.2	6.9	6.6	6.9	6.3	6.9	6.6	6.9	6.8
29	7.8		7.7	15.5	6.8	6.5	7.2	6.3	6.8	6.6	7.7	6.8
30	7.6		7.6	10.2	6.8	6.4	6.6	6.3	6.8	6.6	7.2	6.8
31	7.4		7.6		6.8		6.4	6.25		6.6		6.8

8:00 a.m. readings

1957
CYPRESS CREEK
RAMER, TENNESSEE

Zero of gage: 376.67 m.s.l. (Memphis to Cairo 1946)
Mile: 7.5
Lat.: 35° 03' 58" - Long.: 88° 39' 22"
Memphis District, CE gage

Recording gage is on State Highway bridge over Cypress Creek Canal 2 miles West of Ramer, Tennessee.

Highest: 18.15 at 6:00 p.m. on 4 April
Lowest: 5.95 on 13,17 May
Period of record: 23 September 1940 to date
Highest for period of record: 19.40 at 4:00 p.m. on 13 February 1948.
Lowest for period of record: 5.30 on 23-24 September 1940.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	6.2		7.7	6.9	6.2	6.2	6.6	6.8	6.1	6.3	6.3	7.6
2	6.2		7.4	8.0	6.1	6.2	7.7	6.2	6.1	6.3	6.3	7.6
3	6.2		7.2	7.3	6.5	8.3	11.5	6.2	6.1	6.2	7.0	7.4
4	6.2	12.8	7.2	18.15	6.1	8.8	7.8	6.2	6.1	6.7	6.4	7.3
5	7.0	8.9	7.0	17.4	6.1	16.7	7.2	6.1	6.1	6.4	6.4	7.2
6	6.6	8.2	8.0	9.5	6.0	9.5	6.8	6.1	6.1	6.2	6.4	7.1
7	6.4	13.1	9.7	8.2	6.0	8.0	6.6	6.1	6.1	6.2	6.4	16.4
8	6.4	8.8	8.6	11.1	6.0	7.4	6.4	6.1	6.1	6.2	16.0	13.0
9	6.4	8.3	7.8	8.0	6.0	7.2	6.4	6.1	6.1	6.1	8.7	11.5
10	6.4	7.9	7.4	7.6	6.0	14.1	6.3	6.1	6.2	6.1	7.6	8.9
11	6.3	7.6	7.2	7.3	6.0	8.4	6.2	6.1	6.2	6.1	7.2	8.1
12	6.3	7.4	9.3	7.1	6.0	7.6	6.2	6.0	6.6	6.1	6.9	7.6
13	6.2	7.2	7.6	7.0	5.95	7.1	6.2	6.2	7.0	6.1	7.3	7.6
14	6.2	7.2	7.3	6.8	6.0	7.0	6.2	6.6	6.8	6.0	17.2	7.6
15	6.2	7.1	7.3	6.8	6.2	6.8	6.2	6.4	6.3	6.0	17.3	7.5
16	6.2	10.6	7.0	6.7	6.0	6.6	11.6	6.2	9.7	6.1	16.7	8.2
17	6.0	7.9	7.0	6.7	5.95	6.6	6.2	6.2	11.0	6.7	16.4	7.8
18	6.4	7.6	7.0	6.7	6.0	6.6	6.2	6.2	7.0	6.3	16.2	7.8
19	6.4	13.3	7.2	6.6	9.2	6.6	6.3	6.2	6.6	6.2	16.6	8.1
20	6.2	8.6	7.0	6.5	6.6	6.6	6.2	6.2	6.5	6.2	9.4	16.2
21	7.2	7.8	6.8	6.5	6.3	6.7	6.2	6.2	6.4	6.2	8.4	9.3
22	12.5	7.5	7.2	6.6	6.4	6.6	6.2	6.2	6.8	6.2	7.9	8.2
23		7.3	7.0	6.8	7.8	7.5	6.2	6.2	6.8	6.3	9.6	7.9
24		7.2	7.0	6.5	9.6	6.8	6.8	6.2	6.4	7.0	8.3	7.7
25		7.2	7.4	6.4	6.9	6.7	6.3	6.2	6.3	6.6	11.5	7.6
26		15.2	7.0	6.5	6.6	6.4	6.2	6.2	6.2	6.4	8.5	8.4
27		9.8	6.9	6.3	11.4	6.3	6.2	6.2	6.2	6.4	8.0	7.6
28	12.3	8.3	6.8	6.2	7.0	6.6	6.1	6.2	6.4	6.3	7.8	7.8
29			6.8	6.2	6.7	6.5	6.2	6.2	6.2	6.3	9.3	7.4
30			6.8	6.2	6.4	6.3	10.0	6.2	6.2	6.4	8.2	7.4
31			6.7		6.3		6.4	6.1		6.4		7.3

8:00 a.m. readings

1956
CYPRESS CREEK
RAMER, TENNESSEE

Zero of gage: 376.67 M.S.L. (Memphis to Cairo 1946)
Mile: 7.5.
Lat.: 35°03'58" - Long.: 88°39'22".
Memphis District, CE gage.

Recording gage is on state highway bridge over Cypress Creek Canal 2 miles west of Ramer, Tenn.

Highest: 17.00 at 3:00 p.m. on 4 February
Lowest: 5.57 on 3 September
Period of record: 23 September 1940 to date.
Highest for period of record: 19.40 at 4:00 p.m. on 13 February 1948.
Lowest for period of record: 5.30 on 23-24 September 1940.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	6.0	7.0	7.0	6.4	8.6	6.0	5.9	5.7	5.6	5.7	5.9	6.0
2	6.0	13.1	8.0	6.3	7.5	5.8	5.8	6.0	5.6	5.8	5.8	6.0
3	6.0	16.6	7.1	6.3	7.4	5.8	5.8	5.7	5.57	7.8	5.8	5.9
4	6.0	17.00	7.0	8.2	7.1	5.8	5.8	5.7	5.6	5.9	5.8	5.9
5	6.0	13.7	6.8	6.6	6.8	5.8	5.8	5.7	5.6	5.8	5.8	6.0
6	6.0	9.8	6.8	16.2	6.6	5.8	5.8	5.7	5.7	5.8	5.8	6.0
7	6.0	8.5	6.8	13.4	6.5	5.8	5.7	5.7	5.6	5.7	5.9	6.0
8	6.0	7.8	7.5	8.2	6.4	5.8	5.7	5.7	5.6	5.7	5.8	6.1
9	6.0	9.4	7.0	7.6	6.2	5.8	5.8	5.7	5.6	5.7	5.8	6.0
10	6.0	8.2	6.8	7.5	6.2	5.8	6.1	5.7	5.6	5.7	5.8	6.0
11	6.0	9.0	6.8	16.4	6.1	5.8	5.8	5.8	5.6	5.7	5.8	6.0
12	6.0	7.6	6.7	9.6	6.0	5.7	5.8	5.7	5.6	5.7	5.8	6.2
13	6.0	7.2	7.2	8.2	6.0	5.8	5.7	5.6	5.6	5.7	5.8	16.0
14	6.0	7.0	10.8	7.8	6.0	6.0	5.7	5.6	5.6	5.7	5.8	8.1
15	6.0	7.0	7.8	7.9	6.3	6.2	5.7	5.6	5.6	5.7	5.8	7.0
16	6.0	8.8	7.8	8.6	6.2	6.0	5.7	5.7	5.6	5.7	6.5	6.6
17	6.0	10.2	7.3	7.6	6.0	5.8	5.7	5.7	5.6	5.7	6.0	6.4
18	6.0	16.4	7.1	7.4	6.0	5.8	5.7	5.6	5.6	5.8	5.9	6.4
19	7.2	12.1	6.8	7.1	6.0	5.8	5.7	5.6	5.6	5.8	5.9	6.4
20	6.4	8.8	6.7	7.0	6.0	5.9	6.4	5.9	5.6	5.8	6.0	6.5
21	6.2	7.8	6.6	6.8	6.0	5.9	5.8	5.8	5.6	5.8	6.0	6.6
22	6.1	7.8	6.6	6.8	5.9	5.8	6.3	5.7	5.6	5.8	6.2	7.2
23	6.2	7.8	6.6	6.6	5.9	5.7	5.8	5.6	5.6	5.8	6.0	8.0
24	6.5	9.4	6.6	6.6	5.9	6.5	5.8	5.6	6.0	5.8	6.0	6.8
25	6.4	7.9	6.4	6.6	5.9	5.7	5.8	5.6	5.7	5.8	6.0	6.5
26	6.4	7.4	6.4	6.5	5.9	6.6	5.8	5.6	5.7	5.9	6.0	6.4
27	6.4	7.2	6.4	6.4	5.8	8.8	5.7	5.6	5.7	6.0	6.0	6.4
28	6.8	7.0	6.4	6.4	5.8	6.1	5.7	5.7	5.7	5.8	6.0	6.3
29	6.6	7.0	6.4	6.4	5.8	6.0	5.7	5.6	5.7	5.8	6.0	6.2
30	15.6		6.4	7.5	5.8	6.0	5.6	5.6	5.7	5.8	6.0	6.2
31	8.0		6.4		5.8		5.7	5.6		5.8		6.2

8:00 a.m. readings.

1955
CYPRESS CREEK
RAMER, TENNESSEE

Zero of gage: 376.67 m.s.l. (Memphis to Cairo 1946).
Mile: 7.5.
Lat.: 35° 03' 58" - Long.: 88° 39' 22"
Memphis District, CE gage.

Recording gage is on state highway bridge over Cypress Creek Canal 2 miles west of Ramer, Tenn.

Highest: 17.95 at 4:00 a. m. on 22 March.
Lowest: 5.59 at 12:00 M on 3 July.
Period of record: 23 September 1940 to date.
Highest for period of record: 19.40 at 4:00 p. m. on 13 February 1948.
Lowest for period of record: 5.30 on 23-24 September 1940.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	6.0	6.0	6.7	6.4	6.4	6.0	5.6	5.8	5.7	6.0	5.8	6.0
2	6.0	7.5	6.6	6.4	6.2	6.0	5.6	5.8	5.7	5.8	5.8	6.2
3	5.9	6.3	6.5	6.6	6.2	5.9	5.6	5.8	5.7	5.8	6.0	6.2
4	5.9	6.2	6.4	6.4	6.1	5.8	5.7	5.8	5.7	5.8	5.9	6.6
5	5.9	6.4	6.4	6.3	6.1	5.8	6.0	5.8	5.7	5.8	5.8	6.2
6	5.9	14.2	11.4	14.4	6.0	6.0	6.0	5.8	5.7	5.8	5.8	6.2
7	5.9	8.1	9.0	8.1	6.0	7.0	5.8	5.8	5.7	5.8	5.8	6.2
8	5.9	6.8	7.4	7.1	6.0	6.0	6.0	5.8	5.7	5.8	5.8	6.2
9	5.9	6.6	7.0	7.0	6.0	5.9	5.8	6.2	5.7	5.8	5.8	6.2
10	5.9	6.4	6.8	6.6	5.9	6.1	5.7	5.9	5.7	5.8	5.9	6.2
11	6.0	6.6	6.7	14.4	5.9	6.6	5.6	5.8	5.7	5.8	5.9	6.2
12	6.0	6.2	6.6	8.2	5.9	6.2	5.6	6.1	5.7	5.8	5.9	6.2
13	5.9	6.1	6.4	16.6	6.0	6.0	5.7	5.9	5.7	5.8	5.9	6.2
14	5.8	6.2	6.4	9.9	5.9	6.0	5.8	5.8	5.7	5.8	5.9	6.2
15	6.0	6.2	7.1	8.2	5.9	6.0	10.5	5.8	5.7	5.8	6.0	6.1
16	6.1	6.2	6.7	7.6	6.0	5.9	7.0	5.8	5.7	5.8	6.0	6.0
17	6.0	6.4	7.0	7.4	6.0	5.8	6.5	5.8	5.7	5.8	6.0	6.0
18	6.0	6.2	9.2	7.0	5.9	5.8	6.2	5.8	5.7	5.8	5.9	6.1
19	6.6	6.2	14.2	7.0	5.8	5.8	6.1	5.8	5.6	5.8	9.2	6.3
20	6.2	6.2	8.9	7.0	5.8	5.7	6.2	5.8	5.7	5.8	6.4	6.2
21	6.1	14.4	16.7	14.4	6.4	5.7	6.0	5.8	5.7	5.8	6.1	6.1
22	6.6	16.4	17.9	9.0	8.8	5.7	6.0	5.7	5.7	5.8	6.0	6.1
23	6.2	8.6	12.8	7.6	6.3	5.7	6.2	5.7	5.7	5.8	6.2	6.1
24	6.0	7.6	9.3	12.4	6.0	5.7	6.0	5.8	5.8	5.8	6.2	6.1
25	6.0	7.1	8.0	7.7	6.0	5.7	6.2	5.8	5.8	5.8	6.6	6.0
26	6.0	6.9	7.4	7.1	8.2	5.8	6.0	5.8	5.7	5.8	6.1	6.0
27	6.0	6.9	7.0	6.8	6.2	5.8	5.9	5.7	5.7	5.8	6.0	6.0
28	6.0	6.8	6.8	6.6	7.4	5.7	5.9	5.7	5.7	5.8	6.0	6.0
29	5.9		6.7	6.5	6.8	5.7	6.0	5.7	5.8	6.0	6.0	6.0
30	6.0		6.6	6.4	6.2	5.6	5.8	5.8	6.1	5.9	6.0	6.0
31	5.9		6.4		6.1		5.8	5.8		5.8		6.0

8:00 a. m. readings.

1954
CYPRESS CREEK
RAMER, TENNESSEE

Zero of gage: 376.67 m. s. l. (Memphis to Cairo 1946).
Mile: 7.5.
Lat.: 35° 03' 58" - Long.: 88° 39' 22".
Memphis District, CE gage.

Recording gage is on state highway bridge over Cypress Creek Canal 2 miles west of Ramer, Tenn.

Highest: 17.55 on 17 February.
Lowest: 5.39 at 11:00 a. m. on 31 August.
Period of record: 23 September 1940 to date.
Highest for period of record: 19.40 at 4:00 p. m. on 13 February 1948.
Lowest for period of record: 5.30 on 23-24 September 1940.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	5.8	6.6	7.1	6.6	6.0	5.8	5.6	5.6	5.4	5.5	5.7	5.8
2	5.8	6.6	6.8	6.2	5.9	5.8	5.6	5.6	5.4	6.2	5.6	5.8
3	5.8	6.5	8.5	6.2	9.7	8.8	5.6	5.6	5.4	5.6	5.6	5.8
4	5.8	6.4	7.0	6.0	7.8	6.5	5.7	5.6	5.4	5.6	5.6	5.8
5	5.8	6.4	6.8	6.0	6.9	6.0	5.6	5.6	5.4	5.6	5.8	5.8
6	5.8	6.4	6.6	7.6	6.6	5.8	5.6	5.6	5.4	5.6	5.7	6.0
7	5.8	6.3	6.6	6.8	6.4	5.8	5.6	6.8	5.4	5.6	5.6	5.8
8	5.8	6.3	6.4	6.4	6.3	5.8	5.6	5.6	5.4	5.6	5.6	5.8
9	5.8	6.4	6.4	6.2	6.1	5.7	5.6	5.6	5.4	5.6	5.6	6.1
10	8.0	6.3	6.4	6.2	6.0	6.0	5.5	5.6	5.4	5.6	5.6	6.0
11	6.6	6.3	6.4	7.1	6.0	5.8	5.5	5.6	5.4	5.6	5.6	5.8
12	6.2	6.2	6.3	10.0	6.0	5.7	5.5	5.6	5.4	5.6	5.6	5.8
13	5.9	6.2	6.2	7.4	7.0	5.7	5.5	5.6	5.4	5.6	5.6	5.9
14	6.0	6.2	6.2	7.0	6.8	5.8	5.4	5.6	5.4	5.6	5.6	5.9
15	11.7	6.2	6.0	6.8	6.5	5.7	5.4	5.6	5.4	5.6	5.6	5.8
16	14.4	6.2	6.0	9.0	6.3	5.7	5.4	5.6	5.4	5.5	5.8	5.8
17	7.6	17.55	6.0	8.0	6.0	5.7	5.4	5.6	5.4	5.5	5.8	5.8
18	6.8	9.2	6.0	7.0	6.0	5.7	5.4	5.6	5.4	5.5	5.7	5.8
19	6.6	7.6	6.2	6.7	6.0	5.7	5.6	5.6	5.4	5.5	5.8	5.8
20	6.6	16.6	6.2	6.6	5.9	5.6	5.6	5.6	5.4	5.6	5.7	5.8
21	15.8	12.2	6.0	6.4	5.9	5.6	5.6	5.9	5.4	5.6	5.7	5.8
22	16.3	8.0	6.0	6.4	5.8	5.6	7.4	5.6	5.4	5.6	5.7	5.8
23	9.5	7.4	6.2	6.2	5.8	5.6	5.9	5.5	5.4	5.6	5.7	5.8
24	8.0	7.4	6.4	6.5	5.8	5.6	5.7	5.4	5.4	5.6	5.7	5.8
25	7.4	7.0	6.2	6.2	5.8	5.6	5.6	5.4	5.4	5.6	5.7	5.8
26	7.2	6.8	6.5	6.0	5.8	5.6	5.6	5.4	5.4	5.6	5.7	5.8
27	8.2	6.7	6.2	6.0	5.8	5.6	5.6	5.4	5.4	5.6	5.8	5.8
28	7.2	9.5	6.2	5.8	6.4	5.6	5.6	5.4	5.4	5.6	5.8	6.0
29	7.0		6.1	6.6	6.2	5.6	5.6	5.4	5.4	5.7	6.0	7.7
30	6.8		6.0	6.1	6.1	5.6	5.6	5.4	5.6	5.6	5.8	6.4
31	6.8		6.1		5.8		5.6	5.4		5.6		6.0

8:00 a. m. readings

1953
CYPRESS CREEK
RAMER, TENNESSEE

Zero of gage: 376.67 m. s. l. (Memphis to Cairo 1946).
Mile: 7.5.
Lat.: 35° 03' 58" - Long.: 88° 39' 22"
Memphis District, CE gage.

Recording gage is on state highway bridge over Cypress Creek Canal 2 miles west of Ramer, Tenn.

Highest: 17.50 on 12 February.
Lowest: 5.40 on various dates in August, September, October.
Period of record: 23 September 1940 to date.
Highest for period of record: 19.40 at 4:00 p. m. on 13 February 1948.
Lowest for period of record: 5.30 on 23-24 September 1940.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	6.2	8.8	6.9	7.1	9.5	6.0	5.6	5.5	5.4	5.4	5.6	5.8
2	6.4	7.2	8.3	6.9	7.8	6.0	5.6	5.5	5.4	5.4	5.6	5.8
3	6.2	6.8	16.6	6.8	7.3	5.9	5.6	5.5	5.4	5.4	5.6	5.8
4	6.1	6.6	16.9	6.8	7.3	5.9	6.4	5.5	5.4	5.4	5.6	6.5
5	6.1	6.5	9.4	6.8	16.8	5.9	6.2	5.5	5.5	5.4	5.6	5.9
6	6.0	13.8	8.0	14.4	9.5	5.9	5.7	5.5	5.4	5.4	5.6	9.2
7	6.0	7.4	7.6	11.1	8.1	6.0	5.7	5.5	5.4	5.4	5.6	6.2
8	11.8	6.9	7.2	7.8	7.7	5.9	5.6	5.5	5.4	5.4	5.6	6.0
9	6.8	6.6	7.0	7.3	7.2	5.9	5.6	5.5	5.4	5.4	5.6	6.2
10	7.4	6.6	7.0	7.2	7.0	5.9	5.6	5.5	5.4	5.4	5.6	6.1
11	6.6	16.0	6.9	7.1	6.9	5.8	5.6	5.5	5.4	5.4	5.6	5.9
12	6.4	17.50	7.0	10.7	7.8	6.0	5.6	5.5	5.4	5.4	5.6	5.9
13	6.3	11.8	7.5	7.2	7.2	5.9	5.6	5.4	5.4	5.4	5.6	5.8
14	6.2	8.4	7.6	7.2	7.1	5.9	5.6	5.4	5.4	5.4	5.6	5.9
15	6.2	8.0	7.8	7.1	8.3	6.0	5.6	5.4	5.4	5.4	5.6	6.0
16	6.2	7.4	7.1	7.2	15.0	5.9	5.6	5.5	5.4	5.4	5.6	5.8
17	6.2	7.2	7.0	7.0	16.7	5.8	6.8	6.0	5.4	5.4	5.6	5.8
18	6.6	7.0	11.0	7.1	16.4	5.8	6.4	5.6	5.4	5.4	5.6	5.7
19	6.4	6.9	7.3	7.1	16.3	5.7	5.7	5.5	5.4	5.4	5.6	5.9
20	6.3	7.4	7.0	6.6	12.9	5.6	5.6	5.5	5.5	5.4	5.6	5.8
21	6.3	16.8	7.0	6.5	8.2	5.6	5.6	5.5	5.4	5.4	5.7	5.9
22	6.2	9.2	7.2	6.5	7.5	5.6	6.3	5.5	5.4	5.4	6.1	5.9
23	9.0	7.8	16.5	6.4	7.2	5.6	6.2	5.5	5.4	5.4	6.1	5.8
24	8.1	7.5	9.6	6.4	7.0	5.6	5.7	5.5	5.4	5.4	5.8	5.7
25	7.0	7.6	8.0	16.5	6.8	5.6	5.6	5.4	5.4	5.4	5.8	5.8
26	6.6	7.4	7.5	8.5	6.6	5.6	5.6	5.4	5.4	5.5	5.8	5.8
27	6.5	7.2	7.2	7.5	6.6	6.2	5.5	5.4	5.4	5.8	5.8	5.8
28	8.1	7.0	7.0	7.2	6.4	5.8	5.5	5.4	5.4	5.6	5.7	6.0
29	6.6		7.0	7.0	6.3	5.6	5.5	5.4	5.4	5.6	5.7	6.4
30	6.4		6.8	16.8	6.2	5.6	5.5	5.4	5.4	5.6	5.8	6.0
31	6.8		6.8		6.1		5.5	5.4		5.6		5.9

8:00 a. m. readings

ARMY, CE MEMPHIS (CLASS A)

1952
CYPRESS CREEK
RAMER, TENNESSEE

Zero of gage: 376.67 m.s.l. (Memphis to Cairo 1946)
Mile: 7.5
Lat. 35° 03' 58" - Long. 88° 39' 22"
Memphis District, CE gage

Recording gage is on state highway bridge over Cypress Creek Canal 2 miles west of Ramer, Tenn.

Highest: 17.00 on 11 Mar.
Lowest: 5.50 on 20-29 July.
Period of record: 23 Sept. 1940 to date.
Highest for period of record: 19.40 at 4:00 p.m. on 13 Feb. 1948.
Lowest for period of record: 5.30 on 23-24 Sept. 1940.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	7.2	7.4	7.2	12.5	6.2	5.8	5.7	5.6	5.6	5.6	5.8	6.0
2	7.2	7.2	7.1	8.5	6.2	5.8	5.6	5.6	5.8	5.6	5.8	7.8
3	7.6	12.2	16.4	7.7	6.2	5.8	5.6	5.6	5.9	5.6	5.8	6.3
4	7.9	11.0	16.7	7.6	6.1	5.8	5.6	5.6	5.7	5.6	5.8	6.2
5	8.3	9.1	9.6	7.4	6.0	5.8	5.6	5.6	5.7	5.6	5.8	8.0
6	7.6	8.5	8.4	7.2	6.0	6.4	5.6	6.0	5.7	5.6	5.8	6.4
7	7.4	8.1	8.0	7.1	6.0	5.9	5.6	7.4	5.7	5.6	5.8	6.2
8	7.3	7.8	7.7	7.1	6.0	5.8	5.8	5.8	5.7	5.6	5.8	6.2
9	7.2	7.6	7.6	7.0	6.0	5.8	6.2	5.7	5.7	5.8	5.8	6.1
10	10.8	7.4	8.0	7.0	6.0	5.8	5.7	5.8	5.7	6.2	7.4	6.3
11	7.8	7.2	17.0	6.9	6.3	5.8	5.6	5.7	5.7	5.8	6.2	6.1
12	7.6	7.1	11.0	6.9	6.1	5.7	5.6	5.6	5.7	5.8	6.0	6.0
13	7.4	11.7	9.0	11.1	6.0	5.7	5.6	7.1	5.7	5.8	5.9	6.0
14	7.3	8.6	8.4	8.4	6.0	5.7	5.6	6.8	6.1	5.8	5.9	6.0
15	7.2	7.7	8.0	7.6	6.0	5.7	5.6	5.9	5.8	5.8	5.9	6.0
16	7.2	7.6	7.6	7.3	5.9	5.7	5.6	5.7	5.7	5.8	5.9	6.0
17	7.0	7.7	7.4	7.1	5.9	5.7	5.6	5.6	5.7	5.8	5.9	6.0
18	7.0	7.2	7.2	7.0	5.9	5.7	5.6	5.6	5.7	5.8	5.9	6.0
19	7.0	7.2	8.8	6.9	6.3	5.7	5.6	10.9	5.6	5.8	7.5	6.0
20	8.4	12.9	7.8	6.8	6.2	5.6	5.5	5.8	5.6	5.8	6.2	6.1
21	7.0	8.4	7.4	6.7	6.1	5.7	5.5	5.7	5.6	5.7	6.0	6.1
22	15.6	7.7	7.5	6.6	6.0	5.7	5.5	5.7	5.6	5.7	6.0	6.0
23	10.6	7.8	14.9	6.6	5.9	5.6	5.5	5.8	5.6	5.7	5.9	6.1
24	7.4	7.6	8.3	7.0	6.4	5.6	5.5	5.7	5.6	5.8	5.9	6.0
25	7.1	7.4	9.1	6.8	6.2	5.6	5.5	5.6	5.6	5.8	5.9	6.0
26	7.1	7.4	8.1	6.6	6.0	5.6	5.5	5.6	5.6	5.8	6.8	6.0
27	15.3	7.6	7.7	6.6	5.9	5.6	5.5	5.6	5.6	5.8	6.0	6.0
28	15.5	7.4	7.4	6.4	5.8	5.6	5.5	5.6	5.6	5.8	6.0	6.0
29	9.2	7.3	7.2	6.4	6.4	5.6	5.5	5.6	5.6	5.8	6.0	6.0
30	8.3		7.0	6.3	6.0	5.6	6.6	5.6	5.6	5.8	6.1	6.0
31	7.8		7.0		5.9		5.6	5.6		5.8		6.4

8:00 a.m. readings

1950
CYPRESS CREEK
RAMER, TENNESSEE

ZERO OF GAGE: 376.67 M.S.L. (MEMPHIS TO CAIRO 1946)
MILE: 7.5
LAT. 35° 03' 58" - LONG. 88° 39' 22"
GAGE IN CHARGE: MEMPHIS DISTRICT, CE, MEMPHIS, TENN.

*VERTICAL STAFF GAGE IS ON STATE HIGHWAY BRIDGE OVER CYPRESS CREEK CANAL 2 MILES W. OF RAMER, TENN.

HIGHEST: 17.04 AT 6:00 A. M. ON 6 JAN.
LOWEST: 5.98 AT 10:00 A. M. ON 24 AUG.
PERIOD OF RECORD: 23 SEPT. 1940 TO DATE.
HIGHEST FOR PERIOD OF RECORD: 19.40 AT 4:00 P. M. ON 13 FEB. 1948.
LOWEST FOR PERIOD OF RECORD: 5.30 ON 23-24 SEPT. 1940.

*8 DAY RECORDING GAGE INSTALLED ON 15 SEPT. 1949.

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	6.9	16.3	14.4	7.7	8.7	6.4	6.2	6.2	14.5	6.5	6.3	7.0
2	7.2	15.0	8.9	7.5	8.0	6.4	6.2	6.1	12.0	6.7	6.3	7.0
3	12.1	14.7	8.2	7.4	9.8	7.5	6.2	6.4	13.4	6.4	8.3	14.8
4	8.8	9.6	7.8	7.3	8.0	13.6	6.2	6.1	8.2	6.3	7.8	9.4
5	15.8	9.0	7.6	7.7	7.6	7.7	7.9	6.1	7.4	6.3	6.9	7.9
6	17.0	8.4	7.4	7.2	7.9	7.0	6.4	6.1	7.0	6.3	6.7	14.7
7	15.0	8.4	7.3	7.1	8.7	6.8	6.4	6.1	6.8	6.3	6.5	12.9
8	9.3	8.0	8.1	7.1	7.4	6.7	6.3	6.0	7.5	6.3	6.7	8.4
9	8.4	11.0	7.3	7.0	7.1	6.6	6.2	6.2	7.1	6.4	14.0	7.6
10	8.2	8.0	7.2	7.0	6.9	12.0	6.2	6.2	7.3	6.4	8.1	7.5
11	15.0	7.4	7.1	7.5	6.7	7.5	6.1	6.1	7.8	6.3	7.4	7.4
12	10.2	7.5	13.3	7.0	13.1	6.9	6.1	6.1	7.0	6.3	7.2	7.3
13	16.1	11.2	16.7	6.9	8.0	6.6	6.1	6.1	6.7	6.3	7.1	7.3
14	16.3	16.4	15.4	6.8	7.5	6.5	7.7	6.1	8.5	6.3	7.0	7.2
15	10.9	15.6	9.4	6.8	7.2	6.4	6.3	6.1	7.0	6.3	7.0	7.1
16	15.8	9.6	9.5	6.7	7.2	6.4	6.5	7.7	6.8	6.3	10.0	7.0
17	10.7	8.4	8.3	6.7	6.8	6.4	6.3	6.1	6.7	6.2	7.6	7.0
18	10.4	8.1	8.0	6.7	6.6	6.4	6.3	6.1	6.5	6.2	7.3	6.9
19	12.8	7.8	7.7	6.7	7.0	6.4	6.3	6.1	6.5	6.2	7.6	6.9
20	9.5	7.6	12.6	6.7	7.4	6.4	6.2	6.1	6.5	6.2	11.8	6.9
21	8.2	7.5	8.3	6.6	6.7	6.4	6.2	6.0	6.5	6.2	10.2	6.9
22	7.9	14.5	7.9	6.9	8.4	6.4	6.2	6.0	6.5	6.7	8.1	6.9
23	7.8	9.0	7.6	6.8	6.8	9.2	6.2	6.0	6.5	6.6	7.6	6.9
24	7.6	8.5	7.7	6.7	6.6	6.7	6.2	6.0	6.5	6.4	7.4	6.9
25	7.4	8.1	7.4	7.4	6.5	6.4	6.2	15.3	6.5	6.4	7.3	6.9
26	7.3	7.8	7.3	7.1	6.4	6.3	6.2	16.4	6.5	6.4	7.2	
27	15.8	7.4	7.8	6.7	6.4	6.3	6.3	9.1	6.5	6.4	7.3	
28	9.8	7.2	15.4	6.8	6.4	6.3	6.3	7.1	6.4	6.4	7.2	
29	8.4		8.5	9.6	6.3	6.2	6.2	7.1	6.4	6.3	7.1	
30	9.8		7.8	7.9	6.8	6.2	6.2	6.8	6.4	6.3	7.0	
31	16.4		7.6		7.2		6.2	10.0		6.3		

8:00 A. M. READINGS.

1951
CYPRESS CREEK
RAMER, TENNESSEE

ZERO OF GAGE: 376.67 M.S.L. (MEMPHIS TO CAIRO 1946)
MILE: 7.5
LAT. 35° 03' 58" – LONG. 88° 39' 22"
MEMPHIS DISTRICT, CE GAGE

RECORDING GAGE IS ON STATE HIGHWAY BRIDGE OVER CYPRESS CREEK CANAL 2 MILES W OF RAMER, TENN.

HIGHEST: 17.23 ON 14 JAN.
LOWEST: 5.80 ON 1-5 SEPT.
PERIOD OF RECORD: 23 SEPT. 1940 TO DATE.
HIGHEST FOR PERIOD OF RECORD: 19.40 AT 4:00 P. M. ON 13 FEB. 1948.
LOWEST FOR PERIOD OF RECORD: 5.30 ON 23-24 SEPT. 1940.

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1		*	8.4	8.1	6.7	6.0	7.6	7.3	5.8	5.9	8.9	6.7
2		*	8.1	12.5	6.6	6.0	7.0	6.2	5.8	5.9	6.6	6.6
3	15.3	*	7.8	9.8	6.5	5.9	6.8	6.1	5.8	5.9	6.4	6.6
4	16.6	*	8.5	9.0	6.6	5.9	14.1	6.0	5.8	5.9	6.3	16.2
5	10.0	*	9.0	8.8	6.4	6.2	17.2	6.0	5.8	5.9	6.3	19.2
6	8.2	*	8.2	8.6	6.4	6.2	6.7	6.0	6.0	5.9	6.4	7.8
7	8.0	*	8.0	8.4	6.6	6.1	6.6	6.0	6.0	5.9	7.0	7.5
8	7.7	*	7.9	8.5	6.4	6.6	6.4	6.1	6.0	5.9	6.4	16.7
9	7.6	10.1	7.6	7.8	6.3	8.2	6.4	6.0	5.9	5.9	6.4	15.8
10	7.5	9.6	7.4	7.5	6.3	6.9	6.3	6.0	6.0	5.9	6.4	9.5
11	8.5	9.6	7.4	7.4	6.2	6.4	6.2	6.1	6.1	5.9	6.3	8.3
12	7.8	9.6	7.5	7.8	6.2	6.2	6.2	6.0	6.0	5.9	6.3	7.8
13	13.6	9.2	7.4	7.7	6.2	6.3	6.2	6.0	6.0	5.9	7.7	7.5
14	17.23	8.2	7.4	7.6	6.2	6.2	6.2	6.0	6.2	5.9	14.3	15.6
15	13.2	7.5	7.2	7.4	6.2	6.1	6.1	6.0	6.0	5.9	7.9	17.2
16	9.0	14.0	7.2	7.3	6.1	6.1	6.1	6.0	6.0	5.9	14.8	9.8
17	8.4	9.7	7.1	7.2	6.1	6.3	6.1	6.0	5.9	5.9	7.4	8.4
18	8.0	8.6	13.8	7.0	6.1	7.4	6.1	6.0	5.9	5.9	7.0	9.8
19	7.8	15.7	10.3	7.0	6.0	6.4	6.0	6.2	5.9	5.9	6.8	11.8
20	7.6	11.6	10.2	6.9	6.0	6.2	6.0	6.0	5.9	5.9	6.8	10.8
21	7.6	13.9	9.0	6.8	6.0	6.3	6.0	6.0	5.9	6.0	6.7	15.8
22	7.2	9.6	8.4	14.3	6.0	6.2	6.0	6.0	6.0	6.0	6.6	8.9
23	7.2	8.8	7.8	8.4	6.1	6.1	6.0	6.0	6.2	6.0	6.6	8.1
24	7.4	8.4	7.5	7.9	6.2	6.0	6.4	6.0	6.0	6.4	6.6	7.8
25	7.2	8.0	7.3	7.5	6.0	6.0	6.1	5.9	6.0	6.2	8.2	7.6
26	7.0	7.8	7.2	7.3	6.0	6.0	6.2	5.9	6.2	6.1	7.2	11.1
27	7.0	12.2	7.2	7.3	6.0	6.0	6.1	5.9	6.0	6.0	7.0	8.0
28	7.0	9.1	15.2	7.2	6.0	5.9	6.4	5.9	6.0	7.2	7.0	7.7
29	16.6		16.6	7.2	6.0	6.7	6.2	5.9	6.0	6.4	6.8	7.6
30	*		10.3	7.0	6.0	12.4	6.0	5.9	5.9	6.2	6.8	7.4
31	*		8.6		6.0		6.0	5.9		6.2		7.3

8:00 A. M. READINGS
*GAGE FROZEN

1949
CYPRESS CREEK
RAMER, TENNESSEE

ZERO OF GAGE: 376.67 M.S.L. (MEMPHIS TO CAIRO 1946)
MILE: 7.5
LAT. 35° 03' 58" - LONG. 88° 39' 22"
GAGE IN CHARGE: MEMPHIS DISTRICT, CE, MEMPHIS, TENN.

VERTICAL STAFF GAGE IS ON STATE HIGHWAY BRIDGE OVER CYPRESS CREEK CANAL 2 MILES W. OF RAMER, TENN.

HIGHEST: 16.70 ON 5 JAN.
LOWEST: 6.00 ON 8-9 JUNE.
PERIOD OF RECORD: 23 SEPT. 1940 TO DATE.
HIGHEST FOR PERIOD OF RECORD: 19.40 AT 4:00 P.M. ON 13 FEB. 1948.
LOWEST FOR PERIOD OF RECORD: 5.30 ON 23-24 SEPT. 1940.

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	7.7	7.3	7.4	10.0	7.8	6.6	6.8	6.4	6.4	6.2	7.0	6.5
2	7.5	7.1	7.3	8.7	12.0	6.5	6.5	6.4	6.4	6.2	6.7	6.5
3	16.1	7.5	7.3	8.5	8.2	6.4	6.4	6.4	6.4	6.2	6.6	6.4
4	15.8	12.2	7.2	8.2	7.8	6.3	6.4	6.4	6.9	6.3	6.5	6.5
5	16.7	8.7	7.2	8.1	7.5	6.2	6.4	6.8	6.6	6.4	6.5	6.6
6	15.3	8.2	7.2	8.3	7.3	6.1	6.4	6.5	6.5	8.5	6.5	6.5
7	10.7	7.9	7.0	8.0	7.1	6.1	6.4	6.5	6.4	6.6	6.5	6.8
8	8.7	7.7	7.0	7.7	8.0	6.0	6.4	6.4	6.4	6.4	6.5	6.6
9	8.2	7.5	9.9	7.4	7.2	6.0	6.4	6.4	6.3	6.4	6.5	6.6
10	8.0	7.5	12.6	7.4	10.1	6.7	6.4	6.5	6.3	6.5	6.4	6.5
11	7.9	7.4	8.6	7.4	8.0	6.5	9.0	6.8	6.3	6.3	6.4	9.9
12	7.7	7.3	8.0	8.3	7.3	6.8	6.8	6.6	6.3	6.3	6.4	16.3
13	7.6	7.3	7.8	15.1	7.1	6.9	6.6	7.2	6.3	6.4	9.4	15.6
14	7.5	7.4	7.6	10.1	6.9	8.3	6.7	6.8	6.3	6.3	6.9	11.0
15	7.5	8.9	7.5	8.2	6.8	12.2	6.5	6.6	6.3*	6.4	6.8	8.1
16	7.5	14.3	7.2	7.8	6.7	9.0	8.9	6.6	6.3	6.3	6.6	7.5
17	11.4	8.8	7.3	7.6	6.7	7.4	8.2	8.5	6.3	6.3	6.6	7.3
18	9.2	8.2	13.2	7.4	6.6	6.9	7.5	6.8	6.5	6.3	6.6	7.8
19	16.1	12.6	8.0	7.4	6.5	10.3	6.9	6.4	6.4	6.3	6.6	7.4
20	9.8	11.5	7.6	7.4	6.5	10.0	6.5	8.4	6.3	6.3	6.6	7.2
21	9.0	8.8	7.4	7.4	6.5	8.4	6.5	8.4	6.2	6.3	6.5	7.1
22	16.1	8.3	15.2	7.4	6.4	7.4	6.5	6.8	6.2	9.5	6.5	7.7
23	12.3	8.1	9.7	7.4	6.4	7.1	6.5	6.5	6.2	7.0	6.5	7.3
24	9.6	7.9	8.3	7.4	6.4	6.9	6.7	6.4	6.2	6.6	6.5	7.1
25	8.7	7.8	15.5	7.3	7.0	7.2	6.9	6.6	6.2	7.4	6.5	7.0
26	8.8	7.5	12.8	7.2	6.5	7.0	6.6	6.4	6.2	6.8	6.5	7.0
27	15.9	7.4	16.4	7.1	6.5	6.7	6.5	6.4	6.2	6.6	6.5	7.1
28	15.1	7.4	13.6	7.0	6.4	6.9	6.5	6.8	6.2	6.5	6.5	
29	9.4		9.3	7.0	6.4	6.7	6.6	6.7	6.2	6.5	6.5	
30	8.5		8.6	8.9	6.4	6.5	6.7	6.5	6.2	6.4	6.5	
31	7.7		16.1		6.8		6.4	6.4		7.5		

8:00 A.M. READINGS

*8 DAY RECORDER INSTALLED ON 15 SEPT. 1949.

1948
CYPRESS CREEK
RAMER, TENNESSEE

ZERO OF GAGE: 376.67 M.S.L. (MEMPHIS TO CAIRO 1946)
MILE: 7.5
LAT. 35° 03' 58" - LONG. 88° 39' 22"
GAGE IN CHARGE: MEMPHIS DISTRICT, CE, MEMPHIS, TENNESSEE

VERTICAL STAFF GAGE IS ON STATE HIGHWAY BRIDGE OVER CYPRESS CREEK CANAL 2 MILES W. OF RAMER, TENNESSEE.

HIGHEST: 19.40 AT 4:00 P.M. ON 13 FEB.
LOWEST: 6.30 ON 5-12 JULY.
PERIOD OF RECORD: 23 SEPTEMBER 1940 TO DATE.
HIGHEST FOR PERIOD OF RECORD: 19.40 AT 4:00 P.M. ON 13 FEB. 1948.
LOWEST FOR PERIOD OF RECORD: 5.30 ON 23-24 SEPTEMBER 1940.

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	16.1	8.0	8.7	13.2	6.9	6.6	6.4	6.4	6.4	6.6	7.0	8.1
2	17.0	7.9	16.1	8.5	7.2	6.6	6.4	6.4	6.4	6.5	6.7	7.9
3	11.3	7.8	15.3	8.0	7.7	6.5	6.4	6.4	6.4	6.5	6.8	9.7
4	10.2	9.7	10.2	7.8	15.6	6.5	6.4	6.4	6.4	6.5	6.6	8.0
5	9.8	13.4	8.9	7.7	11.1	6.5	6.3	6.4	10.5	6.5	6.8	7.8
6	9.7	14.3	13.5	7.6	8.5	6.6	6.3	6.4	7.8	6.5	8.2	8.7
7	9.5	11.0	11.4	8.0	8.2	6.5	6.3	6.4	7.3	6.5	7.1	7.9
8	8.6	13.2	9.0	15.8	8.0	6.5	6.3	6.4	7.1	6.5	6.8	7.6
9	8.1	9.6	8.5	16.0	7.9	6.5	6.3	6.4	6.9	6.5	6.6	7.5
10	7.9	8.2	8.3	9.3	7.7	6.5	6.3	6.4	6.7	6.5	7.3	7.4
11	7.7	8.7	8.0	8.8	7.5	6.4	6.3	6.4	6.5	6.5	7.0	7.3
12	7.8	16.4	7.8	8.5	8.1	6.4	6.3	6.4	6.4	6.5	6.8	7.3
13	11.8	19.3	7.5	14.1	9.2	6.4	6.4	6.4	6.4	6.5	6.9	7.3
14	9.5	18.0	7.5	16.1	7.7	6.4	6.5	6.4	6.4	6.5	6.8	7.2
15	8.0	15.3	7.5	12.4	7.3	6.4	6.4	6.5	6.4	6.5	6.7	7.2
16	8.0		14.8	9.1	7.1	8.8	6.4	6.5	6.4	6.5	7.3	16.2
17	7.9		10.5	8.5	7.0	7.2	6.4	6.4	6.4	6.5	7.7	16.6
18	8.2		8.2	8.2	6.9	6.9	7.8	6.4	6.4	6.9	7.1	9.8
19	8.4		8.6	7.8	6.8	6.9	8.8	6.8	6.4	6.7	17.4	8.8
20	8.2		8.5	7.7	6.7	6.6	6.9	6.4	6.4	6.6	17.2	8.2
21	8.9		8.3	7.6	6.7	6.5	6.6	6.4	6.4	6.6	9.7	7.9
22	9.9		8.0	7.5	6.7	6.5	6.4	6.4	6.4	6.5	12.6	7.6
23	8.7	9.4	11.9	7.4	6.7	6.5	7.9	6.4	6.4	6.5	8.6	7.4
24	8.4	9.1	8.7	7.4	6.7	6.5	6.9	6.4	6.4	6.5	7.8	7.4
25	8.1	9.1	8.1	7.3	6.7	6.5	6.5	6.4	6.4	6.5	7.6	7.8
26	8.1	17.2	8.0	7.2	6.6	6.5	6.4	6.4	6.4	6.5	7.4	7.6
27	8.1	16.0	14.0	7.1	6.6	6.5	8.8	6.4	6.4	6.5	10.8	7.5
28	8.1	13.6	9.2	7.0	6.8	6.4	6.6	6.4	8.7	6.5	15.9	7.5
29	8.1	10.6	8.0	6.9	7.0	6.6	6.5	6.4	8.3	6.5	14.9	13.4
30	8.1		7.8	6.9	6.7	6.5	6.4	6.6	6.8	6.5	10.6	8.9
31	8.1		15.0		6.6		6.4	6.4		6.5		7.9

8:00 A.M. READINGS.

1947
CYPRESS CREEK
RAMER, TENNESSEE

ZERO OF GAGE: 376.67 M.S.L. (MEMPHIS TO CAIRO 1946)
MILE: 7.5
LAT. 35° 03' 58" - LONG. 88° 39' 22"
GAGE IN CHARGE: MEMPHIS DISTRICT, CE, MEMPHIS, TENNESSEE

VERTICAL STAFF GAGE IS ON STATE HIGHWAY BRIDGE OVER CYPRESS CREEK CANAL 2 MILES W. OF RAMER, TENNESSEE.

HIGHEST: 16.80 ON 3 JANUARY 1947.
LOWEST: 7.90 ON 4 TO 7 SEPTEMBER.
PERIOD OF RECORD: 23 SEPTEMBER 1940 TO DATE.
HIGHEST FOR PERIOD OF RECORD: 17.90 ON 1 JANUARY 1945.
LOWEST FOR PERIOD OF RECORD: 5.30 ON 23-24 SEPTEMBER 1940.

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	10.20	9.80	10.00	9.10	9.3	9.00	8.50	8.10	8.0	8.0	11.0	8.80
2	16.10	9.60	9.50	9.10	9.6	9.60	8.50	8.00	8.0	8.0	11.70	8.80
3	16.80	9.40	9.10	9.10	9.4	9.70	8.40	8.00	8.0	8.0	9.40	8.80
4	13.90	9.30	9.20	9.70	9.2	9.00	8.30	8.00	7.9	8.0	8.90	8.80
5	10.20	9.20	9.10	10.70	9.7	8.90	8.30	8.00	7.9	8.10	9.60	9.00
6	9.80	9.10	14.00	11.40	9.2	8.80	8.30	8.00	7.9	8.00	8.90	8.9
7	9.60	9.00	10.50	9.80	9.0	8.70	8.30	8.00	7.9	8.00	9.00	8.8
8	9.80	8.90	15.20	9.50	8.9	8.60	8.30	8.00	8.0	8.00	9.70	10.4
9	9.50	8.90	11.30	9.90	8.7	8.60	8.20	8.00	8.8	8.00	8.80	9.3
10	9.30	8.70	10.30	10.00	8.7	8.50	8.20	8.00	10.0	8.00	8.70	9.3
11	9.10	8.80	9.80	16.10	8.70	8.50	8.20	8.00	8.6	8.00	9.80	9.2
12	9.70	8.90	9.60	16.80	8.70	8.50	8.20	8.00	8.3	8.00	9.10	9.1
13	9.40	9.00	11.80	11.10	8.60	8.50	8.20	8.00	8.2	8.10	8.80	9.0
14	9.40	9.00	10.30	10.90	8.70	8.50	8.20	8.00	8.1	8.10	8.70	8.9
15	9.50	9.00	9.80	10.30	9.60	8.60	8.20	8.40	8.1	8.10	13.10	10.0
16	10.30	8.90	9.60	13.40	9.00	8.50	8.20	8.00	8.1	8.10	9.80	12.0
17	11.30	8.80	9.40	10.20	8.80	8.40	8.20	9.00	8.1	8.10	9.20	10.0
18	13.60	8.80	9.30	9.80	9.10	8.30	8.20	8.30	8.0	8.10	9.00	9.6
19	11.80	9.30	9.30	9.60	8.90	8.30	12.00	8.10	8.0	8.40	8.90	9.4
20	13.70	13.50	9.20	9.50	9.40	8.30	8.80	8.30	8.0	8.30	8.90	9.3
21	10.70	11.50	9.10	9.80	14.20	8.60	8.60	8.10	8.0	8.30	8.90	9.2
22	9.90	9.70	9.00	9.50	10.30	8.90	8.50	8.00	8.3	8.30	8.90	9.2
23	9.70	9.50	9.00	9.40	9.40	8.90	8.40	8.00	8.2	8.20	9.00	9.1
24	9.60	9.30	15.20	9.30	11.10	9.80	8.30	8.2	8.1	8.20	9.30	9.0
25	10.20	9.20	10.30	9.40	15.10	8.80	8.20	8.1	8.1	8.10	9.10	8.9
26	9.80	9.00	9.70	9.50	10.70	8.60	8.20	8.3	8.0	8.10	9.10	8.9
27	9.40	9.00	9.50	9.3	9.80	9.70	8.20	8.1	8.0	10.70	9.00	8.9
28	9.40	9.00	9.40	9.2	9.50	9.60	8.20	8.1	8.0	12.70	9.00	8.9
29	9.40		9.30	9.1	9.30	8.80	8.20	8.1	8.0	9.80	8.90	8.8
30	14.00		9.20	9.3	10.30	8.70	8.20	8.0	8.0	8.60	8.80	8.8
31	11.10		9.10		9.10		8.10	8.0		8.40		9.0

8:00 A.M. READINGS.

RIVER STAGES

Cypress Creek River Gauge at Ramer, Tenn. (Mile 7.5) for the calendar year 1946

Zero elevation 376.67 feet above M.S.L. (Memphis to Corinth 1941)

Bank full stage ..... feet on gauge

M.R.C.5M.6-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	8.80	8.90	9.10	9.40	8.30	12.20	8.00	8.30	7.20	7.60	8.10	8.60	1
2	8.60	8.70	8.90	9.20	8.70	9.10	7.80	7.70	7.10	7.60	8.10	8.50	2
3	9.20	8.60	8.80	9.00	9.10	8.60	7.80	7.60	7.10	7.50	8.10	8.50	3
4	9.90	8.50	8.70	8.90	8.70	8.40	7.90	8.20	7.10	7.50	8.10	8.50	4
5	8.40	8.80	8.60	8.80	8.40	8.30	8.50	7.50	7.10	7.40	8.10	8.50	5
6	15.00	15.10	8.60	8.60	8.20	8.20	8.10	7.50	7.10	7.40	8.10	8.40	6
7	16.40	11.40	16.30	11.60	8.10	8.10	7.80	7.90	7.10	7.40	9.70	8.40	7
8	17.50	9.60	13.20	9.10	8.00	8.00	8.80	7.60	7.10	7.40	8.90	8.30	8
9	17.80	16.40	9.70	12.90	8.00	7.90	8.30	7.50	7.10	7.40	8.70	8.30	9
10	16.10	16.00	9.30	15.40	8.00	7.80	8.00	7.50	7.10	7.40	11.20	8.30	10
11	12.80	15.70	9.10	10.80	8.20	7.80	8.40	7.40	7.10	7.40	14.00	8.70	11
12	14.80	11.90	9.00	9.40	8.60	7.80	9.50	7.30	7.10	7.60	9.90	8.90	12
13	10.40	10.40	8.90	9.20	8.20	7.80	8.10	7.30	7.10	7.60	8.10	9.50	13
14	9.60	14.80	9.30	9.00	8.10	7.80	7.80	7.30	7.10	7.60	8.90	8.80	14
15	9.60	10.30	9.40	8.90	8.10	9.60	7.80	7.30	8.10	7.60	8.70	8.70	15
16	10.00	9.70	14.60	10.00	8.10	8.00	7.80	7.30	7.80	7.60	8.70	8.60	16
17	10.50	9.30	11.70	9.70	8.00	7.80	7.80	7.30	8.50	7.60	14.30	8.60	17
18	9.10	9.10	9.70	9.00	8.00	7.80	7.80	8.20	7.80	7.60	10.10	8.60	18
19	10.80	9.20	9.40	8.80	8.00	7.80	8.70	9.00	7.60	7.60	9.30	8.50	19
20	10.50	9.10	9.10	8.70	8.00	7.70	8.00	8.00	8.10	7.70	9.10	8.40	20
21	11.90	9.00	8.90	8.60	8.00	7.70	7.80	7.80	7.90	7.70	8.90	9.00	21
22	9.80	8.90	8.80	8.50	8.00	7.70	8.30	7.60	7.70	7.70	8.70	8.80	22
23	9.40	11.60	8.80	8.50	8.00	7.70	7.70	7.40	14.40	7.80	8.50	8.70	23
24	9.30	11.20	8.70	8.70	10.00	7.70	7.50	7.30	11.20	8.30	8.40	8.60	24
25	9.20	9.30	10.20	9.40	9.70	7.70	7.50	7.30	8.40	9.30	8.30	8.40	25
26	9.00	9.10	16.70	8.80	8.90	7.70	7.50	7.20	8.00	9.30	8.60	8.40	26
27	8.80	11.40	14.20	8.50	8.40	7.70	7.50	7.20	7.90	8.30	9.30	8.40	27
28	8.70	9.30	15.00	8.40	8.30	7.70	7.40	7.20	7.90	8.10	8.90	8.40	28
29	8.60		15.90	8.30	8.10	7.70	7.40	7.20	7.80	8.10	8.70		29
30	9.40		11.00	8.20	8.00	7.60	8.30	7.20	7.80	8.10	8.60		30
31	9.10		9.80		7.90		7.60	7.20		8.10			31
Sum													
Mean													
High													
Low													

Remarks: 8:00 a.m. readings
Highest: 17.80 on 9 Jan.
Lowest: 7.10 on 2-14 Sept.
Period of record: 23 Sept. 1940 to date
Highest for period of record: 17.90 on 1 Jan. 1945
Lowest for period of record: 5.30 on 23-24 September 1940

RIVER STAGES

Cypress Creek River Gauge at Ramer, Tenn. (Mile 7.5) for the calendar year 1945

Zero elevation 376.67 feet above M. S. L. (Memphis to Corinth 1944)

Bank full stage ..... feet on gauge

M.R.C.5M.6-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	17.90	7.30	11.90	8.10	8.20	7.30	6.70	6.40	6.30	14.00	7.30	8.40	1
2	16.20	7.20	9.20	15.30	8.30	6.90	7.60	6.40	6.30	10.50	7.20	8.20	2
3	10.70	7.30	12.60	12.60	8.00	6.90	7.20	6.30	6.30	7.80	12.50	8.80	3
4	8.60	7.30	15.90	8.90	7.80	6.80	6.90	6.30	6.30	7.50	8.80	13.70	4
5	8.10	7.40	12.20	9.50	7.70	6.70	6.80	9.80	6.30	7.60	8.00	10.50	5
6	8.10	7.30	9.50	9.20	7.60	8.30	6.70	7.50	6.40	8.40	7.80	9.50	6
7	13.70	7.20	8.70	8.80	7.50	8.40	6.60	7.80	6.40	7.60	7.60	9.10	7
8	12.20	7.90	8.50	8.50	8.90	8.50	6.50	7.20	6.40	7.50	7.40	8.80	8
9	9.10	7.50	8.20	8.30	7.80	8.20	6.50	6.80	6.40	7.40	7.60	8.60	9
10	8.20	7.30	8.00	8.00	12.90	7.40	6.70	6.50	6.40	7.30	9.50	8.90	10
11	8.00	7.70	7.90	7.90	9.70	8.60	6.60	6.50	8.60	7.30	11.30	8.70	11
12	7.90	7.50	8.00	7.80	9.00	7.60	6.50	6.70	7.00	7.20	9.00	8.50	12
13	13.60	13.40	8.00	7.70	8.40	7.40	6.40	6.60	7.40	7.00	8.70	12.60	13
14	9.00	9.10	7.90	7.60	8.00	7.20	6.40	6.50	7.90	7.00	11.10	11.60	14
15	9.20	8.40	7.80	7.60	7.80	9.30	6.60	7.30	7.00	7.00	9.20	9.70	15
16	9.20	8.00	8.60	7.60	15.00	9.50	6.50	7.00	6.80	7.00	8.60	8.90	16
17	7.90	13.90	8.10	8.60	10.70	9.50	6.50	6.80	6.70	7.00	8.40	8.70	17
18	7.80	14.50	8.20	7.70	8.90	8.60	6.50	6.60	6.60	7.00	8.60	8.50	18
19	13.80	9.10	8.00	7.50	8.40	8.60	6.40	6.50	6.50	7.00	16.00	9.30	19
20	9.00	8.50	15.60	7.50	8.20	7.90	6.40	6.40	6.50	7.00	15.60	8.90	20
21	8.30	15.80	14.50	7.40	8.00	7.60	6.40	6.40	6.50	7.30	12.90	8.70	21
22	8.20	14.40	9.20	7.40	7.80	7.40	6.40	6.40	6.50	9.50	16.70	8.80	22
23	7.90	9.20	8.60	8.00	7.50	7.30	6.40	9.30	6.50	8.10	10.70	9.50	23
24	7.80	8.40	8.30	7.90	7.40	7.00	6.40	8.20	6.50	7.80	9.30	15.40	24
25	7.70	8.20	8.20	7.60	7.30	7.00	6.30	6.80	6.50	7.60	9.00	15.70	25
26	7.60	8.10	15.50	7.50	7.30	6.90	6.60	6.60	7.20	7.40	8.80	12.90	26
27	7.60	14.50	11.20	7.30	7.20	6.90	6.50	6.40	7.00	7.40	11.40	10.40	27
28	7.60	16.20	8.80	10.70	7.20	6.80	6.40	6.40	6.80	7.40	9.50	9.80	28
29	7.50		8.40	14.00	7.10	6.70	8.50	6.40	6.60	7.40	8.90	9.30	29
30	7.40		8.20	9.20	7.90	6.70	6.80	6.40	13.90	7.30	8.60	9.10	30
31	7.40		8.30		7.70		6.50	6.30		7.30		9.00	31
Sum													
Mean													
High													
Low													

NOTE: Time basis Central War Time during interim 2:00 a.m. 9 February 1942 to 2:00 a.m. 30 September 1945. To convert War Time to Standard Time, subtract one hour.

Remarks: 8:00 a.m. readings.
Highest: 17.90 on 1 Jan 1945.
Lowest: 6.30 on various days in August & September.
Period of record: 23 Sept. 1940 to date.
Highest for period of record: 17.90 on 1 Jan. 1945.
Lowest for period of record: 5.30 on 23-24 Sept. 1940.

RIVER STAGES

Cypress Creek River Gauge at Ramer, Tenn. (Mile 7.5) for the calendar year 1944

Zero elevation 376.~~74~~ 67 feet above M.S.L. (Memphis to Corinth 194~~7~~ 4)

Bank full stage ..... feet on gauge

M.R.C.5M.5-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	6.60	6.30	9.00	8.30	7.40	6.00	5.90	5.90	13.70	6.60	6.20	6.40	1
2	7.80	6.30	8.20	8.00	7.30	6.00	5.90	5.90	8.50	6.50	6.20	5.40	2
3	12.40	6.30	7.80	11.70	7.10	6.10	5.90	5.90	6.50	6.50	6.20	6.40	3
4	8.10	6.30	10.30	8.70	7.50	6.10	6.30	5.90	6.40	6.40	6.20	6.40	4
5	7.40	6.30	8.30	8.40	15.00	6.00	6.00	5.90	6.20	6.30	6.20	6.40	5
6	7.00	6.40	7.80	7.70	9.10	6.00	6.00	5.90	6.40	12.00	6.20	6.40	6
7	6.90	6.50	7.80	7.50	8.00	6.00	6.00	5.90	8.40	8.70	6.20	9.50	7
8	6.80	6.40	7.50	7.60	7.80	6.00	5.90	5.90	6.50	6.90	6.20	7.70	8
9	6.90	16.70	7.20	15.40	7.60	6.00	5.90	5.90	6.30	6.70	7.20	7.00	9
10	7.10	16.40	7.10	10.00	7.20	6.00	5.90	5.90	6.20	6.50	6.60	6.80	10
11	6.80	9.40	7.10	13.20	7.00	6.00	6.00	5.90	6.20	6.40	6.40	7.00	11
12	7.00	7.90	7.10	11.50	6.90	6.00	6.20	5.90	6.10	6.40	6.40	7.10	12
13	6.80	7.50	7.00	8.30	6.80	6.00	6.10	5.90	6.10	6.30	6.40	6.80	13
14	6.70	7.60	6.90	7.90	6.70	6.30	6.00	5.90	6.10	6.30	6.40	6.80	14
15	7.00	7.80	6.80	7.80	6.50	9.80	5.90	5.90	6.00	6.30	6.50	6.70	15
16	7.50	7.40	6.80	8.00	6.50	6.40	5.90	5.90	6.00	6.30	6.50	6.70	16
17	7.60	11.50	6.70	7.50	6.40	6.30	5.90	5.90	6.00	6.30	6.50	6.70	17
18	7.30	15.00	6.70	7.60	6.40	6.20	5.90	5.90	6.00	6.20	6.50	6.90	18
19	7.00	10.10	13.50	7.40	6.30	6.10	5.90	5.80	6.00	6.20	6.70	6.90	19
20	6.90	14.30	11.30	8.60	6.30	6.10	5.80	5.80	6.00	6.20	8.60	6.80	20
21	6.80	13.70	8.20	7.70	6.20	6.00	5.80	5.80	6.00	6.20	6.90	6.80	21
22	6.70	9.30	7.70	7.40	6.20	6.00	5.80	5.90	6.00	6.20	6.70	6.70	22
23	6.60	16.00	9.30	11.40	6.20	6.00	5.80	6.00	6.00	6.20	6.50	6.70	23
24	6.60	10.70	7.90	15.50	6.20	6.00	5.80	6.00	6.00	6.20	6.40	6.70	24
25	6.60	8.40	7.50	8.60	6.20	6.00	5.80	6.00	6.00	6.20	6.40	7.30	25
26	6.60	15.10	7.30	8.60	6.20	6.00	5.80	6.00	6.00	6.20	6.60	11.20	26
27	6.50	15.40	16.50	14.50	6.20	6.00	5.80	12.50	5.90	6.20	6.60	9.20	27
28	6.50	12.30	16.50	8.80	6.10	6.00	6.00	7.50	5.90	6.20	6.60	15.20	28
29	6.50	14.00	16.90	8.00	6.00	5.90	6.00	6.50	11.50	6.20	6.50	14.00	29
30	6.50		15.60	7.60	6.00	5.90	7.00	6.30	7.40	6.20	6.50	11.40	30
31	6.40		9.30		6.00		6.10	13.40		6.20		12.00	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 a.m. readings. (Central War Time)

Highest: 16.90 on 9(4 p.m.) February and 29 March.

Lowest: 5.80 on various dates in July and August.

Period of record: 23 September 1940 to date.

Highest for period of record: ~~16.90 on 9(4 p.m.) February 29, March 1944 and 28 December 1940.~~ 17.30 (4 p.m) on 28 Dec. 1942.

Lowest for period of record 5.30 on 23-24 September 1940.

RIVER STAGES

CYPRESS CREEK ~~XXXXX~~ Gauge at RAMER, TENN. (MILE 7.5) for the calendar year 1943.

Zero elevation 376.~~74~~ 67 feet above M. S. L. (MEMPHIS TO CORINTH 1944)

Bank full stage ..... feet on gauge

M.R.C.5M.6-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	7.40	12.00	6.50	6.80	6.10	6.60	6.00	7.20	5.70	5.80	5.80	6.00	1
2	7.20	8.20	6.40	6.70	6.10	6.20	6.00	6.20	5.70	5.80	5.90	6.00	2
3	7.00	8.00	6.40	6.60	6.10	6.00	5.90	6.00	7.70	5.80	5.90	6.00	3
4	6.90	15.30	6.40	6.60	6.10	6.00	5.90	5.90	8.10	5.80	5.80	6.10	4
5	6.80	13.90	6.30	6.60	6.00	6.30	5.90	5.90	6.10	5.80	5.80	6.10	5
6	6.80	9.50	8.40	6.60	6.00	6.20	5.90	5.90	7.30	5.80	5.80	6.20	6
7	6.80	7.30	7.00	6.50	6.00	6.10	5.90	5.80	8.00	5.80	14.30	6.30	7
8	6.90	7.40	6.70	6.40	6.00	6.10	5.80	5.80	6.10	5.80	10.90	6.20	8
9	6.70	7.10	6.70	6.40	7.40	6.00	5.80	5.80	6.00	5.80	7.20	6.30	9
10	6.70	7.00	6.70	6.40	6.30	6.00	5.80	5.80	5.90	5.80	6.70	6.40	10
11	6.60	7.80	11.60	6.40	11.60	5.90	5.80	5.80	5.90	5.80	6.50	6.90	11
12	6.60	7.00	9.90	12.30	7.50	5.90	5.80	5.80	5.90	5.80	6.40	6.50	12
13	6.50	6.90	16.40	7.40	6.60	5.80	5.80	5.80	5.90	5.80	6.30	6.30	13
14	6.50	6.80	15.80	6.80	6.40	5.80	5.80	5.80	5.80	5.80	6.20	6.30	14
15	6.50	6.60	9.00	6.50	6.30	5.80	5.70	5.80	5.80	5.80	6.20	6.30	15
16	6.50	6.60	8.30	6.50	6.10	5.80	5.70	5.80	8.10	5.80	7.20	6.20	16
17	6.50	6.60	10.10	6.90	6.10	5.80	5.70	7.50	6.10	5.80	6.70	6.20	17
18	6.70	6.60	8.70	7.20	6.10	5.80	5.70	6.20	6.00	5.80	6.40	6.20	18
19	6.70	6.60	9.20	7.00	6.00	5.80	5.70	6.00	6.00	5.80	6.40	6.20	19
20	6.50	6.60	14.30	6.80	6.00	5.80	5.70	5.90	10.30	5.80	6.20	6.10	20
21	6.50	9.30	8.80	6.60	6.00	5.80	5.70	5.80	7.10	5.80	6.20	6.10	21
22	6.50	7.30	7.70	6.50	6.00	5.80	5.70	5.70	6.40	5.80	6.20	6.10	22
23	6.50	7.00	7.40	6.50	6.10	5.80	5.70	5.70	6.10	5.80	6.20	6.10	23
24	6.50	6.80	7.20	6.50	6.30	5.80	5.70	5.70	5.90	5.80	6.10	6.10	24
25	6.40	6.60	7.20	6.40	6.50	5.80	5.70	5.70	5.90	5.80	6.10	7.60	25
26	6.40	6.60	7.10	6.40	6.30	5.80	5.70	5.70	5.90	5.80	6.10	8.20	26
27	6.70	6.50	8.70	6.40	6.20	5.80	5.70	5.70	5.90	5.80	6.10	7.20	27
28	6.60	6.50	7.40	6.30	11.30	5.80	9.40	5.70	5.90	5.80	6.10	8.00	28
29	6.80		7.10	6.20	6.50	8.00	6.10	5.70	5.90	5.80	6.10	7.60	29
30	7.50		6.90	6.20	6.20	6.10	6.00	5.70	5.90	5.80	6.10	7.10	30
31	8.70		6.90		6.10		6.10	5.70		5.80		6.80	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 A.M. READINGS (CENTRAL WAR TIME).

HIGHEST: 16.40

LOWEST: 5.70 ON 15-27 JULY AND 22 AUG. TO 2 SEPT.

PERIOD OF RECORD: 23 SEPT. 1940 TO DATE.

HIGHEST FOR PERIOD OF RECORD: ~~16.90~~ ON 28 DEC. 1942. 17.30 (4 p.m.)

LOWEST FOR PERIOD OF RECORD: 5.30 ON 23-24 SEPT. 1940.

RIVER STAGES

Cypress Creek River Gauge at Ramer, Tenn. (Mile 7.5) for the calendar year 1942

Zero elevation 376.67 feet above Mean Sea Level (Memphis to Corinth 1944)

Bank full stage ..... feet on gauge

M.R.C.5M.5-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	14.60	6.60	6.90	6.60	6.50	6.00	6.40	5.80	5.70	5.70	6.90	6.10	1
2	12.20	6.50	7.40	6.50	6.40	6.00	6.20	5.80	5.70	5.70	6.20	7.50	2
3	7.70	6.40	7.70	6.50	6.40	6.00	6.00	5.80	5.70	5.70	6.00	6.40	3
4	7.20	6.40	7.00	6.50	6.40	6.00	6.00	5.80	5.70	5.70	6.00	6.40	4
5	6.80	6.50	6.90	6.40	6.40	6.00	6.00	7.00	5.70	5.70	6.00	6.30	5
6	6.70	13.50	6.90	6.40	6.30	6.00	6.00	6.00	5.70	5.70	6.00	12.60	6
7	6.60	9.60	6.70	6.40	6.30	6.00	6.00	6.20	5.80	5.70	6.10	7.40	7
8	6.60	7.50	6.70	6.60	6.30	6.00	5.90	7.00	5.80	5.70	6.00	6.80	8
9	6.40	7.00	8.80	16.00	6.30	6.00	5.90	6.00	5.80	5.70	5.90	6.50	9
10	6.40	7.00	7.40	16.40	6.30	6.00	5.90	7.40	6.00	5.70	6.00	6.40	10
11	6.50	6.90	7.10	9.70	6.30	6.10	5.90	6.40	5.80	5.70	6.00	6.40	11
12	6.40	6.70	7.00	8.60	6.30	6.20	5.90	6.50	5.80	5.70	5.90	6.30	12
13	6.40	6.60	6.90	7.70	6.20	6.50	5.90	6.00	5.80	5.70	5.90	6.20	13
14	6.40	6.50	14.20	7.50	6.20	8.70	5.90	6.00	5.80	5.70	5.90	6.10	14
15	6.40	6.50	9.50	7.30	6.20	6.50	5.90	6.00	5.80	5.70	5.90	6.10	15
16	6.40	6.80	9.20	7.20	6.20	8.10	5.90	6.60	5.80	5.70	5.90	11.20	16
17	6.40	12.30	8.30	7.10	6.20	6.50	5.90	6.10	6.10	5.70	5.90	7.10	17
18	6.40	7.90	7.40	7.10	6.20	6.30	5.80	5.90	12.30	5.70	5.90	6.60	18
19	8.60	7.10	7.00	6.90	6.30	6.10	5.80	5.80	6.80	5.70	5.90	6.40	19
20	6.80	6.90	6.90	6.80	6.30	6.10	5.80	6.00	6.10	5.80	5.90	6.40	20
21	6.60	6.70	7.20	6.70	6.20	6.00	5.80	5.90	6.00	5.70	5.90	6.40	21
22	6.50	6.70	6.80	6.70	6.20	6.00	6.10	5.90	5.90	5.70	6.10	6.60	22
23	6.40	7.10	6.70	6.60	6.90	6.10	6.00	5.90	5.90	5.80	6.30	7.30	23
24	6.40	15.30	6.60	6.50	6.30	6.00	6.00	5.90	5.90	5.70	6.10	6.70	24
25	6.40	9.30	6.50	6.50	6.30	6.00	5.90	5.90	5.80	5.70	6.00	6.50	25
26	6.30	7.70	7.40	6.60	6.20	6.00	5.90	5.80	5.80	5.70	6.00	6.50	26
27	6.50	7.30	7.40	6.70	6.20	7.20	5.90	5.80	5.80	5.70	5.90	6.50	27
28	6.40	7.00	7.40	7.20	6.20	6.10	5.90	5.80	5.70	5.90	5.90	16.90	28
29	6.40		7.00	6.80	6.10	6.00	5.80	5.70	5.70	5.80	6.00	15.60	29
30	6.40		6.80	6.60	6.10	6.20	5.80	5.70	5.70	6.00	6.00	8.70	30
31	7.70		6.80		6.10		5.80	5.70		11.80		7.80	31
Sum													
Mean													
High													
Low													

Time Basis: Standard Time prior to 2:00 a.m., Feb. 9, 1942; War Time thereafter.
To convert War Time to Standard Time, subtract one hour.

Remarks: 8:00 a.m. readings.
Highest: ~~16.30~~ on Dec. 28. 4 p.m. 17.30
Lowest: 5.70 on Aug. 29 to Sept. 6 and other dates.
Period of record: Sept. 23, 1940 to date.
Highest for period of record: ~~16.30~~ on Dec. 28, 1942. 4 p.m. 17.30
Lowest for period of record: 5.30 on Sept. 23-24, 1940.

RIVER STAGES

Cypress Creek ~~River~~ Gauge at Ramer, Tenn. (mile 7.5) for the calendar year 1941

Zero elevation 376.67 feet above Mean Sea Level (Memphis to Corinth, 1944)

Bank full stage ..... feet on gauge

M.R.C.5M.6-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	6.4	6.4	6.0	6.0	5.8	5.5	5.5	5.5	5.5	5.4	7.9	6.1	1
2	14.7*	6.4	6.0	5.9	5.8	5.5	5.4	5.8	5.5	5.4	6.2	6.2	2
3	9.2	6.5	6.0	5.9	5.7	5.5	5.8	5.5	5.5	5.4	6.0	11.7	3
4	7.2	6.3	7.4	9.2	5.7	5.6	7.7	5.5	5.5	7.7	6.0	7.8	4
5	6.7	6.3	6.3	6.6	5.6	5.6	6.3	5.4	5.5	5.8	6.0	6.8	5
6	6.5	6.2	6.2	6.3	5.6	5.5	6.0	5.4	5.5	5.6	6.0	6.5	6
7	6.4	6.2	6.4	6.2	8.2	5.5	5.7	5.4	5.5	5.6	6.0	6.4	7
8	6.4	6.2	7.2	6.1	6.2	5.5	5.6	5.4	5.5	5.6	6.0	6.3	8
9	6.3	6.1	6.5	6.5	5.9	5.5	5.5	5.4	5.5	5.5	5.9	6.2	9
10	6.2	6.1	6.3	6.2	5.8	5.5	5.6	5.4	5.5	9.3	5.8	6.1	10
11	6.2	6.1	6.2	6.0	5.7	5.5	5.6	5.9	5.5	5.7	5.8	6.1	11
12	6.2	6.1	6.1	6.0	5.7	5.5	5.6	5.5	5.5	5.6	5.8	6.1	12
13	6.2	6.1	6.1	5.9	5.6	5.5	5.5	5.5	5.5	5.6	5.8	9.6	13
14	6.2	6.3	6.1	5.9	5.6	5.4	5.5	6.3	5.5	5.6	5.8	6.9	14
15	6.3	6.1	6.1	5.8	5.6	5.4	5.5	6.2	5.5	5.6	5.8	6.5	15
16	6.3	6.1	7.2	5.8	5.6	5.4	7.0	5.7	5.5	6.7	5.8	6.4	16
17	6.3	6.1	6.4	5.8	5.5	5.4	5.6	5.5	5.5	6.1	5.8	6.3	17
18	6.2	6.0	6.2	5.8	5.6	5.4	5.6	5.5	5.5	6.1	5.8	6.3	18
19	6.1	6.0	6.1	5.8	5.6	5.4	5.5	5.7	5.5	5.9	5.8	6.2	19
20	6.1	6.0	6.1	6.7	5.6	5.4	5.5	5.7	5.5	5.7	9.2	6.2	20
21	6.1	6.0	6.1	6.0	5.5	5.4	5.5	5.5	5.4	5.6	7.0	6.1	21
22	6.2	6.0	6.1	5.9	5.5	5.4	5.5	5.5	5.4	5.6	6.2	6.1	22
23	6.3	6.0	6.1	6.2	5.9	5.4	5.5	5.5	5.4	5.6	14.0	12.4	23
24	11.2	6.0	6.4	7.8	5.7	5.4	5.5	5.5	5.4	5.6	7.4	7.7	24
25	7.4	6.2	6.2	6.6	5.5	5.4	5.5	5.5	5.5	5.6	6.6	6.9	25
26	9.3	6.1	6.1	6.2	5.5	5.4	5.5	5.5	5.4	5.6	6.4	7.4	26
27	7.8	6.2	6.1	6.1	5.5	5.4	5.5	5.5	5.4	8.5	6.3	6.7	27
28	6.9	6.1	6.0	6.0	5.5	5.4	5.5	5.5	5.4	6.0	6.2	6.5	28
29	6.7		6.0	5.9	5.5	5.5	5.5	5.5	5.4	5.8	6.1	6.5	29
30	6.5		6.0	5.8	5.5	5.5	5.5	5.5	5.4	5.7	6.1	6.4	30
31	6.5		6.0		5.5		5.6	5.5		6.1		6.4	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 a.m. readings.
Highest: *14.8 on Jan. 2 @ 4:00 p.m.
Lowest: 5.4 on June 14, and other dates.
Period of record: Sept. 23, 1940 to date.
Highest for period of record: 14.8 on Jan. 2, 1941.
Lowest for period of record: 5.3 on Sept. 23-24, 1940.

RIVER STAGES

Cypress Creek River Gauge at Ramer, Tenn. (Mile 7.5) for the calendar year 1940

Zero elevation 376.67 feet above ~~Zero to be determined.~~ M.S.L. (1944 adj.)

Bank full stage ..... feet on gauge

M.R.C.5M.5-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1										5.4	8.0	6.4	1
2										5.4	5.8	6.0	2
3										5.4	5.6	5.9	3
4										5.4	5.6	5.8	4
5										5.4	5.6	5.8	5
6										5.4	5.9	5.8	6
7										5.4	5.6	8.4	7
8										5.4	5.6	6.5	8
9										5.4	5.6	6.1	9
10										5.4	5.8	6.0	10
11										5.4	7.0*	5.9	11
12										5.4	7.2	5.9	12
13										5.4	5.9	9.8	13
14										5.4	5.8	7.1	14
15										5.4	5.7	6.2	15
16										5.5	5.7	13.9	16
17										5.4	5.7	8.0	17
18										5.4	5.7	6.7	18
19										5.4	5.7	6.4	19
20										5.4	5.7	6.4	20
21										5.4	5.7	6.3	21
22										5.4	6.2	6.2	22
23									5.3	5.4	5.8	6.1	23
24									5.3	5.4	6.0	6.1	24
25									5.5	5.4	6.0	6.1	25
26									5.4	5.4	6.3	6.1	26
27									5.4	5.4	6.1	6.4	27
28									5.4	5.4	5.9	13.4	28
29									5.4	5.4	5.9	7.6	29
30									5.4	6.0	5.8	6.7	30
31									-	5.6		6.5	31
Sum													
Mean													
High													
Low													

Remarks: Gage established Sept. 23, 1940.

8:00 A.M. Readings

*11.6 @ 4:00 P.M.