

DAILY STAGES FOR 1994

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. LOW WATER REFERENCE PLANE, 2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 5.90 FEET ON JUL. 11 AND 12, 1988.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	14.9	E 28.5	36.8	33.0	E 42.9	E 16.5	E 16.0	10.4	8.9	3.0	4.3	10.7
2	13.8	30.3	37.3	33.8	E 42.4	E 15.9	E 17.2	10.1	7.7	4.7	4.4	12.0
3	13.3	31.3	37.7	34.6	E 41.9	E 15.7	E 18.4	10.4	6.8	5.7	4.3	E 13.6
4	12.8	32.2	37.8	35.4	E 41.6	E 15.6	E 19.3	10.8	6.5	6.0	4.2	E 14.9
5	12.6	32.8	37.7	36.1	E 41.2	E 14.9	E 19.5	11.1	6.4	6.0	4.0	E 16.0
6	12.6	33.2	37.7	36.7	E 40.9	13.9	E 18.9	11.6	6.1	6.0	3.8	E 17.2
7	12.8	33.3	37.6	37.1	40.3	13.5	E 18.0	10.8	6.0	6.1	4.4	E 17.4
8	13.0	33.4	37.5	37.3	39.8	13.9	E 16.9	10.1	6.1	6.4	5.5	E 17.2
9	13.6	33.4	37.6	37.4	39.3	13.2	E 16.0	9.8	6.3	6.4	7.4	E 17.0
10	E 14.2	33.4	37.6	37.5	38.5	13.4	E 15.2	9.6	6.0	6.2	8.5	E 17.5
11	E 15.1	33.4	37.6	37.7	37.6	E 14.0	E 13.5	8.9	5.4	5.7	8.9	E 18.5
12	E 15.8	33.4	37.5	37.9	36.6	E 14.6	E 13.4	8.7	5.0	4.9	9.3	E 19.5
13	E 16.7	33.3	37.4	38.1	35.6	E 15.2	13.2	8.8	4.5	4.0	10.1	E 20.4
14	E 17.5	33.2	37.5	38.2	34.9	E 15.6	13.1	8.7	3.8	3.8	11.0	E 21.5
15	E 18.2	32.7	37.7	38.4	34.5	E 16.1	12.8	7.1	3.3	3.7	12.0	E 22.2
16	E 18.9	31.8	37.8	38.8	34.3	E 16.2	12.4	6.2	3.0	3.5	12.4	22.7
17	E 19.7	31.8	38.0	39.3	34.2	E 15.8	13.0	5.4	2.8	3.3	11.8	23.1
18	E 20.3	32.2	38.1	40.2	34.1	E 15.4	13.7	4.5	2.8	3.6	11.2	23.0
19	E 20.8	32.4	38.1	41.0	33.8	E 15.0	13.8	4.5	2.8	4.0	10.7	22.7
20	E 21.3	32.8	38.1	E 42.2	32.9	E 14.9	13.3	5.4	2.9	4.4	10.2	E 21.5
21	E 21.5	33.2	38.1	E 42.7	31.7	E 15.1	12.8	6.5	2.5	4.9	9.8	E 20.1
22	E 19.5	33.8	38.0	E 43.1	29.9	E 15.3	12.8	7.8	2.2	5.0	9.7	E 18.7
23	E 19.1	34.3	37.9	E 43.7	E 28.7	E 15.1	12.9	9.0	2.0	5.1	9.1	E 18.3
24	E 14.8	34.8	37.6	E 44.1	E 26.6	E 14.6	12.6	9.8	2.1	5.1	8.0	E 17.1
25	E 14.7	35.1	37.3	E 44.4	E 24.8	E 14.1	12.4	10.6	2.5	5.1	7.5	E 16.0
26	E 17.4	35.4	36.7	E 44.5	E 23.2	13.8	11.8	11.8	2.4	4.9	7.6	E 14.9
27	E 20.4	35.8	35.5	E 44.6	E 21.1	13.6	11.4	12.5	2.6	4.4	8.6	13.5
28	E 22.4	36.3	34.3	E 44.5	E 19.4	13.7	11.0	12.7	2.0	4.2	9.9	12.4
29	E 24.3	----	33.0	E 44.0	E 18.2	E 13.9	10.5	12.4	E 1.8	4.1	10.6	11.2
30	E 25.7	----	32.2	E 43.4	E 17.2	E 14.9	10.8	11.7	2.1	4.2	10.5	10.5
31	E 26.9	----	32.3	----	E 16.8	----	11.0	10.4	----	4.3	----	9.9
MEAN	17.6	33.1	37.0	39.7	32.7	14.8	14.1	9.3	4.2	4.8	8.3	17.1
MAX	26.9	36.3	38.1	44.6	42.9	16.5	19.5	12.7	8.9	6.4	12.4	23.1
MIN	12.6	28.5	32.2	33.0	16.8	13.2	10.5	4.5	1.8	3.0	3.8	9.9

THE MEAN STAGE FOR THE YEAR 19.3

E- ESTIMATED

HIGHEST STAGE WAS 44.60 ESTIMATED 27 APR 1994

LOWEST STAGE WAS 1.80 ESTIMATED 29 SEP 1994

DAILY STAGES FOR 1993

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. LOW WATER REFERENCE PLANE, 2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 5.90 FEET ON JUL. 11 AND 12, 1988.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	26.7	29.2	E 23.8	34.0	36.0	E 22.4	E 22.6	34.6	E 25.5	E 27.8	E 15.9	28.3
2	26.0	29.1	E 24.5	34.7	36.0	E 21.5	E 22.8	34.7	E 24.7	28.7	E 15.5	E 27.1
3	E 25.2	28.6	E 25.0	35.2	36.0	20.9	E 23.0	34.9	E 24.0	29.7	E 14.9	E 26.2
4	E 24.3	27.8	E 25.1	35.6	36.1	20.4	E 23.3	35.2	E 23.3	30.4	E 14.2	E 26.1
5	E 24.1	26.4	E 24.8	36.0	36.2	20.0	E 23.6	35.4	E 22.8	30.8	13.7	E 26.7
6	E 24.2	E 24.8	E 24.2	36.4	36.3	19.8	E 23.9	35.6	E 22.6	31.0	13.3	E 27.2
7	E 25.0	E 23.2	E 23.9	36.7	36.4	19.6	E 24.5	35.8	E 22.5	31.1	13.3	E 27.8
8	26.7	E 21.6	E 24.9	37.2	36.6	19.8	E 25.4	35.6	E 22.6	31.0	13.3	28.4
9	28.3	20.0	E 26.9	37.6	36.8	20.3	E 26.4	35.5	E 22.9	30.7	13.2	29.0
10	29.9	18.4	E 28.8	38.0	37.0	20.8	E 27.4	35.4	E 23.2	30.0	12.8	29.7
11	30.9	17.2	E 30.3	38.3	37.2	E 21.5	28.3	35.4	E 23.2	29.2	12.6	30.2
12	31.5	16.4	E 31.5	38.4	37.2	E 22.6	29.0	35.4	E 23.0	E 27.9	12.8	30.4
13	31.8	15.9	E 32.4	38.5	37.2	E 23.9	29.6	35.3	E 22.9	E 26.2	12.9	30.5
14	31.7	15.4	E 33.0	38.6	36.9	E 24.8	30.0	35.2	E 22.8	E 24.2	12.4	30.7
15	31.3	15.2	E 33.6	38.7	36.5	E 25.0	30.4	34.9	E 22.4	E 22.3	12.2	30.9
16	31.0	15.3	E 34.1	38.8	35.8	E 25.0	30.8	34.6	E 21.9	E 20.5	12.3	31.0
17	30.5	15.6	E 34.6	38.7	34.8	E 25.1	31.1	34.5	E 21.6	E 19.0	13.7	30.7
18	29.9	16.0	E 34.8	38.4	34.2	E 25.1	31.5	34.2	E 21.5	E 18.0	E 19.8	30.3
19	29.5	16.7	35.0	38.1	33.4	E 25.1	31.7	34.0	E 21.4	E 17.2	E 24.4	29.6
20	29.1	17.2	35.1	37.8	32.5	E 24.9	31.9	33.8	E 21.6	E 16.8	E 27.3	E 28.2
21	28.9	17.5	E 34.8	37.8	31.6	E 24.3	32.3	33.6	E 22.1	E 16.7	29.3	E 26.5
22	28.9	17.9	E 34.3	37.6	31.3	E 23.4	32.6	33.4	E 22.5	E 16.3	30.5	E 24.9
23	28.7	18.3	E 33.3	37.6	30.8	E 22.3	33.0	33.0	E 22.9	E 16.6	31.6	E 23.4
24	28.5	18.9	E 32.2	37.6	30.4	E 21.5	33.4	32.6	E 23.1	E 17.2	32.2	E 22.1
25	28.5	19.9	31.2	37.6	29.9	E 21.2	33.8	31.9	E 23.5	E 18.4	32.3	E 21.1
26	28.3	21.0	30.4	37.6	29.1	E 21.0	34.2	31.1	E 24.0	E 18.9	32.2	E 20.2
27	28.1	E 22.1	30.3	37.5	28.1	E 21.0	34.4	30.2	E 24.6	E 18.9	31.9	E 19.5
28	28.2	E 23.0	30.9	37.1	E 27.0	E 21.4	34.5	29.4	E 25.3	E 18.4	31.3	E 18.8
29	28.5		31.7	36.7	E 25.7	E 21.6	34.6	28.5	E 26.1	E 17.9	30.5	E 18.3
30	28.9		32.5	36.3	E 24.3	E 22.2	34.5	E 27.5	E 26.9	E 17.3	29.5	E 17.5
31	29.2		33.1		E 23.2		34.5	E 26.5		E 16.5		E 16.3

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	28.45	20.30	30.35	37.29	33.23	22.27	29.64	33.47	23.24	23.07	20.38	26.05
MAX.	31.8	29.2	35.1	38.8	37.2	25.1	34.6	35.8	26.9	31.1	32.3	31.0
MIN.	24.1	15.2	23.8	34.0	23.2	19.6	22.6	26.5	21.4	16.3	12.2	16.3

E- ESTIMATED.

HIGHEST STAGE WAS 38.79 ON APR. 16.

LOWEST STAGE WAS 12.19 ON NOV. 15.

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. LOW WATER REFERENCE PLANE, 2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 5.90 FEET ON JUL. 11 AND 12, 1988.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, N.C.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	18.3	12.4	17.4	E 24.6	25.5	7.2	8.0	20.0	4.8	15.4	3.8	28.8
2	18.0	13.1	17.9	E 23.0	25.4	6.7	7.8	E 21.6	5.3	14.9	3.4	28.8
3	17.8	12.8	18.8	E 22.4	24.9	6.8	7.2	E 22.9	6.6	14.3	3.3	28.6
4	17.7	11.9	19.5	E 22.5	23.9	7.3	6.5	E 23.7	8.2	13.3	2.8	28.4
5	17.8	11.0	20.1	E 22.9	22.7	8.3	6.1	E 23.9	9.0	12.2	2.7	28.0
6	18.0	10.0	20.5	E 23.0	21.3	9.0	5.9	E 24.0	9.0	10.6	3.0	27.1
7	18.3	9.0	20.4	E 22.7	20.2	E 9.3	6.2	E 23.6	7.9	8.9	3.3	E 25.9
8	18.9	7.9	19.5	E 21.9	18.9	9.6	7.7	E 23.2	6.4	7.4	4.4	E 24.3
9	20.0	6.9	18.1	20.9	17.9	10.0	8.7	E 22.4	5.2	6.3	4.9	E 22.4
10	20.7	6.3	17.8	19.9	17.2	10.3	9.5	E 21.3	4.5	5.2	7.4	20.8
11	20.7	5.8	17.4	18.8	16.5	10.5	9.7	20.2	4.2	4.0	9.4	19.3
12	20.1	5.2	17.3	17.4	16.1	11.2	9.4	19.1	4.4	3.4	10.8	18.2
13	19.2	4.5	18.0	16.1	15.5	11.6	9.1	18.3	4.9	3.3	11.9	16.9
14	18.3	4.2	20.0	15.0	15.0	12.0	8.6	17.6	5.0	3.2	12.4	15.8
15	17.5	4.1	E 22.4	14.0	14.8	12.2	8.9	17.0	5.6	2.9	13.2	15.2
16	16.8	4.1	E 24.1	13.1	14.9	12.2	9.8	16.2	6.6	2.6	14.4	15.0
17	15.8	3.8	E 25.2	12.2	14.7	12.2	11.0	15.4	7.7	2.4	16.0	15.2
18	14.8	3.9	E 26.1	11.4	14.1	11.6	11.2	14.4	8.2	2.4	17.3	15.4
19	14.5	5.4	E 26.8	11.2	13.2	10.4	11.3	13.3	8.4	3.1	18.5	16.2
20	15.0	7.4	E 26.8	11.2	11.9	8.8	12.1	12.2	8.0	4.0	19.2	19.1
21	15.3	9.3	E 26.4	11.5	10.6	7.5	14.1	11.5	7.5	5.0	19.3	E 21.9
22	E 15.1	11.0	E 26.1	12.5	9.7	6.7	16.4	11.0	7.2	5.5	19.2	E 24.0
23	14.3	12.6	E 26.0	14.2	9.2	7.8	18.0	10.6	7.4	5.8	19.1	E 25.8
24	13.2	13.8	E 26.2	17.3	8.7	10.2	18.4	E 10.0	7.9	6.1	19.1	27.4
25	11.8	14.8	E 26.7	19.3	8.3	11.8	18.6	9.0	9.0	6.5	19.9	28.4
26	10.4	16.0	E 27.3	21.2	8.2	12.2	18.3	7.6	10.2	6.3	E 22.2	29.1
27	9.3	16.7	E 27.9	22.8	8.2	11.5	18.0	6.2	11.8	5.9	E 24.7	29.4
28	8.5	17.2	E 28.1	24.0	8.3	10.7	17.9	5.2	13.2	5.2	26.5	29.3
29	8.5	17.3	E 27.9	24.8	8.2	9.3	18.0	4.9	14.3	4.5	27.5	28.7
30	9.2		E 27.3	25.3	8.0	8.3	18.3	4.9	15.2	4.2	28.4	28.0
31	10.8		E 26.2		7.7		18.9	4.8		4.0		27.4

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	15.62	9.59	22.90	18.56	14.82	9.76	11.91	15.35	7.78	6.41	13.59	23.50
MAX.	20.7	17.3	28.1	25.3	25.5	12.2	18.9	24.0	15.2	15.4	28.4	27.4
MIN.	8.5	3.8	17.3	11.2	7.7	6.7	5.9	4.8	4.2	2.4	2.7	15.0

E- ESTIMATED.

HIGHEST STAGE WAS 29.40 ON DEC 27.

LOWEST STAGE WAS 2.40 ON OCT 17 AND 18.

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. LOW WATER REFERENCE PLANE, 2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 5.90 FEET ON JUL. 11 AND 12, 1988.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	37.6	26.9	35.7	E 32.7	E 32.1	E 28.3	15.2	3.7	0.0	0.7	-1.0	12.8
2	38.2	24.6	36.1	E 33.1	E 30.9	E 29.5	14.8	3.9	-0.2	0.3	0.1	12.4
3	38.8	E 22.6	36.4	E 33.5	E 30.0	E 29.7	14.2	4.1	-0.5	0.0	0.8	12.4
4	39.4	E 21.3	36.6	E 34.2	E 29.5	E 29.0	13.1	4.0	-0.3	-0.3	1.5	13.5
5	39.9	E 20.6	36.5	E 34.9	E 29.1	E 27.7	12.4	3.8	-1.1	-0.5	2.0	16.0
6	40.5	E 20.8	36.1	35.3	E 28.6	26.3	12.0	3.4	-0.9	-0.8	2.2	20.7
7	41.1	E 21.2	35.5	35.5	E 27.9	25.2	11.5	2.7	-0.5	-1.0	2.6	E 23.6
8	41.5	E 21.2	E 34.2	35.6	E 27.1	24.0	11.0	2.2	0.0	-1.2	3.4	E 25.4
9	41.6	E 21.6	E 32.5	35.5	E 26.7	E 22.4	10.7	2.0	0.1	-1.4	3.7	26.6
10	41.7	22.4	E 30.9	35.1	E 26.7	20.9	10.4	1.7	0.4	-0.9	3.8	28.1
11	41.8	23.5	E 29.6	E 34.3	E 27.0	20.2	10.0	1.6	-0.1	0.2	4.1	29.0
12	41.9	24.8	E 28.6	E 32.9	E 27.3	19.4	9.5	1.4	-1.2	0.9	4.5	29.3
13	41.9	25.9	E 28.0	E 31.3	E 28.3	18.8	9.6	1.8	-1.9	1.1	4.6	29.6
14	41.9	E 26.3	E 27.8	E 30.1	E 28.9	18.0	10.8	2.6	-2.1	0.5	4.4	29.6
15	42.0	E 27.4	E 27.5	E 29.6	E 29.3	17.1	12.0	3.1	-1.9	0.0	3.9	28.5
16	42.0	E 27.8	E 27.2	E 29.1	E 29.4	16.7	13.0	3.0	-1.1	-0.4	3.5	27.2
17	41.9	E 28.0	E 26.8	E 29.2	E 29.2	16.6	13.1	3.0	-1.0	-1.3	3.3	26.3
18	41.8	E 28.4	E 26.3	E 29.7	E 29.0	17.0	12.5	2.8	-1.2	-1.9	3.4	E 25.9
19	41.7	E 29.0	26.0	E 30.8	E 28.7	16.8	11.7	2.6	-1.1	-2.5	3.7	E 25.7
20	41.5	E 29.6	25.9	E 31.8	E 28.2	16.3	11.3	2.2	-0.6	E -3.1	4.2	E 25.6
21	41.2	E 29.7	26.0	E 32.6	E 27.6	16.4	10.5	2.1	-0.2	-3.5	5.8	E 25.5
22	40.8	E 30.3	E 26.3	E 33.2	27.0	16.8	9.4	2.1	-0.1	-3.9	5.9	E 24.9
23	40.3	E 31.3	E 26.6	E 33.7	26.4	17.1	8.5	2.1	-0.1	-4.2	6.0	E 23.9
24	39.6	E 32.3	E 27.0	E 34.1	25.6	17.3	7.8	2.1	0.2	-4.5	6.7	E 22.5
25	38.8	E 33.2	E 27.7	E 34.4	24.8	17.4	6.9	2.4	0.4	-4.6	7.9	E 21.1
26	37.9	E 33.9	E 28.6	E 34.5	24.4	17.4	6.4	2.1	0.5	-4.5	9.0	20.0
27	36.5	E 34.5	E 29.5	E 34.5	24.1	17.0	5.0	1.4	0.4	-4.3	10.5	19.0
28	35.0	35.1	E 30.2	E 34.5	23.6	16.6	4.6	1.1	0.2	-4.0	12.2	18.2
29	E 33.2		E 30.9	E 34.2	23.4	16.1	4.5	1.1	0.2	-3.6	13.3	17.9
30	E 31.2		E 31.7	E 33.3	24.3	15.5	4.4	1.3	0.5	-3.0	13.4	18.1
31	E 29.0		E 32.2		26.3		4.1	1.2		-2.3		18.3

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	39.42	26.93	30.35	33.10	27.46	20.24	10.02	2.40	-0.44	-1.74	4.97	22.50
MAX.	42.0	35.1	36.6	35.6	32.1	29.7	15.2	4.1	0.5	1.1	13.4	29.6
MIN.	29.0	20.6	25.9	29.1	23.4	15.5	4.1	1.1	-2.1	-4.6	-1.0	12.4

E- ESTIMATED.

HIGHEST STAGE WAS 42.00 ON JAN 15 AND 16.

LOWEST STAGE WAS -4.60 ON OCT 25.

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. LOW WATER REFERENCE PLANE, 2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 5.90 FEET ON JUL. 11 AND 12, 1988.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	-0.6	22.3	37.2	E 25.5	E 21.3	36.3	E 23.9	17.0	13.4	5.0	13.8	7.4
2	-0.1	22.0	37.1	E 24.7	20.7	36.3	E 23.6	15.9	12.7	4.5	14.0	7.8
3	0.4	23.0	36.8	E 24.0	19.9	36.5	E 23.1	14.5	12.4	4.2	13.7	8.5
4	1.8	24.7	36.2	E 22.9	19.2	36.8	E 22.6	13.8	12.4	3.9	12.5	9.7
5	4.8	26.0	35.3	E 21.7	18.7	37.1	E 22.1	13.7	12.1	3.7	10.9	10.8
6	8.1	27.4	33.3	20.8	18.5	37.3	E 21.4	13.9	11.8	3.2	9.2	11.4
7	12.8	29.0	30.7	20.1	18.8	37.1	20.9	13.6	11.2	2.9	7.3	12.6
8	16.2	30.3	E 28.5	18.9	19.3	37.0	20.3	13.2	10.8	3.0	6.2	14.6
9	18.3	31.2	E 27.4	18.0	20.3	36.7	19.7	12.9	10.3	4.0	5.8	16.9
10	19.5	32.2	E 26.3	17.2	E 22.4	36.2	19.1	12.9	10.3	5.5	5.7	18.1
11	20.5	32.9	E 25.3	16.6	E 24.2	35.8	18.7	13.1	10.4	6.3	5.9	18.7
12	20.6	33.3	E 24.2	16.0	E 25.1	35.1	18.3	13.3	10.0	6.9	5.7	18.9
13	20.4	33.5	E 23.2	15.8	E 25.3	E 34.4	18.1	13.3	9.6	7.4	5.7	18.7
14	19.7	33.8	E 22.5	16.0	E 25.0	E 33.7	18.0	13.1	9.6	8.4	6.0	18.1
15	18.5	34.0	E 22.1	16.7	E 24.0	E 32.8	17.5	12.2	9.8	9.4	6.4	16.8
16	17.3	34.4	E 22.4	17.2	E 23.1	E 31.9	17.6	11.5	8.6	9.8	7.4	15.1
17	16.5	34.9	E 22.9	18.0	E 22.6	E 30.9	17.7	10.8	7.6	9.7	8.3	13.8
18	15.8	35.2	E 23.2	18.6	E 22.8	E 29.8	17.8	10.2	7.3	9.8	9.1	12.9
19	15.2	35.6	E 24.2	19.6	E 24.1	E 28.3	18.0	9.6	7.2	10.8	9.4	13.3
20	14.2	35.9	E 26.0	20.2	E 27.0	E 26.7	18.5	9.2	6.8	11.8	9.2	14.2
21	13.3	36.2	E 27.7	20.8	E 29.7	E 25.5	19.2	8.9	6.5	12.9	8.9	16.8
22	12.8	36.6	29.1	21.0	E 31.4	E 25.2	19.4	8.5	6.1	13.6	8.3	22.5
23	10.6	36.9	30.0	20.8	E 32.8	E 25.2	19.4	8.2	5.8	13.6	7.4	26.8
24	16.1	37.1	30.6	20.0	E 33.9	E 25.0	19.4	8.5	6.0	13.1	6.2	E 30.0
25	18.0	37.3	31.0	19.4	E 34.7	E 24.6	19.2	9.5	6.2	12.5	5.4	E 31.8
26	19.8	37.3	31.0	19.3	35.4	E 24.1	18.9	10.6	6.0	12.3	5.0	E 32.9
27	20.9	37.3	30.8	19.6	35.9	E 24.0	18.4	11.6	5.6	12.5	4.8	E 33.8
28	21.7	37.3	30.3	20.0	36.3	E 24.0	18.1	12.4	5.3	12.9	5.4	E 34.7
29	22.4		29.2	21.0	36.4	E 24.1	18.1	13.1	5.3	13.4	6.5	35.4
30	22.9		E 27.8	E 21.5	36.4	E 24.1	18.1	13.4	5.0	13.6	7.2	36.2
31	22.8		E 26.6		36.3		17.8	13.5		13.7		37.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	14.97	32.41	28.66	19.72	26.50	31.08	19.44	12.12	8.73	8.84	7.90	19.87
MAX.	22.9	37.3	37.2	25.5	36.4	37.3	23.9	17.0	13.4	13.7	14.0	37.0
MIN.	-0.6	22.0	22.1	15.8	18.5	24.0	17.5	8.2	5.0	2.9	4.8	7.4

E- ESTIMATED.

HIGHEST STAGE WAS 37.30 ON JUN 6.

LOWEST STAGE WAS -0.60 ON JAN 1.

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. LOW WATER REFERENCE PLANE, 2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 5.90 FEET ON JUL. 11 AND 12, 1988.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	21.8	13.7	37.2	27.0	12.8	18.9	26.8	8.4	9.7	15.4	12.0	12.5
2	23.0	13.0	37.4	27.1	12.6	19.2	26.5	8.1	10.1	15.1	10.1	11.5
3	23.4	13.0	37.4	27.4	12.7	19.8	26.0	7.8	9.9	14.4	8.3	10.8
4	23.3	13.1	37.3	27.8	14.0	20.1	25.1	8.0	9.4	13.6	7.1	10.3
5	22.5	14.0	37.2	28.4	15.6	20.1	24.7	8.4	9.2	13.1	5.6	10.1
6	21.6	15.8	36.9	29.1	17.1	19.9	24.9	8.0	9.5	13.5	4.9	9.8
7	20.7	18.0	36.8	30.1	18.3	18.8	25.0	7.4	10.2	14.4	4.9	9.5
8	19.6	19.3	36.2	31.2	19.4	17.7	24.8	6.5	10.4	14.8	5.0	8.9
9	19.0	20.3	35.5	32.4	20.2	17.2	24.2	5.4	10.0	15.1	5.6	8.2
10	E 18.6	20.9	35.0	33.3	20.3	17.1	23.3	5.2	9.3	15.2	6.0	7.3
11	18.9	21.1	34.5	34.0	20.3	17.3	22.3	5.3	8.6	15.2	6.1	6.5
12	19.9	20.8	34.2	34.5	20.2	17.8	21.1	5.7	E 7.9	14.5	5.9	5.6
13	21.6	20.2	34.0	34.8	20.2	18.2	20.0	6.0	7.6	13.9	5.9	5.2
14	22.7	19.2	33.8	35.0	20.4	19.1	18.9	5.4	8.3	12.7	6.7	5.0
15	24.6	19.4	33.7	35.1	20.9	19.6	17.8	3.7	9.9	11.3	7.4	5.0
16	26.1	20.0	33.6	35.1	21.3	20.2	16.9	2.4	11.7	9.7	8.5	5.3
17	27.6	23.4	33.5	34.9	21.6	21.0	16.1	1.2	14.2	8.8	9.1	5.3
18	28.6	27.0	33.4	34.5	21.8	22.1	15.4	0.3	15.7	8.6	9.3	5.0
19	29.5	29.6	33.1	33.8	21.9	23.3	14.9	-0.2	16.1	7.9	9.4	4.5
20	30.4	31.0	32.4	32.6	22.0	24.3	14.6	-0.4	16.1	E 7.0	10.2	3.9
21	30.8	32.2	31.4	30.9	22.3	25.1	13.6	-0.2	16.2	6.7	12.0	3.5
22	31.0	33.0	29.1	28.3	22.2	25.7	11.9	0.0	16.4	7.3	13.7	E 2.4
23	30.7	33.5	27.9	24.9	22.0	26.2	10.2	0.3	16.7	8.6	15.0	E 1.0
24	30.3	34.1	26.4	21.9	21.5	26.7	9.5	0.6	16.7	10.5	16.5	E 0.1
25	29.7	34.7	25.5	19.3	21.0	27.1	9.3	1.1	16.0	13.0	17.2	E -0.5
26	28.4	35.5	25.3	17.4	20.8	27.3	9.2	2.2	15.1	15.0	17.3	E 0.0
27	26.4	36.3	25.4	16.4	20.5	27.5	9.5	3.6	14.3	16.4	16.2	E -0.5
28	23.5	36.9	25.6	15.4	20.0	27.6	9.7	5.4	13.9	17.2	15.5	-0.5
29	19.8		25.9	14.5	19.4	27.6	9.6	6.3	13.9	17.0	14.5	-0.4
30	17.1		26.7	13.7	19.0	27.3	9.2	7.6	14.6	16.0	13.6	-0.4
31	15.0		27.0		18.8		8.9	9.1		14.2		-0.4

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	24.06	23.89	32.23	28.02	19.38	21.98	17.41	4.46	12.25	12.77	9.98	4.98
MAX.	31.0	36.9	37.4	35.1	22.3	27.6	26.8	9.1	16.7	17.2	17.3	12.5
MIN.	15.0	13.0	25.3	13.7	12.6	17.1	8.9	-0.4	7.6	6.7	4.9	-0.5

E- ESTIMATED.

HIGHEST STAGE WAS 37.40 ON MAR 2 AND 3.

LOWEST STAGE WAS -0.50 ESTIMATED ON DEC 27 AND 28.

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. LOW WATER REFERENCE PLANE, 2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.87 FEET ON JAN. 21, 1981.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	32.1	22.4	18.7	10.4	10.8	4.2	-5.6	E -2.5	-4.6	-0.2	-2.5	22.2
2	32.5	19.8	18.1	11.8	10.2	3.9	-5.6	-3.0	-4.5	0.4	-2.7	21.0
3	32.3	18.0	16.8	15.0	9.5	3.4	-5.3	-3.5	-4.3	0.8	-3.1	19.7
4	31.9	17.2	15.7	18.2	9.0	2.0	-5.2	-4.1	-4.2	1.1	-3.7	18.3
5	30.8	19.2	14.5	19.6	8.3	1.2	-5.3	-4.6	-4.1	0.2	-4.0	16.6
6	29.2	22.3	13.6	20.2	7.8	0.4	-5.4	-5.2	-4.2	0.0	-3.9	15.2
7	E 27.4	24.4	13.1	20.5	7.5	-0.4	-5.5	-5.5	-4.3	-0.9	-3.6	13.9
8	E 25.3	25.6	13.6	21.0	7.4	-0.9	-5.6	-5.6	-4.4	-1.7	-2.8	12.7
9	E 23.2	26.5	15.6	21.8	7.2	-0.9	-5.7	-5.1	-4.3	-2.4	-2.6	11.5
10	E 21.3	26.8	18.0	22.7	7.0	-1.1	-5.8	-4.6	-4.2	-2.7	-1.6	10.1
11	E 19.0	26.9	20.0	23.4	7.0	-1.3	-5.9	-4.2	-4.0	-2.7	-0.7	8.2
12	15.8	27.0	21.6	23.9	7.2	-2.0	-5.9	-4.4	E -3.8	-2.6	0.3	6.2
13	13.4	27.0	22.7	24.0	7.5	-2.3	E -5.5	-5.1	-3.7	-2.6	1.4	4.6
14	11.2	26.8	22.0	23.9	7.8	-2.6	E -4.4	-5.6	-3.9	-3.0	2.3	4.0
15	9.6	26.4	E 21.3	23.7	7.8	-2.7	-4.1	-5.8	-4.2	-3.8	2.5	3.5
16	8.7	25.5	20.0	23.4	7.5	-2.9	-4.0	-5.7	-4.6	-4.5	2.7	3.1
17	8.4	23.7	19.5	E 23.2	7.0	-3.1	-4.2	-5.4	-5.1	-5.0	3.0	2.7
18	8.2	21.2	18.4	22.6	6.6	-3.4	-4.6	-5.2	E -4.7	-4.8	3.2	1.8
19	8.1	19.6	18.0	21.7	5.8	-3.7	-4.7	-4.9	E -4.0	-5.0	3.2	0.4
20	10.0	18.5	17.6	20.2	5.2	-4.0	-4.5	-4.5	E -3.2	-4.6	6.2	-0.5
21	11.4	17.9	17.1	E 18.8	4.7	-4.1	-4.6	-4.2	E -3.0	E -4.2	9.1	-1.6
22	13.3	17.2	16.4	E 17.7	4.2	-4.1	-4.5	-4.8	-4.1	-3.8	10.5	-2.1
23	15.7	17.0	15.0	E 16.9	3.8	-4.0	-4.7	-4.2	-4.6	-3.8	12.7	-2.4
24	21.6	17.1	13.6	E 16.3	3.6	-4.1	-3.2	-3.5	-4.0	-4.1	16.0	-2.4
25	24.6	17.5	12.7	E 15.6	3.8	-4.2	E -1.0	-3.6	-3.4	-4.2	19.0	-1.0
26	26.4	18.2	11.7	E 14.9	4.1	-4.3	0.5	-3.4	-1.2	-4.2	20.6	0.4
27	27.0	18.9	10.7	14.0	4.5	-4.6	0.8	-3.8	-1.3	-3.2	22.3	2.4
28	27.2	19.3	9.8	13.2	4.8	-4.9	0.2	-4.1	-1.3	-2.5	22.9	5.8
29	27.1	19.2	9.0	12.2	4.9	-5.1	-0.9	-4.3	-1.0	-2.6	23.2	10.6
30	26.4		8.8	11.5	5.0	-5.3	-2.2	-4.5	-0.6	-2.6	23.0	15.0
31	24.7		9.3		4.5		E -2.3	-4.6		-2.6		19.2

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	20.76	21.62	15.89	18.73	6.51	-2.03	-4.02	-4.50	-3.63	-2.64	5.76	7.71
MAX.	32.5	27.0	22.7	24.0	10.8	4.2	0.8	-2.5	-0.6	1.1	23.2	22.2
MIN.	8.1	17.0	8.8	10.4	3.6	-5.3	-5.9	-5.8	-5.1	-5.0	-4.0	-2.4

E- ESTIMATED.

HIGHEST STAGE WAS 32.50 ON JAN. 2.

LOWEST STAGE WAS -5.90 ON JUL. 11 AND 12.

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. LOW WATER REFERENCE PLANE, 2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.87 FEET ON JAN. 21, 1981.
DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 138.62 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	19.2	14.9	19.2	16.4	23.8	11.0	6.7	3.2	1.8	3.1	A	4.4
2	19.8	13.9	21.4	17.0	22.6	11.1	6.3	3.5	2.7	2.2	A	4.6
3	20.2	13.1	24.2	17.9	21.6	12.0	5.7	3.6	4.5	1.4	A	5.5
4	20.0	13.0	26.3	19.2	20.8	13.0	5.3	3.8	6.8	1.1	A	6.3
5	19.0	13.0	27.9	20.4	20.2	14.1	5.3	4.3	7.8	0.7	A	6.9
6	17.5	13.3	29.1	21.1	19.3	14.9	5.4	4.7	8.1	0.6	A	7.6
7	16.4	14.1	29.8	21.9	18.5	15.0	6.2	4.5	8.0	0.5	A	8.2
8	15.4	15.3	30.5	22.4	17.4	14.6	7.4	4.5	7.0	0.3	A	8.9
9	14.4	15.8	30.8	22.6	16.1	14.3	8.4	4.6	6.1	0.1	A	8.9
10	13.9	15.9	30.6	22.6	15.5	13.6	10.0	4.8	5.2	A	A	8.4
11	13.3	15.8	30.2	22.5	15.3	12.7	11.5	4.9	4.3	A	-0.8	7.9
12	12.8	15.6	29.4	22.2	15.4	12.1	13.6	4.6	3.5	A	-0.6	7.3
13	12.0	15.1	28.3	22.0	15.0	11.2	14.5	3.0	3.1	A	-0.2	7.0
14	11.2	14.7	26.9	22.2	14.3	10.3	14.2	2.4	3.3	A	A	6.7
15	10.0	14.0	24.9	22.8	13.3	9.6	13.9	2.0	3.5	A	1.0	6.5
16	9.7	13.6	23.1	23.3	12.2	9.3	13.5	1.6	3.2	A	1.8	6.7
17	9.5	13.1	21.0	24.1	10.8	9.3	13.5	1.4	2.6	A	2.5	7.3
18	9.3	12.6	20.3	25.5	9.8	9.5	13.8	1.2	2.3	A	3.1	7.9
19	9.2	12.1	19.7	27.1	9.2	9.0	14.1	1.0	2.3	A	2.9	8.3
20	9.0	11.7	19.1	28.5	8.4	8.3	14.0	1.0	2.7	A	2.7	8.8
21	8.7	11.4	18.0	29.5	8.0	7.9	13.6	2.0	2.8	A	2.5	8.8
22	8.8	11.2	17.0	29.9	7.6	7.7	13.0	2.3	2.4	A	2.5	8.7
23	9.6	11.1	16.2	30.0	7.4	7.3	12.1	3.1	2.2	A	2.4	8.9
24	11.4	11.5	16.0	30.1	7.3	6.5	11.1	4.0	2.5	A	2.4	9.5
25	13.3	12.3	16.7	30.1	7.5	5.8	9.9	4.5	3.2	A	2.1	11.9
26	15.5	13.4	17.5	29.9	8.6	5.5	8.5	4.7	4.6	A	1.8	17.5
27	16.8	15.0	18.1	29.5	10.1	5.8	7.2	4.9	5.4	A	1.8	21.1
28	17.4	17.0	18.0	28.9	11.0	6.2	6.0	5.0	5.5	A	2.5	24.5
29	17.8		17.2	27.8	11.5	6.8	5.0	4.2	5.1	A	3.4	27.7
30	17.5		16.8	25.9	11.7	6.9	4.2	3.1	4.2	A	4.2	29.7
31	16.4		16.2		11.5		3.6	2.4		A		31.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	14.03	13.69	22.59	24.44	13.60	10.04	9.59	3.37	4.22			11.07
MAX.	20.2	17.0	30.8	30.1	23.8	15.0	14.5	5.0	8.1			31.0
MIN.	8.7	11.1	16.0	16.4	7.3	5.5	3.6	1.0	1.8			4.4

A- NO RECORD.

HIGHEST STAGE WAS 31.00 ON DEC 31.

LOWEST STAGE WAS NOT DETERMINED.

DAILY STAGES FOR 1986

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. LOW WATER REFERENCE PLANE, 2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.87 FEET ON JAN. 21, 1981.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	17.0	15.3	25.3	23.4	17.0	24.6	9.8	10.8	3.9	16.1	21.0	22.2
2	15.6	14.4	24.9	21.8	16.5	24.4	9.5	10.2	E 4.0	17.3	21.0	24.5
3	14.3	13.5	24.6	20.5	15.8	24.0	9.5	9.8	E 4.0	17.6	21.1	26.2
4	13.5	12.5	24.1	19.4	14.5	23.2	9.7	9.4	3.8	17.9	21.1	27.2
5	12.4	11.7	22.9	18.6	13.6	22.7	10.1	8.8	3.6	E 18.5	21.0	27.6
6	11.9	13.3	22.0	18.0	13.4	22.2	10.9	8.2	3.4	19.6	20.9	27.9
7	11.7	17.5	20.8	17.2	13.7	21.7	12.2	7.8	3.1	21.3	20.6	28.3
8	11.3	20.4	19.6	16.5	14.1	20.6	14.0	7.5	3.5	22.6	20.9	28.6
9	10.9	23.1	18.5	16.2	14.3	20.1	15.5	E 7.2	4.4	24.4	21.1	28.9
10	10.8	24.9	17.2	16.0	14.2	20.0	16.5	E 6.7	5.0	26.0	20.8	29.2
11	10.8	26.0	16.3	16.3	14.2	20.3	16.8	6.3	4.8	27.1	20.6	29.4
12	10.3	26.9	15.4	16.9	14.2	E 21.1	16.3	6.1	4.4	28.2	21.3	29.5
13	E 9.6	27.4	15.4	17.3	14.3	22.4	15.3	6.0	3.6	29.0	22.5	29.6
14	8.8	27.8	15.8	17.4	14.5	23.2	15.3	6.1	3.3	29.4	23.5	29.9
15	8.2	28.2	16.4	17.3	14.6	23.1	16.3	6.1	2.8	29.6	24.4	30.2
16	7.9	28.2	17.5	17.2	14.5	22.5	17.7	6.0	3.2	29.5	25.2	30.2
17	7.7	28.1	20.2	17.1	15.0	21.7	19.3	5.8	3.5	29.3	25.8	29.9
18	7.5	27.9	22.6	16.6	16.5	20.7	20.3	5.6	3.1	28.9	25.8	29.4
19	7.4	27.6	24.0	16.4	19.1	20.0	20.8	5.2	2.8	28.4	25.4	29.0
20	7.1	27.1	25.6	16.4	20.6	19.5	21.4	5.0	3.4	27.8	24.3	28.5
21	6.9	26.5	26.6	16.3	20.9	19.0	21.4	5.1	4.6	27.2	22.8	28.3
22	7.0	25.9	27.6	16.3	20.6	18.0	20.9	6.0	5.8	26.6	20.9	27.3
23	7.1	25.5	28.3	16.3	20.4	17.0	20.1	6.7	6.4	25.9	19.1	25.9
24	7.6	25.4	28.6	16.5	20.6	16.0	18.8	7.2	6.6	E 25.2	17.9	24.4
25	8.5	25.4	28.7	17.1	21.2	15.3	17.6	7.2	6.8	24.7	17.0	22.8
26	10.0	25.6	28.8	17.3	22.5	14.3	16.4	6.8	7.8	23.8	16.6	21.3
27	12.0	25.8	28.8	17.3	23.4	13.3	15.3	6.4	9.4	23.0	17.0	20.2
28	13.2	25.7	28.8	17.3	24.1	12.4	14.0	6.1	11.2	22.4	17.4	19.2
29	14.4		28.5	17.3	24.7	11.3	13.0	5.4	13.1	22.0	17.8	18.6
30	15.3		27.4	17.2	24.9	10.4	12.4	4.8	15.2	21.7	19.5	18.4
31	15.8		25.2		24.8		11.5	4.2		21.4		18.7

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	10.71	23.11	23.09	17.50	17.81	19.49	15.42	6.77	5.33	24.26	21.13	26.15
MAX.	17.0	28.2	28.8	23.4	24.9	24.6	21.4	10.8	15.2	29.6	25.8	30.2
MIN.	6.9	11.7	15.4	16.0	13.4	10.4	9.5	4.2	2.8	16.1	16.6	18.4

E- ESTIMATED.

HIGHEST STAGE WAS 30.20 ON DEC. 15 AND 16.
LOWEST STAGE WAS 2.80 ON SEP. 19.

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. LOW WATER REFERENCE PLANE, 2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.87 FEET ON JAN. 21, 1981.
DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 138.62 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	29.0	E 11.2	32.2	25.6	E 20.0	15.8	E 12.9	3.6	10.8	3.6	14.4	34.3
2	29.2	E 11.2	33.3	26.6	E 20.1	15.8	E 12.6	3.9	10.0	4.2	14.7	34.2
3	29.7	E 10.5	34.4	27.6	E 20.3	14.8	E 11.9	4.4	9.4	4.4	15.1	34.2
4	30.9	E 10.1	35.6	29.2	E 20.6	14.0	E 11.0	5.0	9.1	4.7	14.1	34.0
5	32.0	E 10.0	36.4	30.5	21.3	13.6	E 10.3	6.2	8.7	5.1	14.6	34.0
6	32.8	E 14.5	37.0	31.6	22.5	13.6	E 10.1	7.3	8.1	5.3	14.7	34.1
7	33.5	16.7	37.6	32.4	23.4	14.0	E 10.5	7.4	7.6	5.9	15.2	34.2
8	33.7	18.3	38.0	33.1	24.4	14.8	E 10.7	7.5	7.9	7.0	16.2	34.4
9	33.6	18.8	38.3	33.5	24.8	15.8	E 10.8	7.6	8.8	7.9	16.6	34.4
10	33.1	19.0	38.6	33.8	24.6	16.5	E 10.4	7.0	8.3	8.1	17.1	34.5
11	32.3	19.0	38.8	34.0	24.0	17.1	E 9.9	6.0	7.2	8.1	17.8	34.6
12	31.5	19.1	39.0	34.2	23.0	17.3	E 9.6	5.5	6.1	8.0	18.5	34.6
13	30.6	19.1	39.1	34.2	21.8	17.3	E 9.3	5.5	5.3	7.6	19.1	34.4
14	29.6	19.5	39.1	34.1	E 20.0	18.1	E 9.5	5.6	4.7	7.3	20.0	34.2
15	28.5	20.0	38.9	33.6	E 18.3	18.5	E 9.8	5.5	4.1	7.0	21.0	33.9
16	27.4	20.8	38.6	32.9	E 17.1	19.2	10.0	5.5	3.2	7.2	21.9	33.6
17	25.7	21.8	38.3	31.8	E 16.4	19.1	9.9	5.3	2.8	10.7	22.7	33.3
18	23.5	22.1	37.7	30.9	E 15.9	18.4	9.5	4.6	2.4	13.7	23.6	32.8
19	21.7	22.0	37.3	29.4	E 16.2	17.4	8.9	5.5	2.0	14.9	24.7	31.9
20	19.1	21.8	37.0	28.0	E 16.6	16.8	8.2	7.0	1.8	15.5	26.4	30.8
21	18.3	21.2	36.8	26.6	E 17.0	16.3	7.7	8.6	1.6	15.6	27.7	29.9
22	17.1	20.8	36.4	24.6	E 17.2	16.2	7.3	9.7	1.7	15.4	29.0	29.1
23	16.0	20.4	36.1	24.1	E 17.4	16.7	6.8	10.3	1.9	15.2	30.1	28.5
24	E 14.9	20.7	35.6	24.0	E 17.4	17.0	6.4	10.8	1.9	16.0	31.1	28.0
25	E 14.3	22.9	34.6	23.1	E 17.4	16.6	5.4	10.9	2.0	16.9	31.9	26.0
26	E 14.0	26.0	33.4	22.4	E 17.3	15.6	4.7	10.7	2.3	17.3	32.7	25.0
27	E 13.0	28.8	31.7	21.3	E 16.7	14.5	4.3	10.4	2.7	17.5	33.2	23.0
28	E 12.5	30.9	29.9	E 20.4	E 16.0	13.8	4.4	10.8	2.8	17.4	33.9	22.3
29	E 11.9		28.4	E 20.1	E 15.4	E 13.3	4.1	11.0	2.8	16.7	34.2	20.5
30	E 11.5		26.8	E 20.2	15.3	E 13.1	3.7	10.8	3.2	15.8	34.3	18.9
31	E 11.2		25.8		15.5		3.7	11.0		15.1		18.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	23.93	19.18	35.50	28.45	19.16	16.02	8.52	7.44	5.03	10.80	22.87	30.50
MAX.	33.7	30.9	39.1	34.2	24.8	19.2	12.9	11.0	10.8	17.5	34.3	34.6
MIN.	11.2	10.0	25.8	20.1	15.3	13.1	3.7	3.6	1.6	3.6	14.1	18.0

E- ESTIMATED.

HIGHEST STAGE WAS 39.09 ON MAR 14.

LOWEST STAGE WAS 1.59 ON SEP 21.

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. LOW WATER REFERENCE PLANE, 2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.87 FEET ON JAN. 21, 1981.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	17.8	15.8	27.4	35.3	36.8	36.9	23.6	14.6	6.7	5.8	15.5	20.3
2	17.2	16.5	26.7	35.9	37.5	35.6	23.6	14.5	6.4	4.8	15.6	21.7
3	17.1	16.7	26.5	36.4	38.4	34.2	23.5	14.4	6.2	4.0	16.2	23.1
4	17.4	16.3	26.5	37.1	39.1	32.6	23.3	14.0	6.1	3.3	17.3	23.9
5	17.6	15.4	27.5	37.6	39.5	31.6	23.0	13.4	6.2	3.0	20.3	24.0
6	17.9	14.5	28.4	37.9	39.7	30.9	23.0	13.0	6.5	3.1	22.0	23.9
7	17.6	13.8	29.0	38.1	39.8	30.5	23.2	12.6	6.9	3.8	23.1	23.4
8	16.6	13.4	29.6	38.3	40.2	29.7	23.7	12.3	6.9	4.0	23.8	22.6
9	15.8	13.7	30.1	38.6	40.7	28.5	24.1	12.1	6.1	4.3	24.1	20.8
10	14.8	14.0	30.7	38.9	41.0	27.1	24.3	12.1	5.8	4.5	24.1	19.7
11	14.2	14.2	31.0	39.2	41.2	25.0	24.5	12.0	5.5	4.7	23.8	18.3
12	13.8	14.1	31.1	39.4	41.7	23.3	24.5	11.4	4.9	4.7	22.4	17.3
13	13.6	14.7	30.8	39.5	42.1	22.2	24.7	11.0	4.5	4.4	21.5	16.3
14	13.7	14.9	30.3	39.6	42.6	21.0	24.5	10.7	4.9	4.0	20.9	15.4
15	13.9	15.3	29.4	39.5	43.2	20.8	24.0	10.6	5.8	3.7	20.8	14.8
16	13.7	16.2	28.1	39.4	43.6	21.0	23.3	10.6	6.3	3.4	20.9	14.6
17	13.2	18.0	26.4	39.4	44.1	21.6	22.8	11.0	6.5	3.4	21.0	15.4
18	12.8	20.0	24.7	39.4	44.3	22.0	22.2	11.8	6.3	3.7	21.0	16.7
19	12.1	22.4	23.8	39.2	44.5	22.2	21.7	12.3	5.5	4.1	21.1	17.4
20	11.7	24.5	23.9	38.9	44.6	22.4	21.2	12.5	4.7	4.9	20.5	18.6
21	11.3	25.8	25.5	38.5	44.6	22.5	20.4	12.6	4.8	5.7	19.6	20.1
22	10.8	26.7	26.8	37.8	44.6	22.5	19.6	12.5	5.2	7.2	18.8	21.3
23	10.8	27.3	28.4	36.7	44.5	22.6	18.7	12.0	5.4	8.9	19.9	22.4
24	10.7	27.9	29.9	35.8	44.2	22.9	18.4	11.1	5.3	11.2	21.3	23.8
25	10.7	28.4	31.1	35.0	43.9	23.2	17.8	10.5	4.7	13.7	22.5	25.7
26	10.5	28.9	32.2	34.4	43.4	23.6	17.0	9.6	4.2	16.1	23.1	27.1
27	10.3	29.1	32.9	34.4	42.8	23.6	16.5	8.6	4.7	17.0	22.9	27.9
28	10.3	28.9	33.5	34.8	41.8	23.6	15.6	7.9	5.5	17.1	22.1	28.7
29	11.2	28.2	34.1	35.4	40.8	23.6	15.2	7.4	6.5	16.9	21.0	28.9
30	12.9		34.5	36.3	39.4	23.5	15.0	7.1	6.6	16.5	20.0	29.0
31	14.5		34.8		38.4		14.8	6.8		16.0		29.1

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	13.75	19.84	29.21	37.55	41.71	25.69	21.21	11.38	5.72	7.35	20.90	21.68
MAX.	17.9	29.1	34.8	39.6	44.6	36.9	24.7	14.6	6.9	17.1	24.1	29.1
MIN.	10.3	13.4	23.8	34.4	36.8	20.8	14.8	6.8	4.2	3.0	15.5	14.6

HIGHEST STAGE WAS 44.60 ON MAY 21.
LOWEST STAGE WAS 3.00 ON OCT. 5.

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. LOW WATER REFERENCE PLANE,
2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1938,
THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.87 FEET ON JAN. 21, 1981.
DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 138.62 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	36.4	18.8	20.2	24.1	39.7	45.3	18.8	14.0 E	4.5	2.0	14.5	24.7
2	37.3	18.5	20.0	24.0	39.1	45.2	18.3	12.8 E	4.8	2.3	12.2	25.8
3	37.9	18.2	19.9	24.4	39.0	45.0	17.9	11.5 E	5.1	3.0	11.5	27.4
4	38.5	18.2	19.5	25.0	39.1	44.8	17.7	10.7 E	5.0	3.3	9.5	29.1
5	38.9	18.2	19.5	25.9	39.4	44.4	18.4	10.1 E	5.3	3.5	8.4	30.0
6	39.1	18.7	19.4	27.1	39.8	43.9	19.6	9.5 E	5.4	3.5	7.5	30.6
7	39.1	20.2	19.2	28.2	40.5	43.0	20.2	9.0 E	4.8	3.4	6.5	31.2
8	39.1	21.5	19.3	29.5	41.4	42.1	20.4	8.5 E	3.7	3.2	6.5	31.7
9	38.4	22.5	19.9 E	30.9	42.5	41.1	20.5	8.5 E	2.8	2.8	7.3	32.2
10	37.1	23.8	21.1 E	32.0	43.2	40.0	20.3	8.5 E	2.4	2.2	8.7	32.6
11	35.8	23.7	22.4 E	33.5	43.9	38.4	19.9	8.4 E	2.8	1.4 E	10.2	32.8
12	E 33.7	23.8	23.3 E	34.7	44.4	36.8	19.6	8.3 E	3.4	1.2 E	10.9	32.7
13	E 31.4	23.6	23.9	35.7	44.8 E	34.3	19.1	8.5 E	3.6	1.3	10.8	32.3
14	28.8	23.1	24.2	36.6	44.9 E	31.9	18.7	8.0 E	3.1	1.0	9.9	31.9
15	27.0	22.6 E	24.1	37.8	45.1	29.1	18.4 E	7.4	2.4	0.8	9.5	31.5
16	24.7	22.0 E	23.8	38.7	45.4	26.7	18.0 E	7.2	1.9	0.6	9.3	31.2
17	22.8	21.6 E	23.3	39.4	45.4	24.9	17.4 E	6.8	2.0	0.9	10.0	31.1
18	21.2	21.2	22.8	40.3	45.4	23.0	16.7 E	6.5	2.5	1.3	11.0	31.0
19	20.3	21.0	22.4	40.7	45.4	21.6	16.0 E	6.4	2.2	1.4	12.0	30.7
20	19.3	20.7	21.7	40.9	45.5	20.4	15.6 E	6.4	1.1	1.5	12.5	30.2
21	18.5	20.1	20.9	41.0	45.5	19.9	14.9 E	6.2	0.5	2.2	12.7	29.5
22	17.6	19.8	20.3	41.0	45.5	19.7	14.6 E	5.8	0.4	2.6	12.6	29.0
23	16.6	20.2	20.0	41.2	45.5	19.8	14.7 E	5.2	0.8	3.0	13.5	27.3
24	15.9	20.7	20.2	41.3	45.4	20.1	14.7 E	5.0	1.1	4.2	15.7	26.6
25	15.5	20.9	20.9	41.3	45.2	20.6	14.3 E	4.7	1.2	6.5	17.3	24.6
26	15.8	20.7	21.9	41.2	45.2	21.0	13.8 E	4.6	1.5	9.1	18.5	23.0
27	16.8	20.3	22.9	41.1	45.2	21.0	13.7 E	4.7	1.5	11.8	19.9	21.6
28	18.0	20.2	23.7	40.9	45.3	20.4	14.0 E	5.0	2.0	14.0	21.8	20.6
29	18.9		23.9	40.6	45.4	20.0	14.5 E	5.0	2.0	15.2	23.5	20.0
30	19.3		24.0	40.1	45.4	19.3	15.3 E	5.0	1.8	15.5	24.1	19.5
31	19.4		24.2		45.3		15.0 E	4.7		15.2		18.8

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	27.06	20.88	21.70	35.30	43.63	30.79	17.12	7.51	2.72	4.51	12.61	28.10
MAX.	39.1	23.8	24.2	41.3	45.5	45.3	20.5	14.0	5.4	15.5	24.1	32.8
MIN.	15.5	18.2	19.2	24.0	39.0	19.3	13.7	4.6	0.4	0.6	6.5	18.8

E- ESTIMATED.

HIGHEST STAGE WAS 45.50 ON MAY 20 AND SUBSEQUENT DAYS.

LOWEST STAGE WAS 0.40 ON SEP. 22.

DAILY STAGES FOR 1982

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. LOW WATER REFERENCE PLANE, 2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.87 FEET ON JAN. 21, 1981.
DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 138.62 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	16.0	29.5	33.9	E 36.6	23.2	21.2	16.0	16.5	10.4	8.2	6.7	20.5
2	16.4	30.1	34.2	E 36.7	22.2	21.7	15.0	15.3	11.3	7.6	6.7	21.6
3	16.2	31.0	34.3	E 36.5	21.7	22.8	14.9	14.1	12.4	7.4	6.9	22.7
4	15.6	31.8	34.1	E 36.4	21.2	24.7	14.9	13.7	13.6	6.9	6.9	24.1
5	14.9	32.3	33.9	E 36.0	20.7	26.8	15.5	13.3	15.4	6.3	7.0	26.2
6	14.8	32.8	33.4	35.3	20.0	27.6	16.0	12.8	17.9	5.8	7.2	28.8
7	15.5	32.8	32.5	34.3	19.5	28.3	16.6	12.5	19.9	5.5	7.7	E 31.1
8	20.0	32.5	31.3	33.5	19.2	28.5	E 17.3	11.8	20.6	5.4	8.6	E 32.7
9	21.4	32.1	29.6	32.8	E 18.7	28.3	E 18.3	11.4	19.9	5.4	9.9	E 33.9
10	23.0	31.8	28.2	32.2	E 18.5	28.0	E 19.5	11.2	18.5	5.4	10.5	E 34.7
11	24.0	31.5	27.0	31.4	E 18.2	27.8	20.5	10.9	16.9	5.3	10.6	35.7
12	24.3	31.2	26.0	31.0	E 18.0	27.6	21.5	10.9	15.0	5.3	10.5	36.5
13	24.4	31.1	25.2	29.9	E 17.7	27.9	21.1	11.7	13.3	5.4	10.5	36.8
14	24.0	31.0	24.6	28.6	E 17.5	28.3	20.6	13.0	11.4	5.6	9.7	37.1
15	22.8	30.8	24.4	27.6	E 17.5	28.8	20.1	13.1	10.3	6.4	8.6	37.4
16	21.5	30.6	24.3	26.6	E 17.5	28.9	E 19.3	13.4	9.0	7.0	8.0	37.4
17	19.0	30.2	25.0	26.2	E 17.1	29.3	E 18.2	12.9	10.0	8.0	8.0	37.2
18	16.2	29.6	26.1	25.8	E 16.3	29.3	E 17.4	11.9	10.5	8.7	8.6	36.8
19	14.3	28.8	27.5	25.6	15.5	29.1	E 16.6	10.7	10.8	9.3	9.4	36.4
20	12.9	28.0	29.0	25.5	14.8	28.8	E 16.0	10.5	11.4	9.0	10.6	35.6
21	11.6	28.0	30.7	25.7	14.3	28.2	E 15.7	12.5	12.2	9.0	12.4	35.0
22	10.9	28.1	31.8	25.9	14.6	27.9	15.8	14.3	12.5	8.9	13.5	E 34.6
23	10.4	29.0	32.5	26.4	15.5	27.4	16.1	14.7	12.6	8.6	14.0	E 34.0
24	10.8	30.0	33.5	26.7	16.1	26.7	16.6	14.4	12.3	8.4	14.5	E 33.5
25	12.4	31.1	34.2	27.0	17.6	25.6	E 17.5	13.3	11.7	8.0	15.3	E 33.1
26	18.5	32.0	34.8	27.1	19.0	24.5	E 18.4	11.9	11.3	7.6	15.9	E 33.0
27	22.3	32.6	35.2	26.8	19.5	22.8	E 19.1	10.7	10.8	7.4	16.4	E 33.2
28	24.8	33.8	E 35.7	26.0	19.8	20.8	E 19.5	10.2	10.3	7.0	17.3	E 33.6
29	26.6		E 36.0	25.1	20.0	E 19.3	E 19.6	9.5	9.8	6.6	18.6	E 34.4
30	27.7		E 36.3	24.0	20.5	E 17.5	E 19.0	9.4	8.9	6.5	19.6	35.1
31	28.5		E 36.5		21.0		E 17.8	9.7		6.8		35.7

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	18.76	30.86	31.02	29.64	18.48	26.14	17.75	12.32	13.02	7.05	11.00	32.85
MAX.	28.5	33.8	36.5	36.7	23.2	29.3	21.5	16.5	20.6	9.3	19.6	37.4
MIN.	10.4	28.0	24.3	24.0	14.3	17.5	14.9	9.4	8.9	5.3	6.7	20.5

E- ESTIMATED.

HIGHEST STAGE WAS 37.38 ON DEC 16.

LOWEST STAGE WAS 5.29 ON OCT 12.

DAILY STAGES FOR 1981

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. LOW WATER REFERENCE PLANE, 2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.7 FEET ON JAN. 4, 1964.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	E 0.6	E 0.4	20.4	E 4.7	E 22.2	E 28.8	E 23.8	20.9	7.0	E 2.9	7.5	5.5
2	E 0.1	E 1.0	21.2	E 4.9	21.2	E 27.9	23.6	21.6	7.0	E 3.2	8.1	E 5.8
3	E -0.0	E 2.3	E 22.3	5.8	20.0	E 27.1	23.3	22.8	E 7.2	E 3.6	9.4	6.5
4	E -0.1	E 3.4	E 22.9	6.8	E 18.7	E 26.6	22.8	23.5	E 7.9	E 4.0	10.5	7.4
5	E -0.1	E 4.1	E 23.4	8.5	17.5	26.4	22.2	23.8	8.9	E 4.3	10.9	9.0
6	E 0.1	5.7	E 23.4	E 9.9	15.9	26.8	21.5	23.3	10.5	E 4.3	10.9	10.7
7	E 0.6	6.9	23.3	E 10.3	15.5	27.7	21.1	22.3	E 12.3	E 4.1	10.6	11.7
8	E 0.6	9.5	23.0	9.8	15.4	E 28.3	21.0	20.8	13.9	E 3.9	9.9	12.3
9	E 0.3	11.8	E 22.5	9.4	15.6	E 28.9	21.3	19.4	14.5	E 3.9	E 10.1	12.8
10	E -0.3	13.5	E 21.7	E 10.2	16.0	E 29.5	21.9	17.9	14.6	E 4.2	E 11.7	13.0
11	E -0.9	13.2	E 20.8	11.6	E 16.0	30.1	22.6	16.9	14.6	E 4.4	E 12.6	12.9
12	E -1.1	12.8	19.9	12.7	E 15.5	30.4	23.2	16.6	14.4	E 4.5	E 12.5	12.3
13	E -1.1	11.9	19.3	13.4	E 14.9	30.4	23.4	16.1	13.5	E 4.4	11.7	11.9
14	E -1.2	10.7	18.6	E 13.4	14.5	30.2	23.0	15.8	12.3	E 4.4	10.7	10.9
15	E -1.2	9.7	17.8	E 12.8	14.5	E 29.9	21.9	15.6	10.9	E 4.5	9.8	8.9
16	E -1.3	9.0	E 16.5	E 12.2	14.8	E 29.6	E 20.4	14.7	10.0	4.7	E 8.9	8.4
17	E -1.3	8.8	E 14.9	12.0	15.5	29.4	E 18.9	13.7	9.4	4.7	8.2	7.7
18	E -1.3	E 8.8	E 13.1	12.6	16.8	29.4	17.5	E 13.0	8.8	4.7	E 7.5	7.4
19	E -1.4	E 9.3	E 11.4	14.3	E 17.3	29.3	16.0	E 12.4	8.4	4.8	6.7	7.2
20	E -1.6	9.8	E 9.5	16.6	E 18.0	29.2	E 15.2	E 12.0	7.8	5.3	5.8	6.6
21	E -1.9	10.1	8.0	E 18.8	E 19.7	29.0	15.0	E 11.7	7.5	E 5.4	5.0	6.4
22	E -1.9	10.0	7.3	E 20.3	E 22.7	E 28.7	15.1	11.3	7.2	E 5.9	4.4	6.3
23	E -1.8	E 10.5	6.9	21.5	25.6	E 28.4	15.0	11.0	6.8	6.7	3.8	6.0
24	E -1.6	E 12.6	E 6.4	22.0	27.7	28.1	15.5	11.0	6.2	7.2	3.6	E 5.6
25	E -1.5	E 15.3	5.8	22.5	E 29.2	27.6	17.0	E 10.6	5.4	7.3	3.5	5.4
26	E -1.4	E 17.5	E 5.6	23.1	E 30.4	26.9	18.3	E 9.7	E 4.8	7.5	3.9	5.8
27	E -1.2	E 18.7	5.3	E 23.4	E 31.0	26.3	19.0	E 9.0	E 4.4	7.7	4.6	8.2
28	E -1.3	19.4	E 4.6	E 23.4	31.1	25.6	E 19.5	8.6	E 3.9	7.5	5.0	10.6
29	E -1.1		E 3.7	E 23.2	30.7	E 25.3	E 19.8	8.4	E 3.2	7.3	5.3	12.8
30	E -0.4		E 3.7	E 22.9	30.2	E 24.1	E 20.1	7.9	E 2.9	7.2	5.2	13.9
31	E 0.1		E 4.2		29.6		E 20.4	E 7.4		7.3		15.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	-0.79	9.87	14.43	14.42	20.76	28.19	19.98	15.14	8.87	5.22	7.94	9.18
MAX.	0.6	19.4	23.4	23.4	31.1	30.4	23.8	23.8	14.6	7.7	12.6	15.0
MIN.	-1.9	0.4	3.7	4.7	14.5	24.1	15.0	7.4	2.9	2.9	3.5	5.4

E- ESTIMATED.

HIGHEST STAGE WAS 31.10 ON MAY 28.

LOWEST STAGE WAS -1.87 ON JAN. 21.

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. LOW WATER REFERENCE PLANE, 2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.7 FEET ON JAN. 4, 1964.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	23.4	18.7	17.0	36.2	25.3	17.6	13.3	8.6	15.5	7.4	4.0	7.2
2	24.0	17.7	18.0	36.4	22.8	17.0	13.0	7.5	13.0	7.2	4.5	7.8
3	24.3	16.7	18.6	36.7	21.0	16.2	13.2	6.5	10.3	7.0	4.4	8.2
4	24.4	15.3	18.4	37.0	19.8	15.1	13.7	7.0	8.6	7.0	4.3	8.3
5	24.4	14.1	17.6	37.2	19.0	13.8	13.8	7.6	7.2	7.3	4.4	8.3
6	23.8	13.1	16.7	37.4	18.6	13.0	13.8	8.2	6.6	7.1	4.5	8.2
7	22.6	12.4	15.7	37.4	18.6	12.8	13.9	7.8	7.0	6.9	4.2	7.0
8	21.2	11.6	14.7	37.5	18.5	14.6	14.4	6.8	8.4	6.4	3.9	5.9
9	20.1	10.5	14.1	37.4	18.4	16.8	14.8	6.3	9.1	6.1	3.9	5.5
10	18.7	9.5	14.3	37.2	17.5	19.0	14.6	6.3	9.5	6.0	3.6	5.6
11	17.1	8.6	15.5	36.7	16.4	21.1	13.6	7.3	10.0	5.9	3.2	5.8
12	16.8	7.6	17.6	36.4	15.2	22.0	12.5	8.0	10.6	5.6	2.8	5.8
13	16.5	7.5	20.8	36.0	13.5	22.2	11.4	8.3	10.9	5.1	2.3	5.6
14	16.2	7.7	22.6	35.8	12.6	21.8	10.7	8.5	10.5	4.3	1.9	6.4
15	16.3	8.1	23.6	35.4	11.0	21.1	11.0	8.4	9.6	2.8	2.3	7.2
16	16.7	8.1	24.6	35.0	10.0	20.7	11.6	8.1	8.5	1.8	2.1	10.0
17	18.0	8.3	25.7	34.3	9.8	20.3	12.4	7.9	7.5	1.3	1.8	12.0
18	19.0	8.6	26.6	34.0	9.8	19.9	13.1	8.9	7.0	0.9	2.7	12.2
19	19.7	9.1	27.0	34.1	10.0	19.0	13.6	10.3	6.8	0.7	3.1	12.0
20	20.2	9.9	27.5	34.0	11.0	18.6	13.7	11.9	7.0	0.9	3.4	10.8
21	20.3	10.9	28.4	34.1	12.3	18.1	13.3	13.6	7.3	0.8	3.8	9.0
22	20.2	11.8	29.3	34.0	15.8	17.7	12.4	14.2	7.4	0.7	4.3	7.2
23	20.1	12.7	30.0	34.0	17.0	17.4	11.5	14.6	7.6	1.7	5.2	5.4
24	20.0	13.6	30.7	33.8	18.0	17.4	9.6	14.8	7.6	2.8	6.0	4.3
25	20.2	14.0	31.8	33.5	18.6	17.5	7.4	15.2	7.7	2.0	6.3	3.7
26	20.4	14.3	32.8	33.3	18.4	17.2	6.1	16.2	7.9	1.3	6.4	3.1
27	20.6	14.4	33.4	32.8	18.2	16.5	6.1	16.8	8.2	1.3	5.8	0.9
28	20.6	14.8	34.2	31.4	18.4	15.8	6.7	17.3	8.2	1.6	5.3	-1.0
29	20.5	15.8	34.9	29.9	18.4	15.2	7.9	17.4	7.9	1.6	5.5	-1.4
30	20.0		35.5	28.1	18.6	14.3	8.8	17.2	7.7	1.6	6.4	-1.4
31	19.4		35.8		18.2		9.2	16.5		2.8		-1.7

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	20.18	11.91	24.30	34.90	16.47	17.66	11.65	10.77	8.70	3.74	4.08	6.06
MAX.	24.4	18.7	35.8	37.5	25.3	22.2	14.8	17.4	15.5	7.4	6.4	12.2
MIN.	16.2	7.5	14.1	28.1	9.8	12.8	6.1	6.3	6.6	0.7	1.8	-1.7

HIGHEST STAGE WAS 37.50 ON APR. 8.
LOWEST STAGE WAS -1.70 ON DEC. 31.

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. LOW WATER REFERENCE PLANE, 2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.7 FEET ON JAN. 4, 1964.

MEAN. NOT COMPUTED FOR PERIOD OF RECORD.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	23.3	30.8	31.8	38.6	42.9	24.8	18.8	20.4	20.8	24.7	10.4	27.6
2	22.6	30.7	32.8	38.7	42.1	25.0	18.5	21.9	21.1	24.5	10.8	28.2
3	21.8	30.7	33.9	39.1	41.5	25.9	17.7	23.0	22.2	24.1	11.0	29.0
4	21.9	30.3	34.7	39.6	40.5	26.8	16.6	23.6	22.8	23.5	10.5	29.4
5	22.5	29.7	36.0	40.0	39.9	27.1	15.5	24.1	23.0	22.9	11.0	29.7
6	24.0	28.8	36.7	40.4	38.7	27.0	15.2	24.2	22.8	22.3	12.0	29.7
7	26.5	26.3	37.4	40.7	37.6	26.7	15.0	24.1	22.6	21.9	14.0	29.4
8	27.0	23.5	38.2	41.1	37.1	26.0	15.1	23.2	22.3	21.6	15.0	29.0
9	27.5	20.8	39.0	41.8	36.8	24.6	15.0	22.6	21.5	21.1	16.5	27.9
10	28.0	18.7	40.0	42.3	36.7	23.5	15.0	21.6	20.5	20.4	17.6	25.7
11	28.5	16.9	40.9	42.7	36.7	22.6	15.3	21.0	19.4	19.6	18.5	23.0
12	28.9	15.5	41.8	43.1	36.7	21.9	15.9	20.1	18.4	18.9	18.7	22.0
13	29.2	14.4	42.4	43.3	36.6	21.6	15.9	19.2	17.4	18.2	18.9	21.5
14	29.3	13.6	42.8	43.4	36.5	21.7	16.0	18.4	16.6	17.4	19.1	20.0
15	29.2	12.9	42.9	43.5	36.0	21.7	16.0	18.2	16.2	16.9	19.5	19.2
16	28.9	11.4	43.0	43.6	35.5	21.7	16.1	18.1	15.5	16.4	19.9	18.9
17	28.1	11.1	43.0	43.8	34.9	21.7	16.2	18.2	15.2	16.4	20.1	18.9
18	27.6	11.2	42.9	44.0	33.6	21.3	16.3	18.2	15.7	16.8	20.1	19.6
19	27.0	11.6	42.7	44.4	33.0	20.6	16.6	18.1	17.0	17.1	20.0	20.6
20	26.3	12.2	42.5	44.7	32.8	19.9	16.6	17.8	18.9	17.2	19.9	21.7
21	25.3	13.3	42.4	45.0	31.0	19.1	16.7	16.3	21.1	17.2	19.3	22.2
22	24.5	14.7	42.2	45.0	29.9	18.4	16.6	14.4	22.9	17.0	19.5	22.1
23	24.1	16.5	42.2	45.1	29.0	17.4	16.4	13.2	23.8	16.7	19.3	21.2
24	24.6	18.8	42.1	45.2	28.1	16.2	16.3	12.4	23.7	16.3	19.3	20.3
25	25.8	20.8	41.7	45.2	27.2	16.2	16.1	12.4	22.9	15.5	18.8	19.1
26	26.9	24.8	41.1	45.1	26.5	16.6	15.6	13.6	22.4	13.3	18.6	18.2
27	27.8	27.5	40.7	44.9	25.5	17.1	15.4	15.5	22.5	12.4	19.9	17.5
28	28.7	30.1	40.2	44.5	24.9	17.6	15.6	17.1	23.4	11.4	22.0	17.8
29	29.3		39.6	44.0	24.5	18.2	16.2	18.2	24.1	11.1	24.4	19.2
30	30.0		39.2	43.4	24.5	18.7	16.6	19.1	24.4	10.8	26.0	20.5
31	30.5		39.0		24.5		17.9	19.8		10.1		21.9

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	26.63	20.27	39.86	42.87	33.60	21.59	16.22	18.97	20.70	17.86	17.69	22.94
MAX.	30.5	30.8	43.0	45.2	42.9	27.1	18.8	24.2	24.4	24.7	26.0	29.7
MIN.	21.8	11.1	31.8	38.6	24.5	16.2	15.0	12.4	15.2	10.1	10.4	17.5

HIGHEST STAGE WAS 45.20 ON APR. 24 AND 25.
LOWEST STAGE WAS 10.10 ON OCT. 31.

DAILY STAGES FOR 1978

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE,
GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. LOW WATER REFERENCE PLANE,
2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958,
THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.7 FEET ON JAN. 4, 1964.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	22.7	23.2	9.2	38.7	26.7	28.7	14.5	14.3	8.4	12.0	4.8	13.2
2	22.0	24.8	9.0	39.0	26.5	28.0	15.0	14.6	8.9	11.6	5.8	14.6
3	21.4	25.9	9.5	39.2	26.5	27.0	15.1	14.8	9.4	11.2	6.6	15.8
4	20.3	26.7	10.6	39.3	26.6	25.0	15.4	15.0	10.3	10.4	6.6	17.9
5	19.5	27.8	10.9	39.3	26.6	23.8	16.1	15.6	11.4	9.2	6.0	18.5
6	18.7	27.7	11.0	39.3	26.8	22.4	16.4	16.0	12.4	7.8	5.2	18.6
7	17.9	27.3	11.2	39.2	27.4	21.2	17.1	16.2	12.7	7.3	3.9	21.0
8	17.2	26.8	11.6	39.0	27.5	20.0	17.2	15.9	12.7	6.7	2.8	23.1
9	17.4	25.4	12.3	38.6	27.2	19.2	17.4	15.3	12.7	6.2	2.4	24.9
10	17.4	23.8	13.2	38.0	27.5	18.4	17.4	14.9	11.2	5.7	2.3	26.5
11	17.5	21.5	14.0	37.0	28.0	18.0	17.5	14.5	10.1	4.9	2.3	28.3
12	17.7	19.7	16.0	35.3	28.6	17.6	17.7	14.0	9.0	4.8	2.3	29.5
13	18.5	17.9	16.7	34.0	29.6	17.2	18.1	13.7	8.0	4.5	2.2	30.5
14	19.4	16.3	18.3	33.0	30.4	16.8	18.2	13.6	7.8	4.2	2.1	31.2
15	21.4	15.1	20.9	31.5	31.7	16.5	18.4	13.7	8.3	4.3	2.0	31.7
16	22.9	14.4	23.4	30.2	32.6	16.2	18.3	13.9	8.6	4.4	2.0	32.2
17	24.0	13.7	25.6	29.5	33.1	15.9	18.1	13.5	8.5	4.9	2.2	32.4
18	24.2	13.3	27.2	29.3	33.5	15.5	18.0	13.2	8.3	5.8	2.5	32.5
19	24.0	13.2	29.5	29.2	33.8	15.2	18.3	13.0	7.8	6.5	3.4	32.6
20	22.8	13.1	31.2	29.0	33.9	14.0	18.4	12.7	7.3	7.0	4.8	32.7
21	21.5	12.6	32.5	28.9	33.9	12.5	18.5	11.8	6.7	7.5	6.5	32.8
22	19.7	12.4	33.5	28.6	34.2	11.9	18.6	10.9	7.0	7.8	8.5	32.8
23	18.6	11.9	34.5	28.1	33.9	12.0	18.1	10.3	8.2	7.1	10.2	32.7
24	17.4	11.4	34.8	27.6	33.5	12.1	17.4	9.8	9.4	6.5	11.4	32.1
25	17.2	10.9	35.4	27.2	33.3	12.4	16.5	9.4	10.9	5.9	12.6	31.6
26	17.9	10.6	36.2	27.1	33.0	12.7	15.4	8.9	12.4	5.2	12.6	30.7
27	18.4	10.2	36.7	27.3	32.5	13.2	14.4	8.4	13.1	4.4	11.8	28.5
28	18.5	9.6	37.3	27.4	31.6	13.6	14.0	8.0	13.1	3.8	11.8	27.9
29	19.4		37.7	27.4	30.9	14.1	14.0	7.2	12.8	3.3	11.2	26.5
30	20.3		38.1	27.4	30.2	14.3	14.0	7.3	12.4	3.4	12.1	25.0
31	22.0		38.4		29.4		14.1	7.9		4.0		24.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	19.92	18.10	23.42	32.81	30.34	17.50	16.69	12.52	9.98	6.39	6.02	26.84
MAX.	24.2	27.8	38.4	39.3	34.2	28.7	18.6	16.2	13.1	12.0	12.6	32.8
MIN.	17.2	9.6	9.0	27.1	26.5	11.9	14.0	7.2	6.7	3.3	2.0	13.2

HIGHEST STAGE WAS 39.3 ON APR. 4, 5, AND 6.
LOWEST STAGE WAS 2.0 ON NOV. 15 AND 16.

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT; 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 937,700 SQUARE MILES; LOW WATER REFERENCE PLANE, 2.1 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET;

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST; MINUS 1.7 FEET ON JAN. 4, 1964.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO; 138.62 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	2.4	1.4	9.9	22.6	15.4	4.5	9.8	5.3	7.9	15.2	17.4	22.3
2	2.4	1.1	12.4	23.8	15.6	3.6	11.2	5.3	7.4	14.8	18.2	22.5
3	2.3	0.4	14.5	24.6	15.2	3.1	12.3	5.0	6.8	14.6	18.0	22.9
4	2.1	0.0	19.2	25.0	15.0	2.7	12.7	4.7	6.2	14.4	17.2	24.0
5	1.8	-0.5	21.0	25.0	14.8	2.3	12.8	4.2	5.3	14.4	16.5	25.3
6	1.7	-0.5	22.1	24.5	14.4	2.0	12.3	3.1	5.3	15.0	16.5	26.7
7	1.7	-1.1	23.2	24.2	14.4	1.8	11.7	2.0	5.4	16.5	17.6	27.8
8	1.5	-1.0	24.3	24.4	14.5	1.6	11.4	1.3	5.4	17.7	19.0	28.7
9	1.8	-0.8	25.0	25.3	14.5	1.6	11.2	0.6	6.0	18.0	20.4	29.4
10	2.3	-0.6	25.7	27.3	14.5	1.7	10.4	0.1	7.7	18.3	21.4	29.9
11	2.4	-0.6	26.3	28.2	14.8	1.8	9.5	0.2	9.4	18.4	21.4	30.0
12	2.6	-0.8	26.7	28.9	16.4	1.8	8.8	0.2	10.0	18.4	21.5	30.0
13	2.6	-0.6	27.0	29.7	17.7	1.8	8.4	1.7	10.4	18.7	21.5	30.2
14	2.7	-0.4	27.1	30.3	18.2	1.8	7.8	3.8	10.4	19.2	21.6	30.2
15	2.7	-0.1	27.3	30.5	18.4	2.0	7.5	7.1	9.9	19.6	21.9	30.1
16	2.7	0.9	27.5	30.3	18.1	2.5	7.8	8.8	9.3	19.7	22.4	29.9
17	2.7	1.5	27.7	30.2	17.1	3.0	7.6	10.0	8.7	19.8	22.8	29.4
18	3.0	3.4	27.9	29.7	16.4	3.8	7.4	11.0	8.5	19.4	22.9	28.6
19	3.5	5.0	28.0	29.0	14.3	4.1	7.0	11.9	9.5	18.9	22.6	27.9
20	4.0	7.3	27.8	27.6	12.1	3.2	7.0	13.4	11.0	17.7	22.4	27.5
21	4.2	9.1	27.6	25.0	10.6	1.8	6.9	14.5	14.0	16.4	21.5	26.9
22	4.2	9.4	26.9	23.4	9.4	1.1	6.4	14.7	15.8	15.1	20.7	26.4
23	4.2	9.0	26.2	19.9	8.2	1.0	6.0	14.7	16.4	14.3	20.5	26.6
24	4.2	8.5	25.7	18.2	7.3	1.4	4.7	13.8	16.4	13.7	20.6	26.7
25	3.8	7.7	24.3	16.4	6.6	2.2	4.0	12.5	16.4	13.0	20.9	26.7
26	3.8	7.4	23.4	14.6	6.0	2.3	4.4	11.7	16.4	12.6	21.5	26.6
27	3.7	7.2	22.0	15.2	5.4	2.4	5.0	10.6	16.0	12.4	22.1	26.2
28	3.7	7.6	21.4	15.6	5.1	3.8	5.4	9.7	15.4	12.3	22.4	25.6
29	3.6		20.5	16.2	4.9	5.7	5.5	8.6	15.4	12.3	22.2	25.2
30	3.0		20.3	16.7	4.8	7.8	5.5	8.2	15.3	13.5	22.2	24.8
31	2.6		21.7		4.8		5.4	8.2		16.5		24.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	2.89	2.85	23.75	24.07	12.52	2.66	8.18	7.31	10.59	16.13	20.63	27.05
MAX.	4.2	9.4	28.0	30.5	18.4	7.8	12.8	14.7	16.4	19.8	22.9	30.2
MIN.	1.5	-1.1	9.9	14.6	4.8	1.0	4.0	0.1	5.3	12.0	16.5	22.3

HIGHEST STAGE WAS 30.50 ON APR. 15.
LOWEST STAGE WAS MINUS 1.10 ON FEB. 7.

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION: LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE, STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION, DRAINAGE AREA (REVISED), 937,700 SQUARE MILES. THE DRAINAGE AREA IN THE GREAT DIVIDE BASIN IN SOUTHERN WYOMING, APPROXIMATELY 4,000 SQUARE MILES, IS NO LONGER INCLUDED. AVERAGE LOW WATER PLANE, 4.6 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939, PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE, STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES: HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.7 FEET ON JAN. 4, 1964.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, M.S.L. [1929-58 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	18.9	21.0	31.2	26.4	18.0	10.0	E 13.9	E 8.6	E 1.7	-0.2	8.4	1.5
2	20.4	21.2	31.3	26.6	18.8	10.4	E 13.9	E 8.6	E 1.8	0.8	9.5	1.8
3	21.9	21.8	31.2	26.7	19.5	11.8	E 13.4	E 7.8	1.9	2.6	10.3	1.9
4	22.8	22.4	31.1	27.0	20.0	12.9	E 12.8	E 7.0	1.4	3.8	10.9	2.5
5	23.9	22.8	30.9	27.1	20.2	15.0	E 12.9	E 6.5	2.0	3.3	11.5	3.0
6	24.6	23.0	30.8	27.2	20.3	15.7	E 13.4	E 6.6	1.8	2.7	11.5	3.3
7	25.7	22.8	30.0	27.0	20.0	16.4	E 14.0	E 6.9	0.8	2.5	10.7	3.4
8	26.5	22.0	29.9	26.8	19.5	16.8	E 14.7	E 6.9	0.3	2.6	10.5	3.0
9	27.0	20.6	29.8	26.4	18.5	17.0	E 15.6	E 6.1	E 0.0	2.8	10.4	2.3
10	27.3	19.3	29.7	25.9	17.8	16.8	E 15.2	E 4.8	E-0.1	2.0	10.2	2.0
11	27.7	18.0	29.6	25.3	17.1	16.0	E 14.8	E 3.6	E 0.4	1.6	9.3	1.8
12	27.8	16.7	29.6	24.3	16.5	15.4	E 13.8	E 3.1	E 0.6	0.8	8.2	3.0
13	27.8	16.2	29.5	22.6	16.2	13.5	E 13.2	E 3.2	E 0.4	0.8	6.8	4.0
14	27.5	15.6	28.3	21.4	15.7	11.6	E 12.4	E 3.2	E 0.1	1.6	5.3	6.4
15	26.7	15.3	27.7	20.3	15.4	10.0	E 12.9	E 3.0	E-0.5	3.0	4.4	7.6
16	25.1	14.9	26.3	19.6	14.0	8.5	E 11.3	E 2.4	E-0.8	4.3	3.8	8.7
17	24.0	14.7	25.7	18.5	13.6	7.6	E 10.4	E 1.8	E-0.8	6.8	3.3	9.6
18	22.8	15.2	25.0	17.4	13.7	7.0	E 9.9	E 2.6	E-0.8	10.0	2.8	9.7
19	20.5	17.0	24.5	16.2	14.2	7.0	E 10.0	E 2.8	E-0.8	11.5	2.4	9.0
20	20.2	18.8	24.3	15.8	14.7	7.6	E 10.3	E 3.1	E-0.9	11.5	2.2	8.0
21	20.2	20.7	24.0	15.0	15.4	8.3	E 10.1	3.5	E-1.1	11.5	2.0	7.5
22	20.2	23.6	23.6	14.6	15.8	8.6	E 9.4	4.4	E-1.1	10.4	1.8	6.6
23	19.8	26.5	23.3	14.1	16.6	9.0	E 8.5	3.9	-0.7	7.7	1.5	6.4
24	19.4	27.7	23.1	13.7	17.0	10.0	E 7.6	3.5	-0.6	5.3	1.2	5.7
25	18.5	28.8	23.0	13.6	16.9	11.2	E 7.2	2.8	-0.7	4.2	1.0	4.9
26	17.8	29.8	22.9	14.5	15.8	12.0	E 6.3	E 1.9	-1.0	3.8	0.8	4.5
27	16.9	30.4	23.2	15.5	14.4	E 12.5	E 6.0	E 1.5	-1.1	3.8	0.5	4.0
28	16.2	30.7	23.7	16.4	13.2	E 13.1	E 6.4	E 1.3	-1.1	4.3	0.8	3.6
29	16.2	31.0	24.4	17.0	12.6	E 13.7	E 7.2	E 0.8	-1.0	5.5	0.8	3.0
30	17.3		25.3	17.6	11.1	E 14.0	E 7.6	E 1.1	-0.7	6.4	1.3	2.3
31	18.4		26.0		10.3		E 8.2	E 1.6		7.3		2.2

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	22.25	21.66	27.05	20.67	16.21	11.97	11.06	4.02	-0.02	4.67	5.46	4.61
MAX.	27.8	31.0	31.3	27.2	20.3	17.0	E 15.6	E 8.6	2.0	11.5	11.5	9.7
MIN.	16.2	14.7	22.9	13.6	10.3	7.0	E 6.0	E 0.8	E-1.1	-0.2	0.5	1.5

E- ESTIMATED

HIGHEST STAGE WAS 31.3 ON MAR. 3,

LOWEST STAGE WAS MINUS 1.1 ON SEP. 21, 22 AND SUBSEQUENT DAYS THERE AFTER.

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49, MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE,
GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 941,700 SQUARE MILES, AVERAGE LOW WATER PLANE, 4.6 FEET ON
GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939, PRIOR TO 1958, THE ZERO
ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES: HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.7 FEET ON JAN. 4, 1964.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	21.1	26.0	32.6	43.2	32.8	23.1	19.0	12.4	8.3	16.2	17.5	13.2
2	22.0	26.0	33.4	43.5	34.0	22.6	19.2	11.8	9.2	17.3	16.2	13.8
3	23.0	26.2	34.1	44.0	34.9	22.2	19.7	10.8	10.2	17.8	15.0	14.2
4	24.0	27.0	34.6	44.4	35.5	21.8	20.2	10.2	11.2	17.5	13.9	14.9
5	24.7	28.4	34.9	44.7	36.1	21.4	20.3	9.8	11.9	16.3	13.0	15.7
6	25.3	29.8	35.1	45.0	36.6	21.2	19.7	9.9	12.4	14.9	12.3	17.5
7	25.6	30.5	35.2	45.3	36.9	21.2	19.0	10.4	13.2	13.1	11.2	19.5
8	26.0	31.0	35.3	45.5	37.1	21.3	18.4	10.2	14.0	11.6	11.3	20.3
9	26.3	31.4	35.3	45.6	37.3	21.2	18.3	9.6	14.0	10.6	11.1	20.6
10	26.7	31.5	35.2	45.6	37.4	21.2	18.6	9.6	13.4	10.1	10.8	20.0
11	27.3	31.5	35.0	45.5	37.5	21.0	18.8	9.7	12.4	9.5	10.8	18.9
12	27.0	31.6	35.1	45.3	37.5	20.8	18.7	10.0	11.6	9.4	11.0	18.1
13	26.9	31.7	35.4	45.0	37.4	20.7	18.3	10.0	11.1	9.5	11.2	17.8
14	27.4	31.8	35.6	44.7	37.3	20.7	17.7	9.7	10.8	9.9	11.4	17.3
15	27.9	31.8	35.6	44.2	37.2	20.8	17.4	8.9	10.6	10.4	11.7	16.8
16	28.9	31.7	35.7	43.4	37.0	20.8	17.1	8.0	10.5	10.8	11.9	16.4
17	29.8	31.6	36.0	42.4	36.7	20.7	16.2	7.6	10.6	11.1	12.2	16.1
18	30.6	31.5	36.5	41.3	36.0	20.5	14.7	7.5	10.8	11.3	12.9	15.9
19	30.8	31.2	37.2	39.3	35.0	20.3	14.8	7.7	11.5	11.2	14.5	16.0
20	30.6	30.7	38.0	33.8	34.0	20.3	14.5	8.4	12.1	11.0	16.3	16.6
21	30.5	29.5	38.7	31.5	32.5	20.7	14.2	9.2	11.9	12.0	17.6	17.9
22	30.0	29.0	39.5	29.9	31.3	21.2	14.0	10.0	11.5	14.2	18.0	19.0
23	29.4	28.8	40.1	28.7	30.3	21.1	14.0	10.2	11.2	17.4	17.8	19.8
24	28.1	28.8	40.7	27.9	29.4	21.1	14.1	11.0	11.3	19.8	16.4	20.0
25	27.8	29.0	41.2	27.4	28.7	21.0	14.3	10.5	11.8	21.2	15.4	19.7
26	27.2	29.5	41.4	27.2	27.8	20.8	14.5	9.4	12.8	21.7	14.6	19.4
27	26.9	30.6	41.5	27.4	27.1	20.5	14.6	8.2	13.8	21.7	13.9	19.2
28	26.7	31.6	41.7	28.3	26.2	20.0	14.5	7.4	14.5	21.5	13.4	19.1
29	26.6		42.4	29.2	25.3	19.5	14.1	6.9	14.1	20.8	13.0	10.5
30	26.5		42.8	30.2	24.4	19.1	13.6	6.8	15.4	19.9	12.8	17.3
31	26.3		43.0		23.7		13.1	7.5		18.8		17.8

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	27.02	29.98	37.37	38.64	33.24	20.95	16.62	9.32	11.93	14.78	13.63	17.64
MAX.	30.8	31.8	43.0	45.6	37.5	23.1	20.3	12.4	15.4	21.7	18.0	20.6
MIN.	21.1	26.0	32.6	27.2	23.7	19.1	13.1	6.8	8.3	9.4	10.8	13.2

HIGHEST STAGE WAS 45.6 ON APR. 9 AND 10.
LOWEST STAGE WAS 6.8 ON AUG. 30.

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE, STAFF TYPE IN SEVERAL SECTIONS,

GENERAL INFORMATION, DRAINAGE AREA, 941,700 SQUARE FEET, AVERAGE LOW WATER PLANE, 4.6 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939, PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE, STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.7 FEET ON JAN. 4, 1964.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, M.S.L.; (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	30.0	40.9	32.3	33.7	26.8	32.8	27.0	10.4	9.7	10.0	5.9	17.4
2	31.0	41.0	32.4	33.3	25.8	32.9	27.5	10.2	10.6	9.2	5.7	17.3
3	31.8	41.2	32.2	32.6	25.0	33.0	27.8	10.0	12.4	9.2	5.4	17.0
4	32.4	41.3	31.8	31.6	24.2	32.9	28.0	10.1	14.8	9.8	5.2	16.6
5	32.7	41.4	31.3	30.4	23.7	33.0	28.0	10.3	15.0	10.4	5.5	16.2
6	32.9	41.5	30.5	29.4	23.4	33.3	27.9	10.1	15.7	10.5	6.3	16.2
7	33.0	41.6	29.6	29.2	23.2	33.7	27.6	9.7	17.3	10.4	6.6	16.4
8	33.0	41.7	28.6	29.4	23.1	35.0	27.1	9.4	18.2	9.9	7.6	17.1
9	33.3	41.7	27.6	29.8	23.3	35.5	26.3	9.2	18.5	9.2	9.7	17.9
10	33.8	41.6	27.6	30.2	23.6	36.0	25.4	9.3	18.8	8.4	13.0	18.7
11	34.6	41.5	27.9	30.7	23.7	36.4	24.5	9.1	19.2	8.0	15.6	19.0
12	35.2	41.3	28.4	31.5	23.7	36.6	23.7	9.3	19.2	7.6	16.8	19.2
13	35.5	40.9	29.0	32.2	23.4	36.9	22.9	9.6	18.8	6.6	16.9	19.4
14	35.9	40.4	29.7	32.6	22.9	37.1	21.8	10.0	18.3	6.3	16.4	19.5
15	36.1	39.8	30.2	32.9	22.6	37.3	20.7	11.0	17.4	6.0	15.8	19.4
16	36.4	39.1	30.9	33.1	22.4	37.4	19.7	12.2	16.5	5.9	15.6	19.9
17	36.8	38.0	31.5	33.3	22.6	37.4	18.7	13.6	16.1	5.8	15.8	20.5
18	37.1	36.6	32.0	33.5	23.0	37.0	17.6	14.5	16.2	5.8	16.2	20.9
19	37.4	35.0	32.5	33.6	23.8	36.6	16.5	14.7	16.4	6.1	16.4	21.0
20	37.8	33.2	33.0	33.7	24.8	35.9	15.4	13.8	16.7	6.8	16.6	21.0
21	38.4	32.5	33.6	33.6	26.3	35.0	14.9	12.9	16.5	7.6	16.7	20.9
22	38.7	31.8	34.1	33.5	27.6	34.0	14.5	12.2	15.8	8.2	16.6	20.7
23	39.0	31.4	34.4	33.6	28.6	32.3	14.2	11.9	14.8	8.4	16.3	20.5
24	39.3	31.6	34.6	33.2	29.3	30.6	14.0	11.5	13.8	8.6	16.3	20.3
25	39.6	31.6	34.8	32.5	29.9	29.0	13.6	10.8	12.2	8.7	16.2	20.0
26	39.8	31.7	34.9	31.7	30.5	27.8	13.2	10.1	11.1	8.7	16.0	19.8
27	40.0	31.9	34.8	30.7	31.0	26.8	12.8	9.7	10.5	7.8	16.2	19.5
28	40.3	32.2	34.6	29.8	31.4	26.4	12.1	9.5	10.5	6.9	16.6	19.3
29	40.6		34.4	28.8	31.7	26.3	11.6	9.3	10.8	6.3	16.9	19.6
30	40.8		34.1	27.8	32.0	26.6	11.1	9.2	10.7	6.1	17.4	20.4
31	40.9		33.9		32.4		10.7	9.2		6.1		20.8

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	36.25	37.65	31.84	31.72	25.98	33.37	19.89	10.73	15.07	7.90	13.26	19.10
MAX.	40.9	41.7	34.9	33.7	32.4	37.4	28.0	14.7	19.2	10.5	17.4	21.0
MIN.	30.0	31.4	27.6	27.8	22.4	26.3	10.7	9.1	9.7	5.8	5.2	16.2

HIGHEST STAGE WAS 41.7 ON FEB. 8 AND 9.

LOWEST STAGE WAS 5.2 ON NOV. 4.

DAILY STAGES FOR 1973

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 941,700 SQUARE FEET. AVERAGE LOW WATER PLANE, 4.6 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.7 FEET ON JAN. 4, 1964.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	35.8	32.6	22.7	44.6	45.9	37.0	26.5	24.1	13.1	10.2	16.5	29.3
2	35.7	32.4	21.4	44.8	46.1	36.9	25.5	23.5	12.7	11.7	15.9	31.0
3	35.4	32.2	20.6	45.5	46.3	37.0	25.1	22.9	12.3	13.8	16.4	32.3
4	35.3	31.9	20.0	45.6	46.5	37.1	25.0	22.0	12.2	16.4	17.3	33.2
5	35.4	31.8	10.7	45.7	46.8	37.2	24.9	21.0	12.1	18.2	18.0	34.0
6	35.4	31.6	19.7	45.8	46.9	37.3	24.5	20.0	11.5	19.2	18.6	34.7
7	35.4	31.5	20.1	46.0	47.1	37.3	23.9	19.1	11.0	21.5	19.1	35.2
8	35.5	31.8	20.5	46.1	47.4	37.4	23.0	18.0	11.0	22.4	18.0	35.5
9	35.4	32.4	21.0	46.1	47.6	37.4	22.4	17.0	11.3	22.8	18.7	35.8
10	35.3	32.9	22.1	46.0	47.6	37.4	22.3	16.2	11.2	23.0	18.2	36.1
11	35.1	33.4	24.7	45.9	47.6	37.4	22.7	15.5	11.1	23.1	17.8	36.3
12	34.9	33.8	27.8	45.8	47.5	37.3	23.1	14.8	10.8	23.2	17.2	36.4
13	34.4	34.2	29.5	45.6	47.5	37.2	22.9	14.1	10.3	23.0	16.5	36.4
14	33.7	34.6	31.2	45.4	47.3	37.0	22.0	13.9	10.4	22.3	15.8	35.9
15	32.8	34.9	32.8	45.2	47.1	36.9	20.9	14.5	11.0	21.0	15.5	35.0
16	31.4	35.0	34.1	45.1	46.7	36.7	20.1	15.1	10.9	19.5	15.2	33.1
17	29.8	34.8	35.3	44.9	46.3	36.1	19.8	16.0	10.7	18.0	15.0	30.6
18	27.6	34.5	36.1	44.7	46.0	35.1	19.3	17.2	10.4	18.1	14.7	28.4
19	25.6	34.1	36.9	44.5	45.6	34.1	18.7	17.6	10.2	19.1	14.2	26.0
20	23.5	33.9	37.7	44.5	45.2	33.1	18.1	17.7	9.7	19.9	14.0	24.0
21	22.1	33.7	38.5	44.8	44.8	32.2	17.4	17.6	9.6	20.2	14.1	22.8
22	22.2	33.5	39.4	44.8	44.4	31.2	16.6	17.5	9.6	20.4	14.4	21.4
23	23.2	33.0	40.2	44.9	43.9	30.5	16.2	17.1	9.2	20.6	14.7	21.0
24	24.9	32.1	41.0	45.1	43.3	30.1	16.0	16.5	8.9	20.9	14.9	20.8
25	27.3	30.8	41.9	45.3	42.6	29.9	15.9	15.9	8.9	21.0	15.3	20.6
26	29.1	29.1	42.4	45.4	41.7	29.9	16.4	15.6	9.1	20.9	16.1	20.6
27	30.4	27.0	43.0	45.4	40.8	30.0	18.0	15.2	9.0	20.6	18.4	21.3
28	31.4	24.5	43.5	45.5	39.8	29.8	21.1	14.9	9.0	20.0	22.3	22.3
29	32.1		43.8	45.6	38.7	29.0	23.2	14.4	9.2	19.2	25.6	24.0
30	32.5		44.0	45.7	37.8	27.8	24.0	13.9	9.4	18.4	27.2	26.0
31	32.6		44.2		37.3		24.3	13.5		17.5		28.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	31.32	32.42	31.82	45.33	44.83	34.43	21.27	17.16	10.52	19.54	17.18	29.28
MAX.	35.8	35.0	44.2	46.1	47.6	37.4	26.5	24.1	13.1	23.2	27.2	36.4
MIN.	22.1	24.5	10.7	44.5	37.3	27.8	15.9	13.5	8.9	10.2	14.0	20.6

HIGHEST STAGE WAS 47.6 FROM MAY, 9 TO 11.
LOWEST STAGE WAS 8.9 ON SEP. 24 AND 25.

DAILY STAGES FOR 1972

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 941,700 SQUARE FEET. AVERAGE LOW WATER PLANE, 4.6 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.7 FEET ON JAN. 4, 1964.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	17.3	20.8	21.6	26.6	37.0	19.4	16.6	14.3	11.6	13.4	15.2	29.0
2	16.6	21.2	22.9	26.2	37.4	18.5	17.8	14.7	11.3	13.6	16.0	28.5
3	16.1	21.3	24.3	25.7	37.8	17.3	19.2	15.4	11.1	13.8	16.6	28.0
4	15.6	21.6	25.5	25.2	38.0	16.3	20.4	15.7	11.1	14.3	17.4	27.5
5	15.7	21.6	27.0	24.6	38.1	15.8	21.5	16.0	11.0	15.0	18.4	27.3
6	16.7	21.5	28.1	23.8	38.1	15.4	22.0	16.3	10.8	15.4	19.7	27.1
7	18.9	21.2	29.1	22.8	38.0	15.1	22.3	16.6	10.5	15.9	22.0	27.0
8	20.2	20.7	30.2	21.7	38.0	14.7	22.2	16.8	10.2	16.5	24.1	26.6
9	22.4	20.3	30.7	20.3	37.9	14.3	21.7	16.8	10.1	17.1	26.1	26.9
10	23.3	19.9	31.0	19.6	37.8	13.7	20.9	16.8	9.9	17.4	26.7	27.3
11	24.1	19.4	31.1	18.9	37.4	13.3	19.9	16.9	9.8	17.3	27.2	27.7
12	24.7	18.8	31.2	18.8	36.8	12.6	18.7	17.3	9.8	17.0	27.1	28.0
13	25.3	18.2	31.2	19.3	36.3	12.2	17.8	17.8	9.8	16.7	27.0	29.2
14	26.0	17.8	31.1	20.3	35.6	12.0	17.0	17.5	9.7	16.5	27.0	30.6
15	26.4	17.0	31.0	21.5	35.0	11.7	16.5	16.8	9.5	16.5	27.1	31.7
16	26.7	16.1	30.7	23.2	34.3	11.3	16.2	16.2	9.5	16.1	27.2	32.6
17	26.7	15.4	30.4	25.4	33.7	11.1	16.1	15.8	9.7	15.5	27.2	33.3
18	26.5	14.6	30.2	26.3	33.1	11.1	16.1	15.5	10.0	14.7	28.0	33.8
19	26.3	14.6	30.0	27.9	32.4	11.5	16.0	15.4	10.3	14.2	29.0	34.3
20	26.0	15.7	29.8	29.3	31.6	12.0	15.6	15.2	10.9	13.9	29.8	34.9
21	25.6	17.1	29.6	30.3	30.9	13.0	15.7	14.9	11.8	13.6	30.2	35.4
22	25.0	18.8	29.3	31.2	30.1	14.1	15.8	14.7	13.1	13.6	30.3	35.8
23	24.0	20.0	28.9	31.2	29.3	14.5	15.8	14.7	14.1	13.8	30.4	36.0
24	23.0	20.8	28.5	32.5	28.3	16.0	15.7	14.7	14.8	13.9	30.4	36.2
25	21.7	20.1	27.9	33.2	28.2	16.3	15.3	14.6	14.9	14.1	30.3	36.3
26	20.6	20.8	27.4	33.9	26.8	16.4	15.0	14.6	14.5	14.3	30.2	36.4
27	19.7	20.2	27.0	34.6	25.4	16.2	15.0	14.6	14.0	14.3	30.1	36.5
28	19.4	20.4	26.7	35.1	24.3	16.0	14.8	14.5	13.5	14.3	30.0	36.5
29	19.7	20.9	26.4	35.8	22.7	15.9	14.2	14.1	12.9	14.3	29.8	36.4
30	20.0		26.4	36.5	22.7	16.0	13.7	12.9	12.9	14.3	29.4	36.2
31	20.4		26.5		21.6		13.7	12.1		14.6		36.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	21.94	19.19	28.43	26.71	32.72	14.45	17.38	15.48	11.43	15.02	25.99	31.89
MAX.	26.7	21.6	31.2	36.5	38.1	19.4	22.3	17.8	14.9	17.4	30.4	36.5
MIN.	15.6	14.6	21.6	18.8	21.6	11.1	13.7	12.1	9.5	13.4	15.2	26.6

HIGHEST STAGE WAS 38.10 ON MAY 5 AND 6.
LOWEST STAGE WAS 9.50 ON SEP. 15 AND 16.

DAILY STAGES FOR 1971

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 941,700 SQUARE FEET. AVERAGE LOW WATER PLANE, 4.6 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.7 FEET ON JAN. 4, 1964.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	24.7	16.4	34.4	24.8	15.8	18.5	13.0	11.0	9.6	7.6	8.2	8.2
2	24.8	16.3	35.1	24.5	16.0	17.8	12.8	10.8	9.7	7.4	8.5	7.9
3	24.8	16.5	35.7	24.0	16.1	17.1	12.7	10.8	8.9	7.7	8.3	8.1
4	24.4	16.6	36.1	23.6	16.2	16.7	12.6	11.4	7.8	7.9	7.8	8.6
5	23.9	16.5	36.3	23.0	16.2	16.3	12.2	12.0	6.8	8.0	7.0	9.1
6	23.1	15.7	36.6	22.3	16.2	16.2	11.6	12.4	6.3	8.0	6.5	9.7
7	20.8	14.7	36.9	21.8	16.4	16.3	11.1	12.8	6.1	7.5	6.6	10.7
8	19.4	14.1	37.1	21.6	16.6	16.5	10.6	13.2	5.8	6.7	7.0	11.8
9	19.0	14.2	37.1	21.4	16.6	16.7	9.8	13.4	5.4	6.1	7.7	12.5
10	19.2	15.0	37.2	21.4	16.6	16.4	9.2	13.6	5.3	5.9	8.4	13.4
11	19.7	17.0	37.1	21.3	17.0	16.2	8.6	14.0	5.9	6.0	9.4	14.6
12	20.5	19.7	37.0	21.0	17.4	16.1	8.0	14.4	6.7	6.0	9.9	15.7
13	21.2	22.9	36.8	20.5	18.3	16.3	7.8	14.7	6.9	5.8	10.0	16.7
14	21.6	24.6	36.3	19.9	20.1	16.4	8.2	14.6	6.5	5.4	9.9	18.3
15	21.8	25.8	35.8	19.4	22.0	15.8	9.1	13.9	6.2	5.2	9.6	19.9
16	22.0	26.5	35.2	19.0	23.9	15.1	10.2	12.5	6.1	5.0	9.3	21.3
17	22.3	26.6	34.3	18.5	25.6	14.8	11.3	11.0	6.3	4.7	8.9	22.5
18	22.2	26.5	33.4	18.3	26.9	15.0	12.2	9.9	6.5	4.6	8.5	23.0
19	21.4	26.0	32.7	18.1	27.7	15.8	13.3	9.2	7.0	4.8	8.4	23.2
20	20.7	25.8	31.9	18.0	28.3	16.8	13.9	8.6	8.0	4.8	8.4	23.5
21	20.0	25.8	31.2	17.7	28.5	17.8	13.9	7.8	9.7	4.6	8.2	24.0
22	19.7	26.1	31.0	17.1	28.4	18.3	13.6	6.9	10.8	4.4	8.0	24.5
23	19.7	26.6	30.8	16.7	28.1	18.4	13.5	6.3	11.2	4.2	7.9	24.4
24	19.4	27.4	30.3	16.5	27.4	18.2	13.5	6.2	11.3	3.8	7.8	23.8
25	19.1	29.1	29.5	16.0	26.4	17.6	13.6	6.5	11.1	3.9	7.7	22.8
26	18.8	31.0	28.6	15.3	25.0	16.0	13.8	7.6	10.9	4.3	7.7	21.6
27	18.2	32.3	27.6	14.9	23.6	15.0	14.2	8.5	10.5	4.8	7.9	20.6
28	17.7	33.5	26.6	14.7	22.5	14.3	14.3	9.1	10.0	5.0	8.1	19.8
29	17.4		25.9	15.0	21.3	13.8	13.4	8.8	9.0	5.2	8.3	19.1
30	17.1		25.3	15.3	20.3	13.4	12.2	8.5	8.1	6.3	8.4	18.4
31	16.6		25.0		19.2		11.4	8.8		7.4		17.9

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	20.67	22.46	33.05	19.38	21.30	16.31	11.78	10.61	8.00	5.76	8.27	17.27
MAX.	24.8	33.5	37.2	24.8	28.5	18.5	14.3	14.7	11.3	8.0	10.0	24.5
MIN.	16.6	14.1	25.0	14.7	15.8	13.4	7.8	6.2	5.3	3.8	6.5	7.9

HIGHEST STAGE WAS 37.2 AT 800 A.M. MARCH 10
LOWEST STAGE WAS 3.8 AT 800 A.M. OCT. 24

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 941,700 SQUARE FEET. AVERAGE LOW WATER PLANE, 4.6 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.7 FEET ON JAN. 4, 1964.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	F 13.0	F 10.6	F 22.6	E 23.6	E 34.5	F 21.8	F 20.3	F 7.4	F 3.1	F 21.4	F 12.3	F 17.7
2	F 14.8	F 12.4	F 21.6	E 23.7	E 34.9	F 21.1	F 19.0	F 7.6	F 7.3	F 22.3	F 12.5	F 16.8
3	F 17.3	F 13.4	F 20.3	E 23.9	F 35.0	F 20.5	F 17.8	F 7.5	F 6.4	F 23.0	F 13.5	F 15.7
4	F 18.8	F 15.0	F 19.4	E 23.8	F 35.3	F 20.3	F 16.7	F 7.5	F 5.9	F 23.0	F 14.6	F 14.2
5	F 21.3	F 16.9	F 18.0	E 23.8	F 35.7	F 20.1	F 15.7	F 7.9	F 5.8	F 22.4	F 15.7	F 13.2
6	F 24.0	F 19.9	F 18.4	E 24.1	F 36.2	F 19.9	F 14.7	F 8.3	F 5.7	F 21.0	F 16.0	F 12.5
7	F 25.3	F 20.4	F 18.8	E 25.1	F 36.8	F 20.6	F 14.0	F 8.9	F 5.7	F 19.9	F 16.4	F 12.2
8	F 26.3	F 21.0	E 19.7	E 27.0	F 37.3	F 22.1	F 13.4	F 9.7	F 6.0	F 17.2	F 16.8	F 11.5
9	F 26.8	F 22.0	E 20.0	E 28.7	F 37.8	F 23.3	F 12.9	F 10.3	F 6.7	F 15.4	F 17.5	F 11.4
10	F 27.0	F 22.5	E 21.0	E 29.9	F 38.4	F 24.3	F 12.4	F 11.2	F 7.1	F 13.6	F 18.0	F 11.4
11	F 27.5	F 23.0	E 22.0	E 30.9	F 38.6	F 24.9	F 11.7	F 11.7	F 6.7	F 12.1	F 18.3	F 11.7
12	F 25.0	F 23.1	E 22.9	E 31.7	F 38.8	F 25.5	F 11.2	F 12.6	F 6.1	F 11.1	F 18.4	F 12.0
13	F 22.5	F 23.0	E 23.3	E 32.1	F 38.8	F 25.3	F 10.8	F 13.7	F 5.9	F 10.6	F 18.4	F 12.0
14	F 20.0	F 22.9	E 24.1	E 32.3	F 38.6	F 24.9	F 10.5	F 14.7	F 5.8	F 10.6	F 18.4	F 11.9
15	F 18.9	F 22.8	E 24.8	E 32.3	F 38.2	F 24.1	F 10.3	F 15.3	F 5.5	F 10.8	F 18.6	F 11.8
16	F 16.7	F 23.1	E 24.7	E 32.2	F 37.5	F 23.4	F 10.1	F 15.6	F 5.2	F 12.0	F 18.8	F 11.8
17	F 15.0	F 23.5	E 24.0	E 32.1	F 36.2	F 22.9	F 10.1	F 15.4	F 5.2	F 15.3	F 18.9	F 11.9
18	F 13.5	F 24.0	E 23.6	E 31.8	F 34.8	F 22.8	F 10.3	F 14.5	F 5.9	F 17.7	F 18.5	F 12.4
19	F 12.0	F 24.5	E 22.8	E 30.9	F 33.3	F 23.2	F 9.8	F 13.1	F 6.9	F 18.7	F 17.8	F 13.5
20	F 11.8	F 25.0	E 21.9	E 29.1	F 32.2	F 24.1	F 9.0	F 11.2	F 8.0	F 18.5	F 17.4	F 14.8
21	F 11.6	F 25.4	E 21.7	E 28.0	F 31.7	F 24.6	F 8.7	E 9.5	F 9.0	F 17.2	F 17.2	F 15.7
22	F 11.4	F 25.4	E 21.7	E 27.1	F 31.6	F 24.7	F 8.8	F 8.7	F 10.3	F 16.8	F 17.0	F 16.2
23	F 11.0	F 25.3	E 21.9	E 26.7	F 31.6	F 24.5	F 8.9	F 8.6	F 11.8	F 15.8	F 17.1	F 16.9
24	F 10.8	F 25.0	E 22.0	E 26.2	F 31.6	F 24.0	F 9.3	F 8.7	F 13.5	F 14.5	F 17.3	F 18.3
25	F 10.4	F 24.6	E 22.2	E 26.7	F 31.4	F 23.9	F 9.4	F 8.8	F 14.7	F 13.6	F 17.4	F 19.4
26	F 10.2	F 24.5	E 21.9	E 27.8	F 31.0	F 23.7	F 9.2	F 9.2	F 15.1	F 13.2	F 17.6	F 20.8
27	F 9.9	F 24.2	E 21.9	E 29.7	E 30.0	F 23.5	F 9.0	F 9.6	F 15.1	F 12.8	F 18.0	F 22.1
28	F 9.6	F 23.9	E 22.0	E 30.9	F 28.8	F 23.2	F 8.7	F 9.8	F 15.6	F 12.5	F 18.5	F 23.2
29	F 9.2		E 22.7	E 32.2	F 27.1	F 22.6	F 8.1	F 9.9	F 17.9	F 12.4	F 18.7	F 24.1
30	F 9.0		E 23.0	E 33.8	F 25.2	F 21.6	F 7.3	F 9.4	F 19.9	F 12.5	F 18.3	F 24.5
31	F 9.2		E 23.2		F 23.3		F 7.1	F 8.8		F 12.5		F 24.6

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	16.44	21.66	21.87	28.59	33.93	23.04	11.45	10.48	8.95	15.81	17.12	15.68
MAX. F	27.5	F 25.4	E 24.8	E 33.8	F 38.8	F 25.5	F 20.3	F 15.6	F 19.9	F 23.0	F 18.9	F 24.6
MIN. F	9.0	F 10.6	F 18.0	E 23.6	F 23.3	F 19.9	F 7.1	F 7.4	F 5.2	F 10.6	F 12.3	F 11.4

E- ESTIMATED

F- NOT AT STATED TIME

HIGHEST STAGE WAS 38.8 FROM 800 A.M., MAY 12 TO 800 A.M., MAY 13
LOWEST STAGE WAS 5.2 FROM 700 A.M., SEP. 16 TO 700 A.M., SEP. 17

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 941,700 SQUARE FEET. AVERAGE LOW WATER PLANE, 4.6 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.7 FEET ON JAN. 4, 1964.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	16.9	29.5	20.3	23.5	35.0	23.0	22.7	22.5	10.9	7.0	12.0	13.4
2	19.0	30.8	19.3	24.6	34.9	21.8	23.7	20.5	9.0	7.4	11.2	13.0
3	20.8	32.6	19.0	24.8	34.5	20.0	24.3	19.6	8.5	7.6	10.7	11.9
4	22.7	33.4	18.8	24.7	34.0	18.9	24.5	18.6	8.0	7.9	10.2	10.0
5	22.8	34.0	18.9	24.4	33.0	18.0	25.0	18.0	7.4	7.6	9.9	9.8
6	22.7	34.6	19.2	24.2	32.0	16.7	25.4	17.2	7.4	7.4	9.7	9.6
7	21.9	35.0	19.4	24.2	31.4	16.4	25.5	16.8	7.8	7.2	9.7	9.3
8	21.0	35.5	19.0	24.0	31.0	16.5	25.5	15.5	8.5	6.9	9.9	9.3
9	20.5	35.9	18.8	23.8	30.0	16.7	25.4	14.5	9.0	6.7	10.4	9.5
10	19.5	36.0	18.3	24.5	28.5	16.5	25.5	14.0	9.3	6.5	10.8	9.7
11	18.4	36.4	17.7	25.1	27.5	16.0	25.7	12.8	9.5	6.4	10.7	10.0
12	17.2	36.7	17.3	27.0	25.4	15.6	26.3	12.6	9.8	6.4	11.1	10.8
13	16.0	36.9	17.0	28.0	24.5	14.5	26.8	12.4	9.8	6.4	10.0	11.9
14	14.5	36.9	16.8	29.5	24.2	14.0	27.3	12.4	9.7	6.5	9.7	12.4
15	12.5	37.2	16.0	30.8	23.5	13.7	27.7	12.6	9.6	6.5	9.1	11.0
16	11.0	37.4	15.7	31.5	23.8	14.5	28.0	13.5	9.5	8.3	8.9	10.2
17	10.1	37.4	15.6	31.9	23.9	15.0	29.0	14.0	9.4	12.3	8.7	10.0
18	9.0	37.1	15.2	32.2	24.4	15.5	30.4	13.9	9.1	16.6	8.8	10.0
19	9.1	36.6	14.9	32.5	24.4	15.9	30.8	13.3	8.5	19.9	9.0	10.2
20	9.8	35.9	13.8	32.8	24.5	15.8	30.6	12.0	7.2	21.0	9.2	10.7
21	11.0	34.9	13.0	33.1	24.5	16.0	30.4	11.8	7.0	22.2	9.4	11.0
22	13.5	33.6	12.3	33.4	24.6	16.5	29.8	11.4	7.6	22.5	9.4	12.0
23	17.7	31.6	11.8	33.7	24.8	16.2	29.5	12.6	8.6	22.0	10.4	12.7
24	20.5	29.6	12.2	34.0	25.0	15.9	28.5	12.8	9.5	20.0	12.0	12.0
25	22.3	27.1	13.5	34.4	24.8	16.5	26.7	13.0	10.0	18.3	13.1	11.5
26	24.3	24.5	14.2	34.6	24.7	13.7	26.4	13.3	10.2	17.0	13.9	10.8
27	25.7	22.5	15.6	34.7	24.4	14.5	25.8	13.9	10.3	16.0	14.2	10.0
28	26.7	21.3	18.0	35.2	24.3	15.0	25.4	14.3	9.5	15.0	14.4	9.5
29	27.6		20.0	35.3	24.1	20.8	25.0	14.9	8.4	14.3	14.4	9.3
30	28.4		21.0	35.3	23.9	22.1	24.5	15.2	7.6	13.3	14.4	9.2
31	29.0		22.0		23.4		23.5	13.2		17.7		10.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	18.77	33.24	16.92	29.58	27.06	16.74	26.63	14.61	8.88	12.28	10.83	10.66
MAX.	29.0	37.4	22.0	35.3	35.0	23.0	30.8	22.5	10.9	22.5	14.4	13.4
MIN.	9.0	21.3	11.8	23.5	23.4	13.7	22.7	11.4	7.0	6.4	8.7	9.2

HIGHEST STAGE WAS 37.4, FEB. 16 AND 17.
LOWEST STAGE WAS 6.4 FROM, OCT. 11 TO 13.

DAILY STAGES FOR 1968

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 941,700 SQUARE FEET. AVERAGE LOW WATER PLANE, 4.6 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.7 FEET ON JAN. 4, 1964.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	30.8	20.4	10.5	31.4	E 19.3	29.8	14.3	13.0	7.7	6.7	8.7	15.0
2	30.1	21.3	9.9	31.4	E 19.6	30.6	15.0	13.5	6.6	6.9	8.7	15.9
3	29.4	22.2	9.4	31.2	E 19.2	31.6	15.3	14.6	5.7	6.9	8.6	16.5
4	28.6	22.8	8.9	31.3	E 18.6	32.3	15.0	14.5	5.2	6.8	8.5	17.5
5	27.4	24.0	8.7	31.7	E 17.8	32.7	14.8	14.4	E 4.8	6.4	8.7	18.5
6	26.0	25.5	8.5	31.9	17.2	33.0	14.8	14.3	4.7	6.1	9.0	19.0
7	24.7	27.4	7.9	32.1	16.3	33.4	14.9	14.0	4.6	5.9	9.3	18.9
8	24.0	28.6	7.5	32.6	15.9	33.6	14.8	13.8	4.5	6.1	9.5	18.5
9	23.7	29.6	7.1	33.1	15.9	33.8	14.5	14.5	4.2	6.4	9.2	17.8
10	23.2	30.0	6.8	33.4	15.9	33.9	14.4	15.1	3.9	6.5	9.0	17.4
11	23.0	30.5	6.4	33.5	15.5	34.1	14.4	15.9	3.6	6.7	9.2	16.6
12	22.8	30.5	6.4	33.6	15.2	33.9	14.2	16.4	3.4	6.7	9.5	16.2
13	22.6	30.7	6.3	33.6	15.3	33.9	14.0	16.0	3.5	6.4	9.7	16.1
14	22.5	30.4	6.4	33.5	15.9	33.4	14.0	15.3	3.9	6.4	10.0	16.0
15	22.3	29.9	6.7	33.2	17.0	32.8	14.0	15.0	4.1	6.3	10.5	15.6
16	22.2	29.3	6.9	32.6	17.4	31.3	13.9	15.0	4.6	6.1	10.7	15.1
17	22.0	28.3	12.8	32.0	18.3	29.0	13.9	15.0	4.9	5.7	10.2	14.0
18	22.0	27.0	14.9	31.2	19.4	25.6	13.7	16.0	5.0	5.9	10.0	12.7
19	22.0	25.6	17.3	30.0	20.5	22.6	13.6	17.0	5.0	6.4	9.5	11.0
20	22.0	24.0	20.0	28.5	21.3	19.9	13.4	16.7	4.9	7.6	9.7	10.0
21	21.8	22.2	22.0	26.8	22.0	18.2	13.3	16.4	4.8	8.4	10.3	9.4
22	21.2	20.8	24.7	25.2	22.3	17.2	12.7	15.8	4.8	8.9	11.0	8.8
23	20.4	18.8	26.1	24.2	23.5	16.0	12.4	15.2	4.9	8.9	11.6	8.6
24	19.4	17.0	27.1	23.2	22.5	15.0	12.0	14.6	5.0	9.0	13.7	8.6
25	18.2	15.6	27.9	22.1	22.2	14.3	11.9	13.5	5.0	9.1	14.0	8.8
26	17.2	14.4	28.7	E 21.0	21.9	14.3	11.8	12.3	5.0	9.4	13.6	9.5
27	16.9	12.9	29.2	E 20.0	21.7	13.6	11.6	12.0	5.1	10.0	13.4	10.8
28	17.2	11.9	29.7	E 19.6	21.8	13.6	11.8	11.5	5.3	10.4	13.6	12.0
29	17.7	11.1	30.4	E 20.1	22.7	13.6	11.9	10.8	5.5	10.0	14.5	13.2
30	18.5		30.7	E 20.1	25.2	13.8	12.0	10.0	6.3	9.5	14.7	13.8
31	19.4		31.0		27.4		12.5	8.8		9.0		15.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	22.55	23.53	16.02	28.80	19.50	25.68	13.57	14.22	4.88	7.46	10.61	14.08
MAX.	30.8	30.7	31.0	33.6	27.4	34.1	15.3	17.0	7.7	10.4	14.7	19.0
MIN.	16.9	11.1	6.3	E 19.6	15.2	13.6	11.6	8.8	3.4	5.7	8.5	8.6

E- ESTIMATED

HIGHEST STAGE WAS 34.1, JUNE 11.
LOWEST STAGE WAS 3.4, SEP. 12.

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 941,700 SQUARE FEET. AVERAGE LOW WATER PLANE, 4.6 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.7 FEET ON JAN. 4, 1964.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	16.3	10.0	15.4	31.0	23.7	32.5	23.5	13.6	9.0	7.4	10.2	11.9
2	16.7	11.5	15.8	30.2	24.2	30.5	23.7	14.6	8.7	7.6	10.1	12.4
3	17.5	12.5	16.1	29.5	24.8	27.8	24.1	15.9	8.3	7.8	10.3	14.0
4	17.8	13.6	16.1	28.3	25.3	24.0	24.5	17.0	8.2	8.0	10.5	14.9
5	17.8	15.2	16.2	26.8	25.2	21.0	24.6	17.6	8.3	8.4	11.3	15.9
6	17.5	16.0	15.5	25.3	25.5	20.1	24.6	17.8	8.3	8.7	13.6	17.7
7	17.4	16.6	15.6	25.6	25.9	20.3	24.4	17.6	8.2	8.9	16.1	19.9
8	16.8	16.8	15.3	24.0	25.7	20.5	24.8	17.4	8.4	8.7	18.1	21.1
9	16.1	17.2	15.2	24.4	25.5	19.8	25.1	16.7	8.2	8.1	18.7	23.4
10	15.0	17.6	16.9	24.8	25.3	20.1	24.7	15.7	7.2	7.8	19.0	24.4
11	13.8	17.6	20.1	24.4	25.2	19.6	24.8	15.0	6.8	7.6	18.8	24.5
12	12.8	17.6	23.3	23.7	25.2	19.4	24.7	14.5	6.6	7.5	18.2	24.5
13	11.7	17.7	25.5	22.6	25.8	18.7	24.9	14.2	7.4	7.6	17.0	24.5
14	10.6	17.7	27.5	22.0	26.9	18.4	24.6	14.3	7.7	8.0	15.8	24.4
15	9.5	16.7	29.0	21.4	28.0	17.9	24.6	14.1	7.1	8.8	15.2	24.7
16	9.5	15.5	29.8	21.6	28.9	17.3	24.6	13.6	6.3	9.4	14.6	25.0
17	9.8	14.4	30.4	21.9	30.0	17.2	24.5	13.0	6.2	10.1	14.1	25.1
18	10.0	13.7	30.6	21.9	31.8	17.4	24.3	12.3	6.4	10.2	13.6	25.5
19	9.0	16.0	30.8	21.9	32.5	18.1	23.8	11.5	6.4	9.6	13.1	25.9
20	8.3	14.0	30.9	21.0	33.1	18.4	22.9	10.0	6.4	9.3	12.8	26.2
21	8.3	10.7	31.6	22.0	34.0	19.2	20.4	9.4	6.6	9.7	12.5	26.2
22	8.1	10.1	31.8	22.5	34.4	19.6	19.3	8.8	7.7	10.3	12.0	27.0
23	8.0	11.5	31.6	23.0	34.7	20.0	16.9	8.2	7.7	10.5	11.5	27.3
24	7.2	12.0	32.0	23.0	34.9	20.9	16.4	8.0	8.0	10.7	10.8	27.7
25	7.5	12.9	32.1	22.9	34.9	21.4	14.9	8.4	8.1	10.9	10.5	28.4
26	6.0	13.5	32.1	22.9	35.0	22.1	14.4	8.9	8.0	11.0	10.7	29.7
27	6.2	14.5	32.4	22.5	35.0	22.5	14.0	9.0	7.8	10.9	11.2	30.4
28	6.7	15.1	32.4	22.2	34.9	22.9	13.3	8.8	7.3	10.6	11.7	30.8
29	7.2		32.0	22.3	34.5	23.4	11.9	8.4	7.1	10.4	12.0	31.0
30	7.6		32.0	22.8	34.3	23.6	12.8	8.4	7.2	10.4	11.8	31.1
31	8.5		31.6		33.3		13.1	9.0		10.4		31.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	11.45	14.57	25.40	23.94	29.62	21.14	21.12	12.63	7.51	9.19	13.52	24.07
MAX.	17.8	17.7	32.4	31.0	35.0	32.5	25.1	17.8	9.0	11.0	19.0	31.1
MIN.	6.0	10.0	15.2	21.0	23.7	17.2	11.9	8.0	6.2	7.4	10.1	11.9

HIGHEST STAGE WAS 35.0 FROM 800 A.M., MAY 26 TO 800 A.M., MAY 27.
LOWEST STAGE WAS 6.0 AT 800 A.M., JAN 26.

DAILY STAGES FOR 1966

MISSISSIPPI RIVER W. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION: LAT. 34-22-52, LONG. 90-37-49. MILE 682.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 941,700 SQUARE FEET. AVERAGE LOW WATER PLANE, 4.6 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1939, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 37.8 FEET FROM FEB. 13 TO 13, 1937. LOWEST, MINUS 1.7 FEET ON JAN. 4, 1964.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, M.S.L. (1929-39 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A			27.5	22.4	E 8.4	5.0	5.8	4.8	4.9	6.4
2	A	A	29.9		28.0	19.8	E 8.4	5.4	5.7	4.8	4.9	6.7
3	A	A	28.1	14.5	28.7	19.1	E 8.1	6.3	5.6	5.0	3.8	7.3
4	A	A	26.4	14.5	29.2	17.8	E 7.8	E 7.1	5.8	5.8	3.5	7.8
5	A	A	24.8	14.3	30.0	16.5	E 7.6	E 6.9	5.8	6.2	3.5	8.9
6	18.8	A	22.0	13.9	30.6	15.4	E 7.6	E 7.1	5.6	6.4	4.2	10.0
7	20.8	A	20.2	13.7	31.2	14.4	E 8.0	E 7.1	5.0	6.2	4.9	11.3
8	21.2	A	19.5	13.4	31.8	13.4	E 8.4	6.9	4.4	6.2	5.5	11.4
9	23.2	A	19.5	13.6	32.5	12.8	E 8.8	6.7	4.3	6.9	6.0	11.4
10	24.3	A		A	32.7	12.3	E 8.4	6.4	4.8	7.0	6.5	11.9
11	24.9	A		A	32.7	12.0	E 8.2	6.0	5.3	6.8	7.4	11.7
12	24.8	A	20.9	A	33.0	12.0	E 7.6	5.4	5.3	5.3	8.0	12.1
13	24.7	A	21.0	A	33.1	11.8	E 7.3	5.5	5.1	4.8	8.5	13.5
14	24.0	A	20.7	A	33.1	11.8	7.1	6.5	4.9	4.1	9.0	16.0
15	23.2	22.0	20.1	A	32.8	12.0	7.1	6.7	4.6	3.9	9.8	19.0
16	22.4	25.8	19.6	A	32.3	12.3	7.0	6.8	3.9	3.9	10.3	22.0
17	21.8	28.4	19.4	A	31.8	13.0	7.1	7.0	4.0	4.0	10.9	23.4
18	20.1	29.8	18.3	A	30.0	13.4	7.8	7.6	4.3	4.0	12.0	24.3
19	18.7	30.7	18.1	A	29.0	14.4	8.3	8.4	4.1	4.0	12.6	24.6
20	17.4	31.7	A	A	29.3	15.8	8.8	8.8	4.0	4.1	12.8	24.5
21	A	32.1	A	A	29.2	16.9	8.6	8.6	4.8	4.1	12.7	24.8
22	A	32.3	A	A	29.3	17.6	8.5	8.3	4.4	4.2	12.4	25.0
23	A	32.4	A	A	29.3	17.0	8.2	8.0	4.2	4.7	13.1	26.9
24	A	32.4	A	E 20.9	29.8	16.2	7.8	8.0	5.4	5.1	11.7	24.1
25	A	A	A	E 21.4	30.1	15.1	7.0	8.5	5.6	5.9	8.1	23.9
26	A	32.1	A	E 21.7	29.9	13.9	6.8	8.6	5.7	6.7	7.3	22.4
27	A	31.9	A	24.0	29.6	12.4	6.4	8.4	5.8	6.7	7.1	21.4
28	A	31.6	A	25.0	28.7	11.4	6.2	8.1	5.8	6.4	6.9	20.4
29	A		A	25.9	27.9	E 10.2	5.8	7.5	5.2	5.8	6.8	19.0
30	A		A	26.5	26.1	E 9.1	E 5.1	6.3	5.0	5.7	6.8	18.0
31	A		A		24.5		E 4.8	6.0		5.4		16.8

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	30.10	14.40	7.51	7.08	5.00	5.31	8.04	16.99
MAX.	33.1	22.4	E 8.8	8.8	5.8	7.0	13.1	26.9
MIN.	24.5	E 9.1	E 4.8	5.0	3.9	3.9	3.5	6.4

A- NO RECORD

E- ESTIMATED

HIGHEST STAGE WAS 33.1, MAY 13, 14.

LOWEST STAGE WAS 3.5, NOV. 4, 5.

DAILY STAGES FOR 1965

MISSISSIPPI RIVER H. W. GAGE 126 AT FRIAR POINT, MISS.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, ABOUT 1/4 MILE UPSTREAM FROM SPUR DIKE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS. GAGE IS READ AND MAINTAINED BY MEMPHIS DISTRICT, CORPS OF ENGINEERS.

GENERAL INFORMATION. DRAINAGE AREA, 941,700 SQUARE FEET. AVERAGE LOW WATER PLANE, 4.6 FEET ON GAGE. GAGE WAS COMBINED WITH L. W. GAGE 318.3 L ON NOV. 3, 1939. PRIOR TO 1958, THE ZERO ELEVATION OF THE GAGE WAS 138.79 FEET.

RECORDS AVAILABLE. STAGE, JULY 1928 TO DATE. PRIOR TO JAN. 1, 1930, HIGH STAGES ONLY.

EXTREMES. HIGHEST, 57.8 FEET FROM FEB. 11 TO 13, 1937. LOWEST, MINUS 1.7 FEET ON JAN. 4, 1964.

DAILY EIGHT A. M. STAGE IN FEET

GAGE ZERO, 138.62 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	13.2	17.0	21.2	29.6	33.9	E 17.1	E 13.8	15.9	6.5	23.0	11.3	A
2	14.4	17.7	19.6	30.9	33.2	E 17.4	E 13.0	14.5	7.6	E 23.4	10.0	A
3	15.0	18.2	18.6	32.0	32.0	E 17.4	12.4	12.6	7.5	E 23.6	10.6	A
4	15.7	18.5	19.1	33.0	31.6	E 17.2	12.0	10.8	7.8	E 23.4	10.3	A
5	15.8	18.5	20.1	33.8	31.4	E 17.0	12.2	9.6	9.0	22.9	10.2	A
6	15.9	18.2	21.5	34.6	31.4	E 17.0	13.5	8.3	10.8	21.5	A	A
7	16.5	17.1	23.0	35.3	31.4	17.4	15.4	E 7.8	11.4	20.2	A	A
8	17.8	16.2	24.4	35.7	31.3	17.6	17.0	E 7.5	12.7	18.7	A	A
9	19.5	15.7	25.6	36.2	31.0	18.3	17.8	7.3	E 12.2	17.6	A	A
10	21.5	HR-13.9	26.4	36.6	30.2	18.8	18.0	7.4	E 11.2	15.4	A	A
11	22.4	13.0	27.2	37.0	29.3	19.6	17.8	7.9	E 10.4	15.1	A	A
12	23.0	13.6	27.7	37.5	28.0	20.4	17.3	7.9	12.2	15.4	A	A
13	23.2	15.9	27.8	37.9	26.7	20.9	16.8	7.8	13.2	15.3	A	A
14	23.4	19.7	27.8	38.1	25.6	20.9	16.4	7.5	E 13.9	15.3	A	A
15	23.8	22.3	27.7	38.2	24.8	20.5	15.8	7.1	E 14.8	15.3	A	A
16	23.9	26.6	27.5	38.3	24.2	19.8	15.0	7.0	E 15.8	14.8	8.1	A
17	23.8	28.4	27.2	38.2	23.7	19.0	14.6	6.8	E 16.7	14.1	8.2	A
18	23.7	29.9	27.2	38.3	23.1	18.3	14.4	6.8	E 16.2	13.2	8.0	A
19	23.3	30.8	27.0	38.2	22.9	17.6	14.0	6.8	E 15.6	12.9	7.8	A
20	22.9	31.0	26.3	38.1	22.3	17.2	13.8	6.6	E 14.9	12.7	7.7	A
21	22.8	31.0	25.5	38.0	21.4	17.0	E 13.7	6.0	E 14.4	12.1	A	A
22	21.8	30.4	25.2	38.0	20.9	16.8	E 13.1	5.9	E 15.2	12.2	A	A
23	20.8	30.0	25.4	37.9	20.4	16.4	E 12.7	5.8	E 16.0	12.4	A	A
24	19.3	29.3	26.1	37.8	20.2	16.1	E 11.9	5.8	E 16.0	12.6	A	A
25	17.6	28.0	26.9	37.7		15.8	E 11.6	6.0	E 15.8	12.6	A	A
26	16.5	26.5	27.8	37.5	18.4	15.5	11.4	6.0	E 16.6	12.4	A	A
27	15.0	23.7	27.8	37.2	E 17.9	15.3	12.8	6.0	18.0	12.4	A	A
28	13.9	22.0	27.2	36.8	E 17.7	15.2	14.3	6.0	19.5	12.4	A	A
29	13.8		26.8	35.8	17.4	14.8	15.6	5.7	20.7	12.2	A	A
30	14.9		27.7	34.8	E 17.2	E 14.7	16.6	5.3	22.0	12.2	A	
31	16.1		28.5		E 17.0		16.6	5.3		11.7		A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	19.07	22.25	25.41	36.30		17.57	14.56	7.67	13.83	15.77		
MAX.	23.9	31.0	28.5	38.3		20.9	18.0	15.9	22.0	E 23.6		
MIN.	13.2	13.0	18.6	29.6		E 14.7	11.4	5.3	6.5	11.7		

A- NO RECORD

E- ESTIMATED

HIGHEST STAGE WAS 38.3, APR. 16 AND 18.

LOWEST STAGE WAS 5.3, AUG. 30 AND 31.

A22

MISSISSIPPI RIVER AT H.W. GAGE 126.

LOCATION. LAT. 34-22-52, LONG. 90-37-49. MILE 652.5, AT FRIAR POINT, MISS., APPROXIMATELY ONE QUARTER MILE UPSTREAM FROM SPUR LEVEE.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. AVERAGE LOW WATER PLANE, 4.6 FEET ON GAGE. RECORDS AVAILABLE.
STAGE, NOV. 3, 1939 TO DATE (HIGH WATER STAGES, JULY, 1928 TO DATE) COMBINED WITH L.W. GAGE 318.3 L ON NOV. 3, 1939.

EXTREMES. HIGHEST, 57.8 FEET ON FEB. 11 TO 13, 1937. LOWEST, MINUS 1.7 FEET ON JAN. 4, 1964.

DAILY EIGHT A.M. STAGE IN FEET FOR 1964

GAGE ZERO, 138.62 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	-0.7	12.2	10.7	37.2	E 30.7	11.8	17.8	5.0	4.8	4.4	2.8	8.2
2	-1.2	12.5	8.9	36.9	E 31.4	12.3	16.8	5.0	4.6	5.5	3.1	9.0
3	-1.6	12.7	7.1	36.5	32.0	13.1	16.0	5.1	4.3	6.5	3.4	10.7
4	-1.7	12.7	6.1	36.0	32.2	14.0	14.8	5.2	4.1	7.4	3.4	11.9
5	-1.5	12.2	7.3	32.7	32.4	14.3	13.2	5.2	3.9	8.3	3.1	12.2
6	-1.5	10.7	8.0	31.6	32.5	13.8	11.7	4.8	3.5	8.6	2.7	12.2
7	-1.2	10.5	9.3	29.7	32.4	12.5	10.5	E 4.5	3.5	8.7	2.8	12.5
8	-0.8	10.1	13.3	38.5	32.3	11.3	9.4	E 4.4	3.4	8.5	2.8	13.5
9	0.0	9.1	16.9	28.5	32.0	E 10.1	8.6	4.8	3.0	8.2	2.9	14.8
10	1.0	7.9	21.0	28.4	31.5	9.7	7.5	5.0	2.8	7.7	3.1	15.8
11	2.0	6.5	26.6	29.5	30.6	9.1	7.2	4.9	2.8	7.2	3.6	16.5
12	4.0	5.7	28.7	30.8	29.6	8.9	8.0	4.7	3.3	7.0	3.7	16.8
13	6.4	6.0	29.3	31.5	27.6	8.9	8.1	4.6	3.6	6.6	3.6	E 16.4
14	8.8	6.6	31.5	31.9	25.8	8.9	8.1	4.5	3.6	5.8	3.5	E 16.1
15	10.0	7.1	E 32.5	31.9	23.4	8.9	8.0	E 4.4	3.7	5.0	3.5	E 16.1
16	10.6	7.8	E 33.1	31.7	21.7	8.8	8.1	4.0	3.7	4.4	3.5	E 16.2
17	10.8	7.8	E 33.7	31.3	E 20.8	8.8	8.4	4.1	4.4	3.7	3.4	E 16.7
18	10.7	7.8	E 34.2	31.1	19.7	8.5	8.8	3.8	5.1	3.5	3.4	E 17.5
19	10.5	7.9	E 34.7	E 30.9	18.7	8.1	9.0	3.3	5.5	3.5	3.5	E 18.0
20	10.3	8.8	35.1	E 30.6	17.8	8.8	9.0	3.5	5.5	3.5	3.5	18.5
21	10.2	10.4	35.6	E 29.9	16.6	11.0	9.0	3.8	5.2	3.6	4.0	18.5
22	9.3	11.8	36.1	E 29.1	15.8	13.5	8.8	4.2	4.7	3.4	4.5	18.2
23	7.4	12.8	36.4	E 27.8	15.0	14.8	8.5	4.1	4.2	3.1	5.8	17.7
24	4.9	13.3	36.6	E 26.5	14.8	15.7	8.2	3.8	4.1	3.3	6.4	E 16.3
25	4.3	13.5	36.8	E 25.2	14.5	15.8	7.9	3.6	4.3	3.4	7.1	E 15.1
26	4.9	13.5	37.2	E 24.7	13.5	15.9	7.6	4.2	4.4	3.3	7.3	E 13.9
27	5.8	13.2	37.3	E 25.9	12.8	16.3	7.1	4.8	4.6	3.4	7.3	12.8
28	6.9	12.6	37.5	E 27.6	12.2	16.6	6.7	4.7	4.6	3.6	7.4	11.7
29	8.7	11.7	37.4	E 28.9	11.7	17.0	6.2	4.6	4.5	3.8	7.3	11.4
30	10.2		37.4	E 29.9	11.4	17.2	5.7	5.0	4.4	3.5	7.4	11.4
31	11.5		37.3		11.4		5.1	4.9		2.8		12.4

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	5.13	10.19	26.89	30.76	22.74	12.15	9.35	4.47	4.14	5.20	4.33	14.48
MAX.	11.5	13.5	37.5	38.5	32.5	17.2	17.8	5.2	5.5	8.7	7.4	18.5
MIN.	-1.7	5.7	6.1	E 24.7	11.4	8.1	5.1	3.3	2.8	2.8	2.7	8.2

E- ESTIMATED

HIGHEST STAGE WAS 37.5 AT 800 A.M., MAR. 28.

LOWEST STAGE WAS MINUS 1.7 AT 800 A.M., JAN. 4.

MEMPHIS DISTRICT, CORPS OF ENGINEERS.

1963

MISSISSIPPI RIVER
H. W. 126

Zero of gage: 138.62 m.s.l. (138.78 m.g.l.) 648.7 L Miles A.H.P.
Lat.: 34° 22' 52" - Long.: 90° 37' 49"
Memphis District, CE gage.

Vertical gage located at Friar Point, Miss., about 1200 feet above old Ferry Landing and spur levee.

Highest: 40.30 on 31 March - 1 April.

Lowest: 0.10 on 26 December.

Period of record: July 1928 to date.

Highest for period of record: 57.80 on 11-13 February 1937.

Lowest for period of record: -1.30 on 28-29 October 1940.

Note: Daily readings, 3 November 1939 to date. Gage combined with the L. W. Gage 318.3 L, 3 November 1939. Zero change from 138.79 to 138.62 m.s.l. in 1958.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	13.7	6.1	9.2	40.30	13.6	16.8	8.7	8.1	4.3	1.8	0.7	2.1
2	14.3	5.9	10.0	40.2	14.1	17.2	8.5	7.9	5.0	1.6	0.8	2.0
3	14.4	5.6	10.3	40.1	14.8	16.8	7.8	7.1	5.5	1.4	0.8	3.0
4	13.9	5.5	10.3	40.0	16.8	16.6	7.7	7.1	5.4	1.4	0.7	4.0
5	13.4	5.5	10.2	39.8	18.8	16.1	8.0	7.2	5.0	1.3	0.7	3.9
6	13.0	5.4	10.0	39.6	19.9	15.7	8.6	6.8	4.4	1.2	0.9	3.7
7	12.8	5.9	11.0	39.3	19.8	14.8	8.5	6.8	4.0	1.4	1.1	4.0
8	13.0	7.2	13.0	38.7	18.6	13.5	8.4	7.0	4.0	1.5	1.0	4.8
9	12.9	8.3	17.0	38.1	17.7	12.6	7.9	7.1	4.0	1.4	0.8	4.6
10	12.2	9.8	23.2	37.2	16.8	11.7	7.3	7.3	4.0	1.2	1.0	4.2
11	11.6	10.8	27.0	35.7	15.8	11.3	6.8	7.1	3.8	1.3	1.9	4.0
12	9.8	11.8	29.1	33.8	14.4	11.3	6.5	7.0	3.2	1.4	2.0	4.0
13	8.0	12.4	30.5	31.3	14.1	11.7	6.5	6.6	3.1	1.4	2.2	3.6
14	7.4	12.8	31.3	28.6	13.4	12.7	6.4	6.4	3.4	1.4	2.5	2.9
15	7.3	13.0	31.8	26.0	12.9	13.4	6.0	6.5	3.5	1.3	2.2	3.0
16	7.6	12.9	32.3	23.0	12.3	13.8	5.8	6.8	3.5	1.0	2.1	3.2
17	8.2	12.8	33.0	21.9	11.8	14.2	5.9	6.8	3.9	0.8	2.0	3.5
18	9.0	12.8	33.8	19.6	11.8	14.1	6.4	6.5	3.9	0.9	1.9	3.5
19	9.7	12.5	34.6	17.6	11.9	13.9	6.7	5.8	3.5	1.0	1.8	3.4
20	10.7	12.1	35.2	15.6	12.3	13.9	6.4	5.1	3.4	1.1	1.6	3.3
21	11.1	11.4	36.0	14.3	13.2	13.8	6.7	4.8	3.1	1.1	1.1	3.2
22	12.1	11.0	36.8	13.0	14.4	12.9	6.9	4.4	2.8	1.0	0.9	3.0
23	12.9	10.6	37.5	12.3	15.8	11.2	7.3	4.6	2.6	1.0	0.8	2.6
24	13.1	9.4	38.1	11.7	17.2	10.4	7.7	4.9	2.6	0.9	1.1	2.1
25	12.7	8.3	38.5	11.5	17.3	10.1	8.1	4.7	2.2	0.8	1.2	1.5
26	12.0	8.0	39.0	11.3	17.3	9.6	8.7	4.5	1.6	0.8	1.1	0.10
27	10.7	8.1	39.3	11.3	17.6	9.5	9.0	4.6	1.5	0.7	1.2	0.2
28	9.4	8.4	39.6	11.8	17.5	9.3	9.0	4.5	1.8	0.8	1.7	0.4
29	7.9		39.9	12.3	16.8	9.0	8.4	4.3	2.0	0.7	1.9	0.4
30	7.0		40.1	12.9	16.1	8.9	8.4	4.2	1.9	0.6	1.9	0.3
31	6.4		40.30		16.4		8.1	4.2		0.4		0.2

8:00 a. m. readings.

LMM 21
Feb 64

1962

MISSISSIPPI RIVER
H. W. 126

Zero of gage: 138.62 m.s.l. (138.78 m.g.l.) 648.7 L Miles A.H.P.
Lat.: 34° 22' 52" - Long.: 90° 37' 49"
Memphis District, CE gage

Vertical gage located at Friar Point, Miss., about 1200 feet above old Ferry Landing and spur levee

Highest: 42.30 on 7-10 April

Lowest: 4.00 on 21 December

Period of record: July 1928 to date

Highest for period of record: 57.80 on 11-13 February 1937

Lowest for period of record: -1.30 on 28-29 October 1940

Note: Daily readings, 3 November 1939 to date. Gage combined with the L.W. Gage 318.3 L, 3 November 1939. Zero change from 138.79 to 138.62 m.s.l. in 1958

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	28.3	32.0	31.5	41.7	33.8	16.5	15.4	15.4	7.3	8.3	7.8	12.6
2	26.6	32.9	33.0	41.8	32.0	17.0	15.1	15.0	7.5	8.4	8.0	12.9
3	24.5	33.4	34.6	41.9	30.5	17.3	15.0	14.2	7.9	8.3	7.8	13.3
4	22.5	33.6	35.6	42.0	29.2	17.7	14.5	13.4	8.5	9.0	7.3	13.3
5	20.7	33.9	36.4	42.1	27.7	18.7	14.0	12.9	8.7	9.2	7.2	12.2
6	19.6	34.1	37.6	42.2	27.6	19.9	13.6	12.4	8.9	9.4	7.8	10.7
7	18.5	34.2	38.4	42.30	27.0	20.8	13.1	11.9	9.0	10.0	8.0	9.0
8	17.5	34.3	39.1	42.30	26.3	21.1	13.1	11.4	9.5	10.8	8.1	8.5
9	16.8	34.1	39.7	42.30	25.5	21.0	13.8	11.0	9.9	11.4	8.5	7.3
10	17.2	34.0	40.3	42.30	25.0	20.5	15.0	10.8	10.3	11.4	8.5	7.5
11	19.0	33.8	40.6	42.2	24.0	20.3	15.9	10.7	10.3	11.2	7.9	8.0
12	21.0	33.3	40.8	42.1	23.2	20.5	16.0	11.0	10.3	10.9	7.3	8.2
13	21.9	32.6	40.9	41.8	22.5	20.8	15.6	10.8	10.4	10.6	7.0	8.5
14	22.6	31.8	41.0	41.6	21.5	20.8	14.9	10.7	10.5	10.2	7.5	8.1
15	22.9	30.9	41.1	41.4	20.9	21.0	14.6	10.4	10.6	9.5	8.8	7.8
16	23.1	30.0	41.2	41.2	20.6	21.2	14.3	10.2	10.8	9.4	10.0	7.1
17	23.1	29.0	41.3	41.0	20.8	21.6	14.0	9.6	11.6	9.6	11.1	6.2
18	23.5	27.9	41.4	41.0	20.8	21.8	13.7	9.2	12.1	9.3	12.0	5.4
19	24.2	27.0	41.5	40.9	20.7	21.9	13.7	8.7	11.9	9.6	13.1	4.8
20	24.5	26.4	41.6	40.8	20.1	22.0	14.1	8.1	11.3	9.4	14.1	4.2
21	24.3	26.0	41.7	40.7	19.6	21.5	14.9	8.0	10.9	9.9	14.6	4.00
22	23.6	26.0	41.7	40.5	19.0	20.9	16.0	7.9	10.9	10.5	14.6	4.3
23	23.7	25.8	41.6	40.3	18.1	19.4	16.5	7.8	11.0	10.5	14.3	4.8
24	23.5	25.8	41.5	40.1	17.5	18.4	15.9	7.4	10.6	9.8	13.8	5.6
25	23.7	25.8	41.4	39.9	17.0	17.7	15.3	7.3	9.8	9.1	13.2	6.0
26	25.0	26.0	41.3	39.7	16.7	17.1	14.9	7.1	9.2	9.0	12.8	6.8
27	26.5	27.4	41.3	39.3	16.3	16.6	14.6	7.0	8.8	9.0	12.7	7.7
28	28.0	29.5	41.3	38.6	15.9	16.2	14.4	6.9	8.5	9.0	12.6	9.0
29	29.4		41.3	37.4	15.7	15.9	14.7	7.2	8.3	8.4	12.6	9.8
30	30.5		41.4	35.8	15.7	15.8	15.2	7.4	8.3	8.5	12.5	11.0
31	31.4		41.6		16.1		15.5	7.6		8.1		12.3

8:00 a.m. readings
MS 21
June 62

1961

MISSISSIPPI RIVER
H. W. 126

Zero of gage: 138.62 m.s.l. (138.78 m.g.l.) 648.7 L Miles A.H.P.
Lat.: 34° 22' 52" - Long.: 90° 37' 49"
Memphis District, CE Gage

Vertical gage located at Friar Point, Miss., about 1200 feet above old Ferry Landing and a spur levee.

Highest: 45.40 on 24, 25 May.

Lowest: 5.60 on 7 February.

Period of record: July 1928 to date.

Highest for period of record: 57.80 on 11-13 February 1937.

Lowest for period of record: -1.30 on 28-29 October 1940.

Note: Daily readings, 3 November 1939 to date. Gage combined with the L.W. Gage 318.3 L, 3 November 1939. Zero changed from 138.79 to 138.62 m.s.l. in 1958.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	7.3	7.6	27.5	39.6	33.0	37.2	19.1	20.3	9.5	17.7	9.4	21.1
2	8.0	6.5	28.2	39.2	33.1	33.8	17.3	19.8	10.0	18.0	8.9	20.3
3	8.5	6.7	29.0	38.8	33.2	30.5	16.0	19.3	10.2	17.5	9.1	19.6
4	9.8	6.9	30.0	38.3	33.1	27.7	15.1	18.5	10.1	16.5	9.2	19.0
5	11.4	6.2	30.9	37.9	32.9	25.6	14.7	17.7	9.9	15.6	10.0	18.7
6	12.6	5.7	31.6	37.5	32.8	23.7	14.8	17.2	9.6	14.5	11.0	18.3
7	13.3	5.60	32.3	36.9	33.0	22.5	15.0	16.8	9.5	14.0	13.2	17.7
8	13.5	5.9	32.8	35.9	33.1	21.7	15.1	16.6	9.4	14.2	16.0	16.7
9	13.5	6.2	33.3	35.0	33.5	21.3	15.0	16.7	9.4	14.8	18.2	15.1
10	13.3	6.7	34.0	34.1	34.4	21.0	14.6	17.2	9.8	15.1	19.4	14.8
11	12.8	7.2	34.6	33.3	35.2	20.7	13.8	17.6	10.0	14.5	20.2	14.8
12	12.0	7.6	35.3	32.8	36.1	20.8	13.4	17.6	10.5	13.8	20.5	15.4
13	10.8	8.2	35.9	32.5	36.8	21.4	13.0	17.5	10.8	13.4	20.2	16.8
14	9.5	8.8	36.7	32.0	37.8	22.0	13.5	17.2	10.6	12.7	19.4	18.6
15	9.0	9.8	37.6	31.8	38.8	22.2	13.9	17.0	10.2	11.8	18.2	20.3
16	8.5	10.6	38.4	32.1	39.8	22.4	13.4	16.6	9.9	10.9	17.0	21.2
17	8.1	11.2	39.0	32.5	41.1	22.9	13.0	16.3	9.5	10.3	16.1	23.0
18	7.7	11.5	39.5	33.0	42.2	23.8	12.9	16.1	9.4	10.3	15.5	23.9
19	8.0	11.6	40.0	33.4	43.1	24.7	13.0	16.1	11.9	11.0	15.0	24.3
20	8.9	12.0	40.4	33.8	43.9	25.5	13.1	15.9	15.5	12.7	14.8	24.9
21	9.8	12.6	40.8	34.1	44.5	25.9	13.4	15.3	18.6	13.5	15.2	25.9
22	10.3	14.0	41.0	34.1	45.0	26.1	14.0	14.5	20.3	13.5	16.5	26.7
23	11.0	15.5	41.2	34.0	45.2	26.4	14.7	13.2	21.3	13.4	19.4	27.7
24	11.8	17.2	41.3	34.0	45.40	26.6	15.2	11.5	21.0	12.6	21.5	28.4
25	12.8	19.5	41.3	33.7	45.40	26.5	16.2	10.4	20.2	11.8	22.8	29.0
26	13.4	22.5	41.3	33.2	45.1	26.0	16.8	10.0	18.8	11.3	23.3	29.5
27	14.0	24.8	41.2	32.8	44.6	25.1	17.6	10.0	17.3	10.8	23.7	29.9
28	13.9	26.4	41.1	32.6	44.0	23.7	18.2	10.1	16.5	10.6	23.4	30.5
29	13.2		40.8	32.7	43.2	22.1	19.2	10.0	16.5	10.6	22.8	30.7
30	11.9		40.5	32.8	41.9	20.6	19.7	9.7	17.0	10.6	22.0	30.5
31	9.6		40.1		39.9		20.2	9.4		10.2		29.6

8:00 a.m. readings.

1960

MISSISSIPPI RIVER
H. W. 126

Zero of gage: 138.62 m.s.l. (138.78 m.g.l.) 648.7 L Miles A.H.P.
Lat.: 34° 22' 52" - Long.: 90° 37' 49"
Memphis District, CE Gage.

Vertical gage located at Friar Point, Miss., about 1200 feet above old Ferry Landing and a spur levee.

Highest: 38.40 on 19, 20 April.

Lowest: 6.20 on 3 November.

Period of record: July 1928 to date.

Highest for period of record: 57.80 on 11-13 February 1937.

Lowest for period of record: -1.30 on 28-29 October 1940.

Note: Daily readings, 3 November 1939 to date. Gage combined with the L.W. Gage 318.3 L, 3 November 1939. Zero changed from 138.79 to 138.62 m.s.l. in 1958.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	22.7	23.4	23.5	23.5	26.4	25.6	25.7	11.0	10.1	8.2	6.4	8.0
2	22.4	22.0	22.8	24.8	24.8	25.5	26.6	10.9	9.4	8.2	6.3	7.7
3	22.0	21.1	22.2	26.9	23.5	25.4	27.2	10.8	8.7	8.3	6.20	7.8
4	22.4	20.5	21.6	28.8	22.7	25.4	27.5	10.6	8.3	8.2	6.3	8.3
5	23.0	20.0	21.5	30.4	22.4	25.2	27.7	10.1	8.6	8.2	6.5	8.6
6	23.1	19.8	21.6	31.8	22.6	24.8	27.7	9.8	9.3	8.0	6.8	8.6
7	22.9	19.4	22.3	32.9	23.4	24.4	27.7	9.5	10.5	7.9	7.3	8.5
8	22.7	18.9	23.1	33.8	23.7	23.8	28.1	9.3	11.2	7.9	7.8	8.4
9	22.3	18.9	23.9	34.5	23.6	23.1	28.6	9.5	11.4	8.0	9.0	8.2
10	21.9	19.1	24.1	35.1	23.4	22.4	29.0	10.0	11.3	8.0	10.0	8.0
11	21.6	20.3	23.8	35.7	23.5	21.6	28.9	10.7	10.9	8.1	10.0	7.7
12	21.3	21.6	23.4	36.2	23.9	20.5	28.5	11.0	10.5	8.0	9.8	7.6
13	21.2	22.6	22.4	36.8	24.4	19.2	27.6	11.2	10.0	7.8	9.9	7.6
14	21.3	23.5	21.4	37.2	25.2	18.4	26.2	11.1	9.7	7.6	10.0	8.3
15	21.5	24.2	20.4	37.6	26.0	18.0	23.7	11.0	9.9	7.4	10.2	9.1
16	21.8	24.6	19.1	37.8	26.7	17.7	21.0	11.0	9.8	7.2	10.5	9.2
17	21.9	25.3	18.4	38.1	27.1	17.5	19.2	10.8	9.7	6.8	10.8	9.2
18	22.7	25.9	17.8	38.3	27.4	17.4	18.3	10.5	9.8	6.5	10.7	9.2
19	23.8	26.3	17.5	38.40	27.5	18.1	18.1	10.5	9.7	6.5	10.3	9.1
20	25.0	26.7	17.6	38.40	27.5	19.2	18.0	10.1	9.5	6.8	10.0	8.8
21	27.0	27.0	18.0	38.3	27.3	20.3	17.1	9.7	9.4	6.8	9.8	8.5
22	28.4	27.3	19.0	38.1	27.2	21.2	16.0	9.6	10.0	6.7	9.6	8.0
23	29.7	27.3	19.8	37.4	27.1	21.4	15.1	9.4	10.4	6.7	9.4	7.6
24	30.4	27.5	20.5	36.7	27.1	20.9	14.5	9.8	10.2	7.0	9.0	7.3
25	31.0	27.5	21.3	35.6	27.1	20.1	13.9	9.8	9.8	7.2	8.9	7.1
26	31.0	27.3	21.7	34.5	27.1	19.4	13.4	9.7	9.5	7.1	8.8	7.4
27	30.5	26.6	22.0	33.3	26.9	19.4	12.8	9.7	9.4	6.8	8.9	7.7
28	29.5	25.8	22.1	31.5	26.5	20.0	12.1	10.1	9.2	6.8	9.0	7.4
29	28.2	24.8	22.3	29.8	26.0	21.5	11.8	10.4	9.0	6.8	8.8	7.1
30	26.7		22.7	28.1	25.7	23.9	11.6	10.4	8.6	6.7	8.5	6.7
31	25.1		23.0		25.6		11.3	10.4		6.7		6.8

8:00 a.m. readings

MISSISSIPPI RIVER
H. W. 126

Zero of gage: 138.62 m.s.l. (138.78 m.g.l.) 648.7 L Miles A.H.P.
Lat.: 34° 22' 52" - Long.: 90° 37' 49"
Memphis District, CE Gage.

Vertical gage located at Friar Point, Miss., about 1200 feet above old Ferry Landing and a spur levee.

Highest: 33.90 on 27, 28 February.

Lowest: 3.60 on 26 September.

Period of record: July 1928 to date.

Highest for period of record: 57.80 on 11-13 February 1937.

Lowest for period of record: -1.30 on 28-29 October 1940.

Note: Daily readings, 3 November 1939 to date. Gage combined with the L. W. Gage 318.3 L, 3 November 1939. Zero changed from 138.79 to 138.62 m.s.l. in 1958.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	4.8	29.3	33.7	23.4	22.1	21.1	9.3	10.1	7.0	6.1	10.3	11.6
2	5.5	29.5	33.4	23.3	21.0	20.7	9.1	9.8	7.2	7.6	10.9	12.6
3	6.5	29.8	32.7	23.4	19.9	20.1	9.2	9.5	7.4	9.3	11.4	13.7
4	7.2	30.1	32.0	23.6	19.1	19.5	9.7	9.1	7.8	10.8	11.8	14.9
5	7.3	30.3	31.1	23.8	18.9	19.4	10.0	8.4	8.3	11.8	11.9	15.8
6	7.6	30.4	30.1	24.0	19.0	20.0	10.1	8.0	8.5	12.3	11.8	16.4
7	8.0	30.5	28.9	24.2	19.1	21.0	10.2	7.8	8.6	12.4	11.4	16.6
8	8.5	30.4	27.9	24.5	19.2	21.9	10.4	7.9	8.7	12.4	11.4	16.6
9	9.5	29.9	27.0	25.0	19.2	22.6	11.3	8.1	8.5	12.5	11.8	16.6
10	10.4	29.2	26.1	25.1	19.0	22.6	12.3	9.2	8.4	12.8	12.4	16.7
11	10.7	28.2	25.6	25.1	19.1	21.9	12.6	10.8	8.3	13.8	12.8	16.7
12	10.7	26.6	25.4	25.1	19.2	21.4	12.5	11.9	8.1	15.2	13.0	16.8
13	10.6	24.7	25.2	24.9	19.4	20.6	11.7	12.7	7.8	17.5	13.1	16.5
14	10.0	23.4	25.0	25.0	19.8	19.8	10.7	13.0	7.6	19.0	13.1	16.3
15	9.0	23.8	24.8	25.4	20.4	18.3	10.1	12.3	7.5	19.9	12.9	15.1
16	8.1	25.1	24.8	25.7	20.8	16.3	9.6	11.0	7.3	20.4	12.8	15.8
17	7.6	26.8	24.7	25.6	20.8	15.0	9.4	9.8	6.8	20.6	12.5	17.9
18	7.3	28.7	24.8	25.4	20.5	14.0	9.2	9.0	6.2	19.5	11.9	19.5
19	7.9	30.3	24.8	25.2	20.1	13.3	8.9	8.7	5.8	18.2	11.3	20.7
20	9.0	31.3	25.0	24.6	19.5	12.9	8.6	8.6	5.6	16.6	10.8	21.7
21	10.7	32.0	25.1	24.0	19.1	12.3	8.5	9.8	5.2	15.1	10.7	22.7
22	12.8	32.7	25.1	23.5	19.0	11.6	9.0	10.1	4.8	13.8	10.8	23.8
23	14.0	33.2	25.2	23.7	19.5	11.0	9.2	9.7	4.5	13.0	10.8	25.0
24	16.5	33.5	25.2	24.0	19.9	10.5	9.3	9.4	4.0	12.4	10.6	26.2
25	19.8	33.7	24.9	24.0	20.3	10.0	9.5	9.3	3.7	11.8	10.1	26.8
26	22.5	33.8	24.4	23.8	20.5	9.1	9.5	8.8	3.60	11.1	9.6	27.4
27	25.0	33.90	24.3	23.7	20.8	8.9	9.4	8.0	3.9	10.2	9.5	27.4
28	26.8	33.90	24.2	23.6	21.3	9.0	9.8	7.6	3.9	9.4	9.5	26.8
29	27.6		24.0	23.5	21.5	9.3	10.2	7.2	4.3	8.9	10.1	26.0
30	28.5		23.8	23.0	21.6	9.4	10.4	6.8	4.9	9.2	10.8	24.8
31	29.0		23.5		21.6		10.3	6.7		9.7		23.8

8:00 a.m. readings.

1958
MISSISSIPPI RIVER
H. W. 126

Zero of gage: 138.62 m. s. l. (138.78 m.g.l.) 648.7 L Miles A.H.P.
Lat.: 34° 22' 52" - Long: 90° 37' 49"
Memphis District, CE Gage

Vertical gage located at Friar Point, Miss., about 1200 feet above old Ferry Landing and a spur levee.

Highest: 37.10 on 16, 19 May
Lowest: 4.90 on 31 December
Period of record: July 1928 to date
Highest for period of record: 57.80 on 11-13 February 1937
Lowest for period of record: -1.30 on 28-29 October 1940

Note: Daily readings, 3 November 1939 to date. Gage combined with the L. W. Gage 318.3 L, 3 November 1939. Zero changed from 138.79 to 138.62 m. s. l. in 1958

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	32.9	23.6	10.0	26.1	24.3	19.6	21.7	35.4	14.6	13.4	6.4	11.8
2	33.0	24.2	10.3	26.2	26.4	18.1	21.2	35.4	14.4	13.4	6.9	11.3
3	33.1	24.5	11.5	26.3	27.9	16.8	20.7	35.3	13.8	13.3	6.8	11.1
4	33.1	24.7	13.5	26.2	29.6	15.9	20.3	35.2	13.3	13.1	6.6	11.3
5	33.0	24.8	16.1	25.9	31.0	14.6	19.8	35.0	12.7	12.4	6.4	11.5
6	32.9	24.5	18.0	25.3	32.0	13.6	18.8	35.0	12.0	11.8	6.4	12.0
7	32.6	24.0	19.8	25.3	32.9	13.3	17.4	35.0	10.7	10.8	6.6	12.0
8	32.0	23.3	21.0	25.2	33.5	13.3	15.6	35.0	10.0	9.9	6.8	11.8
9	31.4	22.4	22.2	25.1	34.0	13.5	14.9	35.1	10.0	9.2	6.6	11.5
10	30.0	22.0	23.2	25.2	34.9	13.9	15.0	35.2	10.4	9.0	6.3	11.3
11	28.8	21.8	23.6	25.7	35.6	13.5	15.8	35.1	10.2	9.0	6.3	11.7
12	27.0	21.9	24.0	26.0	36.0	12.8	16.9	35.0	10.3	9.0	6.3	12.4
13	24.8	22.0	24.4	26.0	36.6	12.4	17.8	34.7	10.5	8.9	6.2	12.8
14	21.8	21.9	24.8	26.2	37.0	12.5	18.4	34.0	10.9	8.7	6.2	13.0
15	19.0	21.5	25.2	26.5	37.0	13.8	18.8	33.0	11.2	8.6	6.2	13.0
16	16.5	20.9	25.3	27.0	37.10	15.4	18.7	31.7	11.7	8.8	6.2	12.7
17	15.3	20.4	25.2	27.0	37.0	17.0	18.9	30.2	12.1	9.5	6.2	12.0
18	14.4	20.0	24.9	26.9	37.0	18.5	20.0	28.6	12.2	10.3	6.3	11.0
19	14.1	19.5	24.2	26.8	37.10	19.7	21.6	26.8	12.2	10.3	6.7	9.4
20	14.0	18.4	23.4	26.7	37.0	21.0	23.8	25.2	12.5	10.0	7.3	7.8
21	14.1	16.8	22.7	26.6	37.0	22.3	25.8	23.8	12.6	9.6	8.2	6.9
22	14.7	15.4	22.0	26.2	36.9	23.1	27.8	22.5	12.5	9.1	9.3	6.5
23	15.1	14.0	21.5	25.6	36.8	23.4	29.4	21.5	12.5	8.2	10.6	6.1
24	16.0	13.2	21.2	24.8	36.6	23.6	30.5	20.4	12.7	7.5	11.8	5.9
25	17.2	12.6	21.1	24.1	36.6	23.4	31.8	19.3	13.6	7.1	13.0	5.7
26	18.4	11.9	21.0	23.7	35.6	23.2	32.8	18.4	14.5	7.1	13.6	5.5
27	19.6	11.2	21.7	23.3	34.3	22.8	33.6	17.6	14.8	6.8	13.6	5.5
28	20.3	10.5	23.0	22.8	31.3	22.6	34.2	16.8	14.3	6.5	13.6	5.5
29	21.1		24.2	22.8	28.4	22.4	34.6	15.7	13.8	6.1	13.3	5.3
30	21.9		25.0	23.4	25.2	22.1	35.0	15.0	13.3	5.8	12.6	5.0
31	22.7		25.7		22.2		35.2	14.8		6.0		4.90

8:00 a. m. readings

1957
MISSISSIPPI RIVER
H. W. 126

Zero of gage: 138.79 m.s.l. (138.78 m.g.l.) 648.7 L Miles A.H.P.
Lat.: 34°22'52" - Long.: 90°37'49"
Memphis District, CE Gage

Vertical gage located at Friar Point, Miss., about 1200 feet above old Ferry Landing and a spur levee.

Highest: 37.00 on 18-20 February
Lowest: 5.30 on 15 October
Period of record: July 1928 to date
Highest for period of record: 57.80 on 11-13 February 1937
Lowest for period of record: -1.30 on 28-29 October 1940

Note: Daily readings, 3 November 1939 to date. Gage combined with the L.W. Gage 318.3 L, 3 November 1939.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	16.1	22.7	30.2	16.5	33.7	36.6	21.5	14.7	6.2	7.5	10.3	33.7
2	15.5	25.5	28.0	16.5	32.5	36.8	21.1	15.0	6.0	7.6	10.5	32.8
3	15.0	27.5	26.4	16.0	31.4	36.9	21.5	15.8	6.0	7.2	10.3	31.8
4	14.6	29.1	25.4	16.0	30.3	36.6	22.4	15.6	6.0	6.7	10.1	30.7
5	14.1	30.5	24.9	16.4	29.4	36.0	23.6	15.0	6.0	6.6	9.5	29.3
6	13.6	31.3	24.4	17.1	28.2	35.0	25.0	14.3	6.0	6.6	8.9	27.5
7	12.8	32.4	24.0	19.0	26.9	33.5	26.4	13.3	6.1	6.5	8.3	25.6
8	12.0	32.9	23.3	22.5	25.4	31.6	27.1	12.5	6.2	6.3	8.0	24.0
9	11.7	33.7	22.4	26.0	24.4	30.1	27.1	12.1	6.1	6.1	8.7	22.7
10	11.4	34.3	21.6	28.7	23.3	28.7	26.9	11.7	5.9	5.9	9.3	21.8
11	11.1	35.0	21.1	30.6	22.4	27.4	26.6	11.3	5.8	5.7	9.6	21.8
12	10.4	35.4	21.1	32.1	21.1	26.5	26.4	11.0	5.8	5.5	10.4	22.4
13	9.4	35.7	21.3	33.3	19.8	26.1	26.0	10.0	6.1	5.4	10.8	23.7
14	8.2	36.1	21.4	34.2	18.0	25.9	25.3	9.5	6.1	5.4	11.5	25.3
15	7.8	36.4	21.5	34.8	16.8	25.4	24.4	9.9	6.2	5.3	12.0	26.5
16	8.5	36.7	20.7	35.3	16.2	24.3	23.2	10.5	6.3	5.5	12.5	27.3
17	9.0	36.9	19.9	35.6	15.8	23.6	22.1	10.0	6.8	5.7	14.9	27.7
18	10.0	37.0	19.4	35.8	15.4	23.2	21.2	9.3	6.9	5.7	18.4	27.8
19	11.2	37.0	19.0	36.1	15.2	23.5	20.3	9.0	7.0	5.8	21.3	27.7
20	12.8	37.0	18.7	36.1	15.1	24.4	19.7	8.7	7.3	5.9	23.6	27.7
21	13.8	36.8	18.3	36.3	15.6	25.0	19.0	8.4	7.7	6.0	25.3	27.8
22	14.2	36.4	17.7	36.3	17.3	25.1	18.3	8.2	8.2	6.2	28.0	27.7
23	14.3	36.1	16.8	36.5	20.2	24.8	17.6	8.1	8.4	6.4	29.7	28.0
24	13.9	35.8	16.1	36.5	23.0	24.0	16.7	8.0	8.2	6.6	31.0	28.8
25	13.1	35.4	15.4	36.6	25.7	23.3	15.9	8.0	8.1	6.9	32.1	29.6
26	12.8	34.9	14.9	36.5	28.9	22.8	15.4	8.0	7.8	7.0	33.1	30.2
27	13.6	33.8	14.5	36.4	31.5	22.5	15.2	7.5	7.7	7.2	33.7	31.0
28	15.4	32.2	14.3	36.0	33.3	22.3	15.2	7.3	7.6	7.5	34.0	31.8
29	17.6		14.5	35.5	34.7	22.0	15.0	7.2	7.4	8.0	34.2	32.4
30	19.5		15.1	34.7	35.6	21.8	14.8	6.8	7.5	8.8	34.0	32.6
31	20.7		16.0		36.1		14.8	6.4		9.7		32.8

8:00 a.m. readings

1956
MISSISSIPPI RIVER
H. W. 126

Zero of gage: 138.79 m. s. l. (138.78 m. g. l.) 648.7 L miles A.H.P.
Lat.: 34°22'52" - Long.: 90°37'49"
Memphis District, CE gage.

Vertical gage located at Friar Point, Miss., about 1200 feet above old Ferry landing and a spur levee.

Highest: 36.20 on 1-2 March
Lowest: -0.20 on 24-25 January
Period of record: July 1928 to date
Highest for period of record: 57.80 on 11-13 February 1937
Lowest for period of record: -1.30 on 28-29 October 1940

Note: Daily readings, 3 November 1939 to date. Gage combined with the L.W. Gage 318.3 L, 3 November 1939.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	2.7	3.3	36.20	29.7	24.9	14.7	14.3	10.8	6.9	4.1	2.5	3.9
2	2.9	5.1	36.20	28.6	23.2	14.1	14.6	10.9	6.4	3.7	2.6	3.8
3	2.8	10.5	36.1	27.0	21.7	13.7	14.6	10.8	5.9	3.3	2.7	3.8
4	2.5	16.3	35.9	25.2	20.5	13.7	14.4	10.7	5.8	3.3	2.5	3.7
5	2.3	20.8	35.8	23.3	20.0	14.5	14.2	10.7	5.8	3.5	2.5	3.4
6	2.1	24.3	35.5	22.0	20.0	15.7	13.9	10.9	6.3	4.0	2.8	3.0
7	2.0	26.6	35.0	21.5	20.0	17.0	13.6	11.4	6.8	4.0	2.9	2.8
8	1.8	28.3	34.7	21.5	19.8	18.1	13.3	11.9	6.9	3.8	3.0	2.7
9	1.6	30.0	34.2	22.1	19.7	18.8	13.0	12.3	6.9	3.6	3.3	2.4
10	1.5	31.0	33.4	23.6	19.6	19.0	12.9	12.5	6.7	3.6	3.5	2.1
11	1.5	31.5	32.8	25.2	19.9	19.1	12.8	11.9	6.5	3.5	3.5	2.0
12	1.3	32.2	32.2	26.8	20.2	19.0	12.7	11.1	6.4	3.6	3.3	2.6
13	1.4	32.6	31.7	27.8	20.9	18.6	12.4	10.6	6.3	3.5	2.8	3.7
14	1.3	32.8	31.2	28.4	21.3	18.1	12.1	10.4	6.1	3.5	2.3	5.0
15	1.1	32.7	30.7	28.9	21.4	17.5	12.1	10.5	6.1	3.4	2.1	5.9
16	0.9	32.4	30.5	29.1	21.3	16.6	12.1	10.9	5.9	3.2	2.6	7.4
17	0.8	32.2	30.0	29.1	20.6	15.6	11.9	11.7	5.8	3.0	2.4	8.8
18	0.7	31.9	30.0	29.1	20.2	14.5	11.4	12.8	5.6	2.7	2.2	11.8
19	0.6	31.9	30.2	29.2	19.5	13.4	10.7	13.3	5.4	2.4	2.0	14.0
20	0.5	32.1	30.6	29.5	18.9	12.2	10.0	13.9	5.5	2.2	2.0	15.3
21	0.2	32.5	31.1	29.7	18.5	10.2	9.5	14.0	6.0	2.0	2.2	16.0
22	0.1	33.3	31.5	29.7	18.0	8.6	9.5	13.6	6.5	1.8	2.4	16.4
23	-0.1	33.9	32.0	29.6	17.5	8.4	10.0	12.7	6.8	1.6	2.4	16.8
24	-0.2	34.4	32.4	29.1	17.2	8.8	10.8	11.7	6.8	1.4	2.8	17.1
25	-0.20	34.8	32.4	28.5	17.3	9.6	11.3	10.5	6.5	1.1	3.1	17.4
26	-0.1	35.1	32.4	28.0	17.4	10.1	11.2	9.7	5.7	1.3	3.8	17.5
27	0.1	35.5	32.1	27.6	17.3	11.4	11.0	9.0	5.0	1.7	4.0	17.7
28	0.2	35.8	31.7	27.0	17.0	12.4	10.9	8.6	4.8	2.0	4.0	17.8
29	0.5	36.0	31.5	26.5	16.5	13.1	10.8	8.4	4.5	2.0	3.9	17.6
30	1.3		31.0	25.9	15.9	13.7	10.8	7.9	4.2	2.1	4.0	17.1
31	3.1		30.4		15.3		10.7	7.5		2.5		16.6

5:00 A. M. Readings

1955
MISSISSIPPI RIVER
H. W. 126

Zero of gage: 138.79 m.s.l. (138.78 m.g.l.) 648.7 L miles A.H.P.
Lat.: 34° 22' 52" - Long.: 90° 37' 49"
Memphis District, CE gage.

Vertical gage located at Friar Point, Miss., about 1200 ft. above Friar Point-Westover Ferry landing and a spur levee.

Highest: 42.00 on 4 April.

Lowest: 1.40 on 30 December.

Period of record: July 1928 to date.

Highest for period of record: 57.80 on 11-13 February 1937.

Lowest for period of record: -1.30 on 28-29 October 1940.

Note: Daily readings, 3 November 1939 to date. Gage combined with the L. W. Gage 318.3 L, 3 November 1939.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	11.0	8.7	30.4	41.3	26.6	13.9	10.4	8.5	4.2	2.9	3.3	10.6
2	12.2	8.3	31.4	41.7	26.6	14.4	10.2	8.4	4.0	2.9	3.5	10.5
3	14.0	7.3	31.7	41.9	26.4	15.0	10.4	8.2	3.8	2.9	4.2	10.2
4	15.5	6.5	31.9	42.0	26.3	16.0	10.9	7.9	3.7	3.8	4.5	9.8
5	16.2	6.2	31.9	41.9	25.9	16.4	11.0	7.4	4.1	4.3	4.6	9.0
6	16.5	6.6	32.0	41.7	25.5	16.3	10.8	6.8	4.5	4.9	5.1	7.7
7	17.0	7.0	32.3	41.3	24.7	15.4	10.0	6.2	4.8	5.5	5.8	6.5
8	18.0	7.6	32.6	40.7	23.8	14.3	9.4	5.8	4.8	5.8	6.4	6.0
9	19.0	8.5	32.7	39.7	22.7	14.0	9.0	5.7	4.6	5.5	6.7	6.8
10	20.0	9.6	32.9	38.3	21.5	13.6	8.8	5.5	4.3	5.4	6.4	8.1
11	21.0	11.8	33.0	36.4	20.0	13.3	8.7	5.4	3.9	6.9	5.9	8.7
12	22.3	14.6	33.2	34.3	18.5	13.3	8.9	5.8	3.6	9.7	5.6	8.9
13	23.2	17.0	33.6	32.4	16.7	13.5	9.8	6.2	3.4	11.6	5.5	8.8
14	23.3	18.9	33.9	30.6	14.7	14.0	10.9	6.6	3.0	11.8	5.5	8.6
15	23.0	20.2	34.2	29.0	12.9	14.9	11.5	6.8	2.7	11.0	5.5	8.1
16	22.5	21.0	34.5	28.0	12.3	15.7	11.8	7.1	2.6	10.0	5.4	7.7
17	21.6	21.6	34.8	27.5	12.6	16.3	11.9	7.4	2.5	8.9	5.0	6.9
18	20.7	21.9	34.9	27.0	13.5	16.5	12.0	7.4	2.5	8.4	4.5	5.8
19	19.9	21.7	35.1	26.6	14.5	16.6	11.9	7.2	2.3	7.7	4.3	5.0
20	19.1	21.4	35.4	26.1	15.7	16.5	11.6	7.1	2.2	6.8	4.9	4.7
21	18.0	20.8	36.0	25.7	16.7	16.2	11.5	6.8	2.1	6.4	6.4	4.8
22	17.0	20.2	36.5	25.5	16.8	15.8	11.5	6.4	2.2	6.8	7.5	4.6
23	15.9	19.6	36.9	25.2	16.6	15.0	11.4	6.0	2.3	6.6	8.6	4.0
24	14.8	19.0	37.5	25.2	16.3	13.8	11.5	5.8	2.3	5.9	9.4	3.5
25	13.7	20.7	38.1	25.2	16.0	12.6	11.2	5.6	2.2	5.4	10.3	2.7
26	12.5	24.3	38.7	25.3	15.6	12.2	10.6	5.6	2.3	4.8	10.7	2.5
27	11.3	27.1	39.2	25.4	15.2	11.7	10.0	5.8	2.6	4.3	10.7	2.2
28	9.9	29.2	39.6	25.6	15.0	11.4	9.4	5.7	2.8	4.2	10.6	1.7
29	9.3		40.1	26.0	14.5	11.1	9.0	5.6	2.9	4.1	10.6	1.5
30	9.2		40.6	26.4	14.2	10.8	8.8	5.2	3.0	3.8	10.7	1.4
31	9.0		41.0		13.9		8.6	4.8		3.4		2.0

8:00 a. m. readings

1954
MISSISSIPPI RIVER
H. W. 126

Zero of gage: 138.79 m. s. l. (138.78 m. g. l.) 648.7 L miles A. E. P.
Lat.: 34° 22' 52" - Long.: 90° 37' 49"
Memphis District, CE gage.

Vertical gage located at Friar Point, Miss., about 1200 ft. above Friar Point-Westover Ferry landing and a spur levee.

Highest: 24.20 on 31 January.

Lowest: 1.00 on 8 January.

Period of record: July 1928 to date.

Highest for period of records: 57.80 on 11-13 February 1937.

Lowest for period of records: -1.30 on 28-29 October 1940.

Note: Daily readings, 3 November 1939 to date. Gage combined with the L. W. Gage 318.3 L, 3 November 1939.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	2.3	24.0	11.2	12.8	20.3	11.3	11.2	9.1	5.1	3.7	15.8	4.0
2	2.0	23.8	10.4	13.0	19.9	10.3	12.0	7.2	6.7	3.3	14.8	3.8
3	2.0	23.3	9.8	13.1	19.8	9.4	12.1	5.4	8.0	3.0	13.3	3.5
4	2.0	22.0	10.1	13.2	19.7	8.9	11.9	3.8	8.7	2.7	11.4	3.8
5	1.9	20.4	11.0	13.1	19.4	8.7	11.7	3.2	8.4	2.6	9.9	4.3
6	1.4	18.0	11.9	13.0	19.0	9.6	11.4	3.4	7.6	2.9	9.5	4.8
7	1.1	15.2	12.5	12.8	18.9	11.0	11.4	3.6	6.5	3.1	9.3	4.9
8	1.0	12.4	12.6	12.9	18.8	12.4	11.6	3.6	5.7	3.2	8.7	4.9
9	1.1	10.0	12.5	13.3	18.8	13.6	11.8	3.6	5.4	3.0	8.0	5.5
10	1.2	8.0	12.3	13.8	19.4	14.7	11.7	4.3	5.0	3.6	7.5	6.6
11	1.6	6.6	12.6	14.5	20.4	15.5	11.3	4.9	4.7	4.4	7.0	7.1
12	1.7	5.9	13.3	14.9	20.9	15.7	10.5	5.1	4.0	5.0	6.8	7.0
13	1.5	5.3	14.0	15.0	21.3	15.5	9.8	5.7	3.4	6.0	6.0	6.6
14	1.5	4.8	14.9	14.8	21.0	15.0	8.9	5.9	2.9	6.4	5.5	6.3
15	1.8	4.1	15.4	14.0	20.7	14.4	8.1	6.0	2.2	6.4	5.2	5.8
16	3.5	3.9	15.3	13.5	20.3	13.5	7.9	5.8	1.9	6.5	4.5	5.6
17	5.0	4.6	14.8	12.9	19.8	12.9	7.9	5.1	1.7	7.5	4.6	5.8
18	5.3	4.8	13.7	12.6	19.5	12.5	7.8	4.7	1.5	8.6	4.3	6.0
19	5.8	4.9	12.6	12.4	19.3	12.2	7.8	4.5	1.3	9.7	3.8	6.0
20	8.0	5.5	11.7	12.9	19.1	11.9	7.7	4.4	1.2	10.8	3.4	5.9
21	11.5	6.8	10.5	13.7	18.8	11.6	7.6	4.2	1.3	11.3	3.2	5.9
22	14.7	7.5	9.8	14.5	18.4	11.7	7.7	4.4	1.5	11.5	2.9	6.2
23	16.6	8.8	9.8	15.8	18.0	12.1	7.6	4.4	2.0	11.6	2.4	6.4
24	17.9	9.9	10.0	16.8	17.5	12.5	7.8	4.7	3.6	11.9	2.0	7.0
25	19.3	10.7	10.5	17.4	17.0	12.6	8.3	5.0	4.7	12.1	2.2	7.6
26	20.4	11.4	10.8	17.8	16.4	12.5	8.6	5.1	5.8	12.9	2.4	7.7
27	21.9	11.7	10.6	18.5	15.5	12.2	8.8	5.3	6.1	14.4	2.6	7.8
28	22.9	11.5	10.7	19.6	14.6	11.5	9.0	5.5	5.8	15.8	2.9	8.3
29	23.7		11.0	20.4	13.8	11.0	9.1	5.1	5.0	16.6	3.3	9.0
30	24.1		11.7	20.5	13.0	10.6	9.2	4.5	4.4	16.8	3.8	9.5
31	24.2		12.1		12.3		9.4	4.4		16.5		10.0

8:00 a. m. readings

1953
MISSISSIPPI RIVER
H. W. 126

51

Zero of gage: 138.79 m. s. l. (138.78 m. g. l.) 648.7 L. miles A. H. P.
Lat.: 34° 22' 52" - Long.: 90° 37' 49"
Memphis District, CE gage.

Vertical gage located at Friar Point, Miss., about 1200' above Friar Point-Westover Ferry landing and a spur levee.

Highest: 33.20 on 25 May.
Lowest: 0.40 on 21 November; 1-2 December.
Period of record: July 1928 to date.
Highest for period of record: 57.80 on 11-13 February 1937.
Lowest for period of record: -1.30 on 28-29 October 1940.

Note: Daily readings, 3 November 1939 to date. Gage combined with the L. W. Gage 318.3 L., 3 November 1939.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	5.6	18.9	25.5	28.6	25.0	28.1	12.7	9.1	6.1	2.1	0.8	0.1
2	5.0	19.0	26.0	28.0	24.7	27.6	13.0	9.0	6.2	2.1	1.0	0.1
3	4.8	19.1	26.0	27.7	24.5	26.7	13.1	8.8	6.2	2.3	1.0	0.6
4	5.0	19.3	25.9	27.1	24.9	25.6	13.3	8.6	6.2	1.9	1.0	0.7
5	5.3	19.3	25.1	27.5	25.5	24.2	13.6	8.8	5.9	1.7	0.9	0.7
6	5.6	19.1	25.7	28.1	25.8	22.8	13.8	8.9	5.6	1.5	0.8	1.0
7	6.0	18.1	26.5	29.2	25.5	21.0	14.2	8.9	5.2	1.1	0.8	1.5
8	6.3	17.8	27.5	29.7	25.3	19.7	14.3	8.6	4.9	1.3	0.7	1.7
9	6.5	17.3	28.6	29.8	25.1	18.6	14.4	8.5	4.8	1.5	0.7	1.8
10	6.8	16.9	29.5	29.8	25.2	17.7	14.8	8.7	4.8	1.6	0.7	1.9
11	7.5	16.6	30.1	29.3	25.0	17.1	15.0	8.8	4.7	1.6	0.7	2.1
12	8.5	17.3	30.1	28.5	25.2	16.7	15.2	9.0	4.5	1.5	0.7	2.0
13	9.2	17.1	30.1	27.8	25.3	16.6	15.5	9.2	4.2	1.1	0.7	2.2
14	10.1	17.0	30.1	27.0	25.5	16.5	15.5	9.7	3.9	1.1	0.7	2.9
15	12.0	17.1	29.7	26.2	25.9	16.5	15.0	10.0	3.6	1.3	0.8	3.1
16	11.2	18.1	29.2	25.5	26.3	16.1	14.6	10.0	3.3	1.0	0.8	3.2
17	16.0	20.0	28.7	24.8	27.1	16.6	14.0	10.0	3.2	0.9	0.8	3.0
18	17.5	21.1	28.1	24.3	27.6	16.1	13.0	10.0	3.2	0.9	0.7	3.5
19	18.3	22.0	28.1	24.0	28.5	17.0	12.2	9.8	3.3	1.1	0.6	3.9
20	18.1	22.3	28.1	23.7	29.5	17.6	11.5	9.3	3.1	0.9	0.5	3.7
21	17.7	22.3	28.1	23.5	30.6	17.1	11.0	9.0	3.3	0.9	0.4	3.5
22	16.9	22.0	28.5	23.6	31.8	17.2	11.0	8.9	3.0	1.0	0.5	3.5
23	16.5	21.6	28.9	23.7	32.5	16.8	11.8	8.7	2.8	1.0	0.6	3.1
24	16.1	21.0	29.2	23.8	33.0	16.5	11.1	8.2	2.6	0.9	0.5	3.2
25	16.8	21.0	29.3	24.0	33.2	16.0	11.2	7.7	2.8	0.9	0.5	3.3
26	17.1	21.8	29.6	24.1	32.8	15.2	11.3	7.1	2.8	0.8	0.6	3.3
27	18.1	23.1	30.0	24.0	32.1	14.2	11.2	7.0	2.7	0.8	1.0	3.1
28	18.7	24.5	30.1	23.8	31.1	13.1	11.2	6.7	2.7	0.8	1.0	2.8
29	19.0		30.1	23.9	30.3	12.6	11.0	6.6	2.6	0.8	0.6	2.1
30	19.1		29.7	24.6	29.7	12.1	10.1	6.7	2.5	0.8	0.5	2.1
31	19.0		29.2		29.2		9.9	6.7		0.8		2.1

8:00 a. m. readings

NOV. CE REPORTS (CLASS A)

1952
MISSISSIPPI RIVER
H. W. 126

53

Zero of gage: 138.79 m.s.l. (138.78 m.g.l.) 648.7 L. miles A.H.P.
Lat. 34° 22' 52" - Long. 90° 37' 49"
Memphis District, CE gage.

Vertical gage located at Friar Point, Miss., about 1200' above Friar Point-Westover Ferry Landing and a spur levee.

Highest: 43.06 on 3 April.
Lowest: 1.80 on 9-11 November.
Period of record: July 1928 to date.
Highest for period of record: 57.80 on 11-13 February 1937.
Lowest for period of record: -1.30 on 28-29 Oct. 1940.

Note: Daily readings, 3 November 1939 to date. Gage combined with the L. W. Gage 318.3 L., 3 November 1939.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	33.8	32.4	27.6	42.7	35.9	24.4	20.6	10.9	9.8	4.0	2.2	5.6
2	34.0	33.2	26.0	42.9	35.9	24.9	20.7	10.6	8.4	3.8	2.4	5.3
3	34.2	33.7	24.7	43.06	36.0	24.9	19.7	10.2	7.9	3.6	2.6	5.0
4	34.4	34.4	23.6	43.0	36.1	24.6	18.4	10.0	7.4	3.6	2.4	5.0
5	34.6	34.9	22.4	42.9	36.2	23.9	17.4	9.7	7.2	3.5	2.3	4.9
6	34.8	35.5	21.6	42.6	36.4	23.2	17.1	9.5	7.4	3.4	2.1	5.1
7	34.7	36.0	21.5	42.3	36.7	22.5	17.1	9.2	7.5	3.3	2.0	5.9
8	34.5	36.5	22.2	42.0	36.9	22.0	16.9	9.2	7.4	3.1	1.9	6.2
9	34.3	37.0	23.2	41.6	37.0	21.8	16.4	9.4	7.4	3.3	1.8	6.9
10	34.1	37.5	24.0	41.3	37.1	21.3	15.9	9.4	7.4	3.2	1.8	7.5
11	33.8	38.1	24.7	40.9	36.9	20.4	15.0	9.5	7.4	2.9	1.8	7.9
12	33.7	38.5	25.2	40.5	36.2	19.0	14.0	9.5	7.2	2.6	1.9	7.9
13	33.7	38.8	25.8	40.0	35.0	16.6	13.4	9.8	7.0	2.4	1.9	8.0
14	34.0	39.2	27.8	39.5	33.4	15.4	13.0	10.6	6.5	2.3	2.0	8.6
15	34.3	39.5	30.0	38.7	31.4	15.4	12.9	11.5	6.0	2.3	2.1	9.1
16	34.7	39.8	32.0	38.0	29.2	15.6	12.7	11.7	5.5	2.4	2.2	10.2
17	35.0	39.8	33.6	37.5	27.6	15.7	12.6	11.5	5.4	2.7	2.0	10.5
18	35.3	39.7	34.8	37.0	26.6	15.2	13.0	11.0	5.6	3.2	2.2	10.3
19	35.5	39.5	36.0	36.7	25.4	14.8	13.2	10.7	5.6	3.2	2.4	10.2
20	35.2	39.3	36.8	36.5	24.4	14.6	13.4	10.4	6.0	3.0	2.6	10.2
21	34.5	39.1	37.7	36.2	23.8	14.8	13.4	10.7	6.0	2.8	2.4	10.5
22	33.5	38.5	38.3	36.0	23.4	15.1	13.1	11.0	5.7	2.6	2.6	10.7
23	32.1	37.8	38.9	35.8	23.3	15.2	13.5	11.1	5.7	2.5	2.6	10.9
24	30.6	36.8	39.4	35.6	23.2	15.1	13.3	10.9	5.9	2.4	3.3	10.8
25	29.4	35.6	39.7	35.5	23.0	15.1	13.2	10.6	5.5	2.5	3.8	9.4
26	28.8	34.1	40.1	35.4	23.0	15.3	13.0	10.4	5.0	2.4	4.5	7.7
27	29.3	32.4	40.5	35.4	22.8	15.8	13.0	10.6	5.0	2.5	5.3	6.7
28	29.9	30.6	40.8	35.5	22.6	16.8	12.5	11.1	4.9	2.4	5.9	6.1
29	30.5	29.1	41.3	35.7	22.7	18.5	12.0	11.0	4.6	2.2	6.3	6.0
30	31.2		41.8	35.8	23.0	19.8	11.5	11.5	4.2	2.0	6.0	6.0
31	31.9		42.2		23.8		11.1	10.8		2.0		6.1

8:00 a. m. readings.

ADW, CE MEMPHIS (CLASS A)

1951
MISSISSIPPI RIVER
H. W. 126

53

ZERO OF GAGE: 138.79 M.S.L. (138.78 M.G.L.) 648.7 L. MILES A.H.P.
LAT. 34° 22' 52" - LONG. 90° 37' 49"
MEMPHIS DISTRICT, CE GAGE

VERTICAL GAGE LOCATED AT FRIAR POINT, MISS., ABOUT 1200' ABOVE FRIAR POINT-WESTOVER FERRY LANDING AND APUR LEVEE.

HIGHEST: 40.30 ON 4-7 MARCH

LOWEST: 8.90 ON 25 OCT.

PERIOD OF RECORD: 1 JAN. 1930 TO DATE.

HIGHEST FOR PERIOD OF RECORD: 57.80 ON 11-13 FEB. 1937.

LOWEST FOR PERIOD OF RECORD: -1.30 ON 28-29 OCT. 1940.

H. W. 126 READ ONLY AT FLOOD STAGES PRIOR TO 3 NOV. 1939, AT WHICH TIME IT WAS COMBINED WITH THE L. W. GAGE 318.3 L.

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	11.8	30.1	39.4	34.1	38.8	20.7	25.3	34.1	14.7	15.5	13.8	25.9
2	10.9	29.2	39.8	34.2	38.7	20.0	26.0	33.6	15.8	14.8	14.1	26.0
3	10.7	28.2	40.1	34.6	38.3	19.5	27.1	32.9	16.7	13.8	14.2	26.0
4	11.1	27.2	40.3	35.2	37.7	19.2	28.1	31.8	17.3	13.0	13.8	26.2
5	11.6	26.7	40.3	36.0	36.7	19.0	29.1	29.9	17.6	12.7	13.5	26.1
6	12.0	26.7	40.3	36.8	35.7	18.8	29.7	27.6	17.3	12.4	13.4	26.0
7	13.6	27.3	40.3	37.6	34.8	18.6	30.4	24.5	16.3	11.8	13.5	26.0
8	16.0	27.9	40.2	38.0	33.7	18.4	31.0	21.2	15.4	11.3	13.8	26.2
9	18.7	28.6	40.2	38.5	33.3	18.3	31.4	18.1	14.7	10.8	14.0	27.0
10	21.2	29.4	40.1	38.7	33.1	18.5	31.8	15.8	14.5	10.2	13.8	27.5
11	23.1	30.4	40.0	38.8	33.0	19.8	32.2	14.4	15.0	10.0	13.6	27.8
12	24.6	31.4	39.7	38.7	33.1	21.0	32.4	13.4	15.4	10.2	13.7	28.8
13	25.4	32.4	39.4	38.5	33.1	21.8	32.6	12.9	16.5	10.7	13.8	29.9
14	26.4	33.0	39.0	38.3	33.1	22.2	32.8	12.7	17.1	11.3	14.1	30.8
15	27.8	33.3	38.5	38.0	32.9	22.5	32.9	12.7	17.5	12.0	14.4	31.7
16	29.0	33.6	38.3	37.8	32.4	22.8	33.0	12.9	17.9	12.1	14.9	32.6
17	30.2	33.8	37.9	37.8	31.8	23.1	33.0	13.2	18.4	11.7	16.0	33.1
18	31.6	33.5	37.5	37.7	31.2	23.2	33.0	13.5	18.8	11.3	18.3	33.6
19	32.7	33.5	37.1	37.7	30.6	23.2	33.1	13.2	19.0	10.9	20.7	34.1
20	33.2	33.4	36.6	37.7	30.0	23.1	33.3	12.6	19.1	10.5	22.9	34.5
21	33.6	33.7	36.2	37.7	29.5	23.0	33.5	12.0	19.2	10.2	24.1	34.8
22	33.8	34.0	36.0	37.8	29.0	22.8	33.7	11.9	19.3	9.9	24.9	34.9
23	33.8	34.5	36.0	38.0	28.6	22.8	33.9	12.4	19.4	9.5	25.0	34.8
24	33.6	35.3	36.0	38.1	27.8	23.0	34.1	13.2	19.3	9.0	25.0	34.6
25	33.3	36.5	36.1	38.1	27.0	23.2	34.2	14.0	19.3	8.9	24.5	34.4
26	32.9	37.4	35.9	38.4	26.0	23.2	34.3	14.6	18.7	9.2	24.2	34.1
27	32.5	38.1	35.5	38.6	24.9	23.3	34.3	14.6	18.0	10.1	24.2	33.9
28	32.1	38.8	35.1	38.7	23.8	23.6	34.3	14.0	17.4	11.4	24.4	33.8
29	31.9		34.8	38.9	23.0	24.1	34.3	13.3	17.0	12.2	25.0	33.7
30	31.5		34.4	39.0	22.2	24.6	34.3	12.9	16.4	13.0	25.4	33.7
31	30.8		34.0		21.4		34.3	13.0		13.5		33.9

8:00 A. M. READINGS.

1950
MISSISSIPPI RIVER
H. W. 126

57

ZERO OF GAGE: 138.79 M.S.L. (138.78 M.G.L.) (BANKFULL _____)
648.7 L. MILES A.H.P.
LAT. 34° 22' 52" - LONG. 90° 37' 49"
GAGE IN CHARGE OF MEMPHIS DISTRICT, CE, MEMPHIS, TENN.

INCLINE AND VERTICAL GAGE LOCATED AT FRIAR POINT, MISS., ABOUT
1200' ABOVE FRIAR POINT-WESTOVER FERRY LANDING AND APUR LEVEE.

HIGHEST: 47.78 ON 22-23 FEB.

LOWEST: 5.70 ON 7 NOV.

PERIOD OF RECORD: 1 JAN. 1930 TO DATE.

HIGHEST FOR PERIOD OF RECORD: 57.80 ON 11-13 FEB. 1937.

LOWEST FOR PERIOD OF RECORD: -1.30 ON 28-29 OCT. 1940.

(FORMERLY L. W. 318.3 L., H. W. 126 READ ONLY AT FLOOD STAGES PRIOR
TO 3 NOV. 1939, AT WHICH TIME IT WAS COMBINED WITH THE L. W. GAGE.)

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	26.2	46.4	47.1	32.1	23.4	25.0	30.6	23.0	11.2	18.5	6.7	22.7
2	25.9	46.7	46.9	32.1	24.2	24.6	30.0	22.6	11.5	19.4	6.5	22.4
3	25.5	46.8	46.5	32.1	25.5	24.5	29.0	22.3	12.8	19.8	6.4	21.9
4	25.2	46.8	46.1	32.3	26.9	24.7	27.1	22.3	15.3	19.5	6.3	21.0
5	25.1	46.8	45.5	32.5	28.2	25.1	25.4	22.3	18.0	18.1	6.0	20.0
6	25.8	46.7	44.9	33.2	29.4	25.6	23.5	22.2	20.0	16.0	5.8	19.5
7	28.2	46.6	44.0	34.0	30.4	26.1	22.1	21.8	21.6	12.9	5.7	19.3
8	31.0	46.5	43.0	35.0	31.3	26.6	20.3	21.0	22.6	10.8	6.0	19.4
9	33.3	46.4	41.9	35.8	31.8	27.3	18.6	20.0	23.1	9.8	7.2	20.2
10	34.8	46.3	40.7	36.5	32.1	27.9	17.1	18.4	23.0	9.5	8.0	21.9
11	36.0	46.1	39.2	37.0	32.3	28.3	16.4	16.2	22.7	9.6	8.7	24.0
12	36.9	46.0	37.7	37.5	32.5	28.0	16.1	14.2	22.7	10.2	10.0	25.5
13	37.9	46.1	36.1	38.0	32.7	27.7	16.1	13.0	23.1	11.0	11.0	26.7
14	38.9	46.2	34.7	38.4	33.0	27.0	16.2	12.2	22.9	11.5	12.3	27.5
15	39.7	46.4	33.7	38.6	33.4	26.3	16.3	11.9	22.3	11.6	13.7	28.0
16	40.6	46.5	33.1	38.7	33.8	25.6	16.1	11.8	21.0	11.4	15.0	28.5
17	41.5	46.8	33.2	38.7	34.2	25.2	16.0	12.1	19.9	11.2	15.8	28.9
18	42.6	47.0	33.4	38.6	34.6	24.9	15.2	12.6	18.5	10.8	16.4	29.1
19	43.5	47.2	33.8	38.3	35.0	24.6	14.6	13.4	17.1	10.3	16.5	29.5
20	44.3	47.4	34.2	37.7	35.1	24.0	15.0	14.0	16.0	10.0	16.2	29.7
21	44.8	47.5	34.6	36.7	34.8	23.5	16.1	15.1	15.4	10.0	15.7	29.8
22	45.2	47.78	35.0	35.7	34.2	23.0	16.7	16.6	14.4	9.9	15.0	29.9
23	45.5	47.78	35.2	34.0	33.3	22.9	16.9	17.2	13.0	9.5	14.1	29.7
24	45.7	47.7	35.4	31.8	32.4	23.0	17.7	17.1	12.0	8.5	14.5	29.2
25	45.7	47.6	35.5	29.5	31.5	23.8	19.6	16.4	11.7	7.6	15.7	28.0
26	45.9	47.5	35.1	27.2	30.6	25.1	21.4	15.5	12.0	7.1	17.8	26.4
27	46.18	47.4	34.1	25.3	30.0	26.8	23.0	14.7	12.6	7.3	19.9	24.1
28	46.18	47.3	33.2	24.1	29.1	28.5	23.9	13.6	13.8	7.4	21.4	21.4
29	46.1		32.3	23.5	28.2	29.7	24.3	12.8	15.4	7.2	22.2	18.4
30	46.1		31.8	23.3	27.2	30.4	24.0	11.8	17.1	6.8	22.7	15.7
31	46.2		31.9		26.1		23.7	11.2		6.6		13.5

6:00 A. M. READINGS.

1949
MISSISSIPPI RIVER
H. W. 126

57

ZERO OF GAGE: 138.79 M.S.L. (138.78 M.G.L.) (BANKFULL _____)
648.7 L. MILES A.H.P.
LAT. 34° 22' 52" - LONG. 90° 37' 49"
GAGE IN CHARGE OF MEMPHIS DISTRICT, CE, MEMPHIS, TENN.

INCLINE AND VERTICAL GAGE LOCATED AT FRIAR POINT, MISS., ABOUT 1200'
ABOVE FRIAR POINT-WESTOVER FERRY LANDING AND SPUR LEVEE.

HIGHEST: 42.30 ON 8-9 FEB.
LOWEST: 3.70 ON 5 OCT.
PERIOD OF RECORD: 1 JAN. 1930 TO DATE.
HIGHEST FOR PERIOD OF RECORD: 57.80 ON 11-13 FEB. 1937.
LOWEST FOR PERIOD OF RECORD: -1.30 ON 28-29 OCT. 1940.
(FORMERLY L.W. 318.3 L., H.W. 126 READ ONLY AT FLOOD STAGES PRIOR TO
3 NOV. 1939, AT WHICH TIME IT WAS COMBINED WITH THE L.W. GAGE.)

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	28.0	39.8	40.7	35.5	22.2	16.4	18.4	14.5	5.5	4.7	14.0	4.2
2	27.6	40.5	41.2	36.2	21.7	16.6	19.0	12.5	5.7	4.4	12.8	4.3
3	26.9	41.0	41.4	37.0	21.4	16.8	19.2	10.8	6.2	4.0	11.7	4.8
4	26.1	41.4	41.4	37.7	20.9	16.8	20.5	9.6	6.4	3.8	11.3	5.3
5	25.4	41.8	41.4	38.0	20.8	16.8	20.4	9.0	6.4	3.7	11.7	6.0
6	24.8	42.0	41.2	38.4	21.0	16.8	20.0	8.7	6.3	3.9	12.2	6.5
7	24.4	42.2	40.9	38.8	21.5	16.0	19.4	8.5	6.2	4.5	12.3	6.5
8	25.0	42.3	40.4	39.1	22.0	15.2	18.4	8.3	6.1	5.0	12.1	6.3
9	26.7	42.3	40.0	39.2	22.0	15.4	17.0	8.0	6.0	6.3	12.0	6.2
10	28.5	42.2	39.2	39.0	21.7	16.5	15.5	7.7	5.7	7.8	12.0	6.3
11	30.0	42.0	38.2	38.7	20.7	17.4	14.0	7.5	5.0	8.7	11.8	6.5
12	31.2	41.8	37.2	38.3	19.9	17.6	12.9	7.4	4.6	9.3	11.6	6.9
13	32.2	41.4	36.2	37.8	19.3	17.3	12.2	7.0	4.3	9.5	10.6	7.4
14	32.8	41.0	35.6	36.7	19.0	16.6	12.5	6.3	4.2	9.4	9.0	7.9
15	33.5	40.6	35.0	35.2	18.4	16.2	13.7	5.9	4.1	9.0	7.4	9.6
16	34.0	40.3	35.0	33.8	17.8	16.0	15.2	5.8	4.2	9.4	6.9	12.7
17	34.6	40.0	35.1	32.5	17.0	15.8	16.5	6.0	5.3	10.0	6.5	16.2
18	35.0	39.7	34.8	31.7	16.2	16.4	17.5	6.7	7.5	10.4	6.4	19.0
19	35.4	39.4	34.6	31.4	15.2	17.8	18.4	7.5	9.2	10.3	5.8	20.6
20	35.6	39.1	34.2	30.9	14.2	20.4	19.0	8.0	10.4	10.1	5.2	22.2
21	35.8	39.0	33.8	30.3	13.6	22.9	19.5	8.2	10.9	10.0	5.0	23.5
22	35.8	39.0	33.5	29.8	12.9	24.7	19.9	8.6	10.9	10.0	4.9	24.4
23	35.6	39.0	33.2	29.6	12.6	25.6	20.0	9.0	10.5	10.0	4.6	25.1
24	35.3	39.2	33.0	28.9	12.4	25.7	20.3	8.8	9.9	9.9	4.5	25.5
25	35.4	39.4	32.8	28.4	12.3	25.0	20.5	8.4	9.2	10.3	4.5	25.6
26	35.2	39.6	32.5	27.8	12.5	23.8	20.5	8.4	8.4	11.6	4.5	26.1
27	35.7	39.8	32.3	27.0	12.9	22.5	19.9	8.4	7.3	14.1	4.5	26.7
28	36.7	40.2	32.4	26.1	13.6	21.0	19.2	8.0	6.3	16.0	4.4	27.3
29	37.3		32.8	24.7	14.4	19.7	18.2	7.2	5.4	16.5	4.2	27.4
30	38.0		33.6	23.4	15.4	18.6	17.0	6.3	5.0	16.0	4.1	27.0
31	38.9		34.5		16.2		15.9	5.8		15.3		26.6

8:00 A.M. READINGS

1948
MISSISSIPPI RIVER
H.W. 126

57

ZERO OF GAGE: 138.79 M.S.L. (138.78 M.G.L.) (BANKFULL _____)
648.7 L. MILES A.H.P.
LAT. 34° 22' 52" - LONG. 90° 37' 49"
GAGE IN CHARGE OF MEMPHIS DISTRICT, CE, MEMPHIS, TENN.

INCLINE AND VERTICAL GAGE LOCATED AT FRIAR POINT, MISS., ABOUT 1200'
ABOVE FRIAR POINT-WESTOVER FERRY LANDING AND SPUR LEVEE.

HIGHEST: 43.00 ON 11 APRIL.

LOWEST: 2.00 ON 6 OCTOBER.

PERIOD OF RECORD: 1 JANUARY 1930 TO DATE.

HIGHEST FOR PERIOD OF RECORD: 37.80 ON 11-13 FEBRUARY 1937.

LOWEST FOR PERIOD OF RECORD: -1.30 ON 28-29 OCTOBER 1940.

(FORMERLY L.W. 318.3 L., H.W. 126 READ ONLY AT FLOOD STAGES PRIOR TO
3 NOVEMBER 1939, AT WHICH TIME IT WAS COMBINED WITH THE L.W.GAGE.)

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	4.2	5.6	37.1	38.6	40.2	15.5	20.0	22.4	5.8	4.2	2.3	16.5
2	4.3	5.8	37.2	39.2	40.1	14.2	20.5	23.1	5.7	3.8	2.3	17.3
3	4.9	5.5	37.2	39.9	39.8	12.7	20.7	23.0	5.7	3.2	2.3	18.4
4	5.2	5.0	37.2	40.5	39.5	11.7	20.3	21.8	5.8	2.5	2.1	19.8
5	7.8	4.7	37.0	41.0	38.5	11.0	20.0	20.4	5.6	2.1	2.2	20.9
6	11.7	4.9	37.0	41.6	37.0	10.6	19.6	18.4	5.4	2.0	2.8	21.9
7	14.4	5.2	37.0	42.0	34.0	10.3	19.4	17.4	5.1	2.2	3.7	23.0
8	15.7	5.7	37.3	42.4	31.0	10.1	18.9	17.0	5.0	2.7	4.5	23.7
9	16.4	5.9	37.5	42.7	28.0	9.9	17.9	16.7	5.0	2.8	6.5	24.8
10	16.8	6.7	37.6	42.8	25.4	9.5	17.2	16.3	4.9	2.6	9.1	25.2
11	17.0	8.2	37.7	43.0	24.0	9.0	16.3	15.6	4.9	2.3	10.7	25.1
12	17.2	9.9	37.7	42.8	23.4	8.9	15.6	15.1	4.9	2.3	11.6	24.1
13	17.3	11.9	37.5	42.6	23.1	8.7	14.4	14.4	5.0	2.2	11.9	23.0
14	17.1	13.9	37.2	42.4	23.3	9.2	13.5	14.1	4.9	2.1	12.2	21.5
15	16.7	15.4	36.6	42.1	23.7	9.5	12.8	13.7	4.3	2.5	12.3	19.9
16	16.3	18.0	35.7	41.7	24.2	9.6	11.3	13.2	4.0	3.1	12.0	18.4
17	15.9	21.1	34.2	41.4	24.6	9.6	10.5	12.2	4.1	3.3	11.0	17.4
18	14.9	24.4	32.2	41.1	24.8	9.6	9.4	11.2	4.2	3.0	10.2	16.4
19	13.9	27.6	30.0	40.9	25.4	9.7	9.2	10.3	4.2	2.5	10.1	16.1
20	12.9	29.9	28.8	40.8	26.0	10.0	9.5	10.0	3.7	2.2	10.2	17.3
21	12.4	31.7	28.4	40.7	26.2	10.4	10.0	10.0	3.4	2.6	9.7	19.6
22	12.0	33.0	28.8	40.6	25.9	10.2	10.5	9.7	3.1	3.1	9.9	22.3
23	11.9	33.8	30.0	40.5	25.3	10.2	11.0	8.8	3.0	3.7	11.6	24.6
24	11.6	34.5	31.2	40.4	24.3	10.3	11.6	8.3	3.0	3.9	13.6	25.9
25	10.5	35.0	32.3	40.4	23.3	11.0	12.5	8.0	3.0	3.5	15.0	26.9
26	9.0	35.5	33.4	40.5	22.1	11.8	13.7	7.8	3.5	3.2	15.5	27.4
27	7.2	36.3	34.4	40.5	21.0	12.9	14.9	7.7	3.8	3.1	15.5	27.2
28	5.5	36.8	35.5	40.5	19.8	15.0	16.2	7.6	4.0	3.0	15.2	27.1
29	5.0	37.0	36.2	40.5	18.8	17.8	17.4	7.2	4.0	2.9	15.3	27.5
30	4.7		36.9	40.4	17.8	18.7	19.0	6.7	4.1	2.6	15.6	28.0
31	5.0		37.6		16.6		21.0	6.2		2.4		28.1

8:00 A.M. READINGS.

1947
MISSISSIPPI RIVER
H.W. 126

57

ZERO OF GAGE: 136.79 M.S.L. (136.76 M.G.L.) (BANKFULL)
646.7 L. MILES A.H.P.
LAT. 34° 22' 52" - LONG. 90° 37' 49"
GAGE IN CHARGE OF MEMPHIS DISTRICT, CE, MEMPHIS, TENNESSEE

INCLINE AND VERTICAL GAGE LOCATED AT FRIAR POINT, MISS., ABOUT
1200' ABOVE FRIAR POINT-WESTOVER FERRY LANDING AND SPUR LEVEE.

HIGHEST: 36.16 ON 26 APRIL.
LOWEST: 1.00 ON 22 OCTOBER.
PERIOD OF RECORD: 1 JANUARY 1930 TO DATE.
HIGHEST FOR PERIOD OF RECORD: 57.60 ON 11-13 FEBRUARY 1937.
LOWEST FOR PERIOD OF RECORD: -1.30 ON 26-29 OCTOBER 1940.
(FORMERLY L.W. 316.3 L., H.W. 126 READ ONLY AT FLOOD STAGES PRIOR
TO 3 NOVEMBER 1939, AT WHICH TIME IT WAS COMBINED WITH THE L.W. GAGE.)

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	9.4	31.0	11.6	16.6	37.4	31.5	35.3	12.3	7.9	4.6	3.9	6.0
2	10.2	30.9	10.4	19.2	37.6	31.6	35.0	12.1	7.6	4.1	3.9	6.0
3	12.0	30.6	9.6	19.6	37.9	32.0	34.7	11.6	7.3	3.9	3.6	6.1
4	13.7	30.2	9.3	20.4	36.0	32.2	34.5	11.5	6.6	3.6	4.0	6.2
5	15.6	29.7	9.0	21.3	36.1	32.2	34.3	11.4	6.1	3.1	4.3	6.0
6	16.2	29.2	8.9	22.5	36.1	32.4	34.4	10.9	5.9	2.6	4.6	5.3
7	20.6	28.6	9.0	23.3	36.1	32.6	34.6	10.5	5.9	2.5	5.2	4.4
8	22.6	28.1	9.0	24.0	36.0	32.6	34.9	10.2	6.0	2.2	5.2	3.9
9	24.2	27.6	9.1	24.6	37.9	32.6	35.2	9.9	6.0	2.1	5.2	3.3
10	25.2	26.7	9.4	25.4	37.4	32.6	35.4	9.6	5.5	2.0	5.4	3.0
11	26.0	25.6	10.2	27.0	37.1	32.6	35.4	9.4	5.2	2.0	5.7	3.6
12	26.4	24.6	11.3	26.6	36.6	32.6	35.3	9.1	5.6	2.0	6.1	5.6
13	26.1	23.6	12.1	30.4	35.7	32.6	35.2	8.9	6.4	2.1	6.1	7.2
14	25.4	22.2	12.9	31.6	34.9	32.6	34.9	8.9	6.6	1.9	6.0	6.7
15	24.6	20.6	13.7	32.6	33.7	32.6	34.5	9.1	7.0	1.5	6.0	9.7
16	23.6	19.0	14.3	33.4	32.6	32.6	34.1	8.6	6.5	1.2	6.3	9.9
17	22.5	17.1	14.7	34.2	31.0	33.2	33.4	8.0	5.5	1.4	6.0	9.5
18	21.5	15.0	15.0	34.6	29.6	33.6	32.6	7.4	4.7	1.6	6.1	9.0
19	20.7	12.6	15.5	35.4	26.0	34.2	31.2	7.3	4.6	1.9	6.4	8.6
20	20.7	10.7	17.0	36.0	26.6	34.9	29.4	7.4	4.6	1.7	6.6	8.6
21	21.5	10.0	18.5	36.6	25.4	35.3	27.2	7.3	4.9	1.4	7.2	9.0
22	23.1	10.3	19.4	37.1	24.6	35.7	24.9	7.2	4.9	1.0	7.5	8.9
23	24.7	10.6	20.1	37.5	24.0	36.3	23.2	7.3	4.6	1.2	7.3	8.6
24	26.4	10.6	20.7	37.6	24.1	36.6	21.6	7.3	4.4	1.5	7.1	6.0
25	27.6	12.0	21.2	36.1	24.4	36.7	20.4	7.4	3.9	1.6	6.7	7.6
26	26.6	12.6	21.2	36.16	25.9	36.7	19.0	7.3	3.6	2.1	6.5	7.6
27	29.1	12.9	20.9	36.1	27.1	36.3	17.6	7.2	3.9	2.3	6.5	7.4
28	29.5	12.6	20.4	37.9	26.4	36.0	16.5	7.1	4.6	2.3	6.5	6.7
29	30.0		19.9	37.7	29.3	35.6	15.5	7.1	5.4	2.2	6.3	5.6
30	30.5		19.4	37.5	30.3	35.5	14.5	7.4	5.3	2.6	6.1	4.2
31	30.6		19.0		31.0		13.0	7.5		3.2		4.1

6:00 A.M. READINGS.

1947

RIVER STAGES

Mississippi River Gauge at H.W. 126 (318.1L) for the calendar year 1946

Zero elevation 138.78 feet above M.G.L.
138.79 M.S.L.

Bank full stage feet on gauge A.H.P. Mile 648.7L

R.C.5M.6-2-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	16.60	30.40	35.70	34.40	12.40	28.00	25.60	8.30	6.20**	3.50	5.80	12.90	1
2	18.30	26.20	34.80	34.60	12.40	27.20	25.20	8.00	5.60	3.50	5.70	13.40	2
3	19.40	23.30	33.70	34.70	12.70	26.20	24.70	7.90	4.90	3.70	5.80	13.70	3
4	19.60	20.50	32.60	34.60	13.30	25.10	23.80	7.80	3.90	3.90	5.90	13.20	4
5	19.60	18.50	31.20	34.40	14.90	24.00	22.50	8.00	3.80	4.00	6.30	12.00	5
6	19.60	17.50	29.80	34.20	16.30	23.40	21.20	7.70	3.50	3.80	9.60	11.30	6
7	19.80	17.50	28.40	33.60	17.10	23.00	19.80	7.50	3.50	3.50	13.60	10.20	7
8	20.00	18.20	27.00	32.80	17.60	23.40	18.70	7.30	3.40	3.20	16.30	9.00	8
9	21.10	20.00	25.90	31.90	18.30	24.10	17.70	7.80	2.90	3.00	17.60	7.20	9
10	23.40	22.40	25.50	30.60	19.20	24.90	16.90	8.60	2.40	2.80	18.00	6.70	10
11	27.50	24.50	26.00	29.10	20.00	25.60	16.60	9.20	1.80	2.70	18.00	6.70	11
12	31.00	26.40	26.90	27.60	20.40	26.00	16.40	8.90	1.30	2.30	17.30	5.70	12
13	33.40	28.20	27.90	26.20	20.40	26.10	16.20	8.40	1.40	2.00	16.40	5.50	13
14	34.90	29.60	28.80	24.90	20.40	25.70	16.20	8.00	2.40	1.40	15.70	5.40	14
15	35.90	30.60	29.40	23.60	20.70	24.80	15.90	7.40	4.00	1.00	15.60	5.60	15
16	37.10	31.50	29.80	22.10	21.30	23.50	15.50	7.00	5.30	1.20	16.10	7.80	16
17	38.10	32.70	30.00	20.80	21.70	21.90	15.10	6.70	5.40	1.70	16.50	10.00	17
18	39.00	33.80	29.90	19.40	21.70	20.10	14.50	6.50	4.90	1.90	16.10	11.80	18
19	39.80	34.70	29.70	18.20	21.80	18.40	13.80	7.00	4.80	1.70	15.40	13.30	19
20	40.50	35.20	29.40	17.20	22.00	17.10	13.40	10.00	5.20	2.00	14.70	14.40	20
21	41.00	35.70	29.20	16.50	22.70	16.30	12.80	14.10	5.00	2.80	14.60	15.10	21
22	41.40	36.00	29.40	16.40	23.70	16.00	12.20	17.20	4.30	4.00	15.20	15.20	22
23	41.75	36.30	29.80	16.30	25.10	16.40	11.70	18.20	3.80	5.30	15.10	14.90	23
24	41.90	36.70	30.10	16.10	26.60	17.80	11.70	18.30	3.50	6.10	14.50	14.20	24
25	41.70	36.80	30.60	15.90	27.30	19.80	12.30	18.00	3.00	6.70	13.80	13.00	25
26	41.50	36.80	31.50	15.30	27.80	21.50	13.10	17.10	3.00	7.30	13.30	11.40	26
27	41.00	36.70	32.30	14.50	28.10	23.00	13.40	15.50	3.30	7.70	12.80	9.80	27
28	40.20	36.30	32.80	13.90	28.40	24.40	12.90	13.70	3.50	7.80	12.20	9.10	28
29	38.80		33.30	13.10	28.70	25.20	12.00	12.20	3.70	7.90	11.70	9.00	29
30	36.40		33.70	12.50	28.70	25.60	10.70	10.60	3.60	7.40	12.00	9.20	30
31	33.70		34.00		28.50		9.50	9.00		6.40		9.30	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 A.M. readings.

Highest: 41.90 on 24 Jan.

Lowest: 1.00 on 14 Oct. **In pool. 1 Sept to 5 Nov, and 9-15 Dec.

Period of record: 1 Jan 1930 to date.

Highest for period of record: 57.80 on 11-13 Feb 1937.

Lowest for period of record: -1.30 on 28-29 Oct 1940.

*Formerly L.W. 318.3L. H.W. 126 read only at flood stages prior to 3 Nov 1939, at which time it was combined with the L.W. gage.

RIVER STAGES

Mississippi River Gauge at H. W. 126 (318.1L)* for the calendar year 1945

Zero elevation 138.78 feet above M. G. L.

Bank full stage feet on gauge A. H. P. Miles 648.7L

M.R.C. 5M. 5-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	12.30	12.80	33.10	46.00	40.80	36.30	38.80	12.30	8.40	17.00	8.90	21.60	1
2	15.60	11.10	34.00	46.20	40.40	36.00	38.40	12.00	8.10	19.00	8.90	21.50	2
3	18.40	9.60	34.85	46.40	39.90	35.60	37.70	11.80	7.30	20.30	8.80	21.10	3
4	21.10	8.40	35.50	46.50	39.40	34.80	36.40	11.90	6.30	22.00	8.80	20.50	4
5	23.35	7.60	36.00	46.70	38.70	33.70	34.70	11.90	5.50	23.30	8.20	19.40	5
6	25.30	7.40	36.60	46.80	38.20	32.60	32.80	12.30	5.10	24.10	7.50	18.20	6
7	26.60	6.90	37.00	46.90	37.60	31.40	31.40	12.70	5.00	24.30	7.20	17.20	7
8	27.70	6.40	37.60	46.94	36.80	30.20	29.80	12.80	5.20	24.20	7.60	16.20	8
9	28.30	5.90	38.10	46.94	35.70	29.00	29.00	12.50	5.30	24.00	8.00	15.80	9
10	28.70	5.50	38.80	46.94	34.40	28.10	28.00	12.30	5.30	23.30	8.50	16.00	10
11	28.80	5.40	39.50	46.70	32.90	27.80	26.50	12.70	5.00	22.30	9.60	16.80	11
12	28.70	5.60	40.20	46.50	31.90	28.40	24.80	12.90	4.75	21.00	10.20	17.70	12
13	28.50	6.00	41.00	46.20	31.10	29.80	23.20	12.10	5.10	19.50	11.40	18.10	13
14	28.10	6.50	41.60	46.00	30.90	31.10	22.00	11.50	5.70	18.60	12.00	18.20	14
15	27.60	6.80	42.00	45.50	31.00	32.40	21.10	11.70	6.00	17.80	12.30	18.30	15
16	27.10	7.70	42.40	44.80	31.30	33.40	20.00	11.90	6.20	17.20	12.50	18.40	16
17	26.20	9.40	42.80	44.10	31.20	34.40	18.90	12.00	6.30	16.50	12.90	18.20	17
18	25.20	11.50	43.00	43.70	31.00	35.20	17.80	12.00	6.50	15.40	13.80	17.60	18
19	24.10	13.40	43.20	43.10	30.90	35.90	16.90	12.00	6.80	14.30	14.50	17.70	19
20	23.00	15.40	43.50	42.70	31.40	36.60	16.30	11.70	7.00	11.80	15.70	18.40	20
21	22.10	18.40	43.80	42.20	31.90	37.00	15.70	11.40	7.20	10.20	16.00	18.60	21
22	21.10	21.80	44.00	42.00	32.50	37.30	15.40	11.30	7.40	9.30	16.20	18.30	22
23	20.00	24.40	44.20	41.90	33.20	37.60	15.20	11.40	7.30	8.70	16.00	17.40	23
24	19.50	26.70	44.40	41.80	33.80	37.90	14.80	11.20	7.30	8.00	15.80	16.20	24
25	19.10	28.50	44.90	41.70	34.40	38.20	14.20	10.70	7.40	7.90	16.20	14.50	25
26	18.70	29.80	45.20	41.60	35.00	38.40	13.40	10.10	7.70	8.30	17.40	12.90	26
27	18.20	30.95	45.50	41.50	35.50	38.50	13.20	9.60	8.50	8.50	19.00	11.50	27
28	17.40	31.95	45.60	41.40	35.90	38.60	13.10	9.30	10.40	8.40	20.00	11.10	28
29	16.40		45.70	41.30	36.30	38.80	13.10	9.30	13.00	8.10	20.80	11.70	29
30	15.00		45.80	41.10	36.40	38.80	13.10	9.40	15.30	8.20	21.30	12.90	30
31	13.80		45.90		36.50		12.80	8.90		8.60		14.50	31
Sum													
Mean	NOTE: "Time basis Central War Time during the interim 2:00 a.m. 9 February 1942 to 2:00 a.m. 30 September 1945. To convert War Time to Standard Time, subtract one hour."												
High													
Low													

Remarks: 8:00 a.m. readings.

Highest: 46.94 on 8-10 April.

Lowest: 4.75 on 12 Sept.

Period of record: 1 Jan. 1930 to date.

Highest for period of record: 57.80 on 11-13 Feb. 1937.

Lowest for period of record: -1.30 on 28-29 Oct. 1940.

*Formerly L. W. 318.3L. H. W. 126 read only at flood stages prior to 3 Nov. 1939, at which time it was combined with the L. W. Gage.

RIVER STAGES

Mississippi River Gauge at H.W. 126 (318.1 L)* for the calendar year 1944

Zero Elevation 138.78 feet above M.G.L.

Bank full stage feet on gauge. A.H.P. Miles 648.7 L.

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	1.90	2.40	22.70	35.00	42.50	24.50	22.10	10.20	7.10	4.10	5.00	5.10	1
2	3.00	2.55	23.80	35.30	42.80	24.80	22.50	9.60	7.60	4.80	3.90	4.90	2
3	3.40	2.70	25.50	35.50	43.10	25.35	22.80	9.10	8.70	5.10	2.60	5.30	3
4	3.50	3.20	27.30	35.80	43.40	25.80	22.80	9.00	10.40	5.40	2.40	5.60	4
5	4.00	3.70	28.60	36.10	43.60	26.30	22.60	9.30	12.60	6.40	2.30	5.70	5
6	4.50	4.60	29.50	36.30	43.70	26.80	22.10	9.30	14.00	8.00	2.00	5.90	6
7	4.90	5.20	30.20	36.50	43.82	27.00	21.40	8.90	14.50	9.10	1.90	6.10	7
8	6.00	5.65	30.70	36.70	43.70	26.90	20.70	8.00	13.80	9.60	1.80	6.30	8
9	7.70	6.00	31.20	37.00	43.70	26.60	20.10	6.90	13.10	10.20	1.90	6.00	9
10	9.00	7.00	31.70	37.30	43.70	26.20	19.70	6.10	12.70	10.40	2.00	5.40	10
11	9.85	6.30	31.90	37.40	43.60	25.30	19.30	5.90	11.70	10.70	2.30	5.00	11
12	9.70	5.40	32.20	37.20	43.60	24.30	18.90	6.00	10.90	10.80	2.60	4.80	12
13	9.70	5.00	32.40	36.60	43.55	23.30	18.50	6.40	9.60	10.50	3.20	5.40	13
14	9.80	5.80	32.50	35.80	43.40	22.30	18.30	6.70	8.20	9.90	3.60	7.10	14
15	10.00	7.70	32.40	35.20	43.20	21.50	17.80	7.20	7.50	9.20	3.70	8.80	15
16	10.00	9.50	32.35	35.10	42.80	20.70	17.40	7.00	7.20	8.50	3.60	9.60	16
17	9.10	10.20	32.25	35.40	42.40	20.00	17.00	6.50	6.40	7.65	3.40	9.70	17
18	7.00	10.60	32.00	35.90	41.70	19.70	16.50	6.10	5.50	6.70	3.20	9.60	18
19	4.70	10.90	31.70	36.50	41.20	19.70	15.60	5.70	4.60	6.00	3.00	8.50	19
20	3.50	10.60	31.10	37.20	40.50	19.80	14.70	5.45	3.60	5.80	2.80	7.80	20
21	3.30	11.00	30.60	37.85	39.60	19.90	14.10	5.30	3.20	5.00	2.65	7.20	21
22	3.35	12.00	30.40	38.50	37.90	19.90	13.50	5.60	3.00	4.20	2.70	5.80	22
23	3.40	14.00	30.60	39.30	35.80	19.90	13.00	6.10	2.90	3.40	3.30	4.50	23
24	3.40	15.90	31.30	39.90	33.30	20.00	12.60	6.30	2.70	2.70	3.70	4.30	24
25	3.40	17.20	32.10	40.50	30.90	19.90	12.25	6.10	2.50	2.40	4.00	4.40	25
26	3.50	18.30	32.90	40.90	28.50	19.70	11.85	6.10	2.40	2.90	4.40	5.20	26
27	3.60	19.30	33.70	41.50	26.75	20.00	11.55	6.60	2.60	3.70	4.75	6.50	27
28	3.75	20.40	34.20	41.80	25.50	20.70	11.50	7.00	2.90	4.20	5.00	7.00	28
29	3.40	21.70	34.70	42.00	24.70	21.20	11.30	6.70	3.30	4.80	5.30	7.80	29
30	3.00		34.90	42.30	24.30	21.70	10.80	6.20	3.80	5.30	5.30	8.60	30
31	2.60		35.00		24.30		10.65	6.50		5.50			31
Sum													
Mean													
High													
Low													

Remarks: 8:00 a.m. readings. (Central War Time)

Highest: 43.82 on 7 May.

Lowest: 1.80 on 8 Nov.

Period of record: 1 Jan. 1930 to date.

Highest for period of record: 57.80 on 11-13 Feb. 1937.

Lowest for period of record: -1.30 on 28-29 Oct. 1940.

*Formerly L.W. 318.3 L H.W. 126 read only at flood stages prior to 3 Nov. 1939, at which time it was combined with the L.W. Gage.

RIVER STAGES

MISSISSIPPI River Gauge at H. W. 126 (318.1 L)* for the calendar year 1943

Zero elevation 138.78 feet above M. G. L.

Bank full stage feet on gauge A. H. P. MILES 648.7 L

P.C. 5M. 5-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	22.75	18.20	18.00	38.85	32.75	42.20	29.65	13.20	6.20	4.05	3.70	3.20	1
2	27.40	18.50	16.60	39.30	33.15	43.00	29.45	13.20	6.40	3.40	3.20	3.10	2
3	30.35	18.40	15.80	39.70	33.60	43.50	29.35	13.30	6.70	3.00	2.80	2.80	3
4	32.40	18.50	15.60	40.00	33.95	44.10	29.25	13.65	7.00	2.50	2.80	2.45	4
5	33.70	18.60	15.70	40.40	34.00	44.50	29.15	14.25	7.20	2.30	3.00	2.20	5
6	34.65	19.05	16.10	40.50	33.80	44.70	28.70	14.75	7.00	2.00	3.10	2.00	6
7	35.45	20.25	16.60	40.55	33.20	44.80	28.00	14.95	6.60	1.80	3.60	1.90	7
8	36.10	21.40	16.80	40.45	32.15	44.60	26.90	15.05	6.40	1.80	3.50	1.75	8
9	36.50	22.85	16.70	40.10	30.50	44.30	25.75	15.05	6.40	1.80	3.10	1.90	9
10	36.80	24.35	16.20	39.50	28.25	43.70	24.45	14.95	6.70	1.70	3.20	2.10	10
11	37.10	26.00	15.80	38.20	25.95	43.00	23.55	14.55	6.80	1.80	3.70	2.00	11
12	37.40	27.25	15.50	36.55	24.40	42.00	22.75	14.45	6.40	1.80	4.05	1.80	12
13	37.60	28.20	15.50	34.40	23.65	40.90	22.40	15.05	6.20	1.80	4.20	1.70	13
14	37.85	28.90	16.10	31.60	24.70	39.70	22.30	15.80	6.10	1.70	4.80	1.70	14
15	38.00	29.30	17.10	29.05	26.35	38.50	22.30	16.20	5.80	1.50	5.30	1.70	15
16	38.15	29.40	19.05	26.90	27.95	37.30	22.25	15.65	5.70	1.50	5.90	2.10	16
17	38.25	29.40	21.80	25.65	29.20	36.30	21.90	13.75	6.20	1.65	6.40	2.40	17
18	38.20	29.20	24.05	25.25	30.35	35.40	21.60	11.85	6.40	1.60	6.60	2.70	18
19	37.90	28.80	25.85	25.25	31.35	34.50	21.30	11.05	6.20	1.70	6.40	2.85	19
20	37.20	28.40	27.70	25.35	32.25	33.80	20.80	11.15	6.00	1.75	5.70	2.80	20
21	35.80	27.70	29.05	25.45	33.15	33.20	20.20	11.40	5.80	1.95	5.30	2.60	21
22	33.60	27.10	30.60	25.55	34.00	32.60	19.70	11.65	5.50	2.40	5.30	2.00	22
23	30.45	26.15	31.95	25.75	34.80	32.15	19.40	11.75	5.20	2.20	5.30	1.40	23
24	26.55	25.15	33.15	26.35	35.60	31.80	19.15	11.60	5.00	1.80	5.20	1.00	24
25	22.85	23.85	34.20	27.20	36.45	31.40	18.50	11.20	5.10	1.50	4.80	0.80	25
26	20.00	22.30	35.00	28.15	37.30	31.15	17.40	10.35	5.70	1.40	4.40	0.40	26
27	18.10	20.90	35.90	29.25	38.00	31.05	16.20	9.35	5.75	1.80	4.10	0.20	27
28	17.30	19.35	36.50	30.35	38.90	30.75	15.30	8.35	5.55	2.50	3.90	0.10	28
29	17.15			31.35	39.70	30.45	14.65	7.45	5.20	2.80	3.70	0.10	29
30	17.40		37.70	32.10	40.50	29.95	13.90	6.70	4.60	3.00	3.40	0.10	30
31	17.80		38.30		41.35		13.40	6.40		3.60		0.70	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 A.M. READINGS. (CENTRAL WAR TIME)
 HIGHEST: 44.80 ON 7 JUNE.
 LOWEST: 0.10 ON 28-30 DEC.
 PERIOD OF RECORD: 1 JAN. 1930 TO DATE.
 HIGHEST FOR PERIOD OF RECORD: 57.80 ON 11-13 FEB. 1937.
 LOWEST FOR PERIOD OF RECORD: -1.30 ON 28-29 OCT. 1940.
 * FORMERLY LW-318.3 L HW-126 READ ONLY AT FLOOD STAGES PRIOR TO 3 NOV. 1939, AT WHICH TIME IT WAS COMBINED WITH THE LW GAGE.

RIVER STAGES

Mississippi

River Gauge at HW-126 (318.1L)*

for the calendar year 1942

Zero elevation 138.78 feet above M.G.L.

Bank full stage feet on gauge A.H.P. Miles 648.7 L

R.C.M. 5-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	16.55	13.60	28.44	35.15	23.30	22.50	29.70	12.34	14.25	10.25	6.60	21.00	1
2	18.05	13.80	28.41	35.47	20.00	23.30	30.22	11.30	14.60	10.15	6.60	21.65	2
3	18.95	13.70	28.24	34.85	17.25	24.08	30.75	10.25	14.90	10.15	7.00	21.80	3
4	19.31	13.80	27.71	33.85	15.40	24.40	31.10	9.60	14.30	10.40	7.30	21.60	4
5	19.42	14.35	26.74	32.65	14.01	24.20	31.28	9.32	13.65	10.75	8.10	21.00	5
6	19.55	15.10	25.10	31.65	13.34	23.32	31.30	9.25	11.65	11.15	9.10	20.50	6
7	19.58	15.10	23.55	29.80	13.40	22.40	31.28	9.60	10.00	11.55	10.00	19.90	7
8	19.25	14.97	21.80	28.16	13.54	20.40	30.90	10.25	9.00	12.05	10.40	19.55	8
9	18.50	14.80	20.70	27.14	13.77	18.00	30.45	10.95	8.50	12.15	10.70	19.35	9
10	17.55	15.85	19.62	26.65	14.09	16.20	29.80	11.75	8.10	11.70	10.95	19.45	10
11	16.19	18.17	19.05	26.30	14.65	15.20	28.84	12.85	8.20	11.15	11.45	19.85	11
12	14.50	20.88	19.15	27.35	15.70	15.20	28.00	14.25	8.40	11.00	11.90	20.60	12
13	13.40	23.45	19.80	29.10	17.03	15.50	27.25	15.10	8.70	11.05	12.25	21.20	13
14	12.05	25.30	20.90	31.08	18.05	16.40	26.70	15.65	9.38	11.15	12.55	21.25	14
15	10.65	26.51	21.75	32.57	18.65	17.15	26.25	15.95	10.55	11.45	12.75	20.85	15
16	9.40	27.06	22.50	33.94	18.61	17.97	25.80	16.10	11.60	11.10	13.00	20.15	16
17	7.80	26.94	23.80	35.00	18.30	18.96	25.30	16.19	12.30	10.30	13.40	19.20	17
18	5.80	26.69	25.60	35.75	18.05	20.35	24.90	16.15	12.50	9.45	13.55	18.10	18
19	4.30	26.53	28.25	36.15	18.10	21.30	24.20	16.10	12.34	8.85	13.60	16.75	19
20	4.06	26.50	29.70	36.35	19.45	22.15	23.50	16.00	11.55	8.65	13.50	15.45	20
21	4.85	26.75	31.10	36.45	20.25	22.90	23.10	15.70	10.85	8.70	13.45	14.20	21
22	5.60	27.36	32.10	36.30	21.22	23.36	22.60	14.85	10.10	8.90	13.45	13.15	22
23	6.20	28.06	33.00	35.95	21.90	23.70	21.70	13.55	10.00	9.05	13.50	12.35	23
24	7.00	28.61	33.85	35.57	22.48	24.20	19.70	12.15	10.35	9.30	13.55	12.00	24
25	7.90	28.86	34.55	34.90	23.08	24.80	17.50	11.70	10.65	9.35	13.65	12.05	25
26	8.70	28.61	35.20	34.20	23.40	25.65	16.15	12.14	10.85	9.20	14.25	12.15	26
27	9.32	28.54	35.75	32.90	23.50	26.68	15.38	13.20	11.10	8.90	15.35	12.55	27
28	10.95	28.44	36.05	31.12	23.30	27.65	14.86	13.75	11.30	8.60	16.80	13.00	28
29	12.03		36.23	29.03	23.10	28.40	14.41	13.80	10.95	8.30	18.55	13.85	29
30	12.44		36.27	26.45	22.55	29.10	13.95	13.80	10.50	7.90	20.00	15.15	30
31	12.84		36.15		22.30		13.25	14.00		7.20		17.90	31
Sum													
Mean			Time Basis: Standard Time prior to 2:00 a.m., Feb. 9, 1942; War Time thereafter.										
High			To convert War Time to Standard Time, subtract one hour.										
Low													

Remarks: 8:00 a.m. readings.

Highest: 36.45 on Apr. 21.

Lowest: 4.06 on Jan. 20.

Period of record: Jan. 1, 1930 to date.

Highest for period of record: 57.80 on Feb. 11, 12 & 13, 1937.

Lowest for period of record: -1.30 on Oct. 28 & 29, 1940.

*Formerly LW-318.3L, HW-126 read only at flood stages prior to Nov. 3, 1939, at which time it was combined with the LW Gauge.

RIVER STAGES

Mississippi River Gauge at H. W. 126 (318.1L) * for the calendar year 1941

Zero elevation 138.78 feet above M. G. L.

Bank full stage _____ feet on gauge

U. S. M. S. 5-5-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	11.40	14.95	8.10	12.30	25.45	4.20	14.60	7.05	2.10	9.09	18.80	13.67	1
2	10.50	16.05	7.30	12.50	24.50	4.00	12.70	6.15	3.40	8.97	19.22	13.70	2
3	9.50	17.15	7.10	12.75	23.25	3.75	11.40	5.80	4.10	8.67	19.50	13.55	3
4	9.20	18.20	7.00	13.15	22.15	3.65	10.80	5.40	4.20	8.11	20.00	13.20	4
5	9.70	18.65	6.70	13.45	20.70	3.65	10.30	5.50	4.00	7.45	20.80	12.65	5
6	10.35	18.60	6.15	13.35	19.25	4.20	9.90	5.90	3.70	6.92	22.05	11.87	6
7	11.20	18.25	5.80	13.20	17.55	5.40	10.25	6.00	3.60	6.82	23.07	10.00	7
8	12.65	17.65	5.35	13.15	16.30	6.75	11.40	5.10	3.50	7.37	23.84	10.47	8
9	14.75	16.85	5.20	13.30	15.45	8.30	12.75	4.30	3.80	8.07	24.38	9.87	9
10	16.65	15.85	5.20	13.95	14.55	9.75	14.10	3.80	4.90	10.17	24.70	9.47	10
11	17.70	14.80	5.35	15.30	13.85	11.20	14.90	3.15	5.60	13.45	25.25	9.15	11
12	18.05	13.70	5.70	17.10	13.20	12.65	15.35	1.80	6.00	16.58	25.82	8.79	12
13	17.70	12.30	6.40	18.20	12.90	13.65	15.35	1.20	5.90	18.41	26.18	8.52	13
14	17.05	10.85	7.05	20.20	12.40	14.95	15.65	0.90	5.60	19.40	26.34	8.29	14
15	16.10	9.40	8.00	21.02	12.05	16.85	15.80	0.70	5.60	19.88	26.08	8.25	15
16	15.05	8.45	9.10	21.50	11.80	19.00	16.10	0.30	6.82	20.18	25.25	8.19	16
17	14.10	7.90	10.82	21.72	11.25	21.20	16.45	0.30	6.60	20.27	24.10	7.82	17
18	12.95	7.20	10.85	21.83	10.60	22.95	16.65	0.60	8.50	20.62	22.65	7.37	18
19	11.30	6.90	11.75	21.80	9.90	24.15	16.75	0.80	9.70	21.17	20.85	7.52	19
20	9.25	7.20	12.60	21.65	9.40	24.50	16.35	1.40	10.00	21.35	19.15	7.95	20
21	7.65	7.80	13.70	21.32	8.55	24.40	14.85	2.40	9.87	21.28	17.60	8.37	21
22	7.15	8.00	14.75	21.12	8.50	23.85	12.75	2.80	9.57	20.90	16.30	8.52	22
23	7.55	8.40	15.50	21.55	8.90	23.30	11.75	3.30	9.25	20.20	15.10	8.75	23
24	8.40	9.15	15.90	22.50	9.30	23.05	11.50	3.60	9.07	19.35	14.23	8.49	24
25	9.60	9.95	15.90	23.50	9.30	22.75	11.30	3.20	9.07	18.35	13.27	7.82	25
26	10.95	10.40	15.55	24.60	8.80	22.35	11.20	2.90	9.17	17.40	12.65	7.87	26
27	11.60	10.40	15.00	25.25	7.50	21.50	11.30	2.60	9.72	16.90	12.45	8.37	27
28	12.15	9.40	14.00	25.80	6.60	20.60	11.60	2.30	9.92	16.78	12.63	9.07	28
29	12.85		13.25	26.05	5.90	19.10	11.70	1.70	9.82	17.15	13.10	10.17	29
30	13.65		12.50	25.90	5.45	16.95	10.70	1.30	9.55	17.60	13.58	12.23	30
31	14.30		12.15		4.80		8.60	1.50		18.35		14.33	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 a.m. readings.

Highest 26.34 on Nov. 14.

Lowest 0.30 on Aug 16 & 17.

Period of record: Jan. 1, 1930 to date.

Highest for period of record: 57.80 on Feb. 11, 12, & 13, 1937.

Lowest for period of record: -1.30 on Oct. 28 & 29, 1940.

*Formerly L. W. 318.3L. H. W. 126 read only at flood stage prior to Nov. 3, 1939, at which time it was combined with the L. W. Gage.

RIVER STAGES

Mississippi

River Gauge at

H.W. 126 (318.1 L)*

for the calendar year 1940

Zero elevation 138.78 feet above M.G.L.

Bank full stage feet on gauge

R.C.M. 5-6-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	4.00	7.00	25.80	17.50	37.00	13.70	15.40	6.20	7.90	1.70	-1.05	3.60	1
2	3.60	3.90	25.00	17.50	37.40	14.05	16.20	5.85	8.00	1.80	-0.80	4.20	2
3	2.60	3.15	23.90	17.70	37.80	14.30	16.70	5.50	8.10	2.00	-1.00	4.90	3
4	2.00	3.75	22.65	18.30	38.10	14.60	16.70	5.10	8.50	2.30	-1.10	5.90	4
5	1.90	3.20	21.40	18.80	38.50	15.10	16.30	4.80	9.35	2.20	-0.65	6.60	5
6	1.70	3.05	20.50	19.45	38.80	15.70	15.80	4.70	10.30	1.60	-0.15	7.00	6
7	1.20	3.10	20.20	20.50	39.10	16.05	15.75	4.60	11.40	1.40	0.50	7.25	7
8	0.60	3.60	20.45	21.80	39.30	16.50	15.85	4.45	12.60	0.80	1.50	7.40	8
9	-0.10	3.30	21.60	23.40	39.40	16.90	15.90	4.65	12.75	0.30	2.50	7.55	9
10	-0.75	3.20	23.70	25.20	39.40	17.35	15.75	5.05	12.35	-0.10	3.00	7.55	10
11	-0.25	3.40	25.65	26.60	38.80	17.75	15.40	5.70	11.40	-0.20	3.10	6.90	11
12	0.55	3.50	27.20	28.05	37.75	18.00	14.60	6.00	10.30	-0.30	2.90	5.70	12
13	1.25	3.30	28.25	28.65	35.65	18.35	14.05	6.30	8.80	-0.40	2.40	5.05	13
14	1.65	3.35	28.70	28.85	32.65	17.90	13.75	6.20	7.75	-0.40	1.80	4.90	14
15	1.85	3.90	28.85	29.00	30.05	17.40	13.80	5.65	6.80	-0.40	1.90	5.00	15
16	1.70	5.70	29.10	28.85	25.35	16.70	13.55	5.00	6.20	-0.40	2.30	5.30	16
17	1.60	8.40	29.40	28.55	22.30	16.50	12.55	4.65	5.50	-0.50	2.40	6.25	17
18	1.40	10.80	29.80	28.35	19.70	16.80	11.10	4.50	5.05	-0.65	2.30	6.80	18
19	1.90	13.75	30.00	28.25	17.35	17.75	10.35	4.40	4.75	-0.70	2.00	7.45	19
20	2.30	15.60	29.75	28.30	15.30	17.35	10.25	4.95	4.50	-0.70	2.10	7.70	20
21	3.00	17.40	29.15	28.45	13.95	17.20	10.45	6.50	3.80	-0.70	2.40	8.05	21
22	3.70	19.30	28.15	28.95	12.90	16.95	10.75	8.50	3.35	-0.70	2.50	8.70	22
23	4.55	21.20	26.80	30.20	12.30	16.80	11.00	9.95	2.65	-0.80	2.50	9.50	23
24	5.00	23.05	25.60	31.65	11.95	16.70	10.90	11.35	1.80	-0.80	2.30	9.95	24
25	5.20	24.50	24.00	33.00	11.80	16.55	10.20	12.75	1.70	-0.80	2.20	10.05	25
26	5.10	25.35	22.70	34.15	11.60	16.35	9.35	13.60	1.70	-0.80	2.00	10.35	26
27	4.80	26.00	21.45	35.00	11.70	16.00	8.40	13.25	1.10	-1.10	1.90	11.00	27
28	6.90	26.30	20.35	35.55	12.00	15.60	7.45	11.75	0.80	-1.30	2.00	11.50	28
29	5.20	26.30	19.15	36.10	12.25	15.20	6.80	10.10	0.90	-1.30	2.80	11.70	29
30	5.10	-	18.40	36.50	12.95	15.00	6.20	9.00	1.30	-1.05	3.30	11.70	30
31	6.45	-	17.75	-	13.35	-	6.20	8.30	-	-1.15	-	11.60	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 A.M. Readings.

Gage affected by ice floes and jams, Jan.20 to Feb.14,1940.

*Formerly L.W. 318.3 L.

a5:00 P.M. Reading.

RIVER STAGES

Mississippi River Gauge at *H.W. 126 (Mile 318.1-L) for the calendar year 1939

Zero elevation 138.78 feet above M.G.L.

Bank full stage feet on gauge

R.C.E.M. 1-6-27

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	7.15	15.65	46.10	44.80	45.70	15.60	26.34	13.42	9.45	1.70	0.70	1.30	1
2	8.25	16.85	46.25	43.40	45.92	15.61	26.05	13.40	8.75	1.50	1.40	1.20	2
3	9.32	19.80	46.28	42.10	46.10	15.67	25.70	13.35	7.92	1.30	2.10	1.10	3
4	10.50	23.90	46.23	40.40	46.08	15.90	25.38	13.35	7.32	1.20	2.60	1.00	4
5	11.65	27.35	46.15	39.02	46.00	16.00	25.00	13.10	6.50	1.10	2.80	0.75	5
6	12.35	30.00	46.08	38.30	45.80	15.95	24.15	12.73	5.90	1.30	2.90	0.70	6
7	11.45	32.00	45.85	37.40	45.50	15.90	23.18	12.60	5.49	1.60	3.10	0.65	7
8	10.10	33.30	45.80	36.90	45.05	16.15	22.25	12.69	5.10	1.40	2.80	0.65	8
9	9.85	34.50	45.55	36.75	44.10	16.55	21.42	13.10	4.95	1.00	2.10	0.75	9
10	11.15	35.75	45.40	36.80	41.82	16.95	20.82	12.84	4.70	0.70	1.60	0.90	10
11	12.15	36.55	45.38	37.40	39.35	17.22	20.30	11.70	4.28	0.50	1.30	0.90	11
12	13.05	37.20	45.38	37.85	37.30	17.32	20.08	10.80	3.50	0.40	1.20	0.95	12
13	13.80	37.80	45.38	37.30	33.40	17.40	19.70	10.08	3.57	0.30	1.10	1.20	13
14	14.25	38.40	45.35	38.60	29.60	17.55	19.65	9.98	3.48	0.30	1.00	1.70	14
15	14.40	39.25	45.30	38.90	27.05	17.60	20.08	9.80	3.25	0.30	0.90	1.95	15
16	14.40	39.80	45.30	39.10	25.40	17.82	20.58	10.12	3.00	0.50	0.80	1.95	16
17	14.38	40.50	45.30	39.40	23.78	18.15	20.80	10.18	2.90	0.70	0.60	1.80	17
18	15.10	41.20	45.40	39.70	22.20	18.38	20.55	11.12	2.55	0.80	0.60	1.80	18
19	16.55	41.75	45.50	40.00	21.00	18.38	19.40	12.05	2.45	0.60	1.00	1.80	19
20	18.45	42.50	45.60	40.30	19.95	18.40	17.25	12.45	2.25	0.40	1.10	1.90	20
21	19.35	43.15	45.95	40.70	19.00	18.50	15.65	11.70	2.25	0.20	1.05	2.00	21
22	19.90	43.65	46.20	41.10	18.28	18.15	13.00	11.15	2.60	0.10	1.10	2.10	22
23	20.18	44.05	46.42	41.48	17.95	18.58	12.25	11.16	2.80	0.10	1.10	2.10	23
24	20.30	44.40	46.60	41.90	17.62	20.15	11.85	12.30	2.80	0.05	1.15	2.10	24
25	20.00	44.80	46.70	42.35	17.20	21.95	11.80	13.35	2.60	0.05	1.15	2.20	25
26	19.15	45.20	46.75	42.88	17.15	23.28	11.95	13.33	2.50	0.05	1.15	2.40	26
27	18.18	45.48	46.75	43.58	16.90	24.57	12.22	12.45	2.20	0.15	1.15	2.80	27
28	16.94	45.80	46.60	44.30	16.55	25.42	12.40	11.20	1.90	0.15	1.25	3.50	28
29	15.92		46.50	44.90	16.32	25.98	12.87	10.35	1.80	0.05	1.30	3.80	29
30	15.60		46.25	45.38	16.12	26.29	13.12	10.08	1.80	0.05	1.30	3.90	30
31	15.60		45.65		16.00		13.27	9.90		0.20			31
Sum													
Mean													
High													
Low													

Remarks: 8:00 A.M. Readings.
 Inspected June 20, July 13, Sept. 26, and Dec. 16, 1939.
 *Formerly L.W. Gage 318.3-L, gage designation changed Nov. 3, 1939 at same location.

RIVER STAGES

Mississippi River Gauge at Mile 318.3 L for the calendar year 1938

Zero elevation 138.78 feet above M. G. L.

Bank full stage _____ feet on gauge

U. S. C. & G. S. 1-6-27

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	24.8	25.9	34.5	38.2	38.5	33.9	24.7	23.8	11.2	15.4	4.5	14.8	1
2	25.2	27.2	34.2	38.4	37.2	35.2	25.0	23.6	10.9	15.7	4.4	13.7	2
3	25.4	28.2	33.8	38.7	35.6	36.1	25.0	23.7	10.4	15.9	4.5	12.0	3
4	25.1	29.0	33.3	39.1	33.5	36.6	24.8	24.3	10.2	15.9	4.8	10.3	4
5	24.3	29.5	32.7	39.6	31.2	37.1	24.5	24.9	9.1	15.9	4.8	9.1	5
6	23.4	29.9	32.3	40.2	28.9	37.3	24.1	25.1	10.0	16.0	4.6	8.6	6
7	22.3	30.2	31.7	40.7	26.7	37.2	23.8	25.1	10.1	15.9	4.1	8.4	7
8	21.3	30.3	31.1	41.0	24.7	37.1	23.7	25.0	9.9	15.7	4.0	8.0	8
9	20.2	30.0	30.3	41.3	23.1	36.8	23.7	25.1	9.4	15.3	4.0	8.0	9
10	19.3	29.3	29.9	41.5	21.2	36.2	23.6	25.3	8.7	14.6	4.0	8.3	10
11	18.6	28.1	29.6	41.4	19.5	35.3	23.5	25.4	9.3	14.0	4.3	9.0	11
12	17.9	26.7	29.7	41.3	18.5	34.0	23.4	25.6	8.8	13.2	5.0	9.4	12
13	17.3	25.2	30.0	41.1	18.1	32.3	23.5	25.7	7.4	12.2	5.8	9.5	13
14	16.8	23.5	30.8	40.9	18.6	30.5	23.6	25.7	7.2	11.5	6.6	9.6	14
15	16.3	22.2	31.8	41.0	19.0	29.3	23.6	25.6	7.6	10.5	7.3	9.5	15
16	15.6	21.5	32.8	41.1	19.1	29.0	23.4	25.1	8.9	9.5	7.7	9.3	16
17	14.4	21.4	33.9	41.3	18.9	29.3	23.1	24.4	10.0	8.4	8.0	9.3	17
18	13.1	22.4	34.9	41.6	18.6	29.7	22.9	23.4	10.9	7.5	8.5	9.3	18
19	11.0	24.1	35.8	41.8	18.3	29.8	22.9	22.1	11.7	7.2	9.0	9.2	19
20	9.2	26.2	36.5	42.1	18.3	29.7	23.0	20.7	12.7	6.6	9.0	9.0	20
21	8.5	28.1	36.9	42.3	18.5	28.9	23.2	19.6	13.5	6.4	8.9	8.6	21
22	9.0	30.0	37.2	42.5	18.6	27.9	23.4	18.3	14.0	6.2	9.2	8.2	22
23	10.1	31.6	37.5	42.5	18.6	27.3	24.4	17.1	14.6	6.0	10.2	7.8	23
24	10.9	32.8	37.7	42.5	18.9	26.9	25.3	15.4	15.0	5.8	11.2	7.4	24
25	11.5	33.7	37.7	42.3	19.7	26.6	25.9	13.8	15.0	5.6	12.8	6.8	25
26	13.4	34.3	37.6	42.0	20.6	26.3	26.0	13.0	15.0	5.6	14.3	6.4	26
27	16.0	34.7	37.6	41.6	23.2	25.8	25.5	12.6	15.2	5.4	15.1	5.6	27
28	18.6	34.7	37.5	41.0	24.9	25.2	24.7	12.3	15.3	5.2	15.4	5.2	28
29	20.9	—	37.5	40.4	27.4	24.8	24.0	12.2	15.2	5.0	15.6	5.1	29
30	22.6	—	37.8	39.6	30.2	24.6	23.9	11.9	15.2	4.9	15.4	5.6	30
31	24.5	—	38.0	—	32.2	—	23.9	11.5	—	4.6	—	6.2	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 A.M. Readings.

Gage inspected: May 31, Aug. 5, and Oct. 10, 1938.

RIVER STAGES

Mississippi River Gauge at Mile 318.3 L for the calendar year 1937

Zero elevation 138.78 feet above M.G.L.

Bank full stage _____ feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	11.1	54.3	49.4	26.3	29.3	24.2	21.4	12.6	9.8	2.9	10.9	5.1	1
2	12.1	54.9	48.4	26.4	29.8	23.4	21.4	12.0	10.1	*	10.9	4.8	2
3	13.5	55.4	47.4	26.5	30.4	22.5	22.1	11.8	10.5	*	11.0	4.8	3
4	15.4	55.8	46.2	26.4	31.4	21.8	23.0	11.3	10.7	*	11.1	5.3	4
5	17.4	56.3	44.9	26.0	33.1	21.2	23.7	10.8	10.9	2.6	11.2	5.9	5
6	19.8	56.6	43.5	25.6	34.7	20.8	24.1	10.2	10.5	*	11.3	6.5	6
7	22.8	57.0	41.9	24.7	36.1	20.7	24.0	9.7	9.5	*	11.9	6.8	7
8	26.0	57.0	40.2	23.8	37.3	20.7	23.5	9.5	7.7	3.3	13.1	6.7	8
9	28.3	57.5	38.2	23.0	38.4	20.8	22.8	9.3	7.4	*	14.7	6.3	9
10	30.5	57.7	36.0	22.4	39.2	21.4	21.3	9.1	7.9	*	16.0	5.7	10
11	32.2	57.8	33.7	21.7	40.1	22.1	19.2	9.1	8.4	*	16.7	5.5	11
12	33.7	57.8	31.8	21.0	41.0	22.5	17.7	9.1	8.7	5.1	16.5	5.0	12
13	34.8	57.8	30.7	20.4	41.8	22.1	16.9	9.8	8.7	*	15.6	*	13
14	35.8	57.7	30.3	20.0	42.7	21.6	16.3	10.4	8.8		14.2	3.5	14
15	36.7	57.6	30.2	20.0	43.3	22.0	15.6	10.3	8.9	5.6	11.5	*	15
16	37.1	57.4	30.4	20.2	43.8	23.0	14.8	10.1	8.8	*	8.4	*	16
17	37.9	57.1	30.4	20.6	44.0	24.0	14.1	10.0	8.9	*	6.5	2.0	17
18	38.7	56.9	30.4	20.9	44.0	24.5	14.2	9.9	8.7	*	6.0	*	18
19	39.6	56.7	30.2	21.2	43.7	24.4	14.3	9.9	7.7	3.9	6.1	*	19
20	40.6	56.1	29.8	21.4	43.2	24.2	14.6	10.0	6.6	*	6.2	*	20
21	41.6	55.5	29.4	21.6	42.4	24.0	15.2	10.0	5.8	*	6.4	5.2	21
22	42.8	54.8	28.9	21.7	41.4	23.8	16.1	10.1	5.3	5.0	6.6	*	22
23	44.4	54.2	28.5	21.7	40.3	23.8	16.9	9.3	5.1	6.0	6.6	10.8	23
24	46.2	53.6	28.2	21.8	38.5	23.8	17.5	8.4	5.0	6.7	6.3	13.1	24
25	48.0	52.8	28.1	22.4	36.4	23.9	17.7	8.1	5.2	7.5	6.1	15.3	25
26	49.5	52.0	28.2	23.5	34.0	23.9	17.6	7.9	5.0	8.2	6.2	17.4	26
27	50.9	51.2	28.1	24.8	31.4	23.6	17.2	7.9	*	8.7	6.2	19.3	27
28	52.0	50.4	27.8	26.2	29.2	23.0	16.7	7.8	*	9.4	5.9	21.0	28
29	52.6		27.3	27.5	27.2	22.4	16.2	7.8	3.0	10.2	5.4	22.4	29
30	53.0		26.8	28.5	25.8	21.8	15.4	8.4		10.7	4.9	23.4	30
31	53.7		26.4		25.0		13.9	9.3		10.9		24.1	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 A.M. Readings corrected

Inspected: April 26, June 19, Sept 21, 1937

* Gage in Pool

No crest reading by crest patrol party.

RIVER STAGES

Mississippi River Gauge at Mile 318.3 L for the calendar year 1936

Zero elevation 138.78 feet above M. G. L.

Bank full stage _____ feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	13.7	19.8	25.8	37.8	42.8	13.3	6.5	3.6	1.1	4.8	5.1	5.3	1
2	12.3	19.4	27.1	38.2	39.7	12.8	6.4	3.4	1.3	4.7	5.0	4.9	2
3	10.3	18.5	28.0	39.1	36.1	12.4	6.7	3.8	1.4	4.6	5.6	4.9	3
4	8.6	17.1	29.1	39.7	32.2	11.9	6.9	3.9	2.2	5.0	6.0	4.8	4
5	7.2	15.5	30.3	40.4	28.8	11.5	7.0	3.3	3.0	6.8	6.7	4.6	5
6	6.2	13.8	31.1	41.1	26.0	11.3	7.1	2.6	3.4	8.9	7.1	4.3	6
7	5.8	12.2	31.7	42.1	24.1	11.2	6.7	2.2	3.4	10.0	8.7	4.1	7
8	6.1	11.3	32.0	42.8	22.4	11.3	6.2	2.2	3.4	9.8	11.2	4.4	8
9	7.2	10.6	32.3	43.7	21.5	11.3	6.4	2.1	3.3	9.3	14.4	4.6	9
10	9.2	11.0	32.4	44.6	21.3	11.3	7.2	2.0	3.0	8.7	17.5	5.0	10
11	11.8	12.6	32.7	45.3	21.6	11.1	8.6	2.1	2.7	7.8	19.6	5.7	11
12	15.4	13.9	32.9	45.9	21.8	10.8	9.9	2.1	2.6	7.4	20.6	7.1	12
13	20.1	15.3	33.0	46.6	21.6	10.6	10.2	1.9	2.8	7.4	21.0	9.4	13
14	23.9	16.5	33.1	47.0	21.3	10.0	9.6	1.8	3.2	7.5	21.2	11.3	14
15	26.5	17.6	33.1	47.4	20.5	9.5	8.5	2.3	2.8	7.8	21.1	12.7	15
16	28.2	18.6	33.1	47.7	19.7	9.6	7.4	2.2	2.3	8.1	21.0	13.7	16
17	29.2	19.7	32.9	48.0	18.8	9.8	6.8	1.6	2.0	8.2	20.8	14.4	17
18	30.0	20.5	32.1	48.2	17.7	9.7	6.2	1.1	1.7	8.3	20.6	14.8	18
19	30.6	20.6	31.2	48.4	16.6	9.4	5.6	1.1	1.5	8.2	20.2	14.9	19
20	31.0	20.3	30.4	48.5	15.9	9.2	4.9	1.2	1.6	8.0	19.3	14.8	20
21	31.0	19.4	30.0	48.6	15.8	9.0	4.7	1.5	2.0	8.0	18.2	14.2	21
22	30.8	18.4	30.0	48.8	15.9	8.7	4.8	1.4	2.2	8.4	16.4	13.4	22
23	30.0	17.4	30.2	48.9	15.9	8.4	4.8	1.1	2.3	8.9	13.8	12.3	23
24	28.9	16.8	31.2	48.9	15.6	8.0	4.8	1.0	2.4	9.2	11.1	11.2	24
25	27.3	16.7	32.2	48.9	15.5	7.7	5.0	0.9	2.9	9.3	8.9	10.5	25
26	25.6	17.0	33.3	48.7	15.2	7.8	5.1	0.8	3.6	9.2	7.7	9.4	26
27	24.0	17.8	34.3	48.2	15.0	7.8	4.9	0.8	4.0	8.7	7.1	8.4	27
28	22.4	19.7	35.2	47.5	14.9	7.6	4.6	1.0	4.4	7.9	6.6	8.0	28
29	21.4	23.1	35.8	46.4	14.6	7.3	4.3	0.9	4.9	7.2	6.0	8.7	29
30	20.7		36.5	44.9	14.3	6.9	4.2	0.9	4.9	6.6	5.7	9.7	30
31	20.1		37.2		13.8		4.1	1.0		5.8		10.5	31
Sum													
Mean													
High													
Low													

Remarks:

8:00 A.M. Readings Corrected.
Gage inspected, May 8, June 29, 1936.

RIVER STAGES

MISSISSIPPI River Gauge at 318.3 L for the calendar year 1935

Zero elevation 138.78 feet above Mean Gulf Level

Bank full stage _____ feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	11.1	36.6	24.1	47.6	39.0	43.8	40.9	21.3	12.2	4.8	4.1	10.2	1
2	11.8	36.7	23.1	47.5	36.3	44.0	41.1	21.8	11.2	4.5	4.4	9.5	2
3	12.4	36.7	23.2	47.4	33.8	44.1	41.3	21.7	10.8	4.3	4.5	9.1	3
4	12.9	36.4	23.3	47.1	31.3	44.1	41.3	21.3	10.6	4.1	4.5	9.4	4
5	13.5	35.8	24.0	46.9	29.0	44.0	41.2	21.0	10.0	3.9	4.7	9.9	5
6	14.1	35.0	24.8	46.9	26.9	43.6	40.9	20.7	9.1	3.9	4.9	10.5	6
7	14.8	33.7	25.6	46.9	26.3	43.1	40.4	20.3	8.2	3.9	4.9	10.8	7
8	15.5	31.8	26.1	46.9	27.1	42.6	39.6	19.8	8.4	3.7	4.5	11.1	8
9	15.9	29.6	26.3	46.8	28.9	42.0	38.7	19.0	9.1	3.5	4.4	11.3	9
10	15.9	26.9	26.5	46.8	31.1	41.5	37.8	17.8	10.0	3.3	4.8	11.0	10
11	15.5	24.2	26.9	46.9	32.8	41.1	37.0	16.6	10.9	3.6	5.1	10.7	11
12	15.1	21.8	27.8	46.9	34.2	40.8	36.0	16.0	12.1	3.6	6.1	10.4	12
13	14.7	20.2	28.8	47.0	35.2	40.7	34.9	15.6	14.0	3.4	7.7	10.3	13
14	14.0	18.8	31.2	47.0	35.9	40.7	33.9	15.3	15.7	3.2	9.5	10.6	14
15	13.3	18.1	33.8	47.0	36.6	40.9	32.7	15.4	16.7	3.0	11.1	11.0	15
16	13.5	18.1	35.5	47.0	37.2	41.1	31.6	16.0	17.1	2.9	12.5	11.9	16
17	14.6	18.5	37.0	47.0	37.8	41.1	30.5	17.0	16.7	2.8	13.8	12.7	17
18	15.6	19.2	38.2	47.0	38.1	41.3	29.3	18.3	15.7	2.8	15.4	13.4	18
19	16.5	20.0	39.2	47.1	38.7	41.5	27.8	19.5	14.2	2.8	16.5	14.2	19
20	18.6	20.9	40.2	47.1	39.3	41.4	25.7	20.4	12.0	2.85	17.3	15.0	20
21	21.4	21.9	41.1	47.1	39.8	41.2	23.0	21.0	9.7	2.75	17.9	15.5	21
22	25.0	23.1	42.1	47.0	40.3	41.1	20.8	21.3	8.2	2.5	18.6	16.1	22
23	28.6	24.2	43.1	46.8	40.7	40.7	18.9	21.2	7.1	2.9	19.0	16.7	23
24	30.4	25.0	44.1	46.6	41.1	40.4	17.9	21.0	6.5	4.1	19.0	17.3	24
25	32.3	25.2	45.0	46.3	41.5	40.1	17.1	20.8	6.0	4.3	18.8	17.9	25
26	33.7	25.6	45.7	45.8	41.9	40.0	16.9	20.7	5.6	4.1	18.2	18.2	26
27	34.7	25.4	46.2	45.0	42.2	40.0	17.3	20.4	5.7	4.0	17.3	18.0	27
28	35.4	24.8	46.8	44.0	42.6	40.2	17.7	19.8	5.7	4.0	16.0	17.5	28
29	35.9	—	47.1	42.7	43.0	40.3	18.1	18.4	5.5	4.1	14.0	16.9	29
30	36.3	—	47.4	41.4	43.3	40.6	18.8	16.6	5.1	4.1	12.8	16.2	30
31	36.5	—	47.5	—	43.6	—	20.1	14.1	—	4.0	—	15.0	31
Sum													
Mean													
High													
Low													

Remarks: 8 A.M. Readings

Gage inspected: Jan. 18, 1935; Sept. 30, 1935

RIVER STAGES

Mississippi River Gauge at 318.3 L for the calendar year 1934

Zero elevation 138.21 feet above Mean Gulf level

Bank full stage _____ feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	19.5	6.5	3.9	30.5	20.4	5.6	6.8	3.0	6.0	3.2	2.7	13.7	1
2	18.4	6.5	6.0	31.8	20.2	5.4	5.8	2.7	5.5	3.0	3.0	14.9	2
3	17.1	6.8	9.0	32.8	19.7	5.2	5.5	2.8	5.2	3.2	3.5	15.8	3
4	15.7	6.8	11.0	33.7	18.8	5.1	5.5	3.1	5.0	4.2	3.7	16.2	4
5	14.5	6.9	12.5	34.4	17.7	4.9	5.4	3.7	4.7	5.1	3.9	16.2	5
6	13.6	7.0	14.2	35.0	16.5	4.4	5.3	4.7	4.0	5.9	3.9	16.2	6
7	12.8	7.2	16.3	35.4	15.1	4.1	5.1	5.4	3.4	7.4	3.8	16.6	7
8	12.2	7.1	19.2	35.6	13.3	3.8	4.7	5.2	3.0	8.9	4.1	17.5	8
9	11.7	6.5	22.9	35.6	12.0	3.4	4.4	4.6	2.7	9.7	4.6	18.4	9
10	11.2	6.2	24.6	35.7	11.2	3.6	4.4	4.5	2.3	9.5	5.3	18.7	10
11	10.9	6.0	26.7	34.3	10.6	4.3	4.5	4.5	1.9	8.7	5.8	18.9	11
12	11.7	5.9	28.0	32.6	10.2	4.8	4.4	4.2	1.8	7.4	6.4	19.2	12
13	14.0	5.9	30.0	30.5	9.5	5.0	4.4	3.6	1.9	6.2	7.1	19.5	13
14	16.8	5.8	31.3	28.8	8.8	5.6	4.4	2.8	1.8	5.4	7.6	19.3	14
15	19.5	5.8	32.4	26.1	8.3	6.5	3.9	2.7	2.0	5.1	7.8	18.4	15
16	21.6	5.8	33.4	24.2	8.0	6.9	3.6	3.2	2.6	4.8	7.6	16.5	16
17	23.2	5.7	34.1	22.8	7.9	7.1	3.8	4.0	3.2	4.6	7.1	14.4	17
18	24.0	5.3	34.8	21.8	7.8	7.4	4.5	4.7	3.5	4.7	6.4	12.4	18
19	23.8	4.8	35.3	21.2	7.6	7.4	5.3	5.4	3.5	5.0	5.7	10.8	19
20	23.0	4.1	35.5	21.0	7.9	7.4	5.8	5.9	4.0	5.0	5.1	9.7	20
21	21.7	3.7	35.5	21.0	8.1	7.2	6.2	6.2	5.0	4.8	4.8	9.0	21
22	21.0	3.3	35.0	20.7	8.0	7.8	6.3	6.2	6.1	4.5	5.7	8.4	22
23	18.5	3.0	33.8	20.5	7.8	9.0	6.1	6.1	6.8	4.1	6.5	8.2	23
24	16.7	2.8	31.9	20.3	7.7	9.8	5.8	6.6	7.1	3.6	6.5	8.2	24
25	14.9	2.9	29.0	20.1	7.7	10.0	5.3	7.8	7.0	3.2	7.5	8.4	25
26	13.0	3.0	26.8	20.0	7.8	9.5	5.1	8.8	6.7	2.9	9.4	8.4	26
27	10.7	3.2	25.5	20.0	7.8	8.8	5.4	9.6	6.0	2.5	10.5	8.3	27
28	8.3	3.3	25.2	20.1	7.7	8.4	5.7	10.2	5.1	2.2	11.2	8.4	28
29	7.0	3	25.8	20.2	7.0	8.2	5.4	9.7	4.2	2.2	11.7	8.8	29
30	6.7		27.4	20.3	6.2	7.8	4.7	8.0	3.7	2.3	12.5	9.6	30
31	6.6		29.0	20.3	5.8		3.8	6.6		2.4		10.4	31
Sum													
Mean													
High													
Low													

Remarks:

RIVER STAGES

Mississippi River Gauge at Mile 318.3 L for the calendar year 1933

Zero elevation 138.61 feet above Mean Gulf Level

Bank full stage _____ feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	25.5	36.7	36.2	40.6	44.3	48.8	12.4 ⁵	12.7 ⁸	5.5	6.9	3.9	3.9	1
2	28.0	37.2	36.8	41.7	44.1	48.8	12.3 ⁴	13.2 ³	5.9	7.6	3.7	4.0	2
3	30.4	37.6	37.3	42.7	43.8	48.8	12.7 ⁷	13.3	6.1	7.8	3.5	4.0	3
4	32.3	38.0	37.8	43.6	43.4	48.7	11.8 ⁶	13.1	5.9	7.7	3.4	3.7	4
5	33.7	38.2	38.1	44.4	43.0	48.5	11.4 ⁴	12.0	5.8	7.4	3.2	3.3	5
6	34.7	38.3	38.4	45.3	42.1	48.2	11.9 ^{12.0}	12.9	6.1	6.9	3.0	3.1	6
7	35.6	38.5	38.5	46.0	41.0	47.7	13.3 ^{11.9}	12.7	6.7	6.5	3.0	3.6	7
8	36.3	38.4	38.3	46.6	39.8	47.0	14.7 ⁸	12.4	7.4	6.6	3.1	3.7	8
9	36.9	38.4	37.4	47.2	38.4	46.1	15.6 ⁷	11.9	8.5	6.8	3.1	3.5	9
10	37.3	37.7	35.8	47.7	37.4	45.0	15.9 ^{16.0}	11.6	9.7	6.9	3.7	3.7	10
11	37.9	37.1	33.6	48.3	36.4	43.3	15.7 ^{15.0}	11.4	10.4	6.4	4.9	4.3	11
12	38.3	36.0	31.1	48.5	36.0	41.3	14.7 ^{14.9}	11.4	10.4	5.8	5.6	5.4	12
13	38.5	34.8	28.8	48.6	35.9	38.9	13.7 ^{13.2}	11.3	10.1	5.3	5.3	6.5	13
14	38.7	33.6	27.3	48.6	36.3	35.7	13.2 ^{12.2}	10.7	9.4	4.9	4.6	7.0	14
15	38.8	32.3	26.3	48.5	37.0	32.4	12.8 ^{12.0}	9.9	8.6	4.5	4.0	7.1	15
16	38.5	31.0	25.5	48.3	37.8	29.2	12.3 ^{11.4}	9.3	7.8	4.4	3.6	7.2	16
17	38.0	29.8	24.8	48.0	38.5	26.3	12.6 ^{11.6}	9.3	7.1	4.2	3.3	7.0	17
18	37.2	28.9	24.1	47.6	39.3	23.7	11.6 ^{11.2}	9.5	6.8	3.9	3.1	7.2	18
19	35.9	28.5	23.8	47.2	40.1	21.8	11.7 ^{10.8}	10.1	6.7	3.6	2.7	7.8	19
20	34.2	29.0	24.8	46.8	41.0	20.5	10.8 ^{10.3}	10.8	6.9	3.6	2.6	8.5	20
21	32.1	29.8	24.8	46.5	41.9	19.4	10.7 ^{10.3}	10.9	7.2	3.7	2.8	10.7	21
22	30.2	30.8	26.6	46.7	42.9	18.3	10.8 ^{10.5}	10.3	7.2	3.5	2.9	13.1	22
23	28.5	31.8	28.8	45.8	43.9	17.9	10.5 ^{10.0}	9.0	6.7	3.2	2.7	14.6	23
24	27.3	32.7	31.0	45.6	44.9	15.8	9.8 ^{9.4}	8.0	6.4	2.7	2.6	16.7	24
25	27.4	33.5	32.9	45.3	45.9	15.6	9.8 ^{9.4}	7.4	6.2	2.4	2.4	17.7	25
26	28.9	34.4	34.4	45.2	46.5	14.6	9.0 ^{8.7}	6.9	6.0	2.6	2.4	19.2	26
27	30.9	35.0	35.6	45.0	47.2	14.0	9.7 ^{9.3}	6.3	5.9	3.6	2.7	20.1	27
28	32.7	35.7	36.7	44.8	47.7	13.6	9.4 ^{9.0}	5.9	6.0	4.4	3.2	20.5	28
29	34.2		37.6	44.6	48.1	13.2	10.0 ^{9.6}	5.8	6.5	4.9	3.3	20.7	29
30	35.2		38.5	44.5	48.4	12.7	10.9 ^{10.5}	5.5	6.6	4.9	3.5	20.6	30
31	36.0		39.6		48.6	12.4	11.8 ^{11.4}	5.2		4.4		20.1	31
Sum													
Mean													
High													
Low													

Remarks:

RIVER STAGES

Mississippi River Gauge at Mile - 318.3-4 for the calendar year 1932

Zero elevation 138.6 feet above Mean Gulf level

Bank full stage _____ feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	34.4	43.1	44.3	29.1	25.4	13.3	16.8	9.2	9.8	4.3	6.7	13.3	1
2	34.0	43.4	43.4	30.4	26.1	12.1	18.0	8.7	9.0	5.1	7.0	13.6	2
3	33.4	43.5	42.0	31.5	27.0	11.9	19.1	8.1	8.2	6.0	7.3	14.0	3
4	33.1	43.7	40.5	32.6	28.0	11.7	20.0	8.0	7.6	6.8	7.4	13.9	4
5	32.6	43.8	38.7	33.7	29.0	11.2	21.2	8.2	7.2	6.7	8.0	13.0	5
6	32.2	44.0	36.4	34.7	30.1	11.1	22.4	8.4	7.2	6.1	8.8	11.4	6
7	31.9	44.4	33.2	35.5	30.8	11.5	23.5	9.2	8.1	5.6	9.3	10.1	7
8	31.8	44.7	30.5	36.4	31.1	12.1	24.5	9.6	8.6	5.5	9.4	9.2	8
9	32.0	45.0	28.3	37.2	31.0	12.7	25.0	10.0	8.2	5.8	9.1	8.3	9
10	32.4	45.2	26.8	37.9	30.4	13.2	25.3	11.2	7.7	5.8	8.6	7.7	10
11	32.7	45.5	25.8	38.5	29.3	13.7	25.8	11.9	7.4	5.5	8.2	7.2	11
12	33.8	45.7	25.2	39.0	28.2	13.9	27.0	11.2	7.2	5.4	8.1	7.3	12
13	34.7	45.9	24.9	39.4	26.8	14.4	28.7	9.9	6.7	5.0	7.8	7.8	13
14	35.6	46.1	24.7	39.6	25.5	14.8	30.2	9.3	6.3	4.5	7.6	8.3	14
15	36.2	46.4	24.6	39.7	24.5	15.0	31.3	9.0	5.7	4.4	7.5	9.0	15
16	36.8	46.7	24.4	39.6	23.7	14.7	32.0	9.0	5.2	4.4	7.8	10.2	16
17	37.6	46.9	24.0	39.3	22.9	14.1	32.2	9.4	4.8	3.9	8.2	11.4	17
18	38.2	47.1	23.4	38.8	22.2	13.5	31.8	10.0	4.4	3.7	8.5	12.7	18
19	38.7	47.3	22.5	38.0	21.6	13.1	30.9	10.6	4.1	3.5	9.0	13.7	19
20	39.3	47.4	21.4	37.0	20.8	13.2	29.5	11.3	4.0	3.3	9.6	14.6	20
21	39.9	47.5	20.6	35.7	20.2	13.4	27.6	12.0	3.8	3.5	10.2	15.1	21
22	40.4	47.6	19.9	34.3	20.0	13.8	24.9	12.8	3.8	5.4	10.5	15.5	22
23	41.0	47.6	19.5	32.7	20.3	14.1	21.5	13.7	3.8	9.4	10.5	15.5	23
24	41.4	47.5	19.4	31.0	21.0	14.4	17.8	14.4	4.5	11.0	10.4	15.2	24
25	41.7	47.2	19.7	29.5	21.4	14.6	15.0	15.0	5.2	11.5	10.8	15.4	25
26	42.0	46.9	20.4	28.1	21.5	14.8	13.3	15.0	4.8	11.5	11.2	15.4	26
27	42.3	46.5	21.5	27.0	21.3	14.9	12.1	14.9	4.3	10.8	11.5	15.8	27
28	42.3	46.0	23.3	26.0	20.8	15.1	11.1	14.4	4.2	9.8	12.0	17.0	28
29	42.5	45.2	24.9	25.4	19.8	15.4	10.2	13.5	4.1	8.6	12.6	18.2	29
30	42.8		26.3	25.1	18.7	15.9	9.8	12.4	4.0	7.6	13.0	19.5	30
31	42.9		27.7		15.8		9.6	11.1		6.9		22.6	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 - A.M. Readings

RIVER STAGES

Mississippi River Gauge at Mile 318.3 - L. for the calendar year 1931

Zero elevation 138.6 feet above Mean Gulf level

Bank full stage _____ feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	2.3	3.7	13.9	10.8	20.3	16.4	7.0	9.9	6.9	2.6	3.4	18.9	1
2	2.3	3.5	14.1	11.3	22.4	15.6	7.1	9.4	7.5	3.2	3.0	20.0	2
3	2.1	3.2	14.7	13.1	23.9	15.0	7.5	8.3	8.2	4.2	2.7	21.2	3
4	1.9	3.1	15.1	16.1	24.7	14.5	7.8	6.9	8.7	5.5	2.2	22.5	4
5	1.9	3.3	14.8	19.3	24.8	14.2	7.6	5.5	8.6	6.6	2.0	23.7	5
6	1.9	3.5	13.9	21.7	24.4	14.0	7.1	4.8	7.8	7.0	2.0	24.3	6
7	2.1	3.2	13.4	23.4	23.7	13.8	6.9	4.6	7.5	6.8	2.0	24.5	7
8	2.4	3.1	13.5	24.6	22.6	13.5	7.0	4.6	8.0	6.2	1.9	24.0	8
9	2.5	3.1	13.7	25.2	21.5	13.1	7.3	5.1	7.0	5.8	1.7	23.5	9
10	2.6	2.8	13.6	25.9	20.3	12.4	7.2	5.2	9.9	5.5	1.6	22.7	10
11	3.0	2.8	13.8	26.6	19.2	11.4	7.0	5.1	10.4	5.0	1.6	21.9	11
12	3.7	3.4	14.4	27.3	18.1	10.2	7.0	5.0	10.5	4.2	1.4	21.0	12
13	4.2	4.3	15.2	27.9	17.0	9.5	7.2	4.9	10.2	3.7	1.3	20.3	13
14	4.6	4.9	15.7	28.6	15.8	9.7	7.1	4.9	9.7	3.6	1.2	20.2	14
15	5.3	5.6	16.0	29.1	14.7	10.6	7.0	4.7	8.8	3.5	1.1	20.2	15
16	6.1	6.5	15.9	29.4	13.8	11.5	6.8	4.8	7.4	3.2	0.9	20.5	16
17	6.2	7.6	15.4	29.3	13.0	12.2	6.5	4.9	6.3	3.2	0.9	21.6	17
18	6.1	8.5	14.8	29.0	12.7	12.8	6.3	5.1	5.2	3.4	1.3	23.8	18
19	5.8	9.5	14.5	28.4	12.9	13.4	6.2	5.4	4.2	3.9	1.4	26.5	19
20	5.4	10.9	13.7	27.4	13.5	14.3	6.0	5.6	3.5	4.6	1.8	28.8	20
21	5.0	11.4	13.2	26.1	14.1	14.8	5.7	5.8	2.9	5.7	2.2	30.4	21
22	4.8	11.8	12.6	25.0	14.4	15.7	5.4	5.4	2.2	6.9	3.1	32.2	22
23	4.5	12.2	12.1	23.3	14.6	13.7	5.4	4.8	2.1	7.8	4.1	33.2	23
24	4.2	12.7	11.6	21.9	15.7	12.1	5.7	4.5	2.7	8.2	5.8	34.1	24
25	4.1	13.2	11.2	20.6	15.4	10.4	6.4	4.8	3.2	8.2	8.3	34.6	25
26	3.9	13.7	11.0	19.4	16.1	9.1	7.1	5.5	3.7	7.7	11.2	34.8	26
27	3.6	13.9	11.1	18.6	17.5	8.2	7.8	6.1	3.7	6.8	13.6	34.9	27
28	3.6	14.0	11.2	17.7	18.3	7.8	8.6	6.5	3.2	5.9	15.2	34.8	28
29	3.7		11.3	17.4	18.4	7.8	9.3	6.6	2.7	5.0	16.5	34.6	29
30	3.7		11.3	18.3	18.0	7.2	9.8	6.6	2.5	4.2	17.7	34.4	30
31	3.8		11.1		17.2		10.0	6.5		3.7		34.5	31
Sum													
Mean													
High													
Low													

Remarks:

RIVER STAGES

Friar Point, Miss.

Mississippi River Gauge at Mile-318.3 for the calendar year 1930
 Zero elevation 138.8 feet above Mean Gulf Level

DAY	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	26.0	40.0	31.3	31.0	17.4	21.7	14.6	4.3	2.9	3.3	2.3	3.0	1
2	25.8	38.6	31.4	30.0	17.6	19.8	13.5	4.5	2.9	3.0	2.2	3.0	2
3	25.5	37.0	31.7	29.0	17.8	18.5	12.8	4.3	2.8	2.7	2.1	3.1	3
4	25.0	34.9	32.4	28.0	18.0	17.2	12.6	3.9	2.8	2.5	2.0	3.3	4
5	24.5	33.1	33.1	27.0	18.0	16.0	12.5	3.6	2.7	2.5	1.8	3.6	5
6	24.3	31.4	33.9	26.0	17.6	15.9	12.5	3.5	2.6	2.2	1.7	3.6	6
7	24.6	30.2	34.5	25.3	16.6	14.3	12.5	3.4	2.7	1.9	1.6	3.5	7
8	26.0	29.9	34.9	24.9	15.0	12.9	12.4	3.2	2.8	1.7	1.5	3.5	8
9	29.1	30.0	35.0	24.9	14.6	12.2	12.2	3.2	2.8	1.8	1.5	3.5	9
10	31.4	30.5	35.2	24.9	14.8	11.5	11.8	3.1	2.6	1.8	1.5	3.6	10
11	33.6	31.0	35.5	24.8	15.6	11.0	11.5	3.0	2.7	1.8	1.6	3.9	11
12	35.2	31.8	35.8	24.5	16.5	10.6	11.0	2.9	3.1	1.8	1.6	4.0	12
13	36.4	32.8	36.3	24.2	16.7	10.0	10.6	2.8	3.3	1.8	1.5	3.6	13
14	37.3	34.0	36.6	23.7	16.6	9.6	10.2	2.7	3.2	1.7	1.3	3.6	14
15	38.0	34.8	36.8	23.3	16.4	10.2	9.7	2.8	3.3	1.7	1.4	4.2	15
16	38.6	35.4	37.0	22.8	16.5	11.2	9.2	2.8	3.6	1.7	1.6	5.0	16
17	39.3	35.9	37.0	22.4	17.4	12.2	8.9	2.7	3.8	1.7	2.0	5.4	17
18	40.0	36.3	37.1	21.9	18.5	12.9	8.6	2.8	3.8	1.7	1.8	5.4	18
19	40.8	36.7	37.2	21.3	20.2	12.9	8.2	2.9	4.0	1.6	1.5	5.2	19
20	41.4	37.0	37.2	20.8	21.4	12.7	7.7	2.8	4.4	1.6	1.7	4.8	20
21	41.9	37.0	37.0	20.3	21.9	12.2	7.2	2.9	4.7	1.5	1.9	4.3	21
22	42.3	36.8	36.6	20.2	22.6	12.0	6.6	3.1	4.8	1.5	2.0	3.9	22
23	42.7	36.5	36.2	20.0	23.7	13.2	6.3	3.0	4.6	1.5	2.0	3.6	23
24	42.9	36.0	35.6	19.7	24.8	14.1	6.0	3.0	4.4	1.5	2.3	3.1	24
25	42.9	35.2	35.1	19.3	25.7	17.0	5.7	2.9	4.4	1.5	2.8	2.7	25
26	42.8	34.2	34.6	19.0	26.1	18.0	5.7	2.8	4.6	1.5	3.0	2.6	26
27	42.8	32.9	34.0	18.6	26.4	17.9	5.5	2.7	4.7	1.6	3.1	2.6	27
28	42.6	31.8	33.4	18.1	26.2	17.3	5.1	2.6	4.5	1.9	3.0	2.2	28
29	42.3		32.7	17.7	25.8	16.5	4.7	2.6	4.1	2.5	2.9	2.0	29
30	41.9		32.3	17.4	25.1	15.6	4.5	2.7	3.7	2.5	3.1	2.8	30
31	41.0		31.7		23.6		4.4	2.9		2.4		3.0	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 - A.M. Readings.

Observer - Mrs. M. Lafever, P.O. Box 255, Friar Pt., Miss.
 Inspected - 8/3/30 - 1/3/31