

DAILY STAGES FOR 1994

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. LOW WATER REFERENCE PLANE, 0.3 FOOT ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11 AND 12, 1937. LOWEST OBSERVED STAGE, MINUS 7.90 ON AUG. 11, 1988.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	----	23.5	29.6	26.0	----	12.3	13.5	8.0	5.4	----	----	8.7
2	----	24.6	30.1	----	34.0	11.0	----	8.4	4.6	----	----	10.1
3	9.2	25.2	30.2	----	33.4	11.9	----	9.5	----	4.3	----	----
4	9.2	25.9	30.4	29.4	32.9	----	----	9.6	----	4.3	----	----
5	9.2	----	----	29.1	32.3	----	14.3	9.1	4.2	4.0	----	12.9
6	9.3	----	----	29.7	31.9	10.4	13.8	----	4.3	4.3	----	12.7
7	9.6	----	29.9	29.9	----	10.7	13.3	----	4.5	4.5	----	12.2
8	----	----	29.7	30.0	----	9.6	12.6	----	4.3	----	----	12.1
9	----	----	29.9	----	30.4	9.0	----	----	----	----	----	12.6
10	11.9	----	29.7	----	29.6	8.7	----	----	----	4.0	----	----
11	13.2	----	29.7	30.5	28.5	----	----	----	----	3.2	----	----
12	14.6	----	----	30.5	27.5	----	----	----	2.9	2.2	----	15.6
13	15.9	----	----	30.7	26.9	11.8	----	----	2.2	----	----	----
14	17.1	----	29.8	30.7	----	12.0	----	----	1.8	2.0	----	17.2
15	----	24.6	30.1	31.3	----	11.6	----	4.7	1.5	----	----	17.4
16	----	24.7	30.2	----	----	11.3	----	3.9	1.3	----	----	----
17	18.8	25.1	30.3	----	----	10.9	----	3.0	----	----	8.6	18.0
18	18.2	25.5	30.4	----	----	----	10.4	3.0	----	----	7.9	----
19	17.4	----	----	----	----	----	9.6	3.7	1.4	----	----	16.6
20	16.7	----	----	----	----	11.1	9.4	----	1.1	----	----	15.0
21	15.9	26.6	30.3	----	----	11.1	9.4	----	.9	----	6.6	14.3
22	----	26.7	30.1	----	----	11.0	9.6	6.4	.7	----	6.6	13.2
23	----	27.5	30.0	----	20.3	10.8	----	7.3	.8	----	5.3	12.4
24	12.6	27.7	29.6	----	18.7	10.7	----	8.1	----	----	----	----
25	12.0	27.9	29.0	36.0	17.0	----	9.1	9.1	----	----	----	----
26	12.2	----	----	36.0	15.7	----	8.5	10.0	----	----	----	----
27	13.0	----	----	35.8	14.7	10.2	8.3	----	----	----	----	----
28	14.6	29.1	25.1	35.3	----	10.4	8.0	----	----	----	7.9	----
29	----	----	24.1	35.1	----	11.2	8.3	9.1	----	----	7.7	----
30	----	----	24.1	----	----	12.4	----	8.1	----	----	7.3	----
31	21.8	----	25.0	----	12.5	----	----	6.6	----	----	----	----
MEAN	----	----	----	----	----	----	----	----	----	----	----	----
MAX	----	----	----	----	----	----	----	----	----	----	----	----
MIN	----	----	----	----	----	----	----	----	----	----	----	----

THE MEAN STAGE FOR THE YEAR ----
 HIGHEST AND LOWEST STAGES WERE NOT DETERMINED.

DAILY STAGES FOR 1993

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. LOW WATER REFERENCE PLANE, 0.3 FOOT ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11 AND 12, 1937. LOWEST OBSERVED STAGE, MINUS 7.90 ON AUG. 11, 1988.

DAILY EIGHT A.M. STAGE IN FEET													GAGE ZERO, 180.09 FEET, N.G.V.D. OF 1929
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1	E 20.6	E 22.7	19.3	E 27.8	E 28.2	16.8	18.0	E 27.9	19.7	E 23.0	E 12.3	21.2	
2	E 19.8	22.3	19.8	E 28.3	E 28.3	16.3	18.1	28.1	19.2	E 23.8	11.8	20.2	
3	E 18.9	21.9	19.9	E 28.6	E 28.5	16.0	E 18.4	28.4	18.7	E 24.3	11.2	19.8	
4	18.4	20.7	E 19.5	E 29.0	E 28.5	15.7	E 18.7	28.5	E 18.2	24.6	10.7	E 20.2	
5	E 18.5	19.3	E 18.9	29.3	E 28.7	E 15.6	E 19.0	28.5	E 18.0	24.8	10.4	E 20.6	
6	E 19.0	E 17.9	E 18.2	29.7	E 28.9	E 15.5	19.5	28.8	E 18.0	25.0	E 10.4	21.1	
7	E 20.4	E 16.6	E 18.7	29.9	E 29.2	15.6	20.1	E 28.5	17.9	24.8	E 10.4	21.6	
8	E 22.2	15.3	20.7	30.2	E 29.4	15.8	20.9	E 28.4	18.2	24.6	10.3	22.3	
9	E 23.6	14.1	22.7	30.9	E 29.7	16.2	21.7	28.4	18.5	E 24.2	10.1	22.9	
10	E 24.6	12.9	24.9	E 31.0	E 29.8	16.6	E 22.5	28.5	18.5	E 23.5	9.8	23.3	
11	E 25.2	12.4	25.8	E 31.2	E 29.8	17.5	E 23.1	28.5	E 18.4	22.5	10.2	E 23.6	
12	25.3	E 11.9	E 26.5	E 31.4	E 29.6	E 18.8	23.6	28.6	E 18.4	21.0	10.3	E 23.6	
13	25.3	E 11.8	E 27.2	31.5	E 29.3	E 19.6	23.9	28.5	18.3	19.5	E 9.8	23.8	
14	24.9	E 11.6	E 27.7	31.0	E 28.7	19.7	24.2	E 28.3	18.1	17.9	E 9.5	24.3	
15	24.5	11.5	E 28.0	31.0	E 27.8	19.8	24.5	E 28.1	17.8	16.4	9.5	24.2	
16	E 24.0	11.8	28.3	30.9	E 27.0	19.7	24.9	27.8	17.3	E 15.1	9.3	24.1	
17	E 23.5	12.3	28.5	E 30.4	26.1	19.9	E 25.1	27.5	17.3	E 14.1	13.2	23.7	
18	23.0	12.9	28.5	E 30.0	25.3	19.9	E 25.3	27.4	E 17.1	13.5	18.2	E 23.0	
19	22.6	13.4	28.4	E 29.8	24.7	E 19.9	25.5	27.2	E 17.1	13.3	21.2	E 21.7	
20	22.4	E 13.6	E 28.3	E 29.7	24.2	E 19.6	25.8	27.1	17.5	13.0	E 23.1	E 20.2	
21	22.5	E 13.8	E 27.8	E 29.7	23.8	18.8	26.1	E 26.9	18.1	13.0	E 24.3	E 18.7	
22	22.4	14.1	26.8	E 29.8	E 23.7	17.8	26.4	E 26.5	18.4	12.6	25.1	E 17.6	
23	E 22.0	14.4	25.1	E 29.9	E 23.6	17.1	26.9	26.1	18.5	E 13.2	25.7	E 16.5	
24	E 22.0	15.1	24.2	E 29.9	E 23.3	16.7	E 27.3	25.8	18.8	E 14.3	25.8	E 15.7	
25	21.6	16.4	23.4	E 29.8	E 22.5	16.5	E 27.5	24.9	E 19.1	14.9	E 25.7	E 15.2	
26	E 21.4	E 17.5	23.3	E 29.8	E 21.7	E 16.7	27.8	24.1	E 19.7	14.8	E 25.4	E 14.6	
27	E 21.5	E 18.2	E 23.8	E 29.4	E 20.8	E 16.9	27.9	23.5	E 20.2	14.7	E 24.9	14.2	
28	E 21.9	E 18.8	E 24.5	E 29.0	E 19.9	17.1	27.9	E 22.7	E 20.8	14.1	E 24.3	13.8	
29	E 22.4		25.4	E 28.6	E 18.8	17.1	27.8	E 21.9	E 21.5	E 13.6	23.4	13.4	
30	E 22.7		26.4	E 28.3	E 17.9	17.9	27.7	21.1	E 22.2	E 13.0	22.3	12.3	
31	E 22.9		27.2		E 17.4		E 27.8	20.4		E 12.4		E 11.0	

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	22.26	15.54	24.43	29.85	25.65	17.57	23.99	26.67	18.65	18.05	16.28	19.62
MAX.	25.3	22.7	28.5	31.5	29.8	19.9	27.9	28.8	22.2	25.0	25.8	24.3
MIN.	18.4	11.5	18.2	27.8	17.4	15.5	18.0	20.4	17.1	12.4	9.3	11.0

E- ESTIMATED.

HIGHEST STAGE WAS 31.50 ON APR. 13.

LOWEST STAGE WAS 9.34 ON NOV. 16.

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. LOW WATER REFERENCE PLANE, 0.3 FOOT ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11 AND 12, 1937. LOWEST OBSERVED STAGE, MINUS 7.90 ON AUG. 11, 1988.

DAILY EIGHT A. M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	A	A	20.7	A	A	A	3.6	12.6	A	23.3
2	A	A	A	A	A	A	A	A	4.1	A	A	23.2
3	A	A	A	A	A	A	A	A	5.8	A	A	23.1
4	A	A	A	A	A	A	A	A	6.6	A	A	22.8
5	A	A	A	A	A	A	A	A	A	A	A	A
6	A	A	A	A	A	A	A	A	A	A	A	A
7	A	A	A	A	A	A	A	A	A	A	A	19.5
8	A	A	A	A	A	A	A	A	A	A	A	16.9
9	A	A	A	A	A	A	A	A	2.1	A	A	A
10	A	A	A	A	A	A	A	A	1.7	A	7.3	15.3
11	A	A	A	A	12.6	A	A	A	2.1	A	8.4	14.2
12	A	A	A	A	12.3	A	A	A	A	1.9	9.2	A
13	A	A	A	A	11.7	A	A	A	A	1.3	9.5	A
14	A	A	A	A	11.7	A	A	A	3.4	1.0	A	11.6
15	A	A	A	A	11.6	9.3	A	A	4.5	0.9	A	11.4
16	A	A	A	A	A	9.0	A	A	5.3	0.3	A	11.6
17	A	A	A	A	A	E 8.7	A	A	5.8	A	A	11.9
18	A	A	A	A	A	7.8	A	A	5.7	A	A	12.2
19	A	A	A	A	A	5.8	A	A	A	A	A	A
20	E 12.2	A	A	A	A	A	A	A	A	A	A	A
21	12.1	A	A	A	A	A	A	A	4.7	A	A	18.6
22	11.4	A	A	A	A	5.1	A	A	4.9	A	A	20.6
23	10.2	A	A	A	A	8.1	A	A	5.1	A	15.1	21.5
24	9.0	A	A	A	A	9.2	A	A	5.7	A	15.3	A
25	A	A	A	A	A	9.5	A	A	E 7.1	A	16.9	A
26	A	A	A	A	A	9.1	A	A	A	A	A	A
27	6.0	A	A	20.0	A	A	A	A	A	A	A	A
28	6.1	A	A	20.2	A	A	A	A	11.1	A	A	23.1
29	6.6	A	A	20.6	A	A	A	A	12.1	A	A	22.0
30	8.7	A	A	20.7	A	A	A	A	12.7	A	23.5	21.6
31	9.0	A	A	A	A	A	A	2.7	A	A	A	A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN
MAX.
MIN.

A- NO RECORD.

E- ESTIMATED.

HIGHEST AND LOWEST STAGES WERE NOT DETERMINED.

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. LOW WATER REFERENCE PLANE, 0.3 FOOT ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11 AND 12, 1937. LOWEST OBSERVED STAGE, MINUS 7.90 ON AUG. 11, 1988.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	30.2	A	A	A	A	12.5	A	A	10.6	A
2	E -4.0	18.4	29.4	19.9	A	A	A	11.1	A	A	10.4	A
3	E -3.0	A	A	17.6	A	A	A	10.8	A	A	A	A
4	E -2.0	A	A	16.8	A	A	A	A	A	A	A	A
5	2.0	20.9	26.1	15.2	A	A	A	A	A	A	A	8.6
6	A	22.5	22.8	14.4	A	A	A	A	A	A	4.2	8.7
7	A	24.3	21.3	A	A	A	A	10.6	A	A	3.4	10.6
8	14.7	24.5	19.6	A	A	A	A	10.3	A	A	3.3	A
9	16.9	25.2	18.9	A	A	A	A	A	A	A	A	A
10	A	A	A	A	A	A	A	A	A	A	A	14.8
11	A	A	A	A	A	A	A	A	A	A	A	15.1
12	A	A	A	A	A	A	A	A	A	A	A	15.0
13	A	26.6	A	A	A	A	A	10.2	A	A	3.5	14.4
14	A	27.0	A	A	A	A	A	9.2	A	A	3.9	13.5
15	A	27.4	A	A	A	A	A	8.4	A	A	4.9	A
16	A	28.0	A	A	A	A	A	A	A	A	5.7	A
17	A	A	A	A	A	A	A	7.8	A	A	A	9.3
18	A	A	A	A	A	A	A	A	A	A	A	8.9
19	A	28.6	19.4	A	A	A	A	A	A	A	6.6	9.4
20	A	29.5	20.9	A	A	A	A	7.0	A	A	6.2	10.5
21	A	A	22.2	A	A	A	A	5.6	A	A	5.7	14.4
22	A	A	23.0	A	A	A	A	5.3	A	A	A	A
23	8.6	A	24.0	A	A	A	A	5.5	A	A	A	A
24	10.6	A	A	A	A	A	A	6.8	A	A	A	A
25	15.5	A	A	A	A	A	A	A	A	A	A	A
26	16.4	31.3	25.0	A	A	A	A	A	A	A	2.6	A
27	A	31.0	23.6	A	A	A	A	8.8	A	A	3.1	A
28	A	31.1	22.7	A	A	A	A	9.9	A	A	4.3	A
29	17.8		21.1	A	A	A	A	10.2	A	9.8	4.5	A
30	17.8		20.7	A	A	A	A	10.4	A	10.3	4.8	A
31	17.3		A		A		A	12.0		10.4		A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN
MAX.
MIN.

A- NO RECORD.
E- ESTIMATED.
HIGHEST AND LOWEST STAGE WAS NOT DETERMINED.

DAILY STAGES FOR 1989

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANDKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANDKE REVETMENT.

GENERAL INFORMATION. LOW WATER REFERENCE PLANE, 0.3 FOOT ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11 AND 12, 1937. LOWEST OBSERVED STAGE, MINUS 7.90 ON AUG. 11, 1988.

DAILY EIGHT A. M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	29.1	A	A	14.8	A	A	A	A	A	A
2	A	A	29.0	A	A	15.2	A	A	A	A	A	A
3	18.0	A	E 28.9	A	A	A	A	A	A	A	A	A
4	17.4	A	A	A	A	A	A	A	A	A	A	A
5	16.5	A	A	A	A	15.4	A	A	A	A	A	A
6	15.8	A	28.1	A	A	14.5	A	A	A	A	A	A
7	A	A	27.8	A	A	13.5	A	A	A	A	A	A
8	A	A	27.0	A	15.7	12.8	A	A	A	A	A	A
9	13.9	A	26.3	A	15.8	12.8	A	A	A	A	A	A
10	14.1	A	25.9	A	E 15.7	A	A	A	A	A	A	A
11	14.6	A	A	A	15.5	A	16.2	A	A	A	A	A
12	16.0	A	A	A	15.5	A	15.4	A	A	A	A	A
13	16.8	A	A	A	A	14.5	14.5	A	A	A	A	A
14	A	A	A	A	A	14.9	13.6	A	A	A	A	A
15	A	A	A	A	16.3	15.2	A	A	A	A	A	A
16	20.7	A	A	A	E 16.6	15.9	A	A	A	A	A	A
17	22.0	A	A	A	E 16.7	A	11.3	A	A	A	A	A
18	22.8	A	A	A	16.9	A	10.9	A	A	A	A	A
19	23.6	A	A	A	17.0	18.3	10.8	A	A	A	A	A
20	24.1	24.0	A	A	A	19.0	9.8	A	A	A	A	A
21	A	25.0	A	A	A	19.4	8.3	A	A	A	A	A
22	A	25.3	A	A	16.9	19.9	A	A	A	A	A	A
23	A	26.0	A	A	16.4	20.2	A	A	A	A	A	A
24	A	26.3	A	A	15.9	A	6.0	A	A	A	A	A
25	A	A	A	A	15.8	A	6.0	A	A	A	A	A
26	A	A	A	A	15.6	21.2	6.2	A	A	A	A	A
27	A	28.1	A	A	A	21.4	6.8	A	A	A	A	E -2.6
28	A	28.6	A	A	A	21.3	6.4	A	A	A	A	E -2.4
29	A	A	A	A	A	21.0	A	A	A	A	A	E -2.4
30	A	A	A	A	14.1	20.6	A	A	A	A	A	A
31	A	A	A	A	14.3	A	A	A	A	A	A	A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN
MAX.
MIN.

A- NO RECORD.
E- ESTIMATED.
HIGHEST AND LOWEST STAGES NOT DETERMINED.

DAILY STAGES FOR 1988

23

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. LOW WATER REFERENCE PLANE, 0.3 FOOT ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11 AND 12, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	A	A	A	E 0.8	A	A	A	A	A	15.2
2	A	A	A	A	6.2	0.1	A	A	A	A	A	14.1
3	A	A	A	A	5.9	-1.2	A	A	A	A	A	A
4	23.1	A	A	A	5.1	A	A	A	A	A	A	A
5	22.0	A	A	A	4.8	A	A	A	A	A	A	9.0
6	19.1	A	A	A	4.3	-4.5	A	A	A	A	A	8.2
7	17.7	A	A	A	A	-4.6	A	A	A	A	A	7.2
8	16.2	A	A	A	A	-4.5	A	A	A	A	A	6.3
9	A	A	A	A	3.9	-4.5	A	A	A	A	A	5.2
10	A	A	A	A	3.8	-5.0	A	-7.6	A	A	A	A
11	10.1	A	A	A	4.0	A	A	-7.9	A	A	A	A
12	8.2	A	A	A	4.5	A	A	A	A	A	A	-0.4
13	6.2	A	A	A	4.8	-6.2	A	A	A	A	A	-0.7
14	4.7	A	A	18.2	A	-6.2	A	A	A	A	A	-0.9
15	4.2	17.2	A	18.0	A	-6.4	A	A	A	A	A	-1.1
16	A	17.1	A	A	4.0	-6.7	A	A	A	A	A	-1.4
17	A	16.2	A	A	3.8	A	A	A	A	A	A	A
18	4.0	14.8	A	16.7	3.3	A	A	A	A	A	A	A
19	5.3	14.3	A	15.3	3.0	A	A	A	A	A	A	-4.3
20	6.1	A	A	13.9	2.3	A	A	A	A	A	A	-5.4
21	7.2	A	A	13.1	A	A	A	A	A	A	4.9	A
22	9.6	A	A	12.4	A	A	A	-7.2	A	A	6.5	A
23	A	A	A	A	1.2	A	A	-6.9	A	A	9.9	A
24	A	A	A	A	1.1	A	A	-6.7	A	A	A	A
25	A	A	A	10.9	1.5	A	A	-6.9	A	A	A	A
26	A	A	A	10.0	2.0	A	A	-7.4	A	A	A	A
27	A	A	A	9.3	2.4	A	A	A	A	A	A	1.0
28	A	A	A	8.7	A	A	A	A	A	A	16.9	5.7
29	A	A	A	8.0	A	A	A	A	A	A	17.0	9.3
30	A	A	A	A	A	A	A	A	A	A	16.3	13.7
31	A	A	A	A	1.6	A	A	A	A	A	A	A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN
MAX.
MIN.

A- NO RECORD.

E- ESTIMATED.

HIGHEST AND LOWEST STAGES NOT DETERMINED.

DAILY STAGES FOR 1987

23

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. LOW WATER REFERENCE PLANE, 0.3 FOOT ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11 AND 12, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.
DAILY EIGHT A. M. STAGE IN FEET GAGE ZERO, 180.09 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	15.8	E 11.0	E 15.8	12.8	17.9	7.9	3.9	E 1.6	E 0.5	-0.7	E -4.5	1.6
2	16.3	10.2	17.8	E 13.7	E 17.1	8.5	3.4	E 1.8	E 2.3	-1.2	-4.9	2.4
3	E 16.3	9.6	19.9	14.8	E 16.7	9.5	3.1	1.6	E 4.7	E -1.6	-5.0	3.4
4	E 15.8	9.6	21.6	E 16.0	16.1	10.5	E 3.0	2.4	E 5.8	E -1.7	-4.7	3.9
5	14.5	10.1	22.6	E 16.7	15.5	11.6	E 2.7	2.8	E 6.0	-1.9	-4.5	E 4.3
6	13.1	11.1	23.4	17.3	14.8	E 11.7	E 3.3	2.8	E 5.8	-2.1	E -4.4	E 4.9
7	12.3	E 12.1	E 24.1	17.8	13.8	E 11.4	4.3	2.6	E 5.2	-2.4	E -4.5	5.4
8	11.4	E 12.8	E 24.4	17.9	12.9	11.0	5.4	E 2.9	E 4.2	E -2.7	E -4.4	E 5.5
9	10.8	12.8	24.3	17.9	E 12.1	10.7	7.0	E 2.8	E 3.1	E -2.9	-3.9	5.1
10	E 10.2	12.8	24.0	17.8	E 12.0	10.0	8.4	2.9	E 2.2	E -2.8	-3.2	E 4.5
11	E 9.8	12.6	23.4	E 17.2	12.1	8.9	E 10.0	2.8	E 1.3	E -3.0	-2.9	E 4.1
12	8.9	12.3	22.4	E 16.8	11.9	7.9	E 10.7	2.1	E 0.7	-3.4	-2.8	E 3.8
13	8.1	11.9	21.1	17.5	11.3	E 7.2	11.5	E 0.8	E 1.1	-3.8	-2.4	E 3.5
14	7.3	E 11.2	E 19.7	E 17.9	10.2	E 6.5	11.0	E 0.2	E 1.4	-3.7	E -1.7	3.3
15	7.0	E 10.7	E 18.0	18.3	9.3	6.3	10.4	E 0.1	E 1.1	-3.4	E -1.4	E 3.4
16	E 6.9	10.3	E 16.2	18.9	E 8.1	6.3	10.2	E -0.2	E 0.4	-3.1	-1.9	3.8
17	E 6.8	9.8	E 15.4	20.3	E 7.2	6.5	10.8	E -0.9	E -0.3	E -3.1	-1.2	4.6
18	E 6.6	9.5	15.1	E 21.4	6.6	E 6.2	E 11.0	E -1.4	E 0.0	E -3.4	E -1.8	5.2
19	6.4	E 9.2	14.3	E 22.6	5.9	E 5.4	E 10.9	E -1.2	E 0.5	-3.6	E -1.8	E 5.7
20	6.1	E 9.0	13.4	23.7	5.3	E 4.8	10.4	-0.1	E 0.4	-3.9	E -1.7	E 5.6
21	6.2	E 8.9	E 12.7	24.1	5.2	E 4.5	9.8	0.7	E 0.1	-3.9	E -1.7	E 5.3
22	7.1	E 8.7	E 11.9	24.3	4.7	4.6	E 9.0	E 1.2	E -0.2	-4.1	E -1.5	E 5.2
23	8.9	9.1	11.6	E 24.3	E 4.5	4.3	E 8.0	E 2.3	E -0.1	-4.5	E -1.4	E 5.6
24	E 10.5	9.6	12.4	24.3	E 4.7	3.6	6.9	E 3.1	E 0.4	E -4.6	E -1.5	E 7.0
25	E 12.0	10.3	13.4	E 24.2	E 5.7	E 3.5	E 5.9	E 2.9	E 1.7	E -4.4	E -2.2	E 11.5
26	E 13.5	11.7	14.0	E 23.9	6.7	E 3.5	E 4.8	E 3.0	E 2.8	-4.1	E -2.3	E 15.0
27	14.3	12.8	14.0	23.4	E 8.0	E 4.0	3.8	E 3.1	E 3.0	-4.0	-1.6	E 17.3
28	14.5	E 14.1	E 13.3	22.6	E 8.7	E 4.5	2.8	E 2.5	2.7	-4.2	E -0.7	E 20.3
29	14.6		E 12.5	20.8	E 8.8	4.7	2.1	E 1.3	E 2.0	-4.0	E -0.2	22.6
30	13.7		E 12.2	18.8	E 8.5	4.3	1.7	E 0.5	1.2	-4.2	-0.1	E 23.8
31	E 12.2		12.3		E 7.9		E 1.3	E 0.1		E -4.4		24.5

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	10.90	10.84	17.32	19.60	10.00	7.00	6.69	1.51	2.01	-3.24	-2.56	7.81
MAX.	16.3	14.1	24.4	24.3	17.9	11.7	11.5	3.1	6.0	-0.7	-0.1	24.5
MIN.	6.1	8.7	11.6	12.8	4.5	3.5	1.3	-1.4	-0.3	-4.6	-5.0	1.6

E- ESTIMATED.

HIGHEST STAGE WAS 24.54 ON DEC. 31.

LOWEST STAGE WAS -4.97 ON NOV. 3.

DAILY STAGES FOR 1986

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. LOW WATER REFERENCE PLANE, 0.3 FOOT ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11 AND 12, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A. M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	E 12.4	E 11.8	E 20.3	17.8	13.1	E 19.1	E 6.6	7.8	E 2.0	14.0	E 16.9	20.0
2	11.3	E 10.8	E 19.9	16.6	12.6	18.8	6.8	E 7.4	2.0	14.6	E 17.2	21.4
3	9.9	9.8	19.5	15.7	E 11.4	18.4	6.9	E 7.0	1.9	14.8	17.2	21.9
4	E 9.5	9.2	18.7	14.8	E 10.5	17.6	E 7.4	6.6	1.6	E 15.1	16.9	22.5
5	E 9.0	9.3	17.9	E 13.9	10.0	17.3	E 8.0	5.9	1.6	E 15.8	17.0	22.8
6	8.6	12.3	16.8	E 13.3	10.3	16.6	E 9.5	5.6	E 1.1	16.8	16.7	E 23.1
7	8.0	16.5	15.9	12.7	10.8	E 16.0	11.1	5.1	E 1.3	18.1	16.3	E 23.4
8	7.8	E 18.0	E 15.2	12.3	11.2	E 15.4	12.1	E 4.9	2.4	19.5	E 16.8	23.4
9	E 7.7	E 19.5	E 14.2	12.1	11.0	15.3	13.2	E 4.4	3.1	20.7	E 16.5	23.6
10	E 7.7	21.1	13.3	12.1	E 10.8	15.4	13.9	E 4.1	3.4	21.9	16.2	23.6
11	E 7.3	21.8	12.1	12.8	E 10.9	16.1	13.4	E 4.0	3.1	E 22.8	16.6	23.7
12	E 6.6	22.3	11.8	E 13.5	10.9	17.0	E 12.3	4.0	2.6	E 23.5	17.5	23.6
13	E 6.0	22.5	11.8	E 13.8	11.1	18.1	E 12.2	4.1	E 1.4	23.8	18.6	E 24.0
14	E 5.3	22.9	12.3	13.7	11.2	E 18.4	13.2	3.9	E 0.7	24.0	19.4	E 24.3
15	5.0	E 23.0	E 13.1	13.4	11.2	E 17.7	14.3	3.8	1.1	24.0	E 20.4	24.3
16	4.8	E 23.0	E 14.8	13.3	11.4	16.9	15.4	E 3.8	1.5	23.7	E 20.9	24.2
17	4.6	22.9	16.9	13.1	E 12.4	16.2	16.3	E 3.6	1.3	23.2	20.9	23.7
18	E 4.4	22.6	19.0	13.0	E 14.8	15.7	17.0	2.9	1.1	E 22.6	20.6	23.4
19	E 4.2	22.1	20.3	E 12.9	16.8	15.3	E 17.4	2.6	1.7	E 22.1	19.8	23.1
20	4.0	21.5	21.5	E 12.8	16.8	15.1	E 17.7	2.8	E 3.1	21.7	18.6	E 22.9
21	E 4.1	21.0	22.1	12.8	16.5	E 14.4	17.3	3.7	E 3.3	21.2	17.5	E 22.1
22	4.2	E 20.5	E 22.8	12.9	16.2	E 13.4	16.7	4.6	4.2	20.6	E 15.7	20.7
23	5.0	E 20.3	E 23.2	13.0	16.3	12.6	15.8	E 5.0	4.5	20.0	E 14.4	19.0
24	5.4	20.4	23.2	13.4	E 16.5	12.1	14.2	E 4.9	4.5	19.5	13.6	18.0
25	E 7.0	20.7	23.3	13.8	E 17.3	11.3	13.5	E 4.7	5.2	E 19.2	13.2	E 17.0
26	E 9.0	21.0	23.6	E 13.8	18.2	10.2	E 12.2	E 4.4	6.8	E 18.5	13.3	16.0
27	10.4	21.0	23.8	E 13.8	18.9	9.4	E 11.1	4.1	E 8.6	17.9	E 13.8	E 15.4
28	11.2	20.6	23.1	13.8	19.3	E 8.3	10.3	3.5	E 10.4	17.6	E 14.0	E 14.9
29	12.3		E 22.3	13.7	19.5	E 7.4	9.8	2.8	12.0	17.4	E 15.4	14.7
30	12.9		E 20.8	13.5	19.5	6.9	8.9	E 2.1	13.2	17.1	E 17.7	14.9
31	E 12.6		19.1		E 19.3		8.3	E 1.9		16.9		15.4

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	7.68	18.87	18.46	13.61	14.08	14.74	12.35	4.38	3.70	19.63	16.98	21.00
MAX.	12.9	23.0	23.8	17.8	19.5	19.1	17.7	7.8	13.2	24.0	20.9	24.3
MIN.	4.0	9.2	11.8	12.1	10.0	6.9	6.6	1.9	0.7	14.0	13.2	14.7

E- ESTIMATED.

HIGHEST STAGE WAS 24.34 ON DEC. 15.

LOWEST STAGE WAS 0.72 ON SEP. 14.

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. LOW WATER REFERENCE PLANE, 0.3 FOOT ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11 AND 12, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.
DAILY EIGHT A. M. STAGE IN FEET GAGE ZERO, 180.09 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	A	A	A	A	9.6	1.9	A	2.5	11.5	A
2	A	A	A	A	A	A	9.0	2.3	A	3.0	A	27.8
3	A	A	A	A	A	A	8.2	A	6.9	3.0	A	27.8
4	A	A	A	A	A	A	A	A	6.6	3.3	11.7	27.8
5	A	A	A	A	A	10.4	7.2	4.8	6.0	A	11.6	27.8
6	A	A	A	A	A	10.8	A	5.2	5.2	A	12.0	28.2
7	A	A	A	A	A	11.6	A	5.1	A	4.6	13.3	A
8	A	A	A	A	A	A	8.1	5.5	A	5.6	13.6	A
9	A	A	A	A	A	A	7.8	5.0	6.2	6.3	A	28.5
10	A	A	A	A	A	13.6	7.3	A	4.7	6.0	A	28.6
11	A	A	A	A	A	13.8	7.0	A	3.9	5.9	15.0	28.5
12	A	A	A	A	A	14.0	6.6	3.4	3.3	A	15.4	28.4
13	A	A	A	A	A	14.3	A	3.5	2.8	A	16.4	28.2
14	A	A	A	A	A	14.9	A	3.5	A	5.0	17.2	A
15	A	A	A	A	A	A	7.3	3.5	A	5.9	17.7	A
16	A	A	A	A	A	A	7.8	3.2	0.8	8.8	A	27.2
17	A	A	A	A	A	14.9	7.3	A	0.7	9.8	A	26.7
18	A	A	A	A	A	14.2	6.6	A	0.6	12.0	20.3	25.6
19	A	A	A	A	A	13.5	5.8	4.1	0.2	A	21.5	24.8
20	A	A	A	A	A	12.9	A	6.0	0.0	A	22.6	23.8
21	A	A	A	A	A	12.6	A	7.3	A	12.6	23.4	A
22	A	A	A	A	A	A	4.9	7.7	A	12.0	24.4	A
23	A	A	A	A	A	A	4.5	8.3	0.3	12.2	A	22.3
24	A	A	A	A	A	13.4	3.5	A	0.5	13.4	A	21.2
25	A	A	A	A	A	12.8	2.7	A	0.9	14.1	26.9	A
26	A	A	A	A	A	11.6	2.2	7.6	1.2	A	27.7	18.9
27	A	A	A	A	A	10.6	A	7.9	1.2	A	28.4	17.3
28	A	A	A	A	A	10.2	A	8.3	A	13.9	A	A
29	A	A	A	A	A	A	1.6	8.2	A	13.0	28.4	A
30	A	A	A	A	A	A	1.5	8.3	2.0	12.0	A	14.3
31	A	A	A	A	A	A	1.7	A	A	11.5	A	13.5

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN
MAX.
MIN.

A- NO RECORD.
YEARLY RECORD INCOMPLETE.

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANDKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANDKE REVETMENT.

GENERAL INFORMATION. LOW WATER REFERENCE PLANE, 0.3 FOOT ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11 AND 12, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A. M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	A	A	A	A	A	A	A	A	A	A
2	A	A	A	A	A	A	A	A	A	A	A	A
3	A	A	A	A	A	A	A	A	A	A	A	A
4	A	A	A	A	A	A	A	A	A	A	A	A
5	A	A	A	A	A	A	A	A	A	A	A	A
6	A	A	A	A	A	A	A	A	A	A	A	A
7	A	A	A	A	A	A	A	A	A	A	A	A
8	A	A	A	A	A	A	A	A	A	A	A	A
9	A	A	A	A	A	A	A	A	A	A	A	A
10	A	A	A	A	A	A	A	A	A	A	A	A
11	A	A	A	A	A	A	A	A	A	A	A	A
12	A	A	A	A	A	A	A	A	A	A	A	A
13	A	A	A	A	A	A	A	A	A	A	A	A
14	A	A	A	A	A	A	A	A	A	A	A	A
15	A	A	A	A	A	A	A	A	A	A	A	A
16	A	A	A	A	A	A	A	A	A	A	A	A
17	A	A	A	A	A	A	A	A	A	A	A	A
18	A	A	A	A	A	A	A	A	A	A	A	A
19	A	A	A	A	A	A	A	A	A	A	A	A
20	A	A	A	A	A	A	A	A	A	A	A	A
21	A	A	A	A	A	A	A	A	A	A	A	A
22	A	A	A	A	A	A	A	A	A	A	A	A
23	A	A	A	A	A	A	A	A	A	A	A	A
24	A	A	A	A	A	A	A	A	A	A	A	A
25	A	A	A	A	A	A	A	A	A	A	A	A
26	A	A	A	A	A	A	A	A	A	A	A	A
27	A	A	A	A	A	A	A	A	A	A	A	A
28	A	A	A	A	A	A	A	A	A	A	A	A
29	A	A	A	A	A	A	A	A	A	A	A	A
30	A	A	A	A	A	A	A	A	A	A	A	A
31	A	A	A	A	A	A	A	A	A	A	A	A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN
MAX.
MIN.

A- NO RECORD.
YEARLY RECORD INCOMPLETE.

DAILY STAGES FOR 1983

23

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANDKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANDKE REVETMENT.

GENERAL INFORMATION. LOW WATER REFERENCE PLANE, 0.3 FOOT ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11 AND 12, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A. M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	A	A	A	A	A	A	A	A	A	A
2	A	A	A	A	A	A	A	A	A	A	A	A
3	A	A	A	A	A	A	A	A	A	A	A	A
4	A	A	A	A	A	A	A	A	A	A	A	A
5	A	A	A	A	A	A	A	A	A	A	A	A
6	A	A	A	A	A	A	A	A	A	A	A	A
7	A	A	A	A	A	A	A	A	A	A	A	A
8	A	A	A	A	A	A	A	A	A	A	A	A
9	A	A	A	A	A	A	A	A	A	A	A	A
10	A	A	A	A	A	A	A	A	A	A	A	A
11	A	A	A	A	A	A	A	A	A	A	A	A
12	A	A	A	A	A	A	A	A	A	A	A	A
13	A	A	A	A	A	A	A	A	A	A	A	A
14	A	A	A	A	A	A	A	A	A	A	A	A
15	A	A	A	A	A	A	A	A	A	A	A	A
16	A	A	A	A	A	A	A	A	A	A	A	A
17	A	A	A	A	A	A	A	A	A	A	A	A
18	A	A	A	A	A	A	A	A	A	A	A	A
19	A	A	A	A	A	A	A	A	A	A	A	A
20	A	A	A	A	A	A	A	A	A	A	A	A
21	A	A	A	A	A	A	A	A	A	A	A	A
22	A	A	A	A	A	A	A	A	A	A	A	A
23	A	A	A	A	A	A	A	A	A	A	A	A
24	A	A	A	A	A	A	A	A	A	A	A	A
25	A	A	A	A	A	A	A	A	A	A	A	A
26	A	A	A	A	A	A	A	A	A	A	A	A
27	A	A	A	A	A	A	A	A	A	A	A	A
28	A	A	A	A	A	A	A	A	A	A	A	A
29	A	A	A	A	A	A	A	A	A	A	A	A
30	A	A	A	A	A	A	A	A	A	A	A	A
31	A	A	A	A	A	A	A	A	A	A	A	A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN
MAX.
MIN.

A- NO RECORD.

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANDKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANDKE REVETMENT.

GENERAL INFORMATION. LOW WATER REFERENCE PLANE, 0.3 FOOT ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11 AND 12, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A. M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	A	A	A	A	A	A	A	A	A	A
2	A	A	A	A	A	A	A	A	A	A	A	A
3	A	A	A	A	A	A	A	A	A	A	A	A
4	A	A	A	A	A	A	A	A	A	A	A	A
5	A	A	A	A	A	A	A	A	A	A	A	A
6	A	A	A	A	A	A	A	A	A	A	A	A
7	A	A	A	A	A	A	A	A	A	A	A	A
8	A	A	A	A	A	A	A	A	A	A	A	A
9	A	A	A	A	A	A	A	A	A	A	A	A
10	A	A	A	A	A	A	A	A	A	A	A	A
11	A	A	A	A	A	A	A	A	A		A	A
12	A	A	A	A	A	A	A	A	A	A	A	A
13	A	A	A	A	A	A	A	A	A	A	A	A
14	A	A	A	A	A	A	A	A	A	A	A	A
15	A	A	A	A	A	A	A	A	A	A	A	A
16	A	A	A	A	A	A	A	A	A	A	A	A
17	A	A	A	A	A	A	A	A	A	A	A	A
18	A	A	A	A	A	A	A	A	A	A	A	A
19	A	A	A	A	A	A	A	A	A	A	A	A
20	A	A	A	A	A	A	A	A	A	A	A	A
21	A	A	A	A	A	A	A	A	A	A	A	A
22	A	A	A	A	A	A	A	A	A	A	A	A
23	A	A	A	A	A	A	A	A	A	A	A	A
24	A	A	A	A	A	A	A	A	A	A	A	A
25	A	A	A	A	A	A	A	A	A	A	A	A
26	A	A	A	A	A	A	A	A	A	A	A	A
27	A	A	A	A	A	A	A	A	A	A	A	A
28	A	A	A	A	A	A	A	A	A	A	A	A
29	A		A	A	A	A	A	A	A	A	A	A
30	A		A	A	A	A	A	A	A	A	A	A
31	A		A		A		A	A		A		A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN
MAX.
MIN.

A- NO RECORD.

DAILY STAGES FOR 1981

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANDKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANDKE REVETMENT.

GENERAL INFORMATION. LOW WATER REFERENCE PLANE, 0.3 FOOT ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11 AND 12, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	A	A	A	A	A	A	A	A	A	A
2	A	A	A	A	A	A	A	A	A	A	A	A
3	A	A	A	A	A	A	A	A	A	A	A	A
4	A	A	A	A	A	A	A	A	A	A	A	A
5	A	A	A	A	A	A	A	A	A	A	A	A
6	A	A	A	A	A	A	A	A	A	A	A	A
7	A	A	A	A	A	A	A	A	A	A	A	A
8	A	A	A	A	A	A	A	A	A	A	A	A
9	A	A	A	A	A	A	A	A	A	A	A	A
10	A	A	A	A	A	A	A	A	A	A	A	A
11	A	A	A	A	A	A	A	A	A	A	A	A
12	A	A	A	A	A	A	A	A	A	A	A	A
13	A	A	A	A	A	A	A	A	A	A	A	A
14	A	A	A	A	A	A	A	A	A	A	A	A
15	A	A	A	A	A	A	A	A	A	A	A	A
16	A	A	A	A	A	A	A	A	A	A	A	A
17	A	A	A	A	A	A	A	A	A	A	A	A
18	A	A	A	A	A	A	A	A	A	A	A	A
19	A	A	A	A	A	A	A	A	A	A	A	A
20	A	A	A	A	A	A	A	A	A	A	A	A
21	A	A	A	A	A	A	A	A	A	A	A	A
22	A	A	A	A	A	A	A	A	A	A	A	A
23	A	A	A	A	A	A	A	A	A	A	A	A
24	A	A	A	A	A	A	A	A	A	A	A	A
25	A	A	A	A	A	A	A	A	A	A	A	A
26	A	A	A	A	A	A	A	A	A	A	A	A
27	A	A	A	A	A	A	A	A	A	A	A	A
28	A	A	A	A	A	A	A	A	A	A	A	A
29	A	A	A	A	A	A	A	A	A	A	A	A
30	A	A	A	A	A	A	A	A	A	A	A	A
31	A	A	A	A	A	A	A	A	A	A	A	A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN
MAX.
MIN.

A- NO RECORD.

DAILY STAGES FOR 1980

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. LOW WATER REFERENCE PLANE, 0.3 FOOT ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11 AND 12, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	A	A	A	A	A	A	A	A	A	A
2	A	A	A	A	A	A	A	A	A	A	A	A
3	A	A	A	A	A	A	A	A	A	A	A	A
4	A	A	A	A	A	A	A	A	A	A	A	A
5	A	A	A	A	A	A	A	A	A	A	A	A
6	A	A	A	A	A	A	A	A	A	A	A	A
7	A	A	A	A	A	A	A	A	A	A	A	A
8	A	A	A	A	A	A	A	A	A	A	A	A
9	A	A	A	A	A	A	A	A	A	A	A	A
10	A	A	A	A	A	A	A	A	A	A	A	A
11	A	A	A	A	A	A	A	A	A	A	A	A
12	A	A	A	A	A	A	A	A	A	A	A	A
13	A	A	A	A	A	A	A	A	A	A	A	A
14	A	A	A	A	A	A	A	A	A	A	A	A
15	A	A	A	A	A	A	A	A	A	A	A	A
16	A	A	A	A	A	A	A	A	A	A	A	A
17	A	A	A	A	A	A	A	A	A	A	A	A
18	A	A	A	A	A	A	A	A	A	A	A	A
19	A	A	A	A	A	A	A	A	A	A	A	A
20	A	A	A	A	A	A	A	A	A	A	A	A
21	A	A	A	A	A	A	A	A	A	A	A	A
22	A	A	A	A	A	A	A	A	A	A	A	A
23	A	A	A	A	A	A	A	A	A	A	A	A
24	A	A	A	A	A	A	A	A	A	A	A	A
25	A	A	A	A	A	A	A	A	A	A	A	A
26	A	A	A	A	A	A	A	A	A	A	A	A
27	A	A	A	A	A	A	A	A	A	A	A	A
28	A	A	A	A	A	A	A	A	A	A	A	A
29	A	A	A	A	A	A	A	A	A	A	A	A
30	A	A	A	A	A	A	A	A	A	A	A	A
31	A	A	A	A	A	A	A	A	A	A	A	A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN
MAX.
MIN.

A- NO RECORD.

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. LOW WATER REFERENCE PLANE, 0.3 FOOT ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

MEAN. NOT COMPUTED FOR PERIOD OF RECORD.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	A	A	A	A	A	A	A	A	A	A
2	A	A	A	A	A	A	A	A	A	A	A	A
3	A	A	A	A	A	A	A	A	A	A	A	A
4	A	A	A	A	A	A	A	A	A	A	A	A
5	A	A	A	A	A	A	A	A	A	A	A	A
6	A	A	A	A	A	A	A	A	A	A	A	A
7	A	A	A	A	A	A	A	A	A	A	A	A
8	A	A	A	A	A	A	A	A	A	A	A	A
9	A	A	A	A	A	A	A	A	A	A	A	A
10	A	A	A	A	A	A	A	A	A	A	A	A
11	A	A	A	A	A	A	A	A	A	A	A	A
12	A	A	A	A	A	A	A	A	A	A	A	A
13	A	A	A	A	A	A	A	A	A	A	A	A
14	A	A	A	A	A	A	A	A	A	A	A	A
15	A	A	A	A	A	A	A	A	A	A	A	A
16	A	A	A	A	A	A	A	A	A	A	A	A
17	A	A	A	A	A	A	A	A	A	A	A	A
18	A	A	A	A	A	A	A	A	A	A	A	A
19	A	A	A	A	A	A	A	A	A	A	A	A
20	A	A	A	A	A	A	A	A	A	A	A	A
21	A	A	A	A	A	A	A	A	A	A	A	A
22	A	A	A	A	A	A	A	A	A	A	A	A
23	A	A	A	A	A	A	A	A	A	A	A	A
24	A	A	A	A	A	A	A	A	A	A	A	A
25	A	A	A	A	A	A	A	A	A	A	A	A
26	A	A	A	A	A	A	A	A	A	A	A	A
27	A	A	A	A	A	A	A	A	A	A	A	A
28	A	A	A	A	A	A	A	A	A	A	A	A
29	A	A	A	A	A	A	A	A	A	A	A	A
30	A	A	A	A	A	A	A	A	A	A	A	A
31	A	A	A	A	A	A	A	A	A	A	A	A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN
MAX.
MIN.

A- NO RECORD.

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. LOW WATER REFERENCE PLANE, 0.3 FOOT ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, M.S.L. [1929-58 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	A	A	A	A	A	A	A	A	A	A
2	A	A	A	A	A	A	A	A	A	A	A	A
3	A	A	A	A	A	A	A	A	A	A	A	A
4	A	A	A	A	A	A	A	A	A	A	A	A
5	A	A	A	A	A	A	A	A	A	A	A	A
6	A	A	A	A	A	A	A	A	A	A	A	A
7	A	A	A	A	A	A	A	A	A	A	A	A
8	A	A	A	A	A	A	A	A	A	A	A	A
9	A	A	A	A	A	A	A	A	A	A	A	A
10	A	A	A	A	A	A	A	A	A	A	A	A
11	A	A	A	A	A	A	A	A	A	A	A	A
12	A	A	A	A	A	A	A	A	A	A	A	A
13	A	A	A	A	A	A	A	A	A	A	A	A
14	A	A	A	A	A	A	A	A	A	A	A	A
15	A	A	A	A	A	A	A	A	A	A	A	A
16	A	A	A	A	A	A	A	A	A	A	A	A
17	A	A	A	A	A	A	A	A	A	A	A	A
18	A	A	A	A	A	A	A	A	A	A	A	A
19	A	A	A	A	A	A	A	A	A	A	A	A
20	A	A	A	A	A	A	A	A	A	A	A	A
21	A	A	A	A	A	A	A	A	A	A	A	A
22	A	A	A	A	A	A	A	A	A	A	A	A
23	A	A	A	A	A	A	A	A	A	A	A	A
24	A	A	A	A	A	A	A	A	A	A	A	A
25	A	A	A	A	A	A	A	A	A	A	A	A
26	A	A	A	A	A	A	A	A	A	A	A	A
27	A	A	A	A	A	A	A	A	A	A	A	A
28	A	A	A	A	A	A	A	A	A	A	A	A
29	A	A	A	A	A	A	A	A	A	A	A	A
30	A	A	A	A	A	A	A	A	A	A	A	A
31	A	A	A	A	A	A	A	A	A	A	A	A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN
MAX.
MIN.

A- NO RECORD
YEARLY RECORD INCOMPLETE

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT,

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. LOW WATER REFERENCE PLANE, 0.3 FOOT ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	A	A	A	A	A	A	A	A	A	A
2	A	A	A	A	A	A	A	A	A	A	A	A
3	A	A	A	A	A	A	A	A	A	A	A	A
4	A	A	A	A	A	A	A	A	A	A	A	A
5	A	A	A	A	A	A	A	A	A	A	A	A
6	A	A	A	A	A	A	A	A	A	A	A	A
7	A	A	A	A	A	A	A	A	A	A	A	A
8	A	A	A	A	A	A	A	A	A	A	A	A
9	A	A	A	A	A	A	A	A	A	A	A	A
10	A	A	A	A	A	A	A	A	A	A	A	A
11	A	A	A	A	A	A	A	A	A	A	A	A
12	A	A	A	A	A	A	A	A	A	A	A	A
13	A	A	A	A	A	A	A	A	A	A	A	A
14	A	A	A	A	A	A	A	A	A	A	A	A
15	A	A	A	A	A	A	A	A	A	A	A	A
16	A	A	A	A	A	A	A	A	A	A	A	A
17	A	A	A	A	A	A	A	A	A	A	A	A
18	A	A	A	A	A	A	A	A	A	A	A	A
19	A	A	A	A	A	A	A	A	A	A	A	A
20	A	A	A	A	A	A	A	A	A	A	A	A
21	A	A	A	A	A	A	A	A	A	A	A	A
22	A	A	A	A	A	A	A	A	A	A	A	A
23	A	A	A	A	A	A	A	A	A	A	A	A
24	A	A	A	A	A	A	A	A	A	A	A	A
25	A	A	A	A	A	A	A	A	A	A	A	A
26	A	A	A	A	A	A	A	A	A	A	A	A
27	A	A	A	A	A	A	A	A	A	A	A	A
28	A	A	A	A	A	A	A	A	A	A	A	A
29	A		A	A	A	A	A	A	A	A	A	A
30	A		A	A	A	A	A	A	A	A	A	A
31	A		A		A		A		A		A	

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN
MAX.
MIN.

A- NO RECORD
YEARLY RECORD INCOMPLETE

DAILY STAGES FOR 1976

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION: LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT,

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. AVERAGE LOW WATER PLANE, 1.9 FEET ON GAGE;

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES: HIGHEST, 49.8 FEET ON FEB. 11, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	A	A	A	A	A	A	A	A	A	A
2	A	A	A	A	A	A	A	A	A	A	A	A
3	A	A	A	A	A	A	A	A	A	A	A	A
4	A	A	A	A	A	A	A	A	A	A	A	A
5	A	A	A	A	A	A	A	A	A	A	A	A
6	A	A	A	A	A	A	A	A	A	A	A	A
7	A	A	A	A	A	A	A	A	A	A	A	A
8	A	A	A	A	A	A	A	A	A	A	A	A
9	A	A	A	A	A	A	A	A	A	A	A	A
10	A	A	A	A	A	A	A	A	A	A	A	A
11	A	A	A	A	A	A	A	A	A	A	A	A
12	A	A	A	A	A	A	A	A	A	A	A	A
13	A	A	A	A	A	A	A	A	A	A	A	A
14	A	A	A	A	A	A	A	A	A	A	A	A
15	A	A	A	A	A	A	A	A	A	A	A	A
16	A	A	A	A	A	A	A	A	A	A	A	A
17	A	A	A	A	A	A	A	A	A	A	A	A
18	A	A	A	A	A	A	A	A	A	A	A	A
19	A	A	A	A	A	A	A	A	A	A	A	A
20	A	A	A	A	A	A	A	A	A	A	A	A
21	A	A	A	A	A	A	A	A	A	A	A	A
22	A	A	A	A	A	A	A	A	A	A	A	A
23	A	A	A	A	A	A	A	A	A	A	A	A
24	A	A	A	A	A	A	A	A	A	A	A	A
25	A	A	A	A	A	A	A	A	A	A	A	A
26	A	A	A	A	A	A	A	A	A	A	A	A
27	A	A	A	A	A	A	A	A	A	A	A	A
28	A	A	A	A	A	A	A	A	A	A	A	A
29	A	A	A	A	A	A	A	A	A	A	A	A
30	A	A	A	A	A	A	A	A	A	A	A	A
31	A	A	A	A	A	A	A	A	A	A	A	A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN
MAX.
MIN.

A- NO RECORD
YEARLY RECORD INCOMPLETE.

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. AVERAGE LOW WATER PLANE, 1.9 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, M.S.L. [1929-58 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	A	A	A	A	A	A	A	A	A	A
2	A	A	A	A	A	A	A	A	A	A	A	A
3	A	A	A	A	A	A	A	A	A	A	A	A
4	A	A	A	A	A	A	A	A	A	A	A	A
5	A	A	A	A	A	A	A	A	A	A	A	A
6	A	A	A	A	A	A	A	A	A	A	A	A
7	A	A	A	A	A	A	A	A	A	A	A	A
8	A	A	A	A	A	A	A	A	A	A	A	A
9	A	A	A	A	A	A	A	A	A	A	A	A
10	A	A	A	A	A	A	A	A	A	A	A	A
11	A	A	A	A	A	A	A	A	A	A	A	A
12	A	A	A	A	A	A	A	A	A	A	A	A
13	A	A	A	A	A	A	A	A	A	A	A	A
14	A	A	A	A	A	A	A	A	A	A	A	A
15	A	A	A	A	A	A	A	A	A	A	A	A
16	A	A	A	A	A	A	A	A	A	A	A	A
17	A	A	A	A	A	A	A	A	A	A	A	A
18	A	A	A	A	A	A	A	A	A	A	A	A
19	A	A	A	A	A	A	A	A	A	A	A	A
20	A	A	A	A	A	A	A	A	A	A	A	A
21	A	A	A	A	A	A	A	A	A	A	A	A
22	A	A	A	A	A	A	A	A	A	A	A	A
23	A	A	A	A	A	A	A	A	A	A	A	A
24	A	A	A	A	A	A	A	A	A	A	A	A
25	A	A	A	A	A	A	A	A	A	A	A	A
26	A	A	A	A	A	A	A	A	A	A	A	A
27	A	A	A	A	A	A	A	A	A	A	A	A
28	A	A	A	A	A	A	A	A	A	A	A	A
29	A	A	A	A	A	A	A	A	A	A	A	A
30	A	A	A	A	A	A	A	A	A	A	A	A
31	A	A	A	A	A	A	A	A	A	A	A	A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN
MAX.
MIN.

A- NO RECORD
YEARLY RECORD INCOMPLETE.

DAILY STAGES FOR 1974

23

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION, LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE, INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT;

GENERAL INFORMATION, AVERAGE LOW WATER PLANE, 1.9 FEET ON GAGE.

RECORDS AVAILABLE, STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES, HIGHEST, 49.8 FEET ON FEB. 11, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, M.S.L.; [1929-58 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	A	A	A	A	A	A	A	A	A	A
2	A	A	A	A	A	A	A	A	A	A	A	A
3	A	A	A	A	A	A	A	A	A	A	A	A
4	A	A	A	A	A	A	A	A	A	A	A	A
5	A	A	A	A	A	A	A	A	A	A	A	A
6	A	A	A	A	A	A	A	A	A	A	A	A
7	A	A	A	A	A	A	A	A	A	A	A	A
8	A	A	A	A	A	A	A	A	A	A	A	A
9	A	A	A	A	A	A	A	A	A	A	A	A
10	A	A	A	A	A	A	A	A	A	A	A	A
11	A	A	A	A	A	A	A	A	A	A	A	A
12	A	A	A	A	A	A	A	A	A	A	A	A
13	A	A	A	A	A	A	A	A	A	A	A	A
14	A	A	A	A	A	A	A	A	A	A	A	A
15	A	A	A	A	A	A	A	A	A	A	A	A
16	A	A	A	A	A	A	A	A	A	A	A	A
17	A	A	A	A	A	A	A	A	A	A	A	A
18	A	A	A	A	A	A	A	A	A	A	A	A
19	A	A	A	A	A	A	A	A	A	A	A	A
20	A	A	A	A	A	A	A	A	A	A	A	A
21	A	A	A	A	A	A	A	A	A	A	A	A
22	A	A	A	A	A	A	A	A	A	A	A	A
23	A	A	A	A	A	A	A	A	A	A	A	A
24	A	A	A	A	A	A	A	A	A	A	A	A
25	A	A	A	A	A	A	A	A	A	A	A	A
26	A	A	A	A	A	A	A	A	A	A	A	A
27	A	A	A	A	A	A	A	A	A	A	A	A
28	A	A	A	A	A	A	A	A	A	A	A	A
29	A	A	A	A	A	A	A	A	A	A	A	A
30	A	A	A	A	A	A	A	A	A	A	A	A
31	A	A	A	A	A	A	A	A	A	A	A	A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN
MAX,
MIN.

A- NO RECORD
YEARLY RECOR INCOMPLETE.

DAILY STAGES FOR 1973

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILF 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. AVERAGE LOW WATER PLANE, 1.9 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	A	A	A	A	A	A	A	A	A	A	A
2	A	A	A	A	A	A	A	A	A	A	A	A
3	A	A	A	A	A	A	A	A	A	A	A	A
4	A	A	A	A	A	A	A	A	A	A	A	A
5	A	A	A	A	A	A	A	A	A	A	A	A
6	A	A	A	A	A	A	A	A	A	A	A	A
7	A	A	A	A	A	A	A	A	A	A	A	A
8	A	A	A	A	A	A	A	A	A	A	A	A
9	A	A	A	A	A	A	A	A	A	A	A	A
10	A	A	A	A	A	A	A	A	A	A	A	A
11	A	A	A	A	A	A	A	A	A	A	A	A
12	A	A	A	A	A	A	A	A	A	A	A	A
13	A	A	A	A	A	A	A	A	A	A	A	A
14	A	A	A	A	A	A	A	A	A	A	A	A
15	A	A	A	A	A	A	A	A	A	A	A	A
16	A	A	A	A	A	A	A	A	A	A	A	A
17	A	A	A	A	A	A	A	A	A	A	A	A
18	A	A	A	A	A	A	A	A	A	A	A	A
19	A	A	A	A	A	A	A	A	A	A	A	A
20	A	A	A	A	A	A	A	A	A	A	A	A
21	A	A	A	A	A	A	A	A	A	A	A	A
22	A	A	A	A	A	A	A	A	A	A	A	A
23	A	A	A	A	A	A	A	A	A	A	A	A
24	A	A	A	A	A	A	A	A	A	A	A	A
25	A	A	A	A	A	A	A	A	A	A	A	A
26	A	A	A	A	A	A	A	A	A	A	A	A
27	A	A	A	A	A	A	A	A	A	A	A	A
28	A	A	A	A	A	A	A	A	A	A	A	A
29	A	A	A	A	A	A	A	A	A	A	A	A
30	A	A	A	A	A	A	A	A	A	A	A	A
31	A	A	A	A	A	A	A	A	A	A	A	A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN
MAX.
MIN.

A- NO RECORD
YEARLY RECORD INCOMPLETE.

DAILY STAGES FOR 1972

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT,

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. AVERAGE LOW WATER PLANE, 1.9 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, N.S.L. [1929*58 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	13.3	17.7	18.6	21.5	A	A	A	A	A	A	A	A
2	12.8	17.9	19.7	21.1	A	A	A	A	A	A	A	A
3	12.2	18.0	20.8	20.4	A	A	A	A	A	A	A	A
4	12.2	18.0	21.9	20.0	A	A	A	A	A	A	A	A
5	12.9	18.0	23.0	19.4	A	A	A	A	A	A	A	A
6	15.6	17.8	23.8	18.7	A	A	A	A	A	A	A	A
7	17.5	17.4	24.5	18.1	A	A	A	A	A	A	A	A
8	18.6	16.8	25.4	17.5	A	A	A	A	A	A	A	A
9	19.3	16.2	25.8	17.1	A	A	A	A	A	A	A	A
10	20.0	15.9	26.0	16.8	A	A	A	A	A	A	A	A
11	20.5	15.6	26.3	16.4	A	A	A	A	A	A	A	A
12	21.0	14.9	26.2	16.6	A	A	A	A	A	A	A	A
13	21.4	14.3	26.1	17.1	A	A	A	A	A	A	A	A
14	21.9	13.7	26.0	18.0	A	A	A	A	A	A	A	A
15	22.1	12.8	25.8	18.9	A	A	A	A	A	A	A	A
16	22.1	12.2	25.7	20.2	A	A	A	A	A	A	A	A
17	22.1	11.4	25.3	A	A	A	A	A	A	A	A	A
18	21.9	11.6	25.1	A	A	A	A	A	A	A	A	A
19	21.6	12.4	24.8	A	A	A	A	A	A	A	A	A
20	21.1	13.9	24.5	A	A	A	A	A	A	A	A	A
21	20.8	15.6	24.2	A	A	A	A	A	A	A	A	A
22	20.1	16.7	23.8	A	A	A	A	A	A	A	A	A
23	19.0	17.2	23.4	A	A	A	A	A	A	A	A	A
24	17.9	17.2	23.1	A	A	A	A	A	A	A	A	A
25	16.8	17.1	22.6	A	A	A	A	A	A	A	A	A
26	16.1	17.0	22.1	A	A	A	A	A	A	A	A	A
27	15.9	17.1	21.6	A	A	A	A	A	A	A	A	A
28	16.1	17.3	21.5	A	A	A	A	A	A	A	A	A
29	16.7	17.8	21.3	A	A	A	A	A	A	A	A	A
30	17.1		21.6	A	A	A	A	A	A	A	A	A
31	17.5		21.6		A		A	A		A		A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	18.19	15.83	23.61
MAX.	22.1	18.0	26.3
MIN.	12.2	11.4	18.6

A- NO RECORD
YEARLY RECORD INCOMPLETE

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. AVERAGE LOW WATER PLANE, 1.9 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 180.09 FEET, M.S.L. [1929-58 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	20.5	12.7	30.0	19.6	12.6	14.1	9.7	8.1	7.5	4.8	6.1	5.5
2	20.5	13.0	30.5	19.5	12.8	13.6	9.7	8.0	6.6	5.1	5.9	5.6
3	20.3	13.3	31.0	19.0	13.0	12.9	9.7	8.6	5.5	5.2	5.0	6.2
4	19.7	12.9	31.3	18.5	13.1	12.9	9.4	8.9	4.4	5.5	4.3	6.8
5	18.3	12.1	31.5	18.0	13.0	13.1	8.8	9.3	3.9	5.2	3.8	7.4
6	17.9	11.4	31.6	17.7	13.0	13.1	8.3	9.6	3.8	4.9	3.8	8.2
7	15.7	10.6	31.9	17.6	13.2	13.2	8.0	9.9	3.6	4.6	4.5	9.4
8	15.0	10.6	31.9	17.5	13.2	13.2	7.0	10.1	3.0	4.1	5.0	10.1
9	15.3	11.7	31.8	17.4	13.2	13.1	6.5	10.4	2.7	3.8	6.2	10.5
10	16.1	13.6	31.7	17.4	13.6	12.5	6.0	10.7	3.5	3.8	7.0	11.3
11	16.7	16.2	31.5	17.1	14.0	12.7	5.4	11.1	4.5	3.8	7.9	12.2
12	17.4	18.5	31.1	16.8	14.5	13.0	5.1	11.5	4.6	3.6	8.0	13.3
13	17.8	20.2	30.7	16.3	16.2	13.2	5.4	11.5	4.3	3.3	7.8	15.5
14	18.0	21.0	29.9	15.9	18.0	12.7	6.4	10.9	3.8	3.1	7.1	17.2
15	18.1	21.7	29.1	15.5	19.3	11.9	7.7	9.2	3.8	3.0	7.0	18.1
16	18.3	21.9	28.1	15.3	20.6	11.4	8.7	8.0	3.9	2.5	6.6	18.8
17	18.2	21.7	27.2	15.1	22.0	11.2	9.4	7.0	4.3	2.4	6.1	19.1
18	17.7	21.4	26.3	14.9	22.8	12.1	10.4	E 6.6	4.6	2.5	5.8	19.3
19	17.0	21.0	25.7	14.5	23.2	13.3	11.1	5.9	5.6	2.5	5.8	19.5
20	16.4	21.2	25.2	14.1	23.5	14.3	11.1	4.7	7.6	2.4	5.7	19.7
21	16.0	21.0	24.9	13.5	23.5	14.8	10.7	4.2	8.7	2.3	5.4	20.1
22	15.9	21.6	24.7	12.8	23.1	14.8	10.5	3.6	8.9	2.2	5.2	20.4
23	15.9	22.0	24.4	12.8	22.4	14.6	10.5	3.4	8.9	1.9	5.2	20.1
24	15.7	23.4	23.7	12.3	21.6	14.2	10.5	4.2	8.7	1.9	5.0	19.2
25	15.2	25.4	22.9	11.6	20.4	13.2	10.8	5.0	8.4	2.0	5.0	18.2
26	14.4	26.9	22.1	11.1	19.0	11.9	11.0	6.4	8.1	2.3	5.3	17.3
27	14.0	28.2	21.3	11.1	18.1	10.9	11.5	6.9	7.2	2.4	5.7	16.5
28	13.6	29.1	20.6	11.5	17.5	10.6	10.4	6.5	6.6	2.6	5.9	15.8
29	13.5		20.3	11.9	16.6	10.2	9.0	6.1	5.0	3.9	6.2	15.4
30	13.2		20.1	12.2	15.7	9.8	8.6	6.5	4.5	4.9	5.8	14.9
31	12.8		19.9		14.8		8.2	7.3		5.8		14.2

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	16.61	18.72	27.18	15.27	17.33	12.74	8.88	7.74	5.54	3.48	5.79	14.37
MAX.	20.5	29.1	31.9	19.6	23.5	14.8	11.5	11.5	8.9	5.8	8.0	20.4
MIN.	12.8	10.6	19.9	11.1	12.6	9.8	5.1	3.4	2.7	1.9	3.8	5.5

E- ESTIMATED
 HIGHEST STAGE WAS 31.9 FROM 800 A.M. MAR. 7 TO 800 A.M. MAR. 8
 LOWEST STAGE WAS 1.9 FROM 800 A.M. OCT. 23 TO 800 A.M. OCT. 24

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANDKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANDKE REVETMENT.

GENERAL INFORMATION. AVERAGE LOW WATER PLANE, 1.9 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	8.9	6.7	17.7	16.5	28.3	16.5	15.1	5.4	5.0	18.8	9.5	13.7
2	12.2	8.9	16.5	18.7	28.8	16.2	14.0	5.4	4.2	19.3	10.5	12.7
3	16.4	10.8	15.3	18.4	29.1	16.2	13.2	5.6	3.4	19.3	11.8	11.4
4	18.3	12.5	15.0	18.7	29.3	16.1	12.3	6.0	3.2	18.8	12.9	10.2
5	19.9	14.9	14.1	19.8	29.8	15.9	11.4	6.3	3.2	17.7	13.0	9.0
6	21.6	16.4	14.3	21.6	30.3	16.4	10.7	6.6	3.1	15.9	13.1	8.7
7	22.2	17.2	15.0	23.4	31.0	17.7	10.4	7.4	3.5	13.8	13.4	8.4
8	23.1	17.9	15.9	24.8	31.5	18.8	9.9	8.0	4.4	12.0	14.3	8.6
9	23.5	18.5	16.7	25.7	31.9	19.6	9.6	8.5	4.9	10.7	15.0	8.8
10	23.2	18.9	17.8	26.2	32.2	20.3	8.9	8.9	4.4	9.3	15.1	9.1
11	22.1	19.2	18.7	26.7	32.3	20.8	8.3	9.9	3.6	8.4	15.1	9.3
12	26.2	19.2	19.4	26.8	32.0	20.8	8.0	11.9	3.4	8.1	15.1	9.4
13	18.8	19.0	20.0	26.8	31.7	20.2	7.9	12.1	3.4	8.0	15.2	9.2
14	16.7	18.9	20.3	26.7	31.1	19.4	7.8	12.5	3.2	8.2	15.3	9.2
15	14.5	18.9	20.3	26.5	30.3	18.4	7.4	12.8	2.9	9.3	15.6	9.2
16	12.4	19.4	19.6	26.2	28.6	18.3	7.8	12.8	2.8	12.0	15.6	9.1
17	10.2	19.6	19.0	25.8	27.3	18.1	8.0	12.1	3.4	14.7	15.2	9.5
18	8.9	19.8	18.2	24.7	25.9	18.6	8.0	11.7	4.8	15.7	14.6	10.6
19	8.8	20.4	17.5	23.0	25.0	19.4	6.5	8.8	5.9	15.3	14.1	11.7
20	8.8	20.7	17.1	21.9	24.7	19.9	6.4	7.0	6.7	14.7	14.0	12.8
21	8.7	20.8	16.9	20.4	25.1	20.0	6.3	6.1	8.1	12.6	13.8	13.1
22	8.3	20.5	16.9	19.4	25.3	19.6	6.4	6.3	9.3	12.6	13.8	13.6
23	8.1	20.4	17.1	20.0	25.5	19.3	6.9	6.4	10.8	11.5	14.2	14.6
24	7.9	20.3	17.3	21.4	25.5	19.0	7.3	6.6	12.4	10.6	14.3	15.5
25	7.0	20.4	17.2	23.1	25.2	18.9	7.0	6.9	13.4	10.3	14.4	16.6
26	6.9	20.1	17.1	25.1	24.4	18.7	6.8	7.2	12.5	10.0	14.6	18.0
27	6.7	19.6	17.1	25.9	23.2	18.5	6.4	7.8	12.9	9.6	15.4	18.9
28	6.5	18.8	17.5	26.9	21.2	18.0	5.9	7.6	14.8	9.4	15.5	19.7
29	6.3		18.0	27.5	19.9	17.3	4.3	6.9	16.8	9.6	15.2	20.2
30	4.7		18.2	27.9	18.3	16.2	3.7	6.5	18.0	9.6	14.6	20.3
31	4.7		18.4		17.2		4.5	6.0		9.4		20.4

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	13.10	17.80	17.42	23.61	27.16	18.43	8.29	8.12	6.94	12.42	14.13	12.62
MAX.	23.5	20.8	20.3	27.9	32.3	20.8	15.1	12.8	18.0	19.3	15.6	20.4
MIN.	4.7	6.7	14.1	18.4	17.2	15.9	3.7	5.4	2.8	8.0	9.5	8.4

HIGHEST STAGE WAS 32.3 AT 800 A.M., MAY 11
 LOWEST STAGE WAS 2.8 AT 800 A.M., SEP. 16

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVEIEMENT.

GENERAL INFORMATION. AVERAGE LOW WATER PLANE, 1.9 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	14.4	24.1	14.7	20.3	28.8	17.2	19.3	17.6	6.5	4.8	8.7	10.2
2	15.6	25.6	14.3	20.5	28.3	16.3	19.5	16.5	4.9	5.1	8.2	9.4
3	17.9	26.7	14.2	20.5	27.5	14.9	19.9	15.7	4.0	5.1	7.9	8.7
4	18.1	27.9	14.2	20.0	26.7	13.5	20.3	15.0	4.0	4.6	7.4	8.7
5	17.8	28.4	14.5	19.6	26.1	12.7	20.7	14.6	4.0	4.5	7.0	8.2
6	17.3	28.9	14.9	19.3	25.4	12.7	20.8	13.7	4.8	4.6	7.2	7.3
7	16.7	29.4	14.9	18.9	24.7	12.9	20.8	12.4	5.5	4.6	8.0	7.1
8	16.4	29.8	14.4	18.6	23.9	13.2	20.7	11.6	5.9	4.4	8.3	6.9
9	16.1	30.0	14.0	18.5	22.8	13.0	20.6	10.8	6.2	4.3	8.3	6.9
10	15.3	30.1	13.9	19.9	21.6	12.4	21.0	9.9	6.5	4.2	8.3	7.2
11	14.1	30.2	13.7	21.3	20.2	11.7	21.5	9.4	7.0	3.9	8.0	8.1
12	12.5	30.4	13.3	22.5	19.3	11.3	21.9	9.4	7.0	4.1	7.4	8.9
13	10.7	30.7	12.9	23.9	18.8	10.8	22.4	9.4	6.5	4.2	6.9	9.2
14	8.1	30.9	12.8	25.0	18.7	10.3	22.8	9.5	6.5	4.2	6.4	8.8
15	7.0	31.0	12.8	25.6	18.6	10.8	22.8	9.8	6.9	4.5	6.1	8.4
16	6.4	31.1	12.0	26.2	18.8	11.4	23.9	10.5	6.9	8.0	6.1	8.5
17	5.6	31.0	11.5	26.4	19.0	12.0	24.5	11.1	6.3	12.5	6.4	8.5
18	5.3	30.5	11.2	26.7	19.3	12.6	24.8	11.2	5.1	15.8	6.8	8.6
19	5.6	29.7	10.5	26.8	19.6	12.5	25.1	10.8	4.4	17.5	7.0	9.0
20	7.3	28.8	9.8	27.0	19.7	12.4	25.1	9.2	4.4	18.3	6.8	9.6
21	9.8	27.0	8.9	27.1	19.9	12.9	25.0	8.7	4.9	18.5	6.8	10.2
22	12.4	25.0	8.6	27.4	20.0	12.9	24.5	9.3	5.6	18.2	7.8	10.6
23	15.8	22.7	8.8	27.8	20.1	12.4	23.6	9.7	6.7	17.0	9.2	10.4
24	18.3	20.2	9.6	28.1	20.1	11.9	22.6	10.0	7.3	15.2	10.4	9.7
25	19.1	18.1	9.8	28.6	19.9	11.9	21.7	10.2	7.5	13.7	11.1	9.0
26	20.2	16.8	10.6	28.8	19.6	13.7	21.0	10.5	7.9	13.6	11.4	8.7
27	21.1	15.9	12.7	29.1	19.5	15.7	20.7	10.9	7.0	11.9	11.5	8.2
28	21.8	15.2	14.8	29.2	19.4	17.1	20.5	11.5	6.2	11.2	11.4	6.7
29	22.1		16.8	29.3	19.3	18.1	19.9	11.3	5.0	10.5	11.0	6.2
30	22.6		18.5	29.2	18.0	19.0	19.0	9.9	4.6	9.9	10.6	6.5
31	23.4		19.6		17.4		18.4	8.0		9.3		7.2

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	14.66	26.64	13.00	24.40	21.31	13.33	21.78	11.22	5.86	9.29	8.27	8.43
MAX.	23.4	31.1	19.6	29.3	28.8	19.0	25.1	17.6	7.9	18.5	11.5	10.6
MIN.	5.3	15.2	8.6	18.5	17.4	10.3	18.4	8.0	4.0	3.9	6.1	6.2

HIGHEST STAGE WAS 31.1, FEB. 16.
LOWEST STAGE WAS 3.9, OCT. 11.

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. AVERAGE LOW WATER PLANE, 1.9 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	24.9	16.5	7.1	25.5	15.5	24.9	11.8	10.5	4.8	5.0	5.8	11.5
2	24.2	17.3	6.8	25.3	15.3	25.7	12.0	11.4	3.9	5.0	5.7	12.3
3	23.1	17.3	6.6	25.0	14.6	26.4	11.7	11.6	3.1	4.9	5.7	13.2
4	22.0	18.5	5.9	25.6	14.0	26.9	11.5	11.5	2.7	4.6	5.9	14.1
5	21.1	20.4	5.6	25.6	13.0	27.2	11.5	11.4	2.4	4.2	6.1	14.8
6	19.2	21.5	5.3	25.5	12.1	27.4	11.4	11.1	2.0	4.5	6.5	14.7
7	18.6	23.0	4.9	25.9	11.7	27.6	11.4	10.9	E 2.2	4.2	6.5	14.2
8	18.0	24.4	4.4	26.4	11.8	27.8	11.3	11.0	E 2.1	4.3	6.4	13.7
9	17.9	24.8	4.0	26.6	11.8	27.9	11.2	12.1	E 1.9	4.4	6.3	13.2
10	17.7	25.0	3.4	27.2	11.5	28.0	11.1	12.7	1.9	4.7	6.4	13.0
11	17.4	25.1	3.0	27.4	10.9	27.9	11.1	13.0	E 1.8	4.7	6.7	12.7
12	17.4	25.1	3.2	27.4	10.9	27.7	11.0	12.9	E 1.6	4.5	7.0	12.3
13	17.3	24.9	3.7	27.1	11.1	27.4	11.0	12.3	E 1.9	4.6	7.2	12.1
14	17.3	24.3	4.4	26.8	12.2	26.5	10.9	11.8	E 2.2	4.6	7.5	12.0
15	17.3	23.8	5.9	26.2	12.7	25.4	10.9	11.9	E 2.2	4.2	7.9	11.5
16	17.2	22.9	8.4	25.1	13.3	23.2	10.8	12.1	E 2.7	3.7	7.9	10.9
17	17.1	22.7	10.9	24.7	14.0	20.3	10.8	12.5	E 3.0	4.1	7.1	9.4
18	17.1	20.4	12.8	23.6	14.9	17.4	10.6	13.3	E 3.3	4.7	7.0	8.6
19	16.9	19.2	15.7	21.2	15.7	15.0	10.6	13.7	E 3.3	5.5	6.8	7.5
20	16.8	17.0	17.9	20.8	16.3	13.8	10.5	13.3	E 3.1	6.2	6.9	6.3
21	16.5	15.8	19.9	20.4	16.6	13.2	10.0	12.7	E 2.9	6.5	8.0	5.4
22	16.0	13.6	20.7	19.0	16.8	12.3	9.7	12.7	E 3.0	6.5	9.6	5.1
23	14.7	11.9	21.6	17.8	16.8	11.5	9.6	12.2	E 3.1	6.6	10.6	4.9
24	13.6	11.5	22.3	16.9	16.6	11.0	9.2	10.6	3.0	6.6	11.1	4.9
25	12.7	10.6	23.2	16.3	16.4	10.7	8.9	9.7	2.9	6.8	11.1	5.6
26	11.5	9.0	23.6	14.9	16.3	10.4	9.0	9.2	3.1	7.0	10.8	7.0
27	12.3	8.3	24.0	15.4	16.3	10.2	9.2	8.9	3.3	7.9	10.6	8.3
28	13.3	7.7	24.4	15.0	17.4	10.4	9.2	8.4	3.5	7.8	10.7	9.8
29	14.1	7.4	24.9	14.9	19.0	10.5	9.3	7.9	4.2	7.0	10.9	10.0
30	15.0		25.2	15.2	21.7	11.2	9.5	7.4	4.7	6.3	11.0	11.4
31	15.8		25.5		23.5		10.2	5.7		6.0		12.9

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	17.22	18.27	12.74	22.48	14.85	20.19	10.54	11.17	2.85	5.40	7.92	10.42
MAX.	24.9	25.1	25.5	27.4	23.5	28.0	12.0	13.7	4.8	7.9	11.1	14.8
MIN.	11.5	7.4	3.0	14.9	10.9	10.2	8.9	5.7	E 1.6	3.7	5.7	4.9

E- ESTIMATED

HIGHEST STAGE WAS 28.0, JUNE 10.

LOWEST STAGE WAS 1.6 ON SEPT. 12.

DAILY STAGES FOR 1967

23

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. AVERAGE LOW WATER PLANE, 1.9 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.7	8.9	12.8	25.6	19.7	24.4	19.8	11.5	6.9	4.6	7.1	9.2
2	13.5	10.0	13.1	24.9	20.4	21.3	20.0	12.3	6.4	4.7	7.1	9.7
3	13.9	10.7	13.2	23.8	20.4	19.4	20.3	13.4	6.0	4.9	7.4	10.4
4	14.0	11.1	13.2	22.5	20.6	16.8	20.5	13.8	5.7	5.3	7.5	11.5
5	14.0	12.4	12.7	21.1	20.8	15.3	20.6	14.0	5.6	5.5	9.3	12.9
6	13.9	13.5	12.6	20.0	21.1	15.5	20.8	14.0	5.6	5.6	12.7	15.1
7	13.7	14.2	12.3	20.1	21.2	14.4	20.9	13.7	5.6	5.6	13.9	16.9
8	13.0	14.3	11.7	20.3	21.0	14.7	21.1	13.2	5.7	5.1	14.8	18.0
9	12.2	14.3	12.7	20.5	20.7	14.9	20.9	12.7	4.9	4.7	14.9	19.3
10	11.3	14.4	15.2	20.5	20.6	14.4	20.7	11.6	3.7	4.6	14.8	19.6
11	10.2	14.6	18.8	19.8	20.4	14.2	20.4	11.2	3.6	4.6	14.2	19.2
12	9.3	14.6	21.4	18.9	21.1	13.9	19.8	11.0	4.5	4.7	13.0	19.4
13	8.3	14.5	23.0	18.2	21.8	13.3	19.5	11.1	4.9	5.1	12.1	19.0
14	7.7	14.1	24.2	17.7	22.9	12.8	19.7	11.0	4.4	5.6	10.9	19.3
15	7.7	13.3	24.9	17.4	24.1	12.4	19.9	10.4	3.7	6.8	10.5	19.6
16	7.6	12.4	25.4	17.3	25.2	12.7	20.1	9.8	3.5	7.4	10.2	19.9
17	7.5	11.2	25.7	17.3	26.1	13.4	19.9	9.3	3.5	7.5	9.7	20.1
18	6.8	10.0	26.0	17.4	27.0	14.4	19.4	8.6	3.4	7.1	9.3	20.4
19	6.7	9.3	26.3	17.5	27.9	15.6	18.9	7.8	3.5	6.3	8.9	20.8
20	6.7	8.7	26.5	18.0	18.5	16.8	17.9	7.5	3.6	6.4	8.5	21.0
21	6.6	8.3	26.8	18.4	28.9	17.5	15.5	7.0	4.4	7.1	8.2	21.3
22	6.2	8.5	27.1	18.9	29.1	17.9	14.0	5.9	5.0	7.2	7.9	21.7
23	5.7	9.7	27.2	19.2	29.2	18.4	12.0	5.5	5.1	7.4	7.7	22.1
24	5.1	10.3	27.3	19.2	29.4	18.6	11.0	6.2	5.2	7.4	7.6	22.7
25	4.7	10.7	27.3	18.9	29.4	18.9	10.2	7.0	5.2	7.5	7.6	23.8
26	4.2	11.6	27.4	18.5	29.3	19.1	9.9	7.3	4.6	7.4	7.6	24.9
27	4.4	12.2	27.6	18.4	29.1	19.2	9.6	7.2	4.3	7.3	7.2	25.4
28	4.7	12.5	27.5	18.4	28.9	19.3	9.2	6.1	4.1	7.3	8.3	26.1
29	5.4		27.2	18.3	28.5	19.5	9.7	6.1	4.1	7.2	8.2	26.1
30	6.2		26.9	18.9	27.8	19.7	11.7	7.0	4.2	7.2	8.0	25.6
31	7.5		26.3		26.6		11.4	7.1		7.2		25.3

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	8.74	11.79	21.61	19.52	24.43	16.61	16.94	9.68	4.69	6.19	9.83	19.55
MAX.	14.0	14.6	27.6	25.6	29.4	24.4	21.1	14.0	6.9	7.5	14.9	26.1
MIN.	4.2	8.3	11.7	17.3	18.5	12.4	9.2	5.5	3.4	4.6	7.1	9.2

HIGHEST STAGE WAS 29.4 FROM 800 A.M., MAY 24 TO 800 A.M., MAY 25.
 LOWEST STAGE WAS 3.4 AT 800 A.M., SEPT. 18.

DAILY STAGES FOR 1966

23

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, TWO MILES SOUTHEAST OF HULBERT.

GAGE. INCLINED AND VERTICAL STAFFS, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GENERAL INFORMATION. AVERAGE LOW WATER PLANE, 1.9 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930, TO JULY 15, 1933, AND FROM JAN. 1, 1935, TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	8.5	3.2	25.8	11.3	22.7	16.7	6.2	2.4	3.4	2.8	2.6	4.6
2	9.7	2.9	24.4	11.4	23.0	15.8	6.0	3.9	3.2	3.1	2.3	5.2
3	10.8	3.1	22.5	11.3	23.6	14.7	6.0	4.0	3.2	3.4	2.3	5.4
4	12.6	3.2	19.3	11.2	24.2	13.3	5.5	4.0	3.2	4.3	2.2	7.1
5	14.9	3.2	17.9	11.1	24.9	12.0	5.6	4.1	3.2	4.5	2.1	8.0
6	16.4	3.0	15.0	10.8	25.6	11.2	6.0	4.1	2.9	4.5	3.0	8.5
7	17.5	2.8	15.2	10.6	26.3	10.5	6.8	4.0	2.4	4.6	3.4	8.8
8	18.7	2.5	15.5	10.6	26.7	9.8	7.1	3.9	2.3	4.8	3.6	8.8
9	19.5	2.3	16.1	10.8	27.0	9.2	6.1	3.6	2.5	5.2	4.2	8.9
10	20.3	3.9	16.7	11.1	27.1	8.8	5.8	3.0	2.9	5.3	5.3	9.0
11	20.5	4.8	17.2	11.2	27.3	8.8	5.3	2.7	2.9	E 4.2	6.0	9.3
12	20.3	6.6	17.2	11.3	27.4	8.8	4.9	2.7	2.8	E 2.8	7.1	10.2
13	19.7	10.4	16.9	11.3	27.5	8.7	4.6	3.0	2.4	E 2.3	7.7	10.4
14	18.8	15.6	16.4	11.2	27.3	8.7	4.4	3.7	1.9	2.7	7.8	14.9
15	17.9	20.1	16.0	11.9	26.8	8.9	4.3	3.7	1.5	2.6	8.1	18.0
16	17.1	23.3	15.5	13.0	26.3	9.5	4.3	3.8	1.5	2.6	8.5	19.8
17	15.9	25.0	14.9	13.8	25.5	10.2	4.9	4.2	1.6	2.7	9.3	20.6
18	14.7	26.0	14.5	14.7	24.4	10.7	5.4	5.2	1.8	2.6	9.9	20.9
19	13.6	26.8	14.3	15.1	23.7	12.1	6.6	5.7	2.3	2.6	10.4	21.0
20	12.0	27.2	14.1	16.1	23.2	13.3	6.9	5.7	2.0	2.8	10.5	21.0
21	9.9	27.6	13.9	16.8	23.5	14.1	6.9	5.6	1.8	2.9	10.2	21.1
22	8.2	27.8	13.6	17.3	23.8	14.0	6.3	4.9	1.6	2.9	9.5	21.1
23	7.6	27.9	13.3	17.4	24.2	13.3	5.4	5.1	3.0	3.3	8.7	21.2
24	7.2	27.9	12.8	17.7	24.7	12.2	4.9	5.3	3.4	4.0	7.2	21.1
25	6.7	27.8	12.2	18.6	24.5	11.1	4.4	5.9	3.4	4.6	5.4	19.3
26	6.0	27.6	11.8	19.5	24.4	10.0	4.2	5.8	3.5	5.2	5.0	18.2
27	5.6	27.2	11.1	20.4	23.7	8.9	4.0	5.3	3.7	5.3	5.0	17.4
28	5.3	26.7	10.5	20.9	22.7	8.0	3.7	4.6	3.6	4.0	4.9	15.3
29	5.0		10.5	21.5	21.2	7.5	3.3	4.0	3.2	3.8	4.9	14.2
30	4.6		10.6	22.1	18.9	6.8	2.0	3.8	3.0	3.3	4.5	13.0
31	4.0		11.0		17.3		2.0	3.5		2.9		12.4

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	12.55	15.58	15.37	14.39	24.49	10.91	5.14	4.22	2.66	3.62	6.04	14.01
MAX.	20.5	27.9	25.8	22.1	27.5	16.7	7.1	5.9	3.7	5.3	10.5	21.2
MIN.	4.0	2.3	10.5	10.6	17.3	6.8	2.0	2.4	1.5	E 2.3	2.1	4.6

E- ESTIMATED

HIGHEST STAGE WAS 27.9, FEB. 23, 24.

LOWEST STAGE WAS 1.5, SEPT. 15, 16.

MISSISSIPPI RIVER L. W. GAGE 235.0 NEAR HULBERT, ARK.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GAGE. STAFF IN INCLINED AND VERTICAL SECTIONS. GAGE IS READ AND MAINTAINED BY MEMPHIS DISTRICT, CORPS OF ENGINEERS.

GENERAL INFORMATION. AVERAGE LOW WATER PLANE, 1.9 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930 TO JULY 15, 1933, AND FROM JAN. 1, 1935 TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 180.09 FEET, M.S.L [1929-58 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	11.5	14.9	15.2	25.5	26.8	13.7	10.2	12.0	4.8	19.8	8.1	6.9
2	12.2	15.6	14.8	26.8	26.0	13.6	9.6	10.7	5.1	19.7	7.9	7.1
3	13.0	15.9	15.2	27.9	25.8	13.2	9.0	8.9	5.2	19.6	7.7	7.4
4	13.3	15.9	16.3	28.8	25.8	13.2	8.2	7.3	5.7	19.2	7.6	7.7
5	13.3	15.4	17.5	29.7	26.0	13.4	9.6	6.0	7.7	18.5	7.5	7.7
6	13.6	15.1	18.6	30.2	26.2	13.5	11.2	5.1	9.3	16.9	7.3	7.5
7	14.5	14.2	19.8	30.7	26.1	13.5	13.1	4.4	10.2	15.5	6.7	6.9
8	15.9	13.1	21.1	31.2	25.9	13.7	14.6	4.5	10.5	14.1	6.2	6.3
9	17.7	11.9	22.2	31.5	25.4	14.6	15.0	4.8	9.4	13.3	6.5	5.4
10	19.0	10.8	22.9	31.8	24.5	15.5	14.8	5.1	8.3	13.0	6.4	5.2
11	19.2	9.8	23.3	32.2	23.4	16.6	14.3	5.8	9.4	13.1	6.2	5.2
12	19.5	12.2	23.5	32.4	22.1	17.1	13.7	5.3	10.0	13.0	5.8	
13	19.7	14.8	23.6	32.6	22.1	17.1	13.2	5.0	10.5	12.8	5.5	
14	20.1	18.4	23.4	32.6	20.4	16.8	12.7	4.9	11.8	12.4	4.9	4.2
15	20.3	21.5	23.2	32.5	19.9	16.2	12.2	4.5	12.3	11.8	5.2	4.2
16	20.3	23.7	23.0	32.4	19.4	15.4	11.6	4.3	13.6	11.2	5.7	4.3
17	20.1	25.3	22.8	32.3	19.1	14.7	11.4	4.1	13.3	10.4	5.5	4.2
18	19.8	26.1	22.6	32.3	18.7	14.1	11.0	4.2	11.8	10.0	5.5	4.2
19	19.5	26.5	22.1	32.2	18.2	13.6	10.9	4.1	11.8	9.5	5.4	4.4
20	19.2	26.7	21.4	32.2	17.7	13.2	10.7	3.8	11.3	9.3	5.5	5.3
21	18.7	26.3	20.9	32.1	17.0	13.2	10.5	3.7	12.0	9.3	6.0	6.3
22	17.5	25.7	21.1	32.0	16.5	12.7	10.3	3.6	13.1	9.6	6.6	6.5
23	16.4	24.8	21.6	31.9	16.0	12.4	9.7	3.6	13.1	9.8	6.7	6.6
24	14.9	23.5	22.4	31.7	15.4	12.2	9.0	3.7	12.9	9.8	6.9	6.6
25	13.4	22.1	23.1	31.5	14.9	11.9	8.6	3.7	12.8	9.7	7.2	6.3
26	12.3	20.2	23.6	31.1	14.4	11.7	9.5	3.8	13.9	9.5	7.3	5.8
27	11.2	18.0	22.8	30.7	14.4	11.5	11.2	3.8	15.4	9.6	7.5	5.5
28	10.8	16.3	22.4	30.0	13.6	11.5	12.6	3.8	16.9	9.6	7.2	5.7
29	11.9		22.7	28.9	13.2	11.2	13.6	3.4	18.4	9.4	6.8	6.0
30	13.3		23.5	27.9	13.0	10.6	14.0	3.1	19.5	9.2	6.8	6.5
31	14.2		24.2		13.2		13.3	3.7		8.5		7.4

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	16.01	18.74	21.32	30.85	20.04	13.72	11.59	4.99	11.33	12.49	6.54	
MAX.	20.3	26.7	24.2	32.6	26.8	17.1	15.0	12.0	19.5	19.8	8.1	
MIN.	10.8	9.8	14.8	25.5	13.0	10.6	8.2	3.1	4.8	8.5	4.9	

HIGHEST STAGE WAS 32.6, APR. 13 AND 14.
LOWEST STAGE WAS 3.1, AUG. 30.

DAILY STAGES

23

A18

MISSISSIPPI RIVER AT L.W. GAGE 235.0 R.

LOCATION. LAT. 35-06-20, LONG. 90-10-50. MILE 727.6, AT WYANOKE LANDING, NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

GAGE. INCLINED AND STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. AVERAGE LOW WATER PLANE, 1.9 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1930 TO JULY 15, 1933, AND FROM JAN. 1, 1935 TO DATE.

EXTREMES. HIGHEST, 49.8 FEET ON FEB. 11, 1937. LOWEST, MINUS 2.4 FEET ON JAN. 24, 1956.

DAILY EIGHT A.M. STAGE IN FEET FOR 1964

GAGE ZERO, 180.09 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	-1.0	10.8	7.9	32.0	26.6	9.5	13.8	4.0	3.4	4.0	2.1	7.7
2	-1.4	10.9	6.3	31.6	27.0	10.0	13.4	3.8	3.3	4.6	2.6	8.3
3	-1.6	10.9	5.1	30.9	27.5	10.9	12.4	3.7	3.2	5.4	2.8	9.5
4	-1.4	10.6	5.4	30.0	27.7	11.5	10.7	3.6	3.1	6.5	2.6	10.0
5	-1.4	9.9	6.0	28.1	27.7	11.2	9.5	3.5	2.9	6.7	2.1	9.5
6	-1.0	9.4	7.0	26.1	27.6	10.2	8.4	3.5	2.8	6.7	2.1	9.4
7	-0.6	8.6	9.8	23.8	27.5	8.9	7.7	3.4	2.7	6.6	2.0	9.9
8	0.0	7.9	13.8	22.1	27.1	8.1	6.8	3.5	2.5	6.5	2.2	11.4
9	1.0	6.7	17.3	21.9	26.8	7.8	5.9	3.6	2.2	6.0	2.2	12.3
10	1.6	5.5	20.9	23.3	25.8	7.0	5.4	3.7	2.0	5.6	2.5	13.2
11	2.5	4.8	23.4	24.7	24.7	6.8	5.8	3.8	2.1	5.3	2.9	13.8
12	5.2	5.0	25.9	26.0	23.1	6.8	6.4	3.8	2.7	5.2	2.8	13.0
13	7.5	5.6	27.5	26.7	22.1	6.8	6.0	3.6	2.7	4.6	2.7	12.8
14	8.3	6.0	28.3	26.8	19.5	6.6	6.1	2.9	2.7	3.9	2.6	13.0
15	9.0	6.4	29.4	26.5	17.8	6.6	6.2	2.6	2.8	3.6	2.6	13.2
16	9.7	6.2	29.9	26.3	16.2	6.5	6.5	3.2	3.4	3.0	2.5	13.5
17	9.2	6.5	30.3	26.1	15.1	6.3	6.7	3.1	3.9	2.7	2.6	14.2
18	8.9	6.5	30.6	25.9	14.0	6.0	7.0	2.9	4.0	2.7	2.7	14.8
19	8.7	7.2	30.8	25.6	12.9	6.0	7.2	2.4	3.9	2.8	2.6	15.4
20	8.6	8.7	31.1	25.1	12.5	7.7	7.2	2.8	3.8	3.0	2.8	15.6
21	8.0	10.2	31.6	24.2	12.3	10.0	7.0	3.2	3.7	2.8	3.1	15.3
22	6.3	11.1	31.9	23.0	11.9	11.7	6.8	3.4	3.1	2.8	3.7	15.0
23	4.2	11.5	32.2	21.0	11.7	12.8	6.6	3.0	3.0	2.9	4.6	14.5
24	3.4	11.6	32.4	20.0	11.3	13.3	6.1	2.8	3.4	3.0	5.4	13.4
25	4.0	11.6	32.6	19.6	10.9	13.1	5.5	3.0	3.4	2.9	5.7	12.6
26	4.8	11.4	32.7	20.4	10.3	13.2	5.1	3.6	3.6	2.9	5.8	11.2
27	5.7	10.9	32.7	22.4	9.8	13.8	4.8	3.5	3.6	2.9	5.8	9.8
28	7.2	10.3	32.6	23.9	9.3	14.0	4.4	3.3	3.6	3.1	5.9	8.9
29	8.5	9.5	32.5	25.1	8.9	14.2	4.3	3.6	3.5	2.8	5.8	9.0
30	9.7		32.4	25.9	8.8	14.2	4.2	3.9	3.5	2.1	6.5	9.9
31	10.4		32.2		9.1		3.9	3.7		1.8		10.6

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	4.65	8.70	23.95	25.17	18.18	9.72	7.03	3.37	3.15	4.05	3.41	11.96
MAX.	10.4	11.6	32.7	32.0	27.7	14.2	13.8	4.0	4.0	6.7	6.5	15.6
MIN.	-1.6	4.8	5.1	19.6	8.8	6.0	3.9	2.4	2.0	1.8	2.0	7.7

HIGHEST STAGE WAS 32.7 AT 800 A.M., MAR. 26 AND 27.
 LOWEST STAGE WAS MINUS 1.6 AT 800 A.M., JAN. 3.
 MEMPHIS DISTRICT, CORPS OF ENGINEERS.

1963

MISSISSIPPI RIVER
L.W. 235.0 R

*Zero of gage: 180.09 m.s.l. (180.61 m.g.l.) 724.4 R Miles A.H.P.
Lat.: 35° 06' 20" - Long.: 90° 10' 50"
Memphis District, CE gage.

Incline and vertical gage located at Wyanoke Landing, Arkansas, near foot of
Bauxippi-Wyanoke revetment

Highest: 35.80 on 30-31 March.

Lowest: -0.60 on 28 December.

Period of record: 1 January 1930 to 15 July 1933; from August 1934 to date.

Highest for period of record: 49.80 on 11 February 1937.

Lowest for period of record: -2.40 on 24 January 1956.

*Zero of gage changed from 180.40 to 180.09 m.s.l. by 1958 level adjustment.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.*	Dec.
1	11.9	4.2	8.1	35.6	11.7	14.2	6.8	6.4	3.7	-1.6	0.4	2.0
2	12.4	3.1	8.8	35.0	12.5	14.4	6.4	6.2	4.3	1.4	0.4	2.5
3	12.0	3.1	8.7	34.6	13.6	13.8	5.8	5.9	4.7	1.3	0.3	3.5
4	11.2	3.2	8.2	34.2	15.7	13.4	6.3	6.1	4.3	1.3	0.2	3.3
5	10.8	3.3	7.9	33.6	17.0	13.0	6.8	5.9	3.5	1.3	0.4	2.9
6	10.7	3.7	8.3	33.2	17.1	12.5	7.3	5.7	3.1	1.4	0.6	3.2
7	10.8	4.3	9.5	32.9	16.4	11.3	6.8	6.1	3.1	1.5	0.8	3.6
8	10.9	6.4	12.6	32.5	15.5	10.4	6.4	6.2	3.5	1.4	0.6	3.7
9	10.7	7.7	18.0	31.3	14.4	9.6	6.2	6.2	3.7	1.3	0.6	3.9
10	9.4	8.6	22.5	30.5	13.7	9.1	5.6	6.3	2.9	1.2	1.5	3.7
11	8.6	9.7	25.1	28.4	13.0	9.0	5.0	6.0	2.7	1.2	1.9	3.3
12	6.5	10.2	26.4	26.3	11.9	9.5	4.9	5.7	2.5	1.3	2.0	2.9
13	5.6	10.8	27.3	23.9	11.3	10.2	4.9	5.2	2.7	1.3	2.2	2.4
14	5.8	10.7	28.0	21.4	10.8	10.8	4.8	5.4	3.0	1.2	2.0	2.2
15	5.9	10.6	28.6	19.3	10.4	11.2	4.5	5.7	3.1	1.1	1.9	2.7
16	6.3	10.6	29.2	17.9	10.1	11.8	4.3	5.8	3.3	1.0	1.9	3.0
17	7.2	10.5	30.0	16.4	9.9	11.4	4.6	5.8	3.3	0.9	1.4	3.0
18	7.9	10.4	30.6	15.3	9.9	11.2	5.2	5.2	3.1	1.0	1.1	2.9
19	8.4	10.1	31.4	13.6	10.3	11.2	5.2	4.6	2.8	1.2	0.8	2.9
20	9.1	9.8	32.1	12.0	10.7	11.0	5.1	4.1	2.6	1.1	0.7	2.7
21	9.9	9.2	32.9	10.9	11.7	10.8	5.3	3.6	2.3	0.9	0.5	2.3
22	10.6	8.7	33.6	10.2	13.1	9.6	5.4	3.3	2.2	0.9	0.4	1.6
23	11.2	7.9	34.0	9.8	14.4	8.7	5.9	3.8	2.1	0.8	0.5	1.1
24	10.9	6.9	34.5	9.4	15.0	8.1	6.5	4.0	1.9	0.7	0.9	0.7
25	9.4	6.3	34.9	9.2	14.9	7.6	6.9	3.9	1.3	0.7	0.9	0.2
26	8.0	6.5	35.1	9.4	14.9	7.5	7.3	3.7	1.0	0.7	1.1	0.0
27	7.0	6.7	35.3	9.7	14.9	7.5	7.6	3.4	1.3	0.8	1.4	-0.4
28	5.8	7.3	35.5	9.9	14.1	7.4	7.6	3.4	1.6	0.7	1.6	-0.60
29	5.1		35.7	10.5	13.2	7.3	7.3	3.3	1.7	0.6	1.8	-0.3
30	4.8		35.80	11.2	13.2	7.0	6.9	3.3	1.7	0.5	1.8	-0.2
31	4.5		35.80		13.7		6.8	3.2		0.5		-0.5

8:00 a.m. readings.

IMS 21

June 62

1962

MISSISSIPPI RIVER
L.W. 235.0 R

*Zero of gage: 180.09 m.s.l. (180.61 m.g.l.) 724.4 R Miles A.H.P.
Lat.: 35° 06' 20" - Long.: 90° 10' 50"
Memphis District, CE gage

Incline and vertical gage located at Wynoke Landing, Arkansas, near foot of
Bauxippi-Wynoke revetment

Highest: 36.30 on 19-21 March

Lowest: 2.40 on 20 December

Period of record: 1 January 1930 to 15 July 1933; from August 1934 to date

Highest for period of record: 49.80 on 11 February 1937

Lowest for period of record: -2.40 on 24 January 1956

*Zero of gage changed from 180.40 to 180.09 m.s.l. by 1958 level adjustment

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	21.2	27.3	27.0	35.7	25.2	13.0	11.5	11.6	4.7	6.0	6.0	10.4
2	19.4	28.0	29.0	35.7	24.0	13.3	11.2	11.1	5.2	6.3	5.8	10.7
3	17.6	28.2	30.3	35.7	23.1	13.6	10.9	10.4	5.6	6.7	5.5	11.0
4	16.2	28.5	31.4	35.7	22.6	14.1	10.4	9.9	5.7	6.9	5.5	10.6
5	15.2	28.8	32.4	35.7	22.2	15.3	10.0	9.6	5.7	7.1	5.6	8.8
6	14.3	28.8	33.4	35.7	21.9	16.8	9.7	9.2	5.9	7.3	5.9	6.8
7	13.5	28.8	34.2	35.6	21.5	17.4	9.4	8.9	6.5	8.4	6.0	5.7
8	12.9	28.7	34.7	35.5	21.0	17.2	9.9	8.6	7.0	9.0	6.3	5.5
9	13.2	28.5	35.1	35.4	20.4	16.7	11.0	8.2	7.2	9.1	6.9	5.7
10	14.7	28.2	35.3	35.1	19.6	16.3	12.0	7.8	7.4	9.0	6.6	6.0
11	16.4	27.8	35.5	35.0	18.9	16.5	12.5	8.0	7.6	8.7	5.5	6.4
12	17.5	27.2	35.6	34.8	18.3	16.7	12.2	7.9	7.7	8.2	5.2	6.7
13	17.9	26.3	35.7	34.6	17.3	16.7	11.6	7.9	7.8	7.9	5.5	6.6
14	18.0	25.4	35.8	34.3	16.8	16.7	11.2	7.6	7.9	7.3	6.7	6.3
15	18.1	24.3	35.9	34.1	16.4	16.9	11.0	7.2	8.0	7.3	7.6	5.9
16	18.2	23.5	36.0	34.0	16.5	17.4	10.8	6.8	8.4	7.4	8.5	5.0
17	18.4	22.4	36.0	34.0	16.8	17.6	10.5	6.5	9.0	7.6	9.8	4.2
18	19.2	21.6	36.1	34.0	16.8	17.8	10.4	6.0	8.8	7.6	10.6	3.2
19	19.4	21.1	36.30	34.0	16.4	17.8	10.6	5.8	8.6	7.4	11.7	3.0
20	19.2	20.7	36.30	33.9	15.9	17.5	11.1	5.6	8.0	7.3	12.2	2.40
21	18.7	20.5	36.30	33.8	15.4	16.9	12.0	5.4	8.0	8.2	12.3	3.0
22	18.1	20.4	36.0	33.6	14.4	15.9	13.0	5.2	8.1	8.5	12.1	3.7
23	18.2	20.4	35.6	33.4	13.8	14.6	12.9	4.9	8.1	7.9	11.4	4.3
24	18.0	20.5	35.2	33.2	13.3	13.8	12.6	4.8	7.1	7.3	10.9	4.7
25	18.9	20.6	35.0	32.9	12.9	13.4	11.7	4.6	6.7	7.0	10.1	5.3
26	20.4	21.4	35.1	32.4	12.3	12.9	11.3	4.4	6.3	6.9	10.4	6.0
27	22.2	23.2	35.1	31.6	12.0	12.4	11.0	4.4	6.0	7.0	10.3	7.0
28	23.5	25.2	35.1	30.0	11.8	12.2	11.0	4.4	5.9	6.8	10.3	8.1
29	24.8		35.2	28.7	11.7	12.1	11.7	4.7	5.9	6.7	10.2	8.9
30	25.7		35.3	26.8	12.2	11.8	12.0	4.9	5.9	6.5	10.2	9.7
31	26.6		35.6		12.6		12.2	4.8		5.9		10.4

8:00 a.m. readings

IMS 21

June 62

1961

 MISSISSIPPI RIVER
 L.W. 235.0 R

*Zero of gage: 180.09 m.s.l. (180.61 m.g.l.) 724.4 R Miles A.H.P.
 Lat.: 35° 06' 20" - Long.: 90° 10' 50"
 Memphis District, CE Gage.

Incline and vertical gage located at Wyanoke Landing, Arkansas, near foot of
 Bauxippi-Wyanoke revetment.

Highest: 38.80 on 22 May.

Lowest: 2.30 on 6 February.

Period of record: 1 January 1930 to 15 July 1933; from August 1934 to date.

Highest for period of record: 49.80 on 11 February 1937.

Lowest for period of record: -2.40 on 24 January 1956.

*Zero of gage changed from 180.40 to 180.09 m.s.l. by 1958 level adjustment.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	4.4	3.5	22.9	31.9	27.0	25.1	13.3	15.7	6.4	14.3	6.2	15.9
2	4.9	3.4	23.7	31.1	27.0	22.3	11.7	15.2	6.8	13.9	5.8	15.4
3	6.1	3.5	24.5	30.5	26.9	20.2	10.6	14.4	6.4	12.9	6.1	15.0
4	7.5	3.2	25.3	30.1	26.7	18.3	10.1	13.4	6.2	12.1	6.5	14.8
5	8.9	2.5	26.1	29.7	26.6	16.9	10.1	12.9	6.2	11.4	7.3	14.4
6	9.8	2.30	26.6	29.3	26.6	16.1	10.3	12.7	6.4	10.5	9.5	13.9
7	10.3	2.5	27.0	28.6	26.7	15.8	10.7	12.6	6.4	10.3	12.0	13.3
8	10.4	3.0	27.4	27.7	26.9	15.6	10.8	12.7	6.1	11.0	14.0	11.9
9	10.0	3.3	28.0	26.8	27.7	15.5	10.4	12.9	6.2	11.4	15.6	10.6
10	9.6	3.8	28.5	26.1	28.6	15.3	9.9	13.4	6.5	11.4	16.2	10.6
11	9.0	4.4	29.1	25.6	29.5	15.2	9.3	13.6	7.0	10.6	16.7	10.7
12	7.9	4.8	29.8	25.4	30.4	15.7	8.8	13.5	7.6	10.1	16.5	11.6
13	6.6	5.3	30.8	25.2	31.5	16.6	9.0	13.3	7.4	9.6	15.9	13.3
14	5.8	6.4	31.6	24.9	32.6	16.9	9.7	13.1	7.1	8.9	14.7	14.9
15	5.4	7.4	32.4	25.4	34.0	17.1	9.8	12.7	6.9	7.8	13.6	16.4
16	5.1	8.0	33.0	26.0	35.1	17.5	9.2	12.4	6.6	7.5	13.0	17.2
17	4.6	8.3	33.4	26.5	36.3	18.2	8.6	12.2	6.3	7.2	12.0	18.4
18	4.5	8.4	33.7	27.0	37.3	19.4	8.7	12.2	7.1	7.5	11.5	18.7
19	5.3	8.6	34.0	27.3	38.0	20.2	9.0	12.2	10.5	9.1	11.4	18.9
20	6.5	8.9	34.3	27.5	38.5	20.7	9.3	11.7	14.0	10.2	11.6	19.6
21	7.1	9.8	34.4	27.6	38.7	21.1	9.7	11.0	15.9	10.4	12.3	20.7
22	7.5	11.3	34.6	27.5	38.80	21.3	10.4	10.0	17.2	10.2	14.3	21.6
23	8.4	13.0	34.6	27.3	38.7	21.5	10.8	8.6	17.3	9.7	16.9	22.4
24	9.5	14.3	34.5	27.0	38.5	21.5	11.6	7.2	16.2	8.9	17.8	23.0
25	10.1	17.5	34.3	26.7	37.7	21.1	12.3	6.5	15.1	8.2	18.5	23.5
26	10.6	19.8	34.1	26.4	36.9	20.6	12.7	6.5	13.8	8.0	18.8	23.9
27	10.6	21.1	33.8	26.3	36.0	19.5	13.3	6.6	12.8	7.8	18.7	24.5
28	10.1	22.2	33.5	26.2	34.8	18.0	14.2	6.7	12.4	7.6	18.2	24.8
29	9.1		33.2	26.5	32.9	16.5	15.6	6.5	12.8	7.6	17.5	24.7
30	7.6		32.8	26.7	31.0	14.9	15.9	6.2	13.6	7.5	16.7	24.1
31	4.8		32.5		28.0		15.9	6.2		6.7		22.5

8:00 a.m. readings.

1960

MISSISSIPPI RIVER
L.W. 235.0 R

*Zero of gage: 180.09 m.s.l. (180.61 m.g.l.) 724.4 R Miles A.H.P.
Lat.: 35° 06' 20" - Long.: 90° 10' 50"
Memphis District, CE Gage.

Incline and vertical gage located at Wyanoke Landing, Arkansas, near foot of Bauxippi-Wyanoke revetment.

Highest: 32.70 on 18 April.

Lowest: 2.80 on 2 November.

Period of record: 1 January 1930 to 15 July 1933; from August 1934 to date.

Highest for period of record: 49.80 on 11 February 1937.

Lowest for period of record: -2.40 on 24 January 1956.

*Zero of gage changed from 180.40 to 180.09 m.s.l. by 1958 level adjustment.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	18.0	17.2	18.0	19.3	19.8	20.1	20.8	7.3	6.3	4.9	3.1	4.5
2	17.6	16.5	17.3	21.1	18.8	20.0	21.2	7.2	5.8	5.0	2.80	4.6
3	18.0	15.9	17.1	23.2	18.1	20.0	21.6	7.0	5.3	5.0	3.0	4.9
4	18.4	15.5	16.8	24.7	17.7	20.0	21.7	6.6	5.3	4.9	3.2	5.4
5	18.5	15.1	16.8	26.1	17.8	19.7	21.8	6.3	5.9	4.9	3.5	5.3
6	18.4	14.7	17.5	27.0	18.4	19.4	21.9	6.2	6.7	4.6	3.6	5.3
7	18.0	14.4	18.4	28.0	19.0	18.9	22.1	6.0	7.7	4.7	4.2	5.2
8	17.8	14.3	19.0	28.8	18.9	18.3	22.6	5.9	8.1	4.7	5.1	5.0
9	17.4	14.6	19.4	29.5	18.6	17.7	23.0	6.5	7.8	4.7	6.2	4.8
10	17.0	15.7	19.1	30.0	18.7	16.9	23.0	6.8	7.7	4.8	6.9	4.5
11	16.7	16.7	18.5	30.5	19.0	16.3	22.7	7.3	7.3	4.8	6.5	4.2
12	16.6	17.8	17.9	31.0	19.5	14.9	22.1	7.5	6.5	4.6	6.3	4.2
13	16.8	18.7	16.8	31.4	20.1	14.0	20.6	7.7	6.2	4.3	6.5	4.8
14	17.1	19.2	15.8	31.8	20.8	13.8	18.6	7.5	6.3	4.0	6.6	5.4
15	17.2	19.7	14.7	32.2	21.6	13.6	16.6	7.4	6.3	3.9	6.9	5.8
16	17.2	20.2	13.9	32.4	22.0	13.4	14.8	7.3	6.2	3.6	7.4	6.0
17	17.5	20.8	13.3	32.6	22.3	13.3	14.2	7.0	6.3	3.5	7.3	6.0
18	18.5	21.4	13.1	32.70	22.3	13.7	14.0	7.0	6.4	3.3	7.0	5.9
19	19.8	21.7	13.2	32.3	22.2	14.5	13.9	6.9	6.3	3.3	6.7	5.7
20	21.3	21.9	13.6	32.1	22.1	15.6	13.4	6.0	6.1	3.5	6.3	5.3
21	22.9	22.0	14.3	31.4	21.8	16.5	12.4	6.3	6.4	3.3	6.2	4.9
22	24.0	22.2	15.1	30.9	21.7	17.1	11.5	6.1	6.9	3.5	6.1	4.7
23	24.8	22.3	15.9	30.0	21.7	16.8	10.8	6.0	6.9	4.0	5.9	4.2
24	25.3	22.3	16.6	28.9	21.6	16.0	10.3	6.0	6.6	4.0	5.6	3.9
25	25.4	22.0	17.2	27.8	21.6	15.1	9.8	5.9	6.3	3.8	5.6	4.0
26	24.9	21.6	17.5	26.5	21.5	14.9	9.4	6.0	6.1	3.7	5.7	4.1
27	24.0	20.8	17.6	25.4	21.0	15.4	8.7	6.2	6.0	3.5	5.7	4.3
28	22.5	19.8	17.7	23.9	20.5	16.1	8.3	6.8	5.8	3.4	5.6	4.0
29	21.1	18.4	17.9	22.5	20.3	18.0	8.1	6.9	5.3	3.4	5.4	3.5
30	19.7		18.3	21.1	20.2	19.8	7.8	7.0	4.9	3.4	4.8	3.6
31	18.3		18.6		20.2		7.5	6.8		3.3		3.9

8:00 a.m. readings.

MISSISSIPPI RIVER
L.W. 235.0 R

Zero of gage: 180.40 m.s.l. (180.61 m.g.l.) 724.4 R Miles A.H.P.
Lat.: 35°06'20" - Long.: 90°10'50"
Memphis District, CE Gage.

Incline and vertical gage located at Wyanoke Landing, Arkansas, near foot of
Bauxippi-Wyanoke revetment.

Highest: 27.65 on 25, 26 February.

Lowest: 0.80 on 25 September.

Period of record: 1 January 1930 to 15 July 1933; from August 1934 to date.

Highest for period of record: 49.80 on 11 February 1937.

Lowest for period of record: -2.40 on 24 January 1956.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	2.2	24.7	27.0		17.3	16.6	6.2	6.8	4.6	3.9	7.7	8.7
2	3.5	25.0	26.6		16.2	16.0	6.2	6.7	4.5	5.0	8.2	10.2
3	4.2	25.2	26.0		15.2	15.5	6.5	6.2	4.6	7.0	8.5	11.3
4	4.6	25.4	25.1		14.8	15.2	6.7	5.5	5.2	8.4	8.7	12.1
5	4.8	25.5	24.1		14.8	15.5	6.8	5.3	5.5	9.2	8.7	12.8
6	5.2	25.5	23.1		15.1	16.4	6.9	4.8	5.5	9.4	8.2	13.1
7	5.7	25.4	22.1		15.3	17.8	7.0	4.8	5.7	9.2	8.3	13.1
8	6.9	24.9	21.2		15.2	18.3	7.8	5.0	5.6	9.2	8.7	13.1
9	7.7	24.2	20.6		15.0	18.2	8.8	5.5	5.4	9.4	9.1	13.0
10	8.0	23.0	20.1		15.0	17.5	9.5	7.0	5.6	9.8	9.3	12.9
11	8.1	21.6			15.1	17.0	9.2	8.6	5.2	11.0	9.5	12.7
12	8.0	19.8		20.3	15.2	16.6	8.5	9.4	4.7	13.0	9.6	12.6
13	7.4	18.0		20.4	15.5	15.9	7.7	9.6	4.6	14.4	9.6	12.2
14	6.0	18.0		20.6	16.1	14.8	6.8	9.0	4.5	15.2	9.5	11.9
15	4.9	19.5		21.0	16.7	13.0	6.4	8.2	4.4	15.8	9.3	12.4
16	4.2	21.0		21.1	16.8	11.5	6.2	7.0	4.0	16.0	9.0	13.8
17	3.5	22.5		21.0	16.5	10.7	6.0	5.9	3.4	15.4	8.7	15.1
18	4.1	24.1		20.6	16.0	9.8	5.8	5.5	3.0	13.8	8.0	16.3
19	5.3	25.2		20.5	15.6	9.4	5.6	5.3	2.8	12.6	7.3	17.3
20	6.9	26.2		20.0	15.1	9.2	5.5	6.7	2.5	11.3	7.3	18.0
21	8.4	26.8		19.7	14.9	8.5	5.8	7.3	1.8	10.3	7.4	19.0
22	10.0	27.0		19.7	15.5	7.9	6.2	7.0	1.6	9.6	7.5	20.3
23	12.0	27.4		19.7	16.1	7.2	6.2	6.4	1.4	9.2	7.4	21.6
24	15.0	27.55		20.2	16.2	6.8	6.1	6.3	1.0	8.7	7.1	22.6
25	18.0	27.65		20.2	16.4	6.2	6.0	5.8	0.80	8.1	6.5	23.0
26	20.2	27.65		20.0	16.6	5.8	6.0	5.2	1.0	7.3	6.2	23.1
27	21.9	27.55		19.8	17.0	5.8	6.4	4.7	1.0	6.7	6.1	23.0
28	23.0	27.3		19.5	17.2	6.2	6.9	4.4	1.3	6.2	6.4	22.0
29	23.8			19.2	17.5	6.2	7.1	4.1	1.9	6.4	7.2	21.0
30	24.2			18.4	17.6	6.2	7.1	3.6	2.8	6.7	8.0	19.7
31	24.4				17.2		6.9	3.9		7.2		18.7

8:00 a.m. readings.

1958
MISSISSIPPI RIVER
L. W. 235.0 R

Zero of gage: 180.40 m.s.l. (180.61 m.g.l.) 724.4 R Miles A.H.P.
Lat.: 35°06'20" - Long.: 90°10'50"
Memphis District, CE Gage

Incline and vertical gage located at Wyanoke Landing, Arkansas, near foot of Bauxippi-Wyanoke revetment.

Highest: 29.75 on 14-17 May.
Lowest: 1.70 on 31 December.
Period of record: 1 January 1930 to 15 July 1933; from August 1934 to date.
Highest for period of record: 49.80 on 11 February 1937.
Lowest for period of record: -2.40 on 24 January 1956.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	26.7	18.8	6.0	20.4	20.0	12.7	16.7	29.4	10.5	9.4	3.6	7.4
2	26.8	19.2	6.7	20.4	21.7	11.9	16.3	29.2	10.1	9.4	3.5	7.4
3	26.8	19.4	8.8	20.3	23.3	11.2	16.0	29.0	9.5	9.1	3.2	7.4
4	26.8	19.4	11.0	20.0	24.4	10.2	15.5	28.6	9.0	8.7	3.1	7.6
5	26.6	19.2	13.6	19.5	25.3	9.5	14.8	28.5	8.5	8.2	3.1	8.0
6	26.4	18.9	15.3	19.3	26.2	9.2	13.4	28.5	7.3	7.6	3.1	8.4
7	25.9	18.2	16.4	19.3	26.5	9.2	12.0	28.7	6.4	6.8	3.2	8.1
8	25.2	17.5	17.5	19.3	26.9	9.5	11.0	28.8	6.4	6.1	3.4	7.8
9	24.2	16.8	18.3	19.3	27.9	10.3	10.6	28.8	6.6	5.5	3.2	7.5
10	23.0	16.7	18.8	19.5	28.5	9.8	11.3	28.8	6.5	5.5	3.1	8.0
11	21.4	17.0	19.0	19.8	29.0	9.1	12.1	28.6	6.5	5.5	3.1	8.5
12	19.3	17.2	19.2	20.1	29.4	8.4	13.2	28.3	6.7	5.4	3.0	8.9
13	17.1	17.1	19.5	20.3	29.6	8.5	14.0	27.5	7.0	5.2	2.9	9.3
14	14.8	15.7	19.9	20.4	29.75	9.5	14.3	26.6	7.5	5.0	2.9	9.3
15	12.8	16.1	20.0	21.0	29.75	11.0	14.3	25.3	8.0	5.5	3.0	9.0
16	11.0	15.7	19.9	21.1	29.75	12.4	14.3	24.1	8.3	6.0	2.8	8.6
17	10.1	15.4	19.7	21.1	29.75	13.8	14.9	22.5	8.5	6.7	3.1	8.0
18	9.6	15.0	19.3	21.0	29.6	15.2	15.4	20.7	8.6	6.8	3.3	6.4
19	9.5	14.2	18.6	20.9	29.6	16.5	18.7	19.2	8.4	6.2	3.4	5.2
20	9.5	12.9	17.6	20.7	29.6	17.8	20.7	18.0	8.4	5.8	4.2	4.0
21	10.1	11.5	16.9	20.5	29.5	18.6	22.6	17.0	8.4	5.2	5.1	3.2
22	10.4	10.4	16.3	19.9	29.4	19.1	23.9	15.8	8.2	4.6	6.2	2.9
23	10.9	9.3	15.9	19.2	29.3	19.0	25.0	15.0	8.4	4.0	7.5	2.5
24	12.2	8.6	15.9	18.4	29.0	18.8	25.9	14.5	9.0	3.8	8.7	2.4
25	13.4	8.5	15.6	18.0	28.2	18.4	26.7	14.0	9.8	3.9	9.9	2.2
26	14.5	7.3	16.2	17.7	27.0	18.1	27.7	13.5	10.7	3.8	10.3	2.2
27	15.0	6.8	17.2	17.1	24.8	18.0	28.3	12.8	10.4	3.5	10.0	2.2
28	15.8	6.3	18.5	16.8	22.0	17.8	28.7	11.8	9.8	3.2	9.6	2.0
29	16.6		19.3	17.4	19.0	17.5	29.0	11.0	9.6	3.1	9.1	1.8
30	17.4		19.9	18.4	16.3	17.2	29.3	10.8	9.4	3.0	8.0	1.8
31	18.1		20.2		14.2		29.4	10.7		3.2		1.70

8:00 a.m. readings

1957
MISSISSIPPI RIVER
L. W. 235.C R

Zero of gage: 180.40 m.s.l. (180.61 m.g.l.) 724.4 R Miles A.H.P.
Lat.: 35°06'20" - Long.: 90°10'50"
Memphis District, CE Gage

Incline and vertical gage located at Wyanoke Landing, Arkansas, near foot of Bauxippi-Wyanoke revetment.

Highest: 30.84 on 16-17 February
Lowest: 2.10 on 15 October
Period of record: 1 January 1930 to 15 July 1933; from August 1934 to date
Highest for period of record: 49.80 on 11 February 1937
Lowest for period of record: -2.40 on 24 January 1956

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	12.6	20.1	21.8	13.2	25.0	29.4	16.0	11.0	2.3	4.7	7.4	25.8
2	12.2	22.1	20.5	12.7	24.0	29.0	16.1	11.7	2.3	4.6	7.4	24.9
3	11.7	23.7	19.7	12.0	23.4	28.6	16.7	12.3	2.3	3.9	7.0	23.7
4	11.3	24.8	19.3	12.4	22.6	28.0	17.9	12.0	2.3	3.4	6.4	22.5
5	10.9	25.9	19.1	12.6	21.7	26.8	19.5	10.8	2.4	3.4	5.6	20.9
6	10.2	26.6	18.9	13.7	20.6	25.3	20.8	9.9	2.5	3.4	5.1	18.8
7	9.7	27.1	18.3	16.7	19.6	23.7	21.6	9.2	2.6	3.3	4.7	17.6
8	9.1	27.9	17.7	20.2	18.8	22.2	21.7	8.6	2.7	3.1	5.2	16.1
9	8.8	28.5	17.0	22.7	18.1	20.9	21.4	8.4	2.6	2.9	5.2	15.3
10	8.6	29.1	16.6	24.6	17.4	20.0	21.0	8.1	2.6	2.7	5.4	15.2
11	8.0	29.5	16.4	25.9	16.5	19.2	20.8	7.3	2.5	2.4	6.1	15.9
12	7.1	29.8	16.9	26.7	15.4	19.0	20.6	6.5	2.5	2.4	7.0	17.3
13	6.0	30.1	17.0	27.8	13.9	19.2	20.1	5.8	2.7	2.5	7.2	18.9
14	5.4	30.4	16.9	28.4	12.5	19.0	19.2	6.0	2.9	2.3	8.1	20.3
15	5.9	30.6	16.5	28.8	12.2	18.4	18.1	7.0	3.1	2.1	8.0	21.3
16	6.5	30.84	15.9	29.1	11.9	17.5	17.1	7.0	3.4	2.2	9.7	21.7
17	7.1	30.84	15.2	29.2	11.7	17.1	16.2	6.5	3.8	2.3	13.1	21.7
18	8.4	30.7	15.0	29.2	11.4	17.2	15.6	5.8	3.9	2.4	15.8	21.5
19	10.0	30.6	14.8	29.3	11.2	18.2	15.2	5.1	4.0	2.7	18.0	21.5
20	11.0	30.3	14.4	29.3	11.6	19.1	14.7	4.6	4.6	2.7	19.3	21.8
21	11.4	30.0	14.0	29.4	12.6	19.3	14.1	4.3	4.8	2.7	21.5	21.8
22	11.4	29.6	13.3	29.5	15.1	19.0	13.3	4.2	4.8	2.5	23.3	21.8
23	11.1	29.1	12.6	29.6	17.6	18.4	12.7	4.2	5.0	2.7	24.7	22.4
24	10.3	28.5	12.0	29.5	20.1	17.7	11.9	4.2	4.9	3.4	25.7	23.3
25	9.8	28.0	11.6	29.4	22.6	17.2	11.4	4.1	4.6	3.4	26.6	24.0
26	10.4	27.1	11.3	29.1	25.2	17.0	11.3	3.7	4.3	3.7	27.2	24.9
27	12.0	25.6	11.0	28.6	26.8	16.9	11.3	3.5	4.2	4.0	27.5	25.6
28	14.0	23.7	11.3	28.0	28.0	16.9	11.1	3.3	4.3	4.3	27.5	26.2
29	15.4		11.9	27.2	28.7	16.7	10.8	3.1	4.4	5.1	27.3	26.4
30	16.4		12.6	26.2	29.1	16.2	10.9	2.7	4.5	6.2	26.8	26.6
31	17.5		13.1		29.4		11.0	2.4		6.9		26.6

8:00 a.m. readings

1956
MISSISSIPPI RIVER
L. W. 235.0 R

Tero of gage: 180.40 m. s. l. 180.61 m. g. l. , 724.4 R miles A. M. P.
Lat.: 35°06'20" - Long.: 90°10'50"
Memphis District, CE gage.

Incline and vertical gage located at Wyncke Landing, Arkansas, near foot of Bauxippi-Wyncke revetment.

Highest: 29.30 on 29 February to 2 March

Lowest: -2.40 on 24 January

Period of record: 1 January 1930 to 15 July 1933; from August 1934 to date

Highest for period of record: 49.80 on 11 February 1937

Lowest for period of record: -2.40 on 24 January 1956

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	1.2	2.3	29.30	23.3	19.0	11.2	11.9	8.4	3.5	1.4	0.2	1.4
2	1.1	7.3	29.30	21.9	17.6	19.7	11.9	8.2	3.0	1.0	0.2	1.3
3	0.8	11.5	29.1	20.4	16.7	10.5	11.6	8.0	3.2	1.0	0.2	1.2
4	0.4	15.5	28.9	18.9	16.2	10.9	11.4	8.0	3.4	1.3	0.1	0.9
5	0.5	18.8	22.7	17.7	16.2	12.2	11.2	8.3	3.7	1.7	0.3	0.3
6	0.4	21.0	28.2	17.3	16.2	13.5	10.9	8.6	4.3	1.7	0.8	0.2
7	-0.1	22.4	27.8	17.3	16.3	14.7	10.6	9.4	4.7	1.3	0.8	0.1
8	-0.3	23.7	27.3	17.8	16.1	15.5	10.2	10.0	4.7	1.1	1.2	-0.2
9	-0.4	24.7	26.6	18.9	15.9	15.9	10.2	10.2	4.3	1.1	1.4	-0.6
10	-0.4	25.5	26.1	20.4	16.1	15.9	10.2	9.7	4.0	1.1	1.3	-1.0
11	-0.6	26.0	25.6	21.9	16.6	15.6	10.1	8.6	3.9	1.1	1.0	-0.6
12	-0.5	26.5	25.2	22.7	17.1	15.3	9.8	8.0	3.9	1.0	0.6	1.0
13	-0.4	26.7	24.7	23.3	17.6	14.9	9.5	7.8	3.9	1.0	0.0	2.5
14	-0.6	26.6	24.5	23.6	17.7	14.2	9.5	7.9	3.8	0.9	-0.2	3.4
15	-0.8	26.2	24.1	23.9	17.8	13.6	9.5	8.2	3.6	0.5	0.1	4.6
16	-0.9	25.7	23.9	23.9	17.2	12.6	9.5	9.1	3.4	0.3	0.3	6.3
17	-1.0	24.9	23.9	23.7	16.5	11.6	8.9	10.1	3.3	0.1	0.1	8.4
18	-1.2	25.1	24.3	23.8	16.0	10.6	8.4	10.9	3.0	0.0	-0.3	10.9
19	-1.3	25.1	24.8	24.1	15.5	9.7	7.5	11.4	3.1	-0.3	-0.4	12.5
20	-1.4	25.4	25.3	24.4	15.0	8.0	7.0	11.7	3.5	-0.7	-0.2	13.3
21	-1.6	26.4	25.8	24.5	14.6	6.2	6.8	11.3	4.1	-1.0	0.1	13.7
22	-1.7	27.2	26.2	24.5	14.2	5.7	7.3	10.4	4.4	-1.2	0.0	14.0
23	-2.2	27.6	26.4	24.2	13.9	6.1	8.0	9.2	4.4	-1.5	0.2	14.2
24	-2.40	28.0	26.5	23.5	14.0	6.8	8.7	8.4	4.3	-1.8	0.8	14.3
25	-2.3	28.5	26.5	22.9	14.0	7.5	8.8	7.4	3.5	-1.9	1.3	14.4
26	-2.1	28.8	26.2	22.6	14.1	8.8	8.6	6.5	2.5	-1.2	1.7	14.6
27	-1.7	29.0	26.0	22.3	13.7	9.9	8.3	6.2	2.3	-0.6	1.5	14.6
28	-1.2	29.1	25.7	21.8	13.4	10.1	8.2	5.9	2.1	-0.6	1.4	14.5
29	-1.0	29.30	25.4	21.2	12.9	10.7	8.1	5.5	1.8	-0.6	1.5	14.2
30	1.2		24.9	20.2	12.4	11.3	8.2	4.9	1.5	-0.5	1.6	13.6
31	1.0		24.3		11.7		8.2	4.3		0.0		13.1

8:00 A. M. readings

1955
MISSISSIPPI RIVER
L. W. 235.0 R

Zero of gage: 180.40 m. s. l. 180.61 m. g. l. 724.4 R miles A. H. P.
Lat.: 35°06'20" = Long.: 90°10'50"
Memphis District, CE gage.

Incline and vertical gage located at Wyanoke Landing, Arkansas, near foot of Bauxippi-Wyanoke revetment.

Highest: 35.20 on 2 April

Lowest: -0.60 on 29 December

Period of record: 1 January 1930 to 15 July 1933 and as August 1934 to date.

Highest for period of record: 49.80 on 11 February 1937

Lowest for period of record: -1.30 on 5 October 1948.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	10.0	6.7	26.0	34.9	21.2	10.6	8.2	6.1	1.5	1.2	1.7	8.3
2	11.7	6.0	26.3	35.2	21.2	11.3	8.5	6.0	1.5	1.0	2.2	8.1
3	13.1	5.1	26.3	35.0	21.0	12.3	8.9	5.7	1.2	2.1	2.7	7.7
4	13.7	4.5	26.2	34.8	20.8	13.0	8.8	5.2	1.6	2.9	2.7	7.1
5	13.9	4.6	26.2	34.3	20.5	13.0	8.4	4.7	2.1	3.3	3.0	5.6
6	14.3	5.2	26.4	34.0	19.9	12.5	7.8	4.1	2.5	3.8	3.9	4.6
7	15.0	5.8	26.7	33.0	19.2	11.6	7.1	3.5	2.8	4.3	4.4	4.0
8	15.9	6.5	26.9	31.6	18.4	10.8	6.7	3.2	2.5	3.9	4.6	4.7
9	16.7	7.4	26.9	29.8	17.4	10.5	6.5	3.0	2.2	3.7	4.7	5.8
10	17.3	9.2	26.9	27.5	16.3	10.3	6.3	2.9	1.6	4.5	4.3	6.5
11	18.7	11.8	27.1	25.5	15.0	10.3	6.5	3.1	1.3	6.7	3.8	6.9
12	19.8	13.9	27.4	23.7	13.6	10.5	7.1	3.6	1.0	8.9	3.8	6.9
13	19.9	15.7	27.8	22.7	11.8	10.8	8.1	4.2	0.8	9.6	3.8	6.6
14	19.7	16.7	27.9	21.6	10.1	11.6	8.9	4.4	0.4	8.8	3.8	6.3
15	19.3	17.5	28.0	20.9	9.3	12.2	9.2	4.6	0.4	8.0	3.6	6.0
16	18.2	18.0	28.3	20.6	9.5	12.9	9.4	5.0	0.4	7.2	3.3	5.5
17	17.6	18.2	28.5	20.5	10.2	13.3	9.4	5.1	0.3	6.4	2.8	4.3
18	16.7	18.1	28.7	20.4	11.3	13.3	9.5	4.9	0.1	5.9	2.3	3.5
19	16.0	17.6	28.9	20.0	12.5	13.3	9.1	4.8	-0.1	5.0	2.9	3.3
20	15.3	17.1	29.0	19.7	13.3	13.1	8.9	4.6	-0.2	4.6	4.5	3.3
21	14.3	16.5	29.6	19.6	13.8	12.8	8.8	4.2	-0.3	4.8	5.5	3.2
22	13.3	15.8	30.1	19.3	13.4	12.2	8.7	3.9	-0.2	4.8	6.3	2.7
23	12.4	15.3	30.5	19.3	13.1	11.2	8.5	3.6	-0.2	4.2	6.8	2.1
24	11.5	16.1	31.0	19.4	12.8	10.2	8.4	3.4	-0.2	3.6	7.8	1.1
25	10.7	19.0	31.6	19.6	12.6	9.5	8.1	3.2	-0.2	3.0	8.5	0.8
26	9.7	22.3	32.2	19.7	12.1	9.0	7.3	3.5	0.5	2.5	8.5	0.6
27	8.2	24.3	32.8	20.0	11.8	8.8	6.8	3.4	0.8	2.3	8.5	-0.1
28	7.5	25.3	33.4	20.5	11.3	8.6	6.5	3.2	0.9	2.2	8.5	-0.5
29	7.5		33.8	21.0	10.8	8.3	6.4	3.0	1.2	2.0	8.5	-0.6
30	7.4		34.3	21.2	10.5	8.2	6.3	2.5	1.3	1.6	8.5	0.0
31	7.1		34.6		10.4		6.2	2.0		1.4		0.8

8:00 a. m. readings

1951
MISSISSIPPI RIVER
L. W. 235.0 R

Zero of gage: 180.40 m. s. l. 180.61 m. g. l. 724.4 R miles A. H. P.
Lat.: 35° 06' 20" - Long.: 90° 10' 50"
Memphis District, CE gage.

Incline and vertical gage located at Wynoke Landing, Arkansas, near foot of Beuxippi-Wyanoke revetment.

Highest: 22.30 on 30 January.

Lowest: -0.10 on 19-21 September.

Period of record: 1 January 1930 to 15 July 1933 and 23 August 1934 to date.

Highest for period of record: 19.80 on 11 February 1937.

Lowest for period of record: -1.30 on 5 October 1948.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1		21.6	9.3	11.4	17.3	9.0	10.5	6.8	5.4	2.1	13.2	2.8
2		21.1	8.4	11.4	16.8	7.8	10.7	4.5	7.2	2.0	11.7	2.3
3		20.1	8.9	11.5	17.0	7.3	10.6	2.5	7.8	1.6	9.9	2.5
4	1.4	18.6	9.5	11.5	16.4	7.0	10.2	1.8	7.6	1.4	8.2	3.1
5		16.1	10.5	11.3	16.2	7.3	9.9	1.8	6.7	1.7	7.8	3.6
6		13.4	11.0	11.1	16.0	9.0	9.9	2.1	5.5	2.0	7.6	3.7
7		11.0	11.2	11.2	15.8	10.5	10.1	2.1	4.7	2.1	7.2	3.8
8		9.0	11.0	11.5	15.8	11.6	10.2	2.2	4.5	1.8	6.7	4.2
9		7.3	10.8	12.1	16.4	12.7	10.3	2.9	4.2	2.3	6.0	5.3
10		6.0	11.0	12.7	17.4	13.6	9.7	3.6	3.7	3.0	5.6	5.9
11	1.3	4.9	11.5	13.2	16.1	13.9	9.1	4.1	3.2	3.7	5.5	5.7
12	1.1	4.3	12.4	13.5	16.2	13.7	8.5	4.4	2.4	4.6	5.1	5.3
13	0.8	4.0	13.3	13.2	18.0	13.2	7.8	4.5	1.5	5.1	4.3	5.0
14	0.8	3.3	13.7	12.5	17.7	12.4	6.9	4.7	1.0	5.1	3.9	4.7
15	1.9	2.7	13.7	11.6	17.4	11.7	6.7	4.6	0.6	5.0	3.7	4.4
16	3.6	3.0	13.3	11.2	17.0	11.2	6.6	3.8	0.5	5.7	3.4	4.5
17	3.7	3.4	12.4	11.0	16.8	10.9	6.5	3.4	0.3	7.0	3.1	4.7
18	4.2	3.3	11.3	10.8	16.7	10.4	6.5	3.4	0.0	7.9	2.6	4.6
19	6.1	3.9	10.1	11.2	16.5	10.4	6.4	3.1	-0.1	9.1	2.2	4.6
20	9.0	5.4	9.1	11.9	16.2	10.2	6.3	2.7	-0.1	10.1	2.1	4.6
21	12.7	6.1	8.5	13.0	16.0	10.2	6.5	2.9	0.1	10.3	1.8	4.7
22	14.6	7.3	8.4	14.1	15.5	10.5	6.5	3.2	0.4	10.4	1.4	4.9
23	16.0	8.4	8.7	15.1	15.1	10.9	6.6	3.4	1.5	10.7	1.0	5.4
24	17.2	9.2	9.1	15.5	14.7	11.0	7.0	3.6	3.3	10.8	1.1	6.0
25	18.5	9.8	9.3	15.8	14.2	11.0	7.3	3.8	4.5	11.4	1.3	6.0
26	19.6	10.2	9.3	16.5	13.6	10.5	7.5	4.0	5.0	12.7	1.4	6.1
27	21.0	10.1	9.2	17.4	12.7	10.0	7.7	4.3	4.6	13.8	1.7	6.5
28	21.8	9.9	9.4	17.9	12.0	9.5	7.8	3.9	3.9	14.8	2.3	7.1
29	22.2		10.0	18.2	11.3	9.4	8.0	3.3	3.3	15.1	2.7	7.8
30	22.3		10.5	17.8	10.7	9.8	8.2	3.1	2.6	14.9	3.0	8.0
31	22.0		11.1		9.7		8.0	3.9		14.2		8.7

6:00 a. m. readings

1953
MISSISSIPPI RIVER
L. W. 235.0 R

Zero of gage: 180.40 m. s. l. 180.61 m. g. l. 724.4 R. miles A. H. P.
Lat.: 35° 06' 20" - Long.: 90° 10' 50"
Memphis District, CE gage.

Incline and vertical gage located at Hyanoke Landing, Arkansas, near foot of Bauxippi-Hyanoke revetment.

Highest: 26.40 on 24 May.
Lowest: -0.50 on 21-23, 30 November, 1 December
Period of record: 1 January 1930 to 15 July 1933 and 23 August 1934 to date.
Highest for period of record: 49.80 on 11 February 1937.
Lowest for period of record: -1.30 on 5 October 1948.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	4.1A	16.2A	21.9A	22.2A	20.0B	22.1B	10.0A	6.3A	3.6A	0.9A	-0.1A	-0.5A
2		16.0B	21.6B	22.0B	19.9A	21.6A	10.2B	5.8A	3.6A	0.8A	-0.1B	-0.2B
3		15.9A	21.3A	21.9A	20.1A	20.6B	10.4A	5.6B	3.6A	0.6A	-0.1A	-0.2A
4	4.1B	15.7B	21.0B	22.0B	20.4B	19.2A	11.0B	5.6A	3.4A	0.4B	-0.1B	-0.3B
5	4.4A	15.6A	21.2A	22.5A	20.8A	18.2B	11.3A	5.6B	3.1A	0.3A	-0.2A	-0.3A
6	4.8B	15.4B	21.7B	23.4B	20.6B	17.0A	11.7B	5.6A	2.7A	0.2B	-0.3B	0.4A
7	5.2A	15.0A	23.0A	24.0A	20.4A	16.1A	11.2A	5.6B	2.4A	0.3A	-0.3A	0.6B
8	5.4B	14.6B		24.3B	20.6B	15.2A	11.4B	5.7A	2.4A	0.3A	-0.3A	0.8A
9	5.6A	14.2A	24.5A	24.0A	20.4A	14.6B	11.6A	5.8A	2.4A	0.5A	-0.3B	0.7B
10	6.1B	14.3B	24.9B	23.6B		13.8A	11.7B	5.9B	2.4A	0.4A	-0.4A	1.2A
11	7.0A	14.4A	25.0A	23.0A	20.2A	13.8B	12.0A	6.1A	2.3A	0.4A	-0.3B	1.1B
12	8.0B	14.5B	25.2B	22.2A	20.3B	13.9A	12.2A	6.3B	2.0A	0.3B	-0.2A	1.2A
13	8.6A	14.2A	24.7A	21.4A	20.4A	13.9B	12.3B	7.0A	1.7A	0.3A	-0.1B	1.8A
14	10.0B	14.2B	24.4B	21.0B	20.6B	13.7A	11.6A	7.4B	1.4A	0.2B	-0.1A	2.5B
15	11.9A	14.9A	24.1A	20.6A	20.8A	13.6A	10.8B	7.8A	1.2A	0.2A	-0.2A	2.3A
16	13.7B	16.3B	23.2B	20.2B	21.0B	13.4B	10.2A	7.6A	1.1A	0.1B	-0.2B	2.1B
17	15.0A	17.6A	22.7A	19.6A		13.5A	9.4B	7.4B	1.1A	-0.1A	-0.3A	2.5A
18	15.8A	18.3B	22.8B	19.2B	22.3A	13.8B	8.6A	7.3A	1.2A	-0.2A	-0.3B	2.9B
19	15.9B	18.5A	22.9A	19.1B	23.0B	14.2A	8.2A	7.1B	1.4A	-0.1B	-0.4A	2.8A
20	15.4A	18.7B	22.5B	19.0A	24.0A	14.3B	7.6B	6.8A	1.4A	-0.1A	-0.4B	
21	14.6B	18.2A	22.7A	19.0B	25.4B	13.2A	7.4A	6.6B	1.1A	0.0B	-0.5A	
22	14.2A	17.6A		19.4A	25.9A	13.9B	7.8B	6.3A	0.9A	-0.1B	-0.5A	
23	14.3B	17.0B	23.0A	19.5B	26.3B	13.1A	8.0A	5.9A	0.7A	-0.1A	-0.5B	
24	14.4A	17.1A	23.3B	19.6A	26.4A	13.0B	7.9B	5.6B	0.9A	-0.2B	-0.4A	
25	15.0A	18.0B	23.8A	19.6B	26.1B	12.4A	7.9A	5.1A	0.9A	-0.2A	-0.3B	
26	15.4B	19.0A	24.0B	19.7A	25.6A	11.4B	8.0A	4.5B	0.9A	-0.3B	0.0A	
27	15.8A	20.4B	24.2A	19.9B	25.2A	10.6A	8.0B	4.2A	1.0A	-0.3A	0.0B	
28	16.0B	21.0A	24.5B	19.8A	24.1B	10.0B	7.7A	4.0B	0.9A	-0.4B	-0.2A	
29	16.1A			20.0B	23.4A	9.6A	7.3B	4.0A	0.9A	-0.3A	-0.4A	
30	16.0B		23.2A	20.3A	23.0B	9.8B	6.8A	3.9A	0.9A	-0.3B	-0.5B	
31	15.9A		22.4B		22.6A		6.7B	3.9B		-0.2A		

8:00 a. m. readings (A)
4:00 p. m. readings (B)

1952
MISSISSIPPI RIVER
L. W. 235.0 R

47

Zero of gage: 180.40 m.s.l. (180.61 m.s.l.) 72.4 R. miles A.H.F.
Lat. 35° 06' 20" - Long. 90° 10' 50"
Memphis District, CE gage.

Incline and vertical gage located at Wyanoke Landing, Arkansas, near foot of Bauxippi-Wyanoke revetment.

Highest: 36.24 on 1 April.
Lowest: 1.20 on 5, 6, 8, 9 November.
Period of record: 1 January 1930 to 15 July 1933 and 23 August 1934 to date.
Highest for period of record: 49.80 on 11 February 1937.
Lowest for period of record: -1.30 on 5 October 1948.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1		27.1	20.9A	36.24	29.7		17.6	8.1	7.2	2.4	1.6	4.2
2	28.2	27.6A	19.9		29.7A	20.8A	16.6	7.8	6.6	2.4	1.8	4.0
3	28.3A	28.2	18.9A		29.7	20.6	15.5	7.5	6.1	2.3	1.7	3.9
4	28.4	29.0A	18.2		29.8	20.0A	14.6	7.1	5.6	2.4	1.4	4.0
5	28.5A	29.6	17.3A		30.0	19.6	14.1	7.1	5.9	2.3	1.2	4.2
6	28.4	29.9	17.0		30.4A	18.7A	14.2	6.8	6.1	2.2	1.2	4.4
7	28.3A	30.4A	17.9A	34.4A	30.6	18.4	14.0	6.9	6.1	2.1	1.3	4.6
8	27.8	31.0	18.9	34.1	30.8A		13.7	7.1	6.0	2.3	1.2	5.4
9	27.5	31.4A	19.5	33.8A	30.8	17.5	13.3	7.2	6.0	2.4	1.2	6.0
10	27.3A		19.9	33.2	30.4	17.0A	12.8	7.2	6.0	2.1	1.3	6.6A
11	27.3	32.3	20.4A	32.8A	29.8	15.8	12.0	7.1	5.9	1.9	1.4	6.5
12	27.4	32.5	20.8	32.5	28.7	14.2A	11.2	7.3	5.7	1.7	1.4	6.3A
13		33.1A	21.9A		27.0	12.5	11.0	8.3	5.2	1.7	1.5	6.4
14	28.1A	33.2	24.0	31.3	25.4	12.1A	10.9	9.5	4.6	1.8	1.6	7.6
15	28.2	33.4A	26.3A	30.8A	23.6	12.3	10.7	9.8	4.0	1.9	1.6	8.5A
16	28.6A	33.2	28.0	30.0	22.4	12.6	10.6	9.5	3.8	2.0	1.5	8.6
17	28.8	33.0	29.3A	29.5A	21.3	12.7	10.7	9.0	3.8	2.2	1.3	8.5A
18	28.8A	32.7A	30.3	29.6	20.3	12.1	10.9	8.7	3.9	2.3	1.5	8.5
19	28.7	32.6	31.2A	29.7A	19.8	12.3	11.0	8.5	4.3	2.2	1.8	8.5A
20		32.3A	31.9	29.6	19.6A	12.5	11.2	8.5	4.4	1.9	1.7	8.6
21	26.5	31.7	32.3A	29.7A	19.5	12.7	11.0	9.0	4.0	1.8	1.8	8.7
22	25.3A	30.8A	32.9	29.4	19.2A	12.7	10.7	9.2	3.9	1.7	2.0	9.0
23	23.9	29.9		29.4A	19.1	12.6	10.4	9.1	4.1	1.7	2.6	9.0
24	22.9	28.8	33.8	29.2	19.0	12.6	10.2	8.8	3.9	1.8	3.3	8.0
25	22.5A	27.2A	34.0A	29.2A		12.7	10.2	8.5	3.3	1.8	3.5	6.6
26	22.9	25.6	34.3	29.2	18.7	13.3	10.2	8.8	3.4	1.8	4.2	5.6
27	23.9A	24.3	34.7	29.1	18.6A	13.9	9.8	9.4	3.5	1.8	4.8	5.0
28	24.2	22.9A	35.1	29.3A	18.6	15.0	9.2	9.9	3.3	1.7	5.3	5.0A
29	25.3A	21.9	35.4A	29.5	19.0A	16.6	8.8	9.9	2.9	1.4	5.0	4.9
30	25.9			29.7A	19.4	17.6	8.5	9.3	2.6	1.3	4.6	4.7A
31	26.5A				19.9A		8.2	8.5		1.3		4.5

8:00 a. m. readings; A-4:00 p. m. readings.

ADDF., CE MEMPHIS (CLASS A)

1951
MISSISSIPPI RIVER
L. W. 235.0 R

ZERO OF GAGE: 180.40 M.S.L. (180.61 M.G.L.)
724.4 R. MI. A.H.P.
LAT. 35° 06' 20" - LONG. 90° 10' 50"
MEMPHIS DISTRICT, CE, GAGE

INCLINE AND VERTICAL GAGE LOCATED AT WYANOKE LANDING, ARKANSAS NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

HIGHEST: 35.00 AT 4:00 P.M. ON 3 MARCH
LOWEST: 7.70 ON 24 OCT.
PERIOD OF RECORD: 1 JAN. 1930 TO 15 JULY 1933 AND 23 AUG. 1934
TO DATE.
HIGHEST FOR PERIOD OF RECORD: 49.80 ON 11 FEB. 1937.
LOWEST FOR PERIOD OF RECORD: -1.30 ON 5 OCT. 1948.

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	7.0A	23.9B	34.6B			17.0B	22.8A	28.0A		12.4A	11.7A	21.6A
2		23.5A	34.8A			16.8A	23.3B	27.1B		11.9B	11.7B	21.5A
3	7.1A	22.0B	35.0B			16.6A	23.9A	27.0A		11.3A	11.2A	21.2B
4	7.7B					16.4B	24.5B	26.0B		10.3B	10.9A	21.1A
5	8.0A	22.0A	34.7A			16.4A	24.6A			10.7A	11.0B	20.9B
6	10.3B	22.7B	34.6B			16.3B	25.6B			10.2B	11.3A	21.0A
7	12.5B	23.3A	34.5A		27.3A	16.2A	26.5A			9.8A	11.5B	21.1B
8	14.8A	24.1B	34.2B		27.0B	15.8B				9.4B	11.5A	21.3A
9	18.0B	24.8A	34.2A	33.5A	27.0A	16.3A	27.0A			8.7A	11.4B	
10	19.5A	26.2B	33.7B	33.3B	26.9A		27.2B			8.5B	11.3A	22.5A
11	21.3B	27.0B		33.1A	27.3B		27.3A			8.5A	11.4A	22.9B
12	21.5A	27.6A	33.1A	32.5B	27.3A		27.4B			8.8B	11.6B	23.5A
13	22.1B		32.6B	32.5A	27.5A		27.5A			9.7A	11.8A	24.8B
14		28.6A	32.0A	32.2B	27.1B		27.5B			10.3A	11.9B	25.5A
15	24.2A	28.6B	31.3B	32.1A	26.5B		27.6A			10.2B	12.8A	26.0B
16	26.0B	28.5A	31.0A	31.9B	26.0A		27.7B	15.5A	10.2A	14.3B	26.8A	
17	26.9A	28.1B	30.5B	31.9A	25.2B	19.8B	27.8A	15.7B	9.8B	15.0A	27.3B	
18	28.2B		30.4A	31.9B	24.8A	19.9A	27.9B	16.2A	9.6A	16.2A	28.0A	
19	28.6A	28.1A	30.0B	32.0A	24.4A	19.6B	28.0A	16.2B	9.3A	18.0B	28.1B	
20	28.8B	28.2B	29.6A	32.1B		19.5A	28.1B	16.4A	8.8B	20.0A	28.2A	
21		28.4A	29.4B	32.2A		19.4B	28.2A	16.5B		20.8B	28.1B	
22	29.0A	29.0B	29.5A	32.4A		19.2A	28.4A	16.5A	8.3A	20.6A	28.0A	
23	28.6B	29.8A	29.7B	32.5B		19.7B	28.5B		7.9B	20.5B	27.9A	
24	28.4A	31.0B	30.0A	32.6A		19.9A	28.6A	16.0B	7.7A	20.1A	27.7B	
25	27.9A			32.7B		19.7B	28.6B	15.7A	8.3B	19.8A	27.5A	
26	27.2B	32.7A	29.4A	32.9A		19.8A	28.6A	14.6B	8.8A	19.7B	27.4B	
27	26.9A	33.8B	28.7B	33.1B		20.2B	28.5B	14.3A	9.9B	19.6A	27.3A	
28	26.7B	34.2A	28.4A	33.1A	19.4A	20.6A	28.4A	14.3B	10.5A	19.8B	27.2B	
29	26.4A		28.0B		18.6A	21.0B		13.7A	11.3B	20.7A	27.2A	
30	25.6B		27.9A		17.7B	21.5A	28.3A		11.4A	21.3B	27.5A	
31	25.0A		27.7B		17.3A		28.2B		11.5B		27.8B	

A - 8:00 A.M. READINGS
B - 4:00 P.M. READINGS

1950
MISSISSIPPI RIVER
L. W. 235.0 R.

51

ZERO OF GAGE: 180.40 M.S.L. (180.61 M.G.L.)
724.4 R. MILES A.H.P.
LAT. 35° 06' 20" - LONG. 90° 10' 50"
GAGE IN CHARGE OF MEMPHIS DISTRICT, CE, MEMPHIS, TENN.

INCLINE AND VERTICAL GAGE LOCATED AT WYANOKE LANDING, ARKANSAS NEAR
FOOT OF BAUXIPPI-WYANOKE REVETMENT.

HIGHEST: 40.71 ON 22 FEB.
LOWEST: 3.40 ON 5 NOV.
PERIOD OF RECORD: 1 JAN. 1930 TO 15 JULY 1933 AND 23 AUG. 1934
TO DATE.
HIGHEST FOR PERIOD OF RECORD: 49.80 ON 11 FEB. 1937.
LOWEST FOR PERIOD OF RECORD: -1.30 ON 5 OCT. 1948.

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	20.4A	40.0A	39.4A	24.9A	18.0B	17.5B	23.2B	16.7B	7.8B		3.9B	18.1B
2	20.1A	40.2A	38.8B	24.8A	18.9A			16.7A	8.4A	15.9A	3.8A	17.6A
3	19.8A	40.1A		24.9A	20.7B	18.0A	20.8A	16.7B		15.4B	3.6B	16.8A
4	19.3A	40.0A	37.2A	25.3A	21.6A		18.4B	16.6A	13.6A	14.6A	3.5A	15.8B
5	20.0A	39.8A		25.9A		19.0A	17.5A	16.5A	15.8B		3.4A	15.3A
6	22.0A	39.6A	35.6B	26.9A	23.0B	19.9B	16.0B		16.5A	9.8A	3.6B	15.0A
7	24.8A	39.4A		27.8A		20.4A	15.4A	15.7A	17.6B	7.7B	3.9A	15.5B
8	27.2A	39.2A	32.1A	28.6A	23.8B	20.9B	13.8B	14.4B	17.9A		5.2B	16.3A
9	28.6A	39.0A	30.4B	29.2A	23.8A			13.7A	17.8B	6.8A	5.9A	17.8B
10	29.9A	39.0A		29.6A		21.9A	12.3A	11.4B		6.8B	6.8B	
11	31.0A	38.8A	27.5B	30.3B	23.9B		12.1B	10.3A	17.4A	7.4A	7.4A	20.2A
12	31.8A			30.6A		21.1A	12.1A	9.1B	17.5B	8.0B	8.7A	21.0B
13	32.7A	39.1A	25.3A		24.5A	20.4B	12.2B		17.5A	8.4A	10.4B	21.7A
14	33.6A			31.1B			12.2A	8.2A	16.8B	8.5B	11.3A	22.4B
15	34.5A		24.5B	31.3A	25.3A	19.4A	12.3B	8.2B	16.2A		12.7B	22.8A
16	35.6A	39.8B						8.3A	14.6B	8.1A	13.3A	23.0B
17	36.6A		25.4A	30.9A	26.3B	18.9A	11.6A	8.8B		7.3B	13.6B	23.3A
18	37.5A	40.4B			26.5A		10.6B	9.4A	12.3A	6.6A	13.4A	23.6B
19	38.1A			29.3B		18.2A	11.0A	10.0B	11.5B	6.4B	13.0A	23.8A
20	38.8A	40.60A	27.1A	28.7A	26.3A	17.5B	12.4B		11.1A	6.7A	12.5B	24.0B
21	39.2A	40.65A		26.8B		17.4A	12.7A	12.6A	10.3B	6.6B	12.0A	23.9A
22	39.5A	40.71A	28.1B	25.9A	24.7A		12.7B	13.3B	9.2A		11.0B	
23	39.7A	40.60A	28.3A		23.3B	17.6B			8.1B	5.6A	11.4A	23.0B
24	39.8A			20.9B		18.1A	14.7A	12.0B		4.4B	13.4B	22.3A
25	39.8A	40.0B	27.8A	19.7A	22.0B		16.2B	11.3A	8.6A	4.2A	14.9A	19.8B
26	39.85A		26.7A	18.1A		21.6B	17.4A	10.5B	9.5B	4.5B	16.9A	18.2A
27	39.90A	39.7B	25.7A	17.3B	21.0A	22.6A	18.2B		10.5A	4.5A	18.0B	15.0B
28	39.8A		24.7A			23.6B	18.3A	8.9A	12.6B	4.1B	18.4A	13.0A
29	39.5A		24.1A	16.8A	19.0B		18.2B	7.8B	13.6A		18.6B	11.5A
30	39.5A		24.5A			24.2A		7.2A	15.2B	3.6A	18.6A	9.0B
31	39.7A		24.7A		18.0A		17.3A	7.5B		3.8B		

A - 8:00 A.M. READINGS; B - 4:00 P.M. READINGS

1949
MISSISSIPPI RIVER
L. W. 235.0 R.

ZERO OF GAGE: 180.40 M.S.L. (180.61 M.G.L.) (BANKFULL)
 724.4 R MILES A.H.P.
 LAT. 35° 06' 20" - LONG. 90° 10' 50"
 GAGE IN CHARGE OF MEMPHIS DISTRICT, CE, MEMPHIS, TENN.

INCLINE AND VERTICAL GAGE LOCATED AT WYANOKE LANDING, ARKANSAS NEAR
 FOOT OF BAUXIPPI-WYANOKE REVETMENT.

HIGHEST: 35.10 ON 5-6 FEB.
 LOWEST: 1.40 ON 4-5 OCT.
 PERIOD OF RECORD: 1 JAN. 1930 TO 15 JULY 1933 AND 23 AUG. 1934
 TO DATE.
 HIGHEST FOR PERIOD OF RECORD: 49.80 ON 11 FEB. 1937.
 LOWEST FOR PERIOD OF RECORD: -1.30 ON 5 OCT. 1948.

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	22.5	33.3	33.8	29.3	16.3	12.4	14.1	9.6	3.4	2.5	9.3	2.1
2	21.8	34.0	33.9	29.9	16.0	12.7	15.2	8.0	4.0	2.0	8.3	2.6
3	20.9	34.6	34.0	30.5	15.7	12.8	15.5	7.2	4.3	1.7	7.9	3.1
4	19.9	34.9	33.9	31.0	15.6	12.6	15.1	6.7	4.3	1.4	8.4	3.9
5	19.2	35.1	33.7	31.4	15.9	12.5	14.8	6.7	4.2	1.4	8.9	4.4
6	18.7	35.1	33.3	31.9	16.4	12.0	14.4	6.7	4.1	1.9	9.0	4.1
7	19.2	35.0	32.8	32.2	16.7	11.0	14.1	6.6	4.0	2.3	8.9	3.9
8	21.0	34.9	32.1	32.2	16.9	11.0	12.9	6.3	4.1	3.7	8.8	3.9
9	22.7	34.8	31.3	31.8	16.5	12.0	11.7	6.0	3.8	5.2	8.9	4.4
10	24.2	34.6	30.1	31.0	15.9	12.9	10.3	5.8	3.2	6.1	8.8	4.2
11	25.3	34.3	28.7	30.2	15.1	13.1	9.2	5.7	2.7	6.5	8.5	4.3
12	26.2	34.0	27.5	29.1	14.4	12.9	8.6	5.3	2.3	6.8	8.0	4.4
13	27.0	33.6	26.9	28.1	14.2	11.8	8.9	4.7	2.3	6.6	6.6	4.6
14	27.6	33.2	26.9	26.6	13.9	11.2	9.9	4.0	2.3	6.3	4.6	5.8
15	28.0	32.7	27.1	25.2	13.4	11.4	11.3	3.8	2.2	6.5	4.0	8.5
16	28.5	32.2	27.3	24.1	12.6	11.2	12.4	4.2	3.0	7.2	3.9	11.9
17	29.0	31.6	27.3	23.5	12.0	11.2	13.4	4.7	5.0	7.5	3.7	14.8
18	29.3	31.2	27.3	23.3	11.3	12.4	13.8	5.5	6.9	7.5	3.2	16.4
19	29.5	31.0	27.1	23.2	10.5	14.3	14.5	6.0	8.0	7.3	2.6	17.7
20	29.5	31.0	26.9	23.0	9.6	16.6	14.8	6.3	8.6	7.1	2.5	18.6
21	29.4	31.1	26.5	22.7	9.2	19.0	15.1	6.5	8.5	6.9	2.4	19.4
22	29.2	31.3	26.4	22.5	9.0	20.0	15.3	7.1	8.2	7.1	2.3	20.1
23	29.1	31.5	26.1	22.4	8.7	20.1	15.3	6.9	7.5	6.8	2.2	20.3
24	28.8	31.8	25.7	22.1	8.7	19.4	15.7	6.5	6.9	6.8	2.4	20.5
25	28.6	32.2	25.4	21.8	8.8	18.4	15.9	6.3	6.2	8.0	2.3	20.8
26	28.7	32.6	25.1	21.0	9.1	16.8	15.5	6.3	5.3	10.4	2.1	21.5
27	29.5	33.0	25.1	19.8	9.7	15.5	14.8	5.9	4.2	12.2	2.0	22.1
28	30.5	33.4	25.4	18.7	10.4	14.6	13.9	5.2	3.4	12.7	1.9	22.3
29	31.2		26.2	17.6	11.4	13.8	13.0	4.4	3.0	12.2	1.9	22.0
30	32.0		27.3	16.9	12.1	13.6	12.3	3.8	2.7	11.3	2.0	21.9
31	32.7		28.3		12.2		11.1	3.3		10.4		20.9

8:00 A. M. READINGS

1948
MISSISSIPPI RIVER
L. W. 235.0 R.

ZERO OF GAGE: 180.40 M.S.L. (180.61 M.G.L.) (BANKFULL _____)
724.4 R MILES A.H.P.
LAT. 35° 06' 20" - LONG. 90° 10' 50"
GATE IN CHARGE OF MEMPHIS DISTRICT, CE, MEMPHIS, TENN.

INCLINE AND VERTICAL GAGE LOCATED AT WYANOKE LANDING, ARKANSAS NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

HIGHEST: 36.60 ON 8 APRIL.

LOWEST: -1.30 ON 5 OCTOBER.

PERIOD OF RECORD: 1 JANUARY 1930 TO 15 JULY 1933 AND 23 AUGUST 1934

TO DATE.

HIGHEST FOR PERIOD OF RECORD: 49.80 ON 11 FEBRUARY 1937.

LOWEST FOR PERIOD OF RECORD: ~~-1.00 ON 22 OCTOBER 1947.~~

-1.30 ON 5 OCT. 1948

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	2.3	3.8	31.1	33.1	32.7	10.1	15.6	18.3	1.7	0.5	-0.8	12.8
2	2.3	3.3	31.0	33.9	32.3	8.8	15.7	17.9	1.9	0.0	-0.8	13.8
3	2.2	2.5	30.8	34.4	31.7	7.9	15.3	17.2	1.9	-0.7	-0.7	15.0
4	4.4	2.2	30.5	35.1	30.8	7.2	14.8	15.9	1.8	-1.1	-0.9	16.2
5	8.4	2.4	30.4	35.7	28.8	6.7	14.5	14.0	1.7	-1.30	-0.1	17.0
6	11.2	2.9	30.5	36.1	26.1	6.4	14.3	12.5	1.4	-1.1	0.7	17.8
7	12.8	3.2	30.8	36.2	22.9	6.2	14.1	12.1	1.3	-0.5	1.4	18.8
8	13.4	3.5	31.0	36.60	20.2	6.1	13.5	11.7	1.4	-0.4	3.0	19.6
9	13.8	4.2	31.2	36.5	18.2	5.7	12.7	11.2	1.2	-0.6	5.5	20.0
10	14.0	5.9	31.3	36.1	17.4	5.3	12.2	10.7	1.2	-0.9	7.3	20.0
11	14.1	7.4	31.2	35.7	17.2	5.1	11.5	10.3	1.3	-1.0	8.0	19.4
12	14.0	9.0	31.0	35.2	17.3	5.1	10.5	9.9	1.7	-1.0	8.2	18.4
13	13.9	10.3	30.8	34.9	17.5	5.5	9.8	9.4	1.4	-1.1	8.4	17.1
14	13.5	11.7	30.3	34.4	18.0	5.9	8.8	9.1	1.0	-0.8	8.6	15.4
15	12.8		29.4	33.9	18.6	5.9	8.1	8.3	0.3	-0.1	8.2	14.2
16	12.0		27.6	33.6	18.9	5.7	7.4	7.6	0.7	0.2	7.3	13.2
17	11.4		25.2	33.3	19.8	5.7	6.6	6.6	0.8	0.0	6.6	12.3
18	10.4		22.6	33.1	19.5	6.2	6.0	5.7	0.6	-0.6	6.2	11.7
19	9.4		21.1	33.1	20.2	6.5	6.5	5.5	0.2	-0.8	6.6	12.9
20	8.9		21.3	33.1	20.4	6.6	7.2	5.4	-0.3	-0.6	6.3	14.8
21	8.6		21.9	33.0	20.2	6.4	7.6	5.2	-0.5	0.0	6.3	17.2
22	8.6	28.3	23.0	32.8	19.6	6.3	7.8	4.5	-0.5	0.5	7.9	19.2
23	8.6	28.3	24.2	32.8	18.8	6.7	8.5	4.1	-0.3	0.9	9.8	20.6
24	7.8	29.4	25.4	33.0	17.9	7.0	9.3	3.8	-0.3	0.3	13.3	21.5
25	6.3	29.9	26.6	33.1	16.9	8.3	10.2	3.7	0.0	0.1	11.6	22.0
26	4.0	30.6	27.8	33.2	15.8	9.0	10.9	3.7	0.5	0.0	11.3	22.0
27	2.8	31.0	28.8	33.2	14.8	10.7	12.0	3.5	0.6	0.0	11.1	22.0
28	2.2	31.2	29.8	33.1	14.0	12.5	13.1	3.3	0.5	-0.2	11.2	22.2
29	2.2	31.3	30.7	33.0	13.3	14.2	14.5	2.9	0.7	-0.4	11.4	22.8
30	2.7		31.4	32.9	12.3	15.1	16.1	2.3	0.8	-0.7	12.1	22.8
31	3.4		32.4		11.4		17.8	1.8		-0.8		22.7

8:00 A.M. READINGS.

1947
MISSISSIPPI RIVER
L.W. 235.0R.

ZERO OF GAGE: 180.40 M.S.L. (180.61 M.G.L.) (BANKFULL)
724.4R MILES A.H.P.
LAT. 35° 06' 20" - LONG. 90° 10' 50"
GAGE IN CHARGE OF MEMPHIS DISTRICT, CE, MEMPHIS, TENNESSEE

INCLINE AND VERTICAL GAGE LOCATED AT WYANOKE LANDING, ARKANSAS
NEAR FOOT OF BAUXIPPI-WYANOKE REVETMENT.

HIGHEST: 32.30 ON 25 APRIL.
LOWEST: -1.00 ON 22 OCTOBER.
PERIOD OF RECORD: 1 JANUARY 1930 TO 15 JULY 1933 AND 23 AUGUST
1934 TO DATE.
HIGHEST FOR PERIOD OF RECORD: 49.80 ON 11 FEBRUARY 1937.
LOWEST FOR PERIOD OF RECORD: -1.00 ON 22 OCTOBER 1947.

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	8.2	26.9	7.9	15.6	30.8	25.8	28.1	9.2	5.7	2.0	1.8	3.9
2	9.8	26.6	7.2	16.0	30.9	26.1	27.9	9.0	5.2	1.8	1.7	4.1
3	11.5	26.2	6.8	16.8	31.0	26.0	27.8	8.8	4.4	1.5	1.9	4.0
4	12.9	25.5	6.5	17.5	31.1	26.1	27.8	8.7	3.8	0.9	2.1	3.9
5	15.4	24.9	6.5	18.4	31.2	26.4	28.0	8.3	3.7	0.7	2.8	3.3
6	17.8	24.3	6.7	19.3	31.2	26.5	28.2	8.0	3.6	0.2	3.3	2.4
7	19.6	24.0	6.6	19.8	31.1	26.4	28.5	7.7	3.8	-0.2	3.3	1.7
8	21.1	23.5	6.7	20.2	30.9	26.5	28.8	7.4	3.8	0.0	3.2	1.1
9	22.3	22.7	6.8	21.0	30.6	26.5	29.0	7.2	3.3	-0.1	3.4	0.6
10	23.0	22.0	7.6	22.3	30.2	26.4	29.1	6.9	2.9	-0.1	3.8	1.8
11	23.4	21.1	8.5	23.8	29.6	26.6	28.9	6.8	3.4	-0.2	4.2	3.5
12	23.2	19.9	9.3	25.2	28.8	26.6	28.7	6.7	4.0	-0.2	4.1	5.0
13	22.5	18.7	10.0	26.5	27.8	26.6	28.4	6.7	4.6	-0.1	3.9	6.4
14	21.6	17.3	10.7	27.5	26.6	26.6	28.1	6.9	4.8	-0.3	3.8	7.3
15	20.6	15.4	11.3	28.1	25.4	26.7	27.5	6.7	4.5	-0.5	4.1	7.5
16	19.4	13.8	11.6	28.8	24.0	27.1	26.8	6.0	3.4	-0.3	3.7	7.3
17	18.1	11.9	11.9	29.5	22.6	27.6	25.9	5.0	2.4	-0.2	3.6	6.4
18	17.3	9.9	12.2	30.2	21.4	28.2	24.7	5.1	2.4	-0.3	3.9	6.3
19	17.1	7.8	13.4	30.6	20.1	28.8	23.1	5.3	2.7	-0.4	4.4	6.4
20	18.0	7.3	15.2	31.0	19.2	29.2	21.3	5.0	2.6	-0.6	4.9	6.5
21	19.3	7.7	16.2	31.4	18.5	29.7	19.3	4.6	2.5	-0.9	5.0	6.6
22	21.0	7.9	16.6	31.8	18.1	30.1	18.1	4.7	2.8	-1.0	4.8	6.3
23	22.5	8.1	17.0	32.1	18.1	30.4	17.0	5.0	2.4	-0.6	4.7	5.8
24	24.0	9.0	17.6	32.2	19.1	30.2	16.0	4.9	1.8	-0.1	4.2	5.5
25	24.9	9.8	17.6	32.3	20.4	30.0	15.0	4.9	1.5	0.3	4.1	5.5
26	25.5	10.0	17.2	32.0	21.4	29.6	14.1	4.8	1.7	0.3	4.2	5.4
27	25.9	9.9	16.8	31.6	22.6	29.1	13.0	4.6	2.6	0.2	4.1	4.6
28	26.3	8.9	16.4	31.2	23.6	28.9	12.0	4.7	3.3	0.0	3.9	3.3
29	26.5		15.8	31.0	24.5	28.6	10.9	5.0	3.2	0.4	3.7	2.1
30	26.9		15.4	30.8	25.1	28.3	9.7	5.4	2.5	1.2	3.7	1.7
31	27.0		15.4		25.5		9.3	5.7		1.7		1.8

8: A.M. READINGS.

1947

RIVER STAGES

Mississippi River Gauge at Mile 235.0R (235.3R) for the calendar year 1946

Zero elevation 180.61 feet above M.G.L.
180.40 M.S.L.

Bank full stage feet on gauge A.H.P. Mile 724.4R

R.C. 5M, 5-2-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	15.20	19.30	28.40	28.10	9.70	21.30	20.90	6.30	4.90	3.50	5.00	11.40	1
2	16.00	16.30	27.10	28.10	9.80	20.25	20.25	6.00	4.50	3.50	5.20	11.60	2
3	16.00	14.30	25.80	28.00	10.20	19.10	19.40	5.80	4.10	3.50	5.30	11.20	3
4	15.80	13.00	24.35	28.00	11.60	18.30	18.30	6.20	3.50	3.80	5.40	9.80	4
5	15.80	12.30	23.05	27.80	12.95	17.70	17.15	5.70	3.20	3.60	7.20	9.10	5
6	15.80	12.50	21.65	27.30	13.65	17.50	15.90	5.50	3.30	3.20	10.60	8.50	6
7	15.80	13.30	20.35	26.50	14.05	18.10	14.85	5.40	3.20	3.10	13.70	7.70	7
8	15.90	14.75	19.50	25.40	14.55	18.70	14.25	5.70	2.80	3.00	15.10	6.50	8
9	17.70	16.75	19.10	24.15	15.45	19.50	13.75	6.70	2.20	2.80	15.30	5.60	9
10	21.20	18.60	19.60	22.95	16.15	20.25	13.45	7.30	1.70	2.60	15.10	4.90	10
11	25.40	20.45	21.00	21.65	16.45	20.80	13.35	7.00	1.50	2.40	14.70	4.60	11
12	27.80	22.05	22.15	20.45	16.35	20.80	13.35	6.60	1.40	1.70	13.55	4.50	12
13	29.50	23.35	23.05	19.50	16.35	20.35	13.25	6.20	2.30	1.20	13.65	4.40	13
14	30.60	24.35	23.65	18.70	16.65	19.60	13.25	5.60	4.00	1.00	12.60	4.60	14
15	31.80	25.40	23.85	17.50	16.95	18.50	12.80	5.00	4.70	1.40	13.05	6.00	15
16	32.60	26.70	24.05	16.20	17.35	16.95	12.60	4.70	4.80	1.90	13.60	8.20	16
17	33.60	28.00	23.95	14.95	17.45	15.45	12.10	4.50	4.50	2.00	13.30	10.00	17
18	34.40	28.85	23.65	14.15	17.25	14.15	11.50	4.50	4.50	1.80	12.80	11.40	18
19	35.20	29.65	23.25	13.30	17.35	13.25	11.10	7.00	4.70	2.00	12.10	12.50	19
20	35.70	30.00	23.05	12.90	18.10	12.60	10.60	11.35	4.50	2.80	11.90	13.20	20
21	36.10	30.30	23.35	12.75	19.00	12.40	10.10	14.70	4.00	3.80	12.60	13.30	21
22	36.20	30.50	23.85	12.75	20.15	12.85	9.60	15.50	3.50	4.90	12.70	13.00	22
23	36.30	30.80	24.15	12.75	21.20	13.95	9.50	15.50	3.30	5.70	12.10	12.30	23
24	36.15	30.90	24.60	12.50	21.95	15.75	10.00	15.10	3.00	5.80	11.40	11.10	24
25	35.80	30.90	25.20	12.20	22.45	17.45	10.70	14.30	2.90	6.60	10.90	9.40	25
26	35.00	30.50	26.10	11.50	22.45	19.00	11.10	12.75	3.20	6.90	10.60	7.90	26
27	34.00	30.00	26.60	10.90	22.55	20.15	10.70	11.00	3.30	7.00	10.00	7.20	27
28	32.00	29.45	27.00	10.20	22.85	21.10	9.80	9.40	3.50	7.10	9.50	7.00	28
29	30.00		27.40	9.60	22.85	21.20	8.60	8.00	3.50	6.50	9.80	7.50	29
30	26.50		27.60	9.50	22.55	21.10	7.60	6.70	3.30	5.50	10.80	7.50	30
31	22.65		27.90		22.05		6.80	5.50		5.10		7.50	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 A.M. readings.

Highest: 36.30 on 23 Jan.

Lowest: 1.00 on 14 Oct.

Period of record: 1 Jan 1930 to 15 July 1933 and 23 Aug 1934 to date.

Highest for period of record: 49.80 on 11 Feb 1937.

Lowest for period of record: -0.80 on 9 Jan 1940.

RIVER STAGES

Mississippi River Gauge at Mile 235.0R (235.3R) for the calendar year 1945

Zero elevation 180.61 feet above M. G. L.

Bank full stage feet on gauge A. H. P. Miles 724.4R.

R.C. 5M. 4-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	12.80	9.30	29.60	39.25	31.65	29.30	30.75	9.10	6.30	15.20	6.90	17.40	1
2	15.15	8.00	30.25	39.45	31.15	28.70	29.95	9.00	5.70	16.40	6.70	17.10	2
3	17.35	6.80	30.85	39.55	30.65	27.85	28.45	9.00	4.80	17.60	6.90	16.55	3
4	19.50	6.40	31.50	39.65	30.05	26.75	26.45	9.30	4.10	18.80	6.30	15.60	4
5	21.45	6.10	31.95	39.65	29.50	25.75	24.50	9.60	3.50	19.30	5.40	14.65	5
6	22.65	6.00	32.45	39.75	28.90	24.50	23.10	10.00	3.30	19.40	5.30	13.65	6
7	23.85	5.50	32.85	39.75	28.15	23.70	22.30	10.00	3.80	19.30	5.60	12.80	7
8	24.50	5.30	33.45	39.65	27.15	22.40	21.70	9.80	4.00	19.10	6.00	12.40	8
9	24.80	4.70	34.15	39.55	25.85	21.50	21.20	9.90	3.90	18.60	6.30	12.70	9
10	24.90	4.50	34.95	39.35	24.80	21.40	20.30	10.10	3.70	17.60	6.90	13.55	10
11	24.90	4.70	35.95	38.95	23.80	22.00	18.80	10.40	3.50	16.45	7.50	14.55	11
12	24.60	5.20	36.75	38.45	23.20	23.30	17.50	9.80	3.60	15.25	8.10	14.95	12
13	24.40	5.70	37.35	37.85	23.40	24.60	16.70	9.00	4.20	14.55	8.80	14.85	13
14	23.90	6.00	37.85	37.05	23.80	25.65	16.15	9.20	4.60	13.95	9.30	14.85	14
15	23.30	6.50	38.15	36.35	24.10	26.65	15.50	9.40	4.70	13.40	9.20	14.95	15
16	22.50	7.70	38.15	35.45	24.10	27.45	14.70	9.60	4.80	12.90	9.70	14.85	16
17	21.60	9.70	38.45	34.75	23.90	28.35	13.65	9.60	4.90	12.30	10.50	14.15	17
18	20.40	11.50	38.45	34.25	23.80	29.20	13.25	9.60	5.30	11.20	11.00	14.15	18
19	19.30	12.75	38.45	33.85	24.20	29.50	12.65	9.40	5.40	9.50	12.00	14.95	19
20	18.40	15.20	38.75	33.65	24.80	29.95	12.20	9.10	5.60	7.90	12.40	15.35	20
21	17.60	18.00	38.85	33.35	25.30	30.25	12.00	9.00	5.70	6.90	12.30	14.95	21
22	17.00	20.90	38.95	33.15	26.00	30.45	11.90	9.10	5.60	6.50	12.20	14.15	22
23	16.50	22.90	39.05	33.05	26.70	30.65	11.70	9.00	5.50	6.10	12.00	12.90	23
24	16.15	24.60	39.05	32.95	27.45	30.75	11.10	8.60	5.50	6.00	12.50	11.80	24
25	15.75	25.95	39.25	32.85	28.05	30.95	10.30	8.10	5.90	6.30	13.40	10.00	25
26	15.45	26.75	39.45	32.75	28.70	31.05	10.00	7.20	6.40	6.70	14.85	8.70	26
27	15.00	27.75	39.45	32.55	29.20	31.15	10.00	7.20	7.80	6.50	16.10	8.50	27
28	14.00	28.65	39.45	32.55	29.60	31.25	10.30	7.20	10.30	6.20	16.60	9.10	28
29	12.90		39.35	32.35	29.80	31.15	10.30	7.40	12.30	6.20	17.10	10.20	29
30	11.70		39.15	32.05	29.90	31.05	10.20	7.10	13.60	6.80	17.30	11.60	30
31	10.60		39.25		29.70		9.70	6.50		7.00		13.60	31
Sum													
Mean	NOTE:	"Time basis Central War Time during the interim 2:00 a.m. 9 February 1942 to 2:00 a.m. 30 September 1945. To convert War Time to Standard Time, subtract one hour."											
High													
Low													

Remarks: 8:00 a.m. readings.

Highest: 39.75 on 6-7 April.

Lowest: 3.30 on 6 Sept.

Period of record: 1 Jan. 1930 to 15 July 1933 and 23 Aug. 1934 to date.

Highest for period of record: 49.80 on 11 Feb. 1937.

Lowest for period of record: -0.80 on 9 Jan. 1940.

RIVER STAGES

Mississippi River Gauge at Mile 235.0 R (235.3 R) for the calendar year 1944

Zero Elevation 180.61 feet above M.G.L.

Bank full stage feet on gauge. A.H.P. Miles 724.4 R.

N. D. C. 3311-2-24

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	4.20	3.60	20.15	29.95	37.00	20.05	18.55	8.65	7.25	4.80	3.90	4.80	1
2	4.40	3.90	21.55	30.25	37.20	20.55	18.85	8.20	7.85	5.20	2.90	5.30	2
3	4.40	4.10	23.05	30.65	37.40	20.95	18.95	8.00	9.25	5.30	2.60	5.50	3
4	4.80	4.70	24.45	31.05	37.50	21.55	18.85	8.20	11.05	6.20	2.60	5.70	4
5	5.20	5.40	25.50	31.45	37.57	22.05	18.35	8.40	12.30	7.85	2.40	5.60	5
6	5.50	6.00	26.00	31.75	37.50	22.25	17.75	8.15	12.70	8.75	2.30	5.70	6
7	6.40	6.10	26.50	31.85	37.30	22.15	17.15	7.45	12.00	9.05	2.20	6.00	7
8	8.15	6.20	27.05	32.05	37.10	21.85	16.75	6.50	11.40	9.35	2.40	5.50	8
9	9.05	7.00	27.45	32.35	37.00	21.35	16.55	5.90	11.10	9.45	2.60	5.00	9
10	9.55	6.40	27.75	32.25	36.90	20.75	16.35	5.60	10.35	9.65	2.60	4.60	10
11	9.55	5.40	28.05	31.90	36.90	19.75	15.85	5.80	9.45	9.75	3.00	4.50	11
12	9.45	5.00	28.25	30.95	36.80	18.85	15.45	6.10	8.75	9.55	3.60	5.00	12
13	9.55	5.80	28.35	29.65	36.60	18.05	15.25	6.40	7.65	9.05	4.00	6.80	13
14	9.65	7.65	28.35	28.75	36.25	17.45	14.95	6.95	6.95	8.55	3.80	8.20	14
15	9.75	9.15	28.25	28.55	35.75	16.80	14.65	7.05	6.65	8.05	3.80	8.90	15
16	9.15	9.65	28.05	29.05	35.15	16.15	14.35	6.30	6.30	7.55	3.70	8.80	16
17	7.30	9.65	27.85	29.85	34.45	15.95	14.15	5.80	5.40	6.60	3.50	8.30	17
18	5.00	10.05	27.25	30.75	33.75	15.95	13.20	5.60	4.60	5.60	3.30	7.50	18
19	4.20	9.35	26.60	31.45	32.75	16.15	12.50	5.30	4.20	5.60	3.10	6.80	19
20	4.20	9.55	25.90	32.35	31.55	16.25	12.10	5.20	3.60	5.00	3.00	6.30	20
21	4.40	10.45	25.40	33.05	29.85	16.35	11.70	5.50	3.40	4.30	3.00	5.20	21
22	4.40	12.00	25.60	33.85	27.65	16.45	11.20	5.80	3.40	3.60	3.60	4.10	22
23	4.40	13.75	26.20	34.55	25.30	16.45	10.90	6.10	3.20	3.00	3.90	3.90	23
24	4.40	14.95	27.25	35.25	23.05	16.35	10.60	6.00	2.70	2.60	4.20	4.20	24
25	4.50	15.75	28.05	35.65	21.45	16.25	10.30	5.90	2.70	3.30	4.50	5.00	25
26	4.70	16.55	28.75	35.85	20.65	16.45	10.15	6.40	3.00	4.00	5.30	5.80	26
27	4.70	17.45	29.25	36.15	19.65	17.05	10.05	6.70	3.40	4.40	5.00	5.90	27
28	4.50	18.45	29.65	36.35	19.25	17.45	9.95	6.50	3.80	4.70	5.30	6.60	28
29	4.20	19.45	29.75	36.55	19.05	17.85	9.55	6.10	4.10	5.30	5.40	7.20	29
30	3.70		29.75	36.80	19.25	18.25	9.35	6.20	4.20	5.50	5.00	8.20	30
31	3.60		29.75		19.55		9.05	6.60		5.00		9.90	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 a.m. readings. (Central War Time)
 Highest: 37.57 on 5 May.
 Lowest: 2.20 on 7 Nov.
 Period of record: 1 Jan. 1930 to 15 July 1933 and 23 Aug. 1934 to date.
 Highest for period of record: 49.80 on 11 Feb. 1937.
 Lowest for period of record: -0.80 on 9 Jan. 1940.

RIVER STAGES

MISSISSIPPI River Gauge at MILE 235.0 R (235.3 R) for the calendar year 1943

Zero elevation 180.61 feet above M. G. L.

Bank full stage feet on gauge A. H. P. MILES 724.4 R

P.C. 5M. 5-6-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	23.50	15.80	14.40	34.85	28.55	37.20	24.50	12.20	6.90	4.40	4.20	4.20	1
2	26.25	15.80	13.70	35.25	28.90	37.60	24.60	12.20	7.00	4.00	3.80	3.80	2
3	28.05	15.70	13.70	35.55	29.20	38.00	24.60	12.50	7.30	3.70	3.80	3.60	3
4	29.30	15.90	13.90	35.75	29.20	38.20	24.60	13.00	7.50	3.50	4.10	3.40	4
5	30.25	16.40	14.20	35.80	29.00	38.40	24.30	13.40	7.20	3.30	4.20	3.20	5
6	31.10	17.00	14.70	35.65	28.35	38.20	23.60	13.50	7.00	3.10	4.30	3.10	6
7	31.60	18.15	15.00	35.35	27.15	37.80	22.60	13.60	6.90	3.20	4.60	3.10	7
8	32.25	19.15	14.90	34.75	25.20	37.20	21.40	13.60	6.70	3.10	4.10	3.30	8
9	32.45	20.45	14.50	33.75	23.25	36.35	20.40	13.50	6.90	3.00	4.10	3.30	9
10	32.85	21.90	13.90	31.70	20.90	35.25	19.75	13.30	7.10	3.10	4.60	3.30	10
11	33.15	23.00	13.70	29.20	19.55	33.85	19.05	13.10	6.80	3.10	5.00	3.20	11
12	33.35	23.90	13.40	26.85	19.05	32.30	18.95	13.50	6.60	3.00	5.00	3.00	12
13	33.45	24.50	13.80	24.40	20.05	30.80	19.05	14.30	6.40	2.90	5.40	3.10	13
14	33.65	24.80	14.60	22.25	21.95	29.85	19.05	14.60	6.20	2.80	5.90	3.10	14
15	33.65	24.90	16.10	20.70	23.45	29.10	19.05	14.30	6.20	2.80	6.50	3.00	15
16	33.65	24.80	18.15	19.95	24.40	28.25	18.75	12.70	6.50	2.80	6.90	3.50	16
17	33.35	24.60	20.25	19.85	25.30	27.85	18.55	10.90	7.00	2.80	7.20	3.90	17
18	32.95	24.30	21.65	20.15	26.25	27.45	18.35	10.30	6.70	2.70	6.90	4.00	18
19	31.95	23.90	23.15	20.55	27.05	27.15	17.95	10.30	6.30	2.60	6.20	4.00	19
20	30.35	23.30	24.30	20.75	27.75	26.65	17.45	10.70	6.20	3.10	5.80	3.80	20
21	27.65	22.60	25.65	21.00	28.50	26.45	17.15	11.00	6.00	3.70	5.90	3.30	21
22	24.50	21.90	27.15	21.20	29.30	26.25	16.80	11.10	5.80	3.40	6.00	2.80	22
23	20.70	21.00	28.35	21.85	29.95	26.05	16.70	11.10	5.60	2.90	5.90	2.40	23
24	17.55	19.85	29.40	22.55	30.70	25.95	16.30	10.60	5.50	2.70	5.50	2.10	24
25	15.40	18.75	30.35	23.60	31.75	25.85	15.50	10.10	6.00	2.70	5.10	2.00	25
26	14.60	17.55	31.20	24.60	32.45	25.85	14.50	9.20	6.20	3.10	4.90	1.80	26
27	14.30	16.50	32.05	25.85	33.15	25.65	13.80	8.20	6.00	3.60	4.70	1.60	27
28	14.50	15.30	32.65	26.75	33.95	25.45	13.50	7.50	5.70	3.90	4.60	1.70	28
29	14.80		33.35	27.65	34.75	25.00	12.80	7.00	5.40	4.00	4.30	1.90	29
30	15.30		33.85	28.15	35.45	24.60	12.40	6.80	4.90	4.50	4.30	2.30	30
31	15.60		34.35		36.35		12.30	6.80		4.70		3.30	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 A.M. READINGS. (CENTRAL WAR TIME)
 HIGHEST: 38.40 ON 5 JUNE.
 LOWEST: 1.60 ON 27 DEC.
 PERIOD OF RECORD: 1 JAN. 1930 TO 15 JULY 1933 AND 23 AUG. 1934 TO DATE.
 HIGHEST FOR PERIOD OF RECORD: 49.80 ON 11 FEB. 1937.
 LOWEST FOR PERIOD OF RECORD: -0.80 ON 9 JAN. 1940.

RIVER STAGES

Mississippi River Gauge at Mile 235.0R (235.3R) for the calendar year 1942

Zero elevation 180.61 feet above M.G.L.

Bank full stage _____ feet on gauge A.H.P. Miles 724.4 R

P.C. 5M. 5-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	15.45	11.90	24.10	29.85	15.20	19.35	25.30	10.75	13.25	9.85	7.05	18.95	1
2	16.05	11.60	24.10	29.10	13.00	20.15	25.70	9.80	13.45	9.95	7.55	19.05	2
3	16.25	11.70	23.60	28.05	11.70	20.55	26.15	9.20	13.45	10.15	7.75	18.85	3
4	16.40	12.20	22.70	26.85	11.00	20.35	26.25	8.90	12.75	10.35	8.35	18.45	4
5	16.40	12.60	21.20	25.50	10.60	19.65	26.25	9.10	11.25	10.65	9.15	17.75	5
6	16.50	12.70	19.55	24.10	10.80	18.65	26.15	9.30	9.70	11.05	9.85	17.30	6
7	16.20	12.50	17.75	22.80	11.10	16.95	25.85	9.90	8.85	11.35	10.25	17.00	7
8	15.50	12.30	16.70	21.40	11.40	14.80	25.45	10.60	8.30	11.45	10.35	16.80	8
9	14.70	13.20	16.30	20.90	11.60	13.40	24.80	10.95	8.15	11.05	10.55	16.90	9
10	13.70	15.30	15.60	20.70	12.20	13.00	24.00	11.90	8.30	10.55	10.95	17.35	10
11	12.20	17.65	15.80	21.50	13.10	13.00	23.15	12.95	8.40	10.45	11.25	18.05	11
12	11.30	19.75	16.60	23.40	14.10	13.50	22.65	13.65	8.55	10.55	11.55	18.45	12
13	10.10	21.60	17.40	25.10	15.10	14.20	22.35	14.10	9.15	10.75	11.75	18.55	13
14	9.05	22.70	18.25	26.95	15.60	14.80	21.95	14.30	10.15	10.85	11.90	18.15	14
15	7.80	23.10	18.75	28.25	15.60	15.40	21.50	14.40	11.05	10.65	12.20	17.55	15
16	6.25	23.10	19.75	29.30	15.30	16.40	21.20	14.50	11.45	9.95	12.40	16.75	16
17	4.45	23.00	21.70	29.95	15.00	17.15	20.80	14.50	11.65	9.35	12.50	15.80	17
18	3.25	22.60	23.70	30.35	14.90	17.95	20.35	14.40	11.45	8.65	12.50	14.80	18
19	3.15	22.70	25.10	30.45	15.60	18.75	19.85	14.30	11.05	8.65	12.50	13.80	19
20	3.95	23.00	26.50	30.35	16.70	19.25	19.55	14.00	10.25	8.75	12.40	12.70	20
21	4.95	23.50	27.25	30.05	17.50	19.75	19.25	13.25	9.65	9.05	12.40	12.00	21
22	5.60	24.00	28.30	29.65	18.15	20.05	18.55	12.20	9.75	9.15	12.50	11.40	22
23	6.35	24.40	29.00	29.20	18.65	20.25	16.95	10.95	10.05	9.25	12.50	11.30	23
24	6.90	24.60	29.80	28.60	19.15	20.65	15.00	10.55	10.35	9.35	12.60	11.30	24
25	7.70	24.30	30.05	27.65	19.45	21.60	14.10	11.05	10.45	9.25	13.00	11.50	25
26	8.30	24.20	30.45	26.25	19.65	22.45	13.55	12.20	10.65	8.95	13.90	11.70	26
27	9.80	24.10	30.70	24.50	19.55	23.25	13.25	12.70	10.75	8.80	15.10	11.90	27
28	10.60	24.20	30.90	22.40	19.25	23.75	13.05	12.60	10.55	8.60	16.50	12.70	28
29	10.60		30.90	20.05	18.75	24.30	12.70	12.60	10.15	8.15	17.75	13.50	29
30	11.00		30.70	17.65	18.55	24.80	12.20	12.75	9.95	8.15	18.55	15.50	30
31	11.70		30.45		18.65		11.45	12.85		6.85		19.35	31
Sum													
Mean													
High													
Low													

Time Basis: Standard Time prior to 2:00 a.m., Feb. 9, 1942; War Time thereafter.
 To convert War Time to Standard Time, subtract one hour.

Remarks: 8:00 a.m. readings.
 Highest: 30.90 on Mar. 28 & 29.
 Lowest: 3.15 on Jan. 19.
 Period of record: Jan. 1, 1930 to July 15, 1933 and ^{Aug. 2, 1934} Jan. 1, 1935 to date.
 Highest for period of record: 49.80 on Feb. 11, 1937.
 Lowest for period of record: -0.80 on Jan. 9, 1940.

RIVER STAGES

Mississippi River Gauge at Mile 235.0-R (235.3-R) for the calendar year 1941

Zero elevation 180.61 feet above M.G.L.

Bank full stage _____ feet on gauge

P.C. 5M. 5-5-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	8.35	12.9	5.55	10.35	19.9	3.8	10.4	5.3	4.0	7.95	16.30	11.85	1
2	7.3	13.9	5.55	10.45	18.9	3.7	9.7	4.9	4.5	7.65	16.50	11.65	2
3	7.2	14.8	5.45	10.90	17.8	3.6	9.2	4.8	4.5	7.25	16.80	11.35	3
4	8.05	15.1	5.15	11.1	16.7	3.7	8.8	5.0	4.2	6.75	17.40	10.95	4
5	8.5	15.0	4.75	11.0	15.3	4.3	8.4	5.4	4.1	6.15	18.40	10.2	5
6	9.2	14.6	4.35	10.7	14.2	4.9	8.9	5.5	4.0	6.15	19.20	9.5	6
7	10.6	14.1	4.05	10.7	13.4	6.0	10.2	4.7	3.8	6.55	19.90	9.0	7
8	12.4	13.4	3.95	10.9	12.6	7.4	11.3	3.9	4.1	7.35	20.20	8.25	8
9	13.9	12.6	4.15	11.3	12.0	8.8	12.3	3.7	5.0	9.05	20.60	8.25	9
10	14.6	11.7	4.25	12.8	11.5	10.0	13.1	3.2	5.8	12.25	20.90	8.05	10
11	14.8	10.9	4.55	14.1	11.0	11.2	13.2	2.5	6.1	14.65	21.20	7.75	11
12	14.5	9.6	5.25	15.6	10.6	11.9	13.3	2.1	5.9	16.30	21.70	7.45	12
13	13.9	8.2	5.75	16.6	10.4	12.9	13.5	1.9	5.6	16.90	21.90	7.35	13
14	13.2	7.1	6.75	17.2	10.2	14.4	13.6	1.6	5.65	17.10	21.60	7.35	14
15	12.1	6.4	7.65	17.5	9.9	16.2	13.8	1.4	5.85	17.20	20.90	7.35	15
16	11.3	5.95	8.35	17.75	9.6	18.0	14.3	1.4	6.45	17.10	19.90	7.05	16
17	10.4	5.45	9.1	17.85	9.1	19.4	14.4	1.8	7.75	17.40	18.50	6.65	17
18	9.0	5.35	9.85	17.65	8.4	20.6	14.4	1.7	9.00	18.10	17.00	6.85	18
19	6.95	5.75	10.6	17.3	7.7	20.8	14.3	2.3	9.05	18.30	15.60	7.35	19
20	5.65	6.25	11.5	17.2	7.3	20.5	12.7	3.2	8.85	18.10	14.50	7.65	20
21	5.45	6.55	12.3	16.8	7.4	20.0	10.7	3.5	8.45	17.70	13.55	7.85	21
22	6.05	6.85	12.8	16.9	7.8	19.4	9.9	4.0	8.25	17.30	12.65	7.75	22
23	6.8	7.4	13.1	17.7	8.1	19.1	10.0	4.1	8.05	16.20	11.95	7.65	23
24	7.85	8.1	13.0	18.7	8.1	19.0	9.8	3.7	8.15	15.40	11.35	7.05	24
25	9.1	8.6	12.6	19.6	7.6	18.6	9.7	3.4	8.35	14.30	10.95	7.05	25
26	9.5	8.3	12.1	20.4	6.6	18.0	9.9	3.3	8.65	14.30	10.75	7.45	26
27	9.8	7.15	11.6	21.0	5.5	17.2	10.2	2.8	8.85	14.30	10.95	8.05	27
28	10.4	5.95	10.8	21.3	5.0	16.1	10.4	2.3	8.75	14.70	11.55	8.95	28
29	11.2		10.1	21.2	4.8	14.1	9.3	2.0	8.35	15.10	11.75	11.05	29
30	11.7		10.0	20.8	4.3	11.9	7.1	2.2	8.15	15.50	11.85	12.85	30
31	12.2		10.15		3.9		5.8	2.9		16.00		14.35	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 a.m. readings.
 Highest: 21.90 on Nov. 13.
 Lowest: 1.40 on Aug. 15 & 16.
 Period of record: Jan. 1, 1930 to July 15, 1933: Jan. 1, 1935 to date.
 Highest for period of record: 49.80 on Feb. 11, 1937.
 Lowest for period of record: -0.80 on Jan. 9, 1940.

RIVER STAGES

Mississippi River Gauge at Mile 235.0 R(235.3 R) for the calendar year 1940

Zero elevation 180.61 feet above M.G.L.

Bank full stage _____ feet on gauge

M.R.C. 5M. 5-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	2.8	0.0	19.5	13.4	30.9	11.0	12.8	4.5	6.3	1.9	-0.1	3.9	1
2	1.8	0.2	18.5	13.6	31.3	11.1	13.2	4.2	6.6	2.3	-0.3	4.5	2
3	1.4	0.4	17.1	14.0	31.6	11.3	13.2	4.0	6.8	2.6	0.3	5.0	3
4	1.4	1.2	16.4	14.6	32.1	11.8	12.9	3.7	7.6	2.5	0.0	5.8	4
5	1.1	1.8	15.6	15.1	32.3	12.3	12.5	3.7	8.5	1.9	0.4	6.0	5
6	0.5	2.0	15.4	15.7	32.5	12.6	12.3	3.7	9.5	1.3	1.1	5.9	6
7	0.0	2.5	15.6	16.9	32.6	12.9	12.2	3.4	10.5	1.1	2.0	6.0	7
8	-0.5	2.0	16.6	18.3	32.6	13.1	12.4	3.6	10.5	0.7	2.7	6.3	8
9	-0.8	1.8	18.4	19.6	32.3	13.5	12.3	4.0	10.0	0.2	3.0	6.3	9
10	-0.6	2.2	20.2	21.0	31.3	13.9	11.9	4.5	9.3	0.3	2.9	5.3	10
11	0.2	2.3	21.6	22.0	29.9	14.1	11.2	4.8	8.2	0.3	2.8	4.3	11
12	0.9	2.0	22.4	22.7	27.3	14.2	10.8	5.0	6.9	0.1	2.1	3.8	12
13	1.1	2.1	22.8	22.9	24.2	14.0	10.6	4.9	5.9	0.2	1.7	3.9	13
14	1.2	2.8	23.0	23.0	20.6	13.5	10.8	4.4	5.5	0.1	2.1	3.9	14
15	1.3	4.8	23.2	22.9	17.7	13.0	10.7	3.7	5.0	0.0	2.5	4.2	15
16	0.7	6.8	23.5	22.5	15.7	12.8	9.6	3.5	4.4	0.0	2.5	5.4	16
17	0.3	8.6	23.9	22.1	14.0	13.1	8.3	3.5	3.9	-0.1	2.2	5.9	17
18	1.2	10.6	24.1	21.8	12.4	13.5	7.8	3.4	3.9	-0.1	2.1	6.1	18
19	1.4	12.0	24.0	21.9	11.0	13.6	7.9	3.9	3.6	-0.2	2.3	6.3	19
20	2.3	13.4	23.3	22.0	10.2	13.4	8.2	5.5	3.1	0.0	2.6	6.7	20
21	3.1	15.0	22.2	22.4	9.4	13.2	8.5	7.0	2.6	-0.1	2.5	7.1	21
22	3.6	16.5	20.9	23.6	8.9	13.1	8.8	8.2	2.1	-0.2	2.6	7.9	22
23	3.9	17.9	19.6	25.2	8.7	13.0	8.6	9.6	1.7	-0.2	2.3	8.2	23
24	4.0	18.9	18.4	26.7	8.7	12.9	8.0	10.6	1.5	-0.2	2.1	8.1	24
25	3.5	20.1	17.3	27.9	8.6	12.8	7.3	11.3	1.8	-0.3	2.0	8.4	25
26	3.0	20.6	16.3	28.6	8.7	12.6	6.4	10.8	1.4	-0.5	1.8	9.0	26
27	2.4	20.8	15.3	29.4	9.1	12.2	5.6	9.3	1.2	-0.6	2.3	9.5	27
28	-0.1	20.7	14.5	29.7	9.55	11.7	5.1	7.6	1.3	-0.6	3.0	9.7	28
29	-0.2	20.3	13.9	30.1	9.95	11.6	4.7	6.9	1.7	-0.4	3.2	9.7	29
30	-0.4	-	13.6	30.6	10.25	12.1	4.8	6.5	1.9	-0.5	3.4	9.5	30
31	0.3	-	13.5	-	10.6	-	4.7	6.2	-	-0.4	-	9.2	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 A.M. Readings.
Gage affected by ice floes and jams, Jan. 11 to Feb. 12, 1940.

RIVER STAGES

Mississippi River Gauge at L.W. 235.0-R (Mile 235.3) for the calendar year 1939

Zero elevation 180.61 feet above M.G.L.

Bank full stage _____ feet on gauge

M.R.C. 5M. 5-6-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	6.8	13.5	38.9	32.9	37.9	11.3	20.1	10.3	6.25	0.9	1.0	0.7	1
2	7.8	16.4	38.6	31.1	37.8	11.2	19.7	10.3	5.8	0.8	1.8	0.6	2
3	8.8	19.5	38.4	29.5	37.6	11.8	19.6	10.3	5.4	0.6	2.2	0.4	3
4	9.5	21.3	38.2	28.5	37.4	11.9	19.2	10.2	4.8	0.5	2.4	0.3	4
5	10.2	23.8	37.9	27.8	37.0	11.8	18.4	9.8	4.3	0.8	2.5	0.2	5
6	9.1	25.7	37.7	27.6	36.6	11.8	17.3	9.7	3.9	1.0	2.7	0.2	6
7	7.8	26.9	37.5	27.7	35.9	12.0	16.7	9.8	3.7	0.8	2.2	0.3	7
8	7.9	28.0	37.1	27.8	34.6	12.4	16.1	10.3	3.5	0.1	1.4	0.5	8
9	8.9	29.2	36.9	28.1	31.9	12.7	15.6	10.0	3.3	-0.2	1.0	0.6	9
10	10.1	30.2	36.9	28.5	29.1	12.9	15.4	9.0	2.9	-0.3	0.8	0.6	10
11	10.5	31.0	36.8	29.5	25.6	13.0	15.2	8.0	2.5	-0.3	0.7	0.6	11
12	11.0	31.7	36.6	30.3	21.9	13.0	15.0	7.6	2.3	-0.3	0.6	0.8	12
13	11.5	32.2	36.5	30.7	19.7	13.1	15.0	7.3	2.3	-0.3	0.5	1.3	13
14	11.4	32.8	36.5	31.0	18.2	13.2	15.3	7.6	2.2	0.2	0.4	1.7	14
15	11.6	33.6	36.5	31.2	17.5	13.4	15.8	7.6	2.0	+0.4	0.3	1.6	15
16	11.6	34.3	36.7	31.3	16.9	13.6	16.0	7.6	1.9	+0.6	0.2	1.4	16
17	12.0	34.9	36.8	31.7	15.9	13.8	15.8	8.6	1.7	+0.5	0.3	1.4	17
18	13.2	35.4	37.0	32.0	15.1	13.9	15.0	9.5	1.8	+0.2	0.5	1.5	18
19	14.6	35.9	37.4	32.3	14.6	14.1	13.0	9.8	1.7	-0.1	0.7	1.7	19
20	15.7	36.3	37.8	32.7	13.9	14.2	10.8	9.4	1.7	-0.2	0.6	1.8	20
21	15.9	36.8	38.0	33.1	13.2	13.6	9.5	8.4	1.9	-0.3	0.7	1.8	21
22	16.0	37.3	38.4	33.5	13.0	14.1	9.0	8.4	2.2	-0.3	0.8	1.8	22
23	16.0	37.6	38.5	34.0	12.9	15.4	9.0	9.6	2.1	-0.3	0.8	1.9	23
24	15.8	37.8	38.6	34.7	12.6	16.9	8.9	10.6	1.9	-0.4	0.8	1.9	24
25	15.1	38.1	38.5	35.4	12.6	18.1	9.1	10.5	1.8	-0.4	0.8	2.0	25
26	14.2	38.4	38.3	35.9	12.3	19.0	9.4	9.6	1.6	-0.5	0.8	2.4	26
27	13.2	38.6	38.0	36.6	12.0	19.8	9.7	8.4	1.3	-0.5	0.8	3.1	27
28	12.4	38.8	37.6	37.2	11.8	20.2	10.0	7.8	1.2	-0.5	1.0	3.3	28
29	12.0		37.1	37.6	11.7	20.5	10.1	7.6	1.1	-0.4	0.9	3.4	29
30	12.1		36.4	37.8	11.7	20.4	10.2	7.5	1.0	+0.1	0.8	3.5	30
31	12.2		35.2		11.5		10.4	7.3		0.5			31
Sum													
Mean													
High													
Low													

Remarks: 8:00 A.M. Readings.

Inspected June 13 and Sept. 18, 1939.

RIVER STAGES

Mississippi River Gauge at Mile 235.0 R for the calendar year 1938.

Zero elevation 180.61 feet above M.G.L.

Bank full stage _____ feet on gauge

P.C. 5M. 1-5-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	19.4	20.9	25.8	30.5	27.5	28.5	19.5	18.6	8.9	12.6	3.9	11.0	1
2	19.7	21.8	25.5	30.7	26.0	29.2	19.6	18.6	8.5	12.8	3.9	9.5	2
3	19.4	22.5	25.1	31.1	24.5	29.8	19.3	19.2	8.3	12.7	4.1	8.0	3
4	18.8	22.8	24.7	31.7	22.8	30.1	19.1	19.8	8.2	12.6	4.0	7.0	4
5	17.9	23.1	24.1	32.3	21.1	30.1	18.7	20.0	8.2	12.7	3.8	6.8	5
6	17.0	23.3	23.8	32.7	19.5	29.9	18.4	19.8	8.4	12.7	3.6	6.5	6
7	16.0	23.5	23.0	33.1	18.0	29.4	18.4	19.8	8.2	12.5	3.6	6.4	7
8	15.4	23.3	22.4	33.3	17.1	28.9	18.4	19.8	7.7	12.3	3.5	6.4	8
9	14.7	22.7	21.9	33.4	16.0	28.0	18.3	19.9	7.1	11.7	3.5	6.7	9
10	14.1	21.7	21.8	33.0	14.8	27.0	18.3	20.1	6.6	11.1	3.8	7.4	10
11	13.7	20.3	22.0	32.7	13.8	25.6	18.3	20.3	6.3	10.4	4.4	7.7	11
12	13.2	18.9	22.4	32.4	13.7	24.3	18.3	20.4	6.0	9.8	4.9	7.8	12
13	12.8	17.4	23.0	32.3	14.2	22.7	18.5	20.4	5.8	9.3	5.5	7.9	13
14	12.3	16.5	24.6	32.4	14.7	22.0	18.4	20.2	6.2	8.5	6.1	7.8	14
15	11.8	16.1	25.2	32.6	14.8	21.9	18.3	19.9	6.7	7.5	6.3	7.6	15
16	11.0	16.2	26.6	32.8	14.6	22.4	18.1	19.3	8.5	6.5	6.4	7.6	16
17	10.1	16.8	27.5	33.0	14.2	23.0	17.9	18.5	9.1	5.7	7.0	7.5	17
18	8.6	18.2	28.3	33.5	14.0	22.9	17.8	17.4	9.6	5.2	7.3	7.4	18
19	6.8	19.7	29.1	33.7	14.1	22.8	18.0	16.3	10.4	5.4	7.3	7.2	19
20	6.3	21.0	29.7	33.9	14.3	22.1	18.2	15.2	10.9	5.2	7.2	7.0	20
21	6.7	22.5	30.1	34.0	14.4	21.3	18.5	14.4	11.3	5.1	7.5	6.5	21
22	7.7	24.0	30.2	33.9	14.5	20.9	18.1	13.6	11.8	4.8	8.3	6.1	22
23	7.8	25.0	30.3	33.8	14.6	20.6	20.1	12.1	12.1	4.7	9.2	5.8	23
24	8.0	25.8	30.2	33.4	15.3	20.4	20.6	10.7	12.0	4.7	10.7	5.3	24
25	9.7	26.3	30.0	32.9	16.0	20.1	20.7	10.4	11.9	4.6	11.8	5.0	25
26	11.8	26.4	29.8	32.3	17.1	19.8	20.4	10.0	12.2	4.5	12.4	4.5	26
27	13.9	26.4	29.7	31.7	19.0	19.4	19.3	10.0	12.2	4.4	12.5	4.2	27
28	15.7	26.1	29.6	30.8	21.5	19.1	18.7	9.9	12.1	4.2	12.6	4.2	28
29	17.1	—	30.1	30.0	24.1	18.9	18.8	9.6	12.0	4.1	12.5	4.7	29
30	18.3	—	30.2	28.8	25.9	19.1	18.7	9.4	12.3	4.0	12.0	5.1	30
31	19.8	—	30.3	—	27.6	—	18.7	9.2	—	3.9	—	6.0	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 A.M. Readings

* 1915-16 Mileage =

Gage Inspected: May 25, Oct. 3, 28, 1938.

RIVER STAGES

Mississippi River Gauge at Mile 235.0 R. for the calendar year 1937

Zero elevation 180.61 feet above M.G.L.

Bank full stage _____ feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	9.8	47.4	35.6	19.9	22.8	17.4	16.4	9.3	8.3	2.8	8.9	3.6	1
2	11.2	47.8	34.5	20.0	23.0	16.8	17.0	9.2	8.5	2.7	8.9	3.7	2
3	12.8	48.2	33.0	19.9	24.1	16.4	17.6	9.0	8.7	2.7	8.9	4.3	3
4	14.4	48.5	31.4	19.7	25.5	15.9	18.2	8.5	8.8	2.8	9.0	4.9	4
5	16.1	48.8	29.7	19.2	27.2	15.6	18.6	8.1	8.7	2.8	9.2	5.3	5
6	18.5	49.0	28.0	18.7	28.7	15.5	18.5	7.8	7.7	2.9	9.6	5.3	6
7	21.2	49.2	26.3	18.2	30.0	15.6	18.1	7.7	6.0	3.2	10.6	5.1	7
8	23.4	49.4	24.7	17.3	30.9	15.9	17.4	7.5	5.8	3.7	11.6	4.9	8
9	25.2	49.5	23.0	16.8	31.8	16.4	16.2	7.4	6.2	4.2	12.7	4.6	9
10	26.8	49.7	21.5	16.3	32.7	16.9	14.5	7.4	6.8	4.5	13.2	4.2	10
11	28.1	49.8	20.7	15.8	33.4	17.2	13.2	7.5	7.3	4.7	13.0	3.9	11
12	29.1	49.8	20.5	15.3	34.2	16.8	12.9	8.0	7.3	4.9	12.4	3.4	12
13	29.9	49.4	20.7	15.1	34.9	16.3	12.5	8.7	7.4	5.1	11.0	3.0	13
14	30.6	48.9	21.2	15.1	35.4	16.6	12.0	8.6	7.5	5.1	8.3	2.7	14
15	31.3	48.3	21.7	15.3	35.5	17.7	11.6	8.3	7.4	4.8	5.8	2.5	15
16	31.8	47.8	22.0	15.6	35.4	18.6	10.8	8.2	7.4	4.3	4.5	1.9	16
17	32.5	47.2	22.0	15.8	34.8	18.8	10.9	8.1	7.3	3.8	4.4	1.3	17
18	33.4	46.6	22.1	16.0	34.2	18.7	11.0	8.1	6.0	3.4	4.6	1.5	18
19	34.1	45.8	22.0	16.2	33.4	18.4	11.3	8.1	5.1	3.4	4.7	2.8	19
20	34.8	44.7	21.6	16.5	32.6	18.2	11.8	8.2	4.6	3.7	5.0	4.4	20
21	35.9	43.9	21.3	16.6	31.7	18.1	12.6	8.2	4.3	4.2	5.3	6.7	21
22	37.3	42.7	21.0	16.7	30.1	17.9	13.2	7.7	4.1	4.9	5.3	8.8	22
23	38.8	42.0	20.8	16.8	28.4	18.0	13.6	6.9	4.0	5.3	5.0	10.2	23
24	40.8	41.0	20.8	17.3	26.4	18.2	13.7	6.6	4.2	6.0	4.8	12.1	24
25	42.8	40.0	21.0	18.0	24.0	18.2	13.6	6.5	3.9	6.7	4.9	13.9	25
26	44.3	39.0	21.0	19.0	21.8	17.9	13.2	6.4	3.5	7.2	5.0	15.1	26
27	45.2	37.5	20.8	20.1	20.4	17.4	12.9	6.2	3.4	7.7	4.5	16.4	27
28	45.8	36.8	20.5	21.1	19.4	17.1	12.6	6.3	3.3	8.5	4.2	17.5	28
29	46.1		20.0	22.0	18.6	16.8	11.9	7.0	3.2	8.7	3.9	18.2	29
30	46.5		19.7	22.5	18.2	16.4	10.5	7.9	3.1	8.8	3.7	18.8	30
31	47.0		19.8		17.9		9.6	8.1		8.8		19.2	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 A.M. Readings corrected

Inspected: April 19 and sept. 8, 1937

49.8 (Feb. 11, 9:25 A.M.) crest reading by crest patrol party.

RIVER STAGES

River Mile 724.4K

Mississippi River Gauge at Mile 235.0 R for the calendar year 1936

Zero elevation 180.61 feet above

Bank full stage feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	9.7	15.8	22.9	32.7	25.2	10.7	5.2	2.9	1.4	4.2	4.4	4.1	1
2	8.4	14.8	23.5	33.3	22.5	10.1	5.3	3.3	1.5	4.1	4.8	4.1	2
3	7.0	13.7	24.4	33.9	20.0	9.6	5.4	3.5	2.3	4.5	5.1	4.1	3
4	5.9	12.3	25.6	34.3	18.5	9.3	5.6	3.2	2.8	6.1	5.6	3.9	4
5	5.0	11.0	26.3	35.2	17.5	9.1	5.7	2.8	3.0	7.8	6.0	3.5	5
6	5.0	9.8	26.7	36.1	16.5	9.1	5.4	2.1	3.0	8.4	7.4	3.3	6
7	5.3	8.8	26.9	36.8	16.1	9.0	5.1	2.0	2.9	8.3	9.3	3.6	7
8	6.3	9.0	27.1	37.4	16.0	8.9	5.0	2.0	3.0	7.6	12.2	3.7	8
9	8.1	9.5	27.2	38.2	15.9	8.8	5.9	1.9	2.6	7.1	14.5	4.1	9
10	10.0	10.5	27.3	38.8	16.2	8.6	7.3	2.1	2.4	6.5	16.1	4.7	10
11	13.3	11.6	27.4	39.2	16.7	8.4	8.2	2.0	2.3	6.2	16.8	5.9	11
12	17.0	12.5	27.6	39.5	16.8	8.3	8.5	1.9	2.6	6.3	17.1	7.8	12
13	19.9	13.6	27.6	39.8	16.5	8.2	7.9	1.8	2.9	6.3	17.2	9.6	13
14	22.1	14.7	27.5	40.0	15.9	7.9	7.0	2.0	2.5	6.7	17.1	10.5	14
15	23.5	15.4	27.3	40.1	15.4	7.8	5.9	2.0	2.0	6.9	17.0	11.4	15
16	24.4	16.1	27.0	40.2	14.7	8.2	5.5	1.6	1.8	7.1	16.8	11.9	16
17	25.1	17.2	26.4	40.3	13.8	8.0	5.1	1.3	1.7	7.2	16.6	12.1	17
18	25.8	17.1	25.2	40.3	13.0	7.6	4.6	1.3	1.5	7.1	16.2	12.2	18
19	26.0	16.7	24.3	40.4	12.5	7.3	4.2	1.2	1.6	6.7	15.5	11.9	19
20	26.0	16.2	24.0	40.4	12.9	7.2	3.9	1.5	1.8	6.7	14.6	11.4	20
21	25.7	15.3	24.2	40.5	12.9	7.1	4.2	1.6	2.2	6.9	13.0	14.6	21
22	24.8	14.1	24.8	40.5	12.9	6.8	4.3	1.4	2.2	7.2	10.8	9.9	22
23	24.1	13.9	25.8	40.3	12.7	6.5	4.2	0.9	2.2	7.6	8.2	9.0	23
24	22.2	13.9	26.5	39.9	12.1	6.4	4.2	0.6	2.7	7.8	7.0	8.5	24
25	20.4	14.4	27.9	39.6	12.2	6.5	4.4	0.5	3.3	7.8	6.2	7.5	25
26	18.8	15.0	28.7	38.8	12.1	6.7	4.5	0.5	3.8	7.4	5.8	6.6	26
27	17.7	16.7	29.5	37.8	12.1	6.5	4.4	0.6	4.2	6.8	5.4	6.4	27
28	17.1	19.8	30.2	36.0	11.8	6.0	4.1	0.7	4.6	6.1	5.2	7.4	28
29	16.5	21.9	30.8	33.0	11.5	5.7	3.8	0.8	4.5	5.6	4.8	8.3	29
30	16.3		31.4	29.0	11.2	5.5	3.7	1.1	4.3	5.1	4.4	8.7	30
31	16.0		32.1		10.9		3.3	1.4		4.6		9.3	31
Sum													
Mean													
High													
Low													

Remarks:

8:00 A.M. Readings, Corrected
Gage inspected June 23, 1936.

RIVER STAGES



Mississippi River Gauge at 17.16 235.0 R for the calendar year 1935

Zero elevation 180.61 feet above M.G.L.

Bank full stage _____ feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	9.8	30.2	18.6	37.7	24.1	34.7	31.4	17.7	9.5	4.2	4.0	8.4	1
2	10.3	30.0	18.4	37.3	22.2	34.6	31.7	17.5	9.3	4.0	4.2	7.9	2
3	10.7	29.6	18.7	36.9	20.6	34.4	31.6	17.1	9.1	3.8	4.1	7.8	3
4	11.0	28.8	19.3	36.6	19.1	34.0	31.2	16.8	8.4	3.7	4.3	8.4	4
5	11.6	27.7	20.1	36.4	18.0	33.5	30.8	16.6	7.7	3.6	4.6	8.9	5
6	12.2	26.1	20.6	36.5	17.9	32.8	30.1	16.4	7.2	3.5	4.5	9.1	6
7	12.8	24.3	21.0	36.7	19.1	32.0	29.3	16.0	7.3	3.3	4.2	9.3	7
8	13.1	21.9	21.2	36.8	21.4	31.2	28.7	15.3	7.8	3.1	4.0	9.5	8
9	13.0	19.5	21.3	36.8	22.6	30.7	28.0	14.5	8.6	3.0	4.4	9.1	9
10	12.7	17.2	21.4	36.8	24.8	30.6	26.2	13.5	9.6	3.2	4.7	8.8	10
11	12.3	15.6	22.0	36.9	26.5	30.6	25.8	13.2	10.7	3.4	5.6	8.5	11
12	11.9	14.2	23.3	37.0	27.6	30.7	25.2	12.9	12.0	3.2	7.1	8.6	12
13	11.4	13.6	25.1	37.1	28.2	30.9	24.5	12.7	13.7	3.1	8.2	8.8	13
14	10.7	13.5	28.0	37.2	28.7	31.2	23.9	12.8	14.2	2.9	9.6	9.2	14
15	10.9	13.8	30.3	37.2	29.2	31.4	23.1	13.3	14.2	2.8	10.6	9.9	15
16	12.2	14.3	31.1	37.2	29.7	31.7	22.5	14.1	13.9	2.7	11.9	10.6	16
17	13.0	15.0	32.2	37.2	30.1	31.9	21.6	15.2	13.0	2.6	13.2	11.4	17
18	13.7	15.7	33.2	37.2	30.3	31.9	20.6	16.0	11.7	2.7	13.9	12.0	18
19	14.7	16.6	33.9	37.2	30.7	31.8	19.2	16.8	9.8	2.8	14.4	12.5	19
20	16.9	17.5	34.6	37.2	31.2	31.2	17.0	17.1	7.8	2.7	14.9	12.9	20
21	19.5	18.6	35.5	37.1	31.9	30.7	15.3	17.3	7.0	2.6	15.4	13.4	21
22	23.2	19.6	36.4	36.9	32.2	30.2	14.4	17.3	6.3	2.4	15.7	13.8	22
23	24.4	20.3	37.1	36.4	32.5	29.8	13.8	17.1	5.8	2.8	15.7	14.3	23
24	27.0	20.7	37.6	35.8	32.7	29.6	13.6	16.9	5.5	3.2	15.4	14.8	24
25	28.3	20.7	38.0	35.3	33.1	29.8	13.5	16.7	5.3	3.5	15.0	15.1	25
26	29.2	20.4	38.2	33.8	33.4	30.0	14.0	16.5	5.2	3.6	14.3	14.8	26
27	29.8	19.8	38.4	32.8	33.6	30.2	14.4	16.1	5.1	3.5	12.9	14.4	27
28	30.1	19.2	38.5	30.8	33.8	30.5	14.7	15.1	5.0	3.4	11.4	14.0	28
29	30.3	—	38.4	28.5	34.3	30.8	15.2	13.5	4.9	3.5	9.3	13.1	29
30	30.3	—	38.2	26.5	34.5	31.2	16.4	11.6	4.5	3.6	8.6	12.6	30
31	30.4	—	38.0	—	34.7	—	17.4	10.3	—	3.7	—	11.1	31
Sum													
Mean													
High													
Low													

Remarks: 8 A.M. Readings
Jan 3, 1936
Gage inspected Sept. 11, 1935

RIVER STAGES

Mississippi River Gauge at *Mile 235.0 R* for the calendar year *1934*

Zero elevation *180.61* feet above *M.G.L.*

Bank full stage feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Sum													
Mean													
High													
Low													

Remarks:

*Gage re-established Aug 23 1934
 owing to continuous improvement works at this point on River
 bank no gage could be maintained that would give reliable
 readings.*

RIVER STAGES

Mississippi River Gauge at Mile 235.0 R for the calendar year 1933

Zero elevation 180.80 ⁶¹ feet above Mean Gulf Level

Bank full stage _____ feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	23.9	30.3	29.8	34.6	32.8	39.4	10.4						1
2	25.9	30.8	30.4	35.4	32.4	39.2	10.3						2
3	27.2	31.1	30.8	36.2	31.8	38.8	9.9						3
4	27.9	31.3	31.2	36.9	31.4	38.6	9.7						4
5	28.8	31.2	31.6	37.4	31.0	38.2	9.9						5
6	29.4	31.0	31.0	38.0	29.8	37.7	11.1						6
7	30.5	30.4	30.6	38.6	28.6	37.2	12.5						7
8	30.4	29.6	29.6	39.2	26.8	35.8	13.3						8
9	31.1	28.5	28.0	39.7	26.0	33.0	13.1						9
10	31.7	27.8	26.0	39.9	25.7	31.0	12.5						10
11	32.2	27.0	24.0	40.1	25.7	28.8	12.2						11
12	32.4	26.3	22.0	40.0	26.3	26.5	11.4						12
13	32.0	25.1	19.5	39.6	27.1	24.3	11.0						13
14	31.1	24.0	18.8	39.2	28.0	22.5	10.8						14
15	30.4	23.0	18.2	38.8	29.5	20.4	10.3						15
16	30.0	22.4	17.7	38.4	30.5	18.0							16
17	28.5	21.0	17.4	38.0	31.4	16.5							17
18	26.5	20.7	17.0	37.7	32.5	15.4							18
19	25.6	21.6	17.0	37.0	33.5	15.0							19
20	24.0	22.5	18.3	36.5	34.4	14.7							20
21	22.7	24.0	20.3	35.8	35.2	14.0							21
22	20.5	25.0	21.6	35.2	36.0	13.2							22
23	20.0	26.1	23.9	34.8	37.0	12.4							23
24	21.0	26.8	26.0	34.6	37.9	12.0							24
25	21.5	27.3	28.3	34.4	38.5	11.8							25
26	23.4	27.8	29.7	34.2	39.2	11.4							26
27	25.1	28.8	30.9	34.2	39.6	11.2							27
28	27.0	29.2	31.6	34.0	39.8	11.0							28
29	28.7		32.3	33.6	39.8	10.6							29
30	29.5		33.0	33.2	39.7	10.6							30
31	29.7		33.8		39.6								31
Sum													
Mean													
High													
Low													

Remarks:

RIVER STAGES

W. J. Amcke

Mississippi River Gauge at *Mile - 235 - R.* for the calendar year *1932*

Zero elevation *180.82* feet above *Mean Gulf level.*

Bank full stage _____ feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	27.7	34.4	32.2	24.2	20.2	9.9	14.6	7.4	6.9	4.6	6.4	11.4	1
2	27.1	34.6	30.5	25.2	21.5	9.9	15.5	6.9	6.6	5.3	6.5	11.7	2
3	26.5	34.8	28.4	26.1	22.4	9.9	15.1	6.8	6.1	6.0	6.5	11.9	3
4	26.0	35.1	26.3	27.2	23.4	9.5	16.5	7.0	6.5	5.9	7.2	11.6	4
5	25.5	35.3	24.0	28.2	24.2	9.2	17.5	7.2	6.6	5.6	7.6	10.2	5
6	25.1	35.7	21.8	29.1	24.9	9.9	18.7	7.9	6.8	4.7	8.1	8.3	6
7	25.1	36.1	19.0	29.9	25.3	10.4	17.3	8.6	7.2	4.8	8.2	7.4	7
8	25.3	36.4	18.4	30.8	24.9	10.8	19.7	8.9	6.8	5.6	7.9	6.9	8
9	25.7	36.7	17.9	31.4	24.3	11.2	20.3	9.3	6.4	5.6	7.6	6.5	9
10	26.3	36.9	17.5	31.6	23.6	11.4	21.0	10.3	6.2	5.5	7.4	6.2	10
11	27.1	37.1	17.6	32.0	22.8	11.6	21.6	9.4	6.2	5.4	6.9		11
12	28.3	37.3	17.9	32.3	20.8	11.9	23.6	8.2	5.9	5.0	6.9		12
13	29.0	37.5	18.1	32.2	19.9	12.1	24.7	7.5	5.5	4.9	6.8		13
14	29.5	37.6	18.3	32.0	19.0	12.3	25.7	7.2	5.2	3.8	7.0		14
15	30.1	37.8	18.3	31.6	18.4	12.2	26.3	7.6	4.2	3.8	7.2		15
16	30.8	38.0	18.2	31.0	18.0	11.7	26.2	8.0	3.8	4.1	7.4		16
17	31.2	38.2	17.8	29.2	17.6	11.2	25.6	8.2	3.6	3.8	7.6		17
18	31.8	38.4	17.1	28.9	17.2	10.8	24.0	8.7	3.4	3.0	7.9		18
19	32.3	38.5	16.6	27.0	16.5	10.8	22.6	9.3	3.0	2.8	8.5		19
20	32.8	38.5	16.0	26.0	15.8	11.3	19.4	9.8	3.1	3.7	8.9		20
21	33.1	38.4	15.4	24.0	15.7	11.6	17.1	10.2	3.1	6.2	9.1		21
22	33.2	38.2	15.2	23.0	15.9	11.8	15.0	11.0	3.0	9.0	9.0		22
23	33.5	38.0	15.0	22.4	16.2	12.0	12.8	11.8	4.0	10.2	8.8		23
24	33.7	37.7	15.7	21.5	17.4	12.2	11.6	12.6	4.7	10.1	8.9		24
25	33.7	37.1	16.5	20.7	17.5	12.4	10.7	12.6	4.7	9.7	9.4		25
26	33.7	36.5	17.3	20.0	17.1	12.5	10.0	12.3	3.9	9.2	9.8		26
27	33.6	35.7	18.4	19.6	16.7	12.6	9.4	11.8	3.6	8.4	10.2		27
28	33.5	34.7	19.5	19.2	15.9	12.8	8.8	10.8	3.6	6.5	10.6		28
29	33.7	33.3	21.0	18.8	13.5	13.2	8.6	9.8	3.4	6.4	11.0		29
30	34.1		22.0	19.2	11.6	13.9	8.1	8.5	4.0	6.1	11.2		30
31	34.3		23.2		10.4		7.8	7.8		5.9			31
Sum													
Mean													
High													
Low													

Remarks: *8:00 - A. M. Readings.*

RIVER STAGES

Mississippi River Gauge at *Mile 235 - R.* for the calendar year *1931*
 Zero elevation *180.61* feet above *Mean Gulf level.*

Bank full stage _____ feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	1.7	2.8	11.5	9.0	18.5	12.3	6.2	8.0	6.8	2.6	3.0	16.9	1
2	1.5	2.6	12.2	10.3	19.7	12.2	6.7	7.3	7.5	3.4	2.7	17.7	2
3	1.2	2.6	12.8	13.3	20.2	11.7	6.8	6.3	7.9	5.4	2.3	19.0	3
4	(1.1)	2.8	13.0	16.0	20.3	11.5	6.6	5.7	7.6	6.7	2.1	20.0	4
5	1.3	3.0	11.7	18.2	19.7	11.3	6.4	4.5	6.8	6.6	2.3	20.5	5
6	1.5	2.9	11.0	19.6	18.8	11.2	5.9	4.1	6.4	6.3	2.4	20.6	6
7	1.8	2.7	11.4	20.6	17.9	11.0	6.2	4.3	7.1	5.8	2.2	20.2	7
8	1.9	2.5	11.7	21.1	16.8	10.8	6.4	4.6	8.1	5.4	2.0	19.6	8
9	2.1	2.4	11.4	21.6	15.8	10.2	6.4	5.0	8.9	5.1	1.9	18.8	9
10	2.4	2.6	11.6	22.2	14.8	9.4	6.2	4.8	9.1	4.7	1.9	18.0	10
11	3.2	3.2	12.3	22.9	14.0	8.5	6.1	4.7	9.2	4.0	1.8	17.0	11
12	3.6	3.7	13.0	23.5	13.0	7.8	6.4	4.5	9.0	3.6	1.6	16.3	12
13	3.8	4.2	13.4	24.0	12.5	8.2	6.5	4.4	8.5	3.6	1.5	16.0	13
14	4.7	4.9	13.7	24.5	11.6	9.0	6.3	4.3	7.5	3.5	1.4	16.2	14
15	5.4	5.5	13.4	24.7	10.9	9.7	6.1	4.4	6.4	3.3	(1.3)	16.4	15
16	5.3	6.5	12.9	24.6	10.6	10.6	5.7	4.6	5.6	3.2	1.4	17.2	16
17	5.1	7.6	12.5	24.1	10.4	11.0	5.4	4.7	4.7	3.5	1.5	19.3	17
18	4.8	8.2	12.1	23.5	10.7	11.4	5.6	4.9	2.9	3.9	1.7	22.0	18
19	4.4	9.0	11.6	22.3	11.1	12.2	5.4	5.2	3.53	4.6	2.2	24.3	19
20	4.2	9.6	11.0	21.0	11.8	12.6	5.0	5.3	2.9	5.5	2.6	26.3	20
21	3.9	9.9	10.6	19.8	12.1	12.3	4.8	5.0	2.5	6.5	3.2	27.8	21
22	3.7	10.3	9.9	18.4	14.2	11.4	4.9	4.6	1.6	7.4	4.0	28.5	22
23	3.5	10.6	9.7	17.2	12.3	9.8	5.0	4.2	2.2	7.5	5.7	29.3	23
24	3.3	11.0	8.9	15.9	12.0	8.6	5.8	4.7	3.0	7.4	7.9	29.6	24
25	3.2	11.4	8.6	14.7	12.8	7.5	6.5	5.2	3.6	7.0	10.8	(29.7)	25
26	3.0	11.5	8.5	14.3	14.4	6.9	7.0	5.7	3.6	6.4	12.0	29.4	26
27	2.9	11.5	8.8	13.7	15.1	6.7	7.5	6.0	3.1	5.2	13.4	29.1	27
28	3.2	11.3	9.2	13.4	14.9	6.3	8.0	6.1	2.6	4.7	14.5	28.8	28
29	3.3		9.0	14.4	14.2	6.4	8.3	6.1	2.0	4.0	14.8	28.5	29
30	3.1		8.6	16.4	13.8	6.1	8.4	6.2	2.1	3.6	15.9	28.1	30
31	3.0		8.5		12.9		8.2	6.3		3.4		28.2	31
Sum													
Mean													
High													
Low													

Remarks:

RIVER STAGES

Wyanoke Ldg., Ark.

Mississippi River Gauge at Mile - 235 - R. for the calendar year 1930

Zero elevation ⁶¹ ~~180.82~~ feet above Mean Gulf Level

DAY	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	20.8	28.0	23.8	23.1	13.8	14.5	10.4	3.1	2.1	2.2	1.7	3.4	1
2	20.4	26.2	24.5	22.2	14.0	13.5	10.0	3.0	2.0	1.9	1.6	3.5	2
3	19.7	24.9	25.2	21.5	14.2	12.8	9.8	2.8	1.9	1.7	1.5	3.7	3
4	19.4	22.5	26.2	20.7	14.3	11.9	9.8	2.6	1.8	1.6	1.4	3.8	4
5	19.4	21.5	26.9	19.8	13.9	11.1	9.8	2.5	1.8	1.6	1.3	3.8	5
6	19.7	20.4	27.3	19.2	13.0	10.4	9.8	2.3	1.9	1.5	1.2	3.7	6
7	20.8	20.7	27.8	19.1	11.7	9.8	9.7	2.2	2.0	1.4	1.1	3.7	7
8	23.1	21.2	28.0	19.2	10.8	9.2	9.4	2.2	1.9	1.3	(1.0)	3.6	8
9	25.1	21.8	28.1	19.4	11.5	8.9	9.2	2.2	1.8	1.3	(1.0)	3.7	9
10	27.4	22.8	28.3	19.5	12.3	8.6	7.0	2.1	1.9	1.2	1.2	4.1	10
11	29.2	23.6	28.6	19.1	12.8	8.2	8.7	2.0	2.1	1.2	1.2	4.3	11
12	30.3	24.7	29.3	18.8	12.7	7.0	8.3	1.8	2.4	1.5	1.1	4.2	12
13	31.0	26.0	29.6	18.4	12.5	7.9	7.7	1.8	2.3	1.5	(1.0)	3.9	13
14	31.5	27.0	29.8	18.0	12.4	8.1	7.2	1.9	2.3	1.4	(1.0)	4.5	14
15	31.9	27.6	29.8		12.3	8.8	6.9	1.9	2.6	1.4	1.3	5.2	15
16	32.6	28.2	29.8		13.0	9.8	6.6	1.8	2.8	1.4	1.8	5.5	16
17	33.1	28.7	29.8		14.0	10.4	6.4	1.8	3.0	1.5	1.5	5.5	17
18	33.6	29.1	29.7	16.5	14.8	10.3	6.2	1.8	3.1	1.5	1.2	5.3	18
19	34.2	29.2	29.7	16.0	15.6	10.0	5.8	2.0	3.3	1.5	1.4	4.8	19
20	34.5	29.2	29.5	15.6	15.9	9.6	5.4	2.1	3.7	1.4	1.6	4.2	20
21	34.7	28.8	28.8	15.7	16.2	9.3	5.0	2.3	3.9	1.4	1.6	3.0	21
22	(34.9)	28.3	28.3	15.6	17.4	10.3	4.8	2.2	3.7	1.4	1.6	2.7	22
23	(34.9)	27.7	27.8	15.3	18.5	12.2	4.6	2.1	3.6	1.4	1.8	2.3	23
24	34.7	26.8	27.3	15.0	19.2	13.2	4.4	2.0	3.5	1.4	2.4	2.0	24
25	34.4	25.7	26.7	14.8	19.9	14.5	4.4	1.9	3.6	1.4	2.5	1.9	25
26	33.9	24.3	26.3	14.5	20.1	14.3	4.2	1.8	3.7	1.5	2.8	2.0	26
27	33.6	23.4	25.9	14.1	20.1	13.3	4.0	1.8	3.5	1.8	3.3	1.7	27
28	33.2	23.2	25.5	13.8	19.6	12.9	3.7	1.7	3.2	2.1	3.4	1.4	28
29	32.5		25.1	13.6	19.2	12.3	3.5	1.8	2.8	2.0	3.3	1.2	29
30	31.1		24.5	13.6	17.8	11.4	3.3	1.9	2.5	1.9	3.4	1.3	30
31	30.0		23.9		16.0		3.1	2.1		1.8		1.7	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 - A.M. Readings

Observer - C. E. Holley, P.O. Box 102, Hulbert, Ark.

Inspected - 1/25/30, 4/17/30, 7/11/30, 7/21/30, 12/29/30