

DAILY STAGES FOR 1994

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	23.4	43.1	47.7	46.5	48.0	----	29.3	----	----	----	17.4	----
2	23.4	43.5	47.3	47.1	48.1	24.8	29.2	----	----	----	17.0	----
3	23.6	43.7	47.3	47.4	48.0	24.2	28.7	----	----	----	16.9	----
4	24.0	43.5	47.3	47.4	47.7	24.2	28.0	----	----	19.8	18.2	----
5	24.0	43.4	47.1	47.4	47.3	23.5	27.4	----	----	19.9	20.5	26.5
6	24.4	43.7	46.8	47.6	46.6	22.5	26.8	----	----	19.8	22.0	26.7
7	----	43.9	46.5	47.8	45.6	22.0	25.6	----	----	19.1	21.5	27.4
8	27.1	43.7	46.3	48.0	44.1	23.0	24.2	----	----	18.6	21.0	27.6
9	28.3	43.1	46.5	48.0	42.8	24.5	23.4	----	----	17.1	22.1	28.1
10	29.8	42.2	46.6	47.8	42.3	25.1	24.0	----	----	----	22.5	30.0
11	31.2	41.0	47.1	47.9	42.4	26.0	24.3	----	----	17.0	23.7	30.9
12	32.8	40.3	47.7	48.7	42.8	----	23.7	----	----	16.8	24.8	31.9
13	34.3	40.4	48.0	50.4	43.2	25.0	23.2	----	----	----	24.5	32.4
14	35.1	41.3	47.8	52.0	43.7	25.1	----	----	----	16.5	23.2	33.0
15	35.0	42.2	47.7	53.0	43.9	24.7	----	----	----	17.2	22.5	33.3
16	33.8	43.0	47.6	54.0	43.3	24.6	----	----	----	17.5	22.5	33.3
17	32.7	43.6	47.5	54.2	42.3	25.4	----	----	----	17.9	21.7	32.8
18	31.5	43.9	47.7	53.8	40.4	25.4	----	----	----	18.4	21.5	29.5
19	30.9	43.9	47.6	53.7	38.3	25.2	----	----	----	18.5	21.8	27.9
20	30.0	44.0	47.3	53.7	36.5	25.2	----	----	----	18.3	20.6	26.7
21	28.0	44.3	46.9	53.5	34.8	24.8	----	----	----	18.3	19.3	25.9
22	----	44.5	45.9	53.0	33.0	24.6	----	----	----	18.5	19.4	24.9
23	----	45.1	44.6	52.4	30.9	24.7	----	----	----	17.9	20.4	23.8
24	----	45.9	42.1	51.8	29.2	24.3	----	----	----	17.3	22.1	23.1
25	----	46.8	39.4	51.6	28.0	24.0	----	----	----	16.9	22.5	21.6
26	27.8	47.7	37.5	51.2	27.1	24.0	----	----	----	17.4	22.4	21.0
27	29.4	48.3	37.0	50.0	26.4	25.3	----	----	----	17.8	21.7	21.1
28	34.8	48.2	38.9	50.5	26.2	27.0	----	----	----	17.7	21.4	20.9
29	38.9	----	41.6	49.7	26.3	28.3	----	----	----	17.7	24.1	19.7
30	40.9	----	43.8	48.6	26.1	29.0	----	----	----	17.8	25.6	19.2
31	42.1	----	45.4	----	----	----	----	----	----	17.6	----	18.2
MEAN	----	43.9	45.4	50.3	----	----	----	----	----	----	21.5	----
MAX	----	48.3	48.0	54.2	----	----	----	----	----	----	25.6	----
MIN	----	40.3	37.0	46.5	----	----	----	----	----	----	16.9	----

THE MEAN STAGE FOR THE YEAR ----
 HIGHEST STAGE WAS 54.30 16 APR 1994
 LOWEST STAGE WAS NOT DETERMINED.

DAILY STAGES FOR 1993

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	34.5	38.3	35.9	47.7	45.6	29.7	33.4	46.2	E 33.5	41.7	25.2	35.0
2	33.8	36.7	35.3	48.0	45.8	29.6	34.0	46.3	E 32.9	42.1	24.7	34.7
3	34.0	34.4	34.8	48.4	46.0	29.3	34.1	46.2	E 33.0	42.1	24.6	34.9
4	34.1	E 32.7	33.8	48.5	46.3	29.5	34.7	46.0	E 33.0	42.1	24.8	36.0
5	36.3	E 31.4	34.1	48.5	46.9	29.3	36.1	45.7	E 32.9	41.7	24.8	37.6
6	39.5	E 30.1	38.0	48.4	47.3	30.3	37.2	45.8	E 33.5	41.3	24.8	38.2
7	41.3	28.4	41.0	48.4	47.3	30.8	38.4	46.0	E 33.9	40.4	24.4	39.1
8	42.5	26.8	42.7	48.4	47.0	31.2	39.7	46.0	E 34.1	39.3	23.9	40.0
9	42.9	26.2	44.3	48.3	46.5	32.1	40.3	46.0	E 33.6	38.5	24.9	40.3
10	42.8	25.8	45.4	48.8	45.8	33.9	40.7	45.8	E 33.6	36.4	24.7	40.3
11	42.4	25.6	46.0	48.6	45.3	35.1	41.3	45.6	33.4	34.3	23.8	40.5
12	41.9	25.3	46.4	48.0	44.0	35.4	41.5	44.9	33.1	32.2	23.4	40.8
13	41.3	25.5	46.6	47.5	42.7	34.9	41.7	44.8	32.7	30.8	22.9	40.8
14	40.7	26.0	47.0	46.8	41.9	35.0	42.3	44.6	32.4	29.0	22.7	40.6
15	40.1	26.3	47.1	46.3	41.3	35.5	42.6	44.4	32.0	28.1	26.3	40.0
16	39.4	27.0	47.0	46.3	40.7	35.3	42.7	44.3	31.8	27.4	32.7	39.0
17	39.0	27.8	46.5	46.3	40.1	35.3	42.9	44.2	31.9	27.0	38.0	37.4
18	39.0	28.1	45.6	46.7	39.5	34.9	43.2	44.0	32.3	26.9	40.5	E 35.4
19	38.7	28.3	43.7	47.2	39.0	33.7	43.5	43.5	33.2	26.8	41.9	E 33.6
20	38.4	28.5	41.7	47.5	39.7	32.4	44.3	43.1	33.7	26.4	43.0	E 32.4
21	38.0	29.0	40.7	47.4	39.6	31.3	44.8	42.7	34.0	26.8	43.5	E 31.4
22	37.6	30.5	39.0	47.1	39.1	31.1	45.4	42.1	34.1	29.0	43.4	30.5
23	37.0	30.6	38.9	46.8	38.1	30.8	45.6	40.6	34.0	30.0	42.8	29.8
24	36.9	32.6	39.7	46.6	36.7	30.5	45.7	39.8	34.9	29.6	41.9	29.3
25	37.5	33.5	41.0	45.6	E 35.7	30.7	45.9	39.3	36.0	28.5	41.0	28.8
26	38.1	34.6	42.6	45.2	E 34.6	31.6	45.2	38.2	36.9	28.8	40.2	28.0
27	39.1	35.4	44.3	44.9	33.3	31.5	44.7	E 37.1	37.7	28.1	39.4	27.6
28	39.8	35.8	45.6	44.9	E 32.0	32.1	45.4	E 36.5	38.5	27.6	37.8	E 26.5
29	39.9		46.5	45.1	E 31.4	32.5	45.5	E 35.2	40.0	26.5	36.4	24.8
30	39.5		47.3	45.4	E 31.0	33.0	45.5	E 34.5	41.0	26.5	E 35.5	23.7
31	39.0		47.6		E 29.7		45.8	E 34.1		26.1		23.4

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	38.86	30.03	42.45	47.11	40.63	32.27	41.74	42.69	34.25	32.32	32.12	34.20
MAX.	42.9	38.3	47.6	48.8	47.3	35.5	45.9	46.3	41.0	42.1	43.5	40.8
MIN.	33.8	25.3	33.8	44.9	29.7	29.3	33.4	34.1	31.8	26.1	22.7	23.4

E- ESTIMATED.

HIGHEST STAGE WAS 48.80 ON APR 10.

LOWEST STAGE WAS 22.70 ON NOV 13 AND 14.

DAILY STAGES FOR 1992

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	27.9	22.9	30.7	E 33.1	35.0	19.5	17.7	35.3	22.0	24.5	15.2	39.8
2	27.9	22.2	31.4	E 34.2	33.5	20.0	18.2	35.3	22.2	23.3	15.4	E 39.2
3	28.2	21.0	31.8	E 34.5	31.9	20.4	17.6	34.9	21.3	20.9	16.3	38.2
4	28.8	20.4	31.6	E 34.3	30.4	20.4	17.8	34.6	19.6	19.4	16.8	37.0
5	29.3	18.8	30.4	E 33.1	29.4	20.1	20.6	34.2	17.4	18.2	18.3	35.1
6	30.4	18.4	29.3	31.9	28.6	21.1	21.3	33.5	16.5	17.9	19.4	E 32.7
7	31.2	18.4	27.5	30.8	28.0	20.7	22.1	32.0	E 15.6	16.8	21.3	E 30.7
8	30.9	18.0	25.6	29.6	27.7	21.0	21.6	30.8	16.0	15.8	22.8	E 29.2
9	30.5	17.3	25.1	28.2	27.2	22.0	20.8	28.8	17.7	16.0	24.0	E 28.2
10	29.7	16.7	25.8	26.7	26.6	22.1	20.2	27.9	17.8	16.4	24.4	E 27.2
11	28.5	16.5	28.6	25.6	26.0	22.6	20.2	28.0	17.5	15.9	24.2	E 26.1
12	27.3	16.6	32.5	24.6	25.8	22.8	20.8	27.7	19.0	15.5	24.9	E 25.5
13	26.3	16.4	34.9	24.2	26.4	22.9	22.7	26.8	20.4	15.3	26.7	E 25.5
14	25.5	15.5	36.3	22.8	26.3	23.0	23.1	26.3	21.0	15.0	27.7	26.1
15	24.4	15.5	36.8	22.2	25.6	22.2	22.4	25.4	21.0	15.2	28.8	26.2
16	24.6	19.0	37.0	22.4	24.5	20.5	22.5	23.9	20.6	17.1	30.1	26.7
17	25.9	20.5	36.5	22.4	22.0	18.4	23.6	23.0	20.0	17.6	31.0	29.2
18	26.6	22.1	35.4	23.0	21.2	18.2	25.8	22.4	19.2	18.2	30.8	32.3
19	26.1	23.5	35.3	23.9	21.0	17.7	28.5	22.4	18.8	18.8	30.4	34.3
20	25.3	24.7	35.1	25.7	20.6	20.5	29.8	21.8	19.3	18.6	29.7	36.3
21	23.9	25.3	35.5	28.3	20.1	23.7	30.0	21.4	20.0	19.4	29.6	38.1
22	22.0	26.1	36.5	30.9	20.2	25.1	29.9	20.6	21.9	19.7	29.7	39.8
23	20.8	27.1	37.6	32.7	20.4	24.3	29.2	18.4	23.6	18.8	31.8	40.6
24	19.7	27.6	38.6	34.2	20.5	22.5	28.7	17.2	23.7	18.1	35.7	40.8
25	19.6	28.0	39.0	35.8	20.7	21.4	28.6	16.9	25.5	16.8	38.5	40.5
26	22.0	28.0	38.9	36.7	20.3	19.5	28.8	17.0	26.5	16.4	39.9	39.4
27	21.1	27.8	38.5	37.1	19.8	18.8	29.2	17.2	27.3	17.1	40.5	38.0
28	23.3	28.3	37.2	37.3	19.4	19.6	29.3	17.0	27.5	16.9	40.5	E 37.5
29	25.0	29.6	34.8	37.0	17.5	19.3	30.5	17.8	26.5	16.3	40.3	E 36.9
30	25.3		33.3	36.3	16.8	18.5	32.9	18.4	25.5	E 15.8	40.0	36.5
31	24.3		E 32.3		17.7		34.8	20.6		15.7		35.3

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	25.86	21.79	33.53	29.97	24.21	20.95	24.80	25.06	21.02	17.64	28.14	33.82
MAX.	31.2	29.6	39.0	37.3	35.0	25.1	34.8	35.3	27.5	24.5	40.5	40.8
MIN.	19.6	15.5	25.1	22.2	16.8	17.7	17.6	16.9	15.6	15.0	15.2	25.5

E- ESTIMATED.

HIGHEST STAGE WAS 40.80 ON DEC 24.

LOWEST STAGE WAS 15.00 ON OCT 14.

DAILY STAGES FOR 1991

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	51.2	27.9	46.6	46.1	35.4	38.0	E 22.7	16.0	11.4	12.6	14.0	19.5
2	51.6	28.2	46.3	46.6	35.2	35.7	E 21.8	15.7	11.7	12.4	13.8	23.5
3	51.5	28.3	45.4	46.8	35.3	34.1	22.4	15.4	12.6	12.0	14.2	28.0
4	51.3	28.1	43.8	46.5	34.4	32.5	21.6	14.2	12.0	11.8	14.9	33.5
5	51.3	27.7	41.5	46.1	33.7	32.1	21.4	14.5	11.9	11.8	15.9	38.4
6	51.0	28.5	39.5	45.4	33.0	31.0	21.3	14.4	13.0	11.7	15.8	39.7
7	51.2	30.0	38.0	44.4	33.7	30.3	21.0	13.9	13.4	13.1	15.7	41.0
8	51.3	31.8	37.7	42.8	34.6	29.6	21.1	13.9	11.7	14.3	16.2	41.6
9	51.4	33.7	37.6	40.0	35.4	29.1	19.7	13.8	10.8	14.3	16.6	41.6
10	51.1	35.5	37.2	37.4	36.2	28.0	21.0	14.4	10.8	13.8	16.4	41.5
11	51.1	36.6	37.4	35.4	36.5	27.7	22.5	15.7	11.3	13.3	16.0	40.9
12	51.2	36.8	37.6	34.0	36.1	26.0	23.2	15.4	11.5	13.0	15.5	39.4
13	51.3	36.9	37.5	33.4	36.4	25.5	24.2	15.3	13.1	12.3	15.3	36.9
14	51.1	37.6	37.0	34.3	36.7	25.3	24.1	14.9	11.9	11.7	15.4	35.7
15	50.3	37.8	36.4	35.9	35.8	26.6	22.6	15.3	11.8	11.0	15.7	35.4
16	49.8	38.0	36.0	37.8	35.2	26.5	21.9	14.9	12.5	10.3	15.7	35.7
17	49.3	38.4	36.2	39.4	35.3	25.9	22.1	14.3	13.3	9.9	15.2	36.2
18	48.7	37.4	36.5	41.6	34.4	26.0	21.5	14.7	13.4	9.9	15.3	36.2
19	47.8	38.2	37.1	42.7	33.8	26.7	19.4	14.7	13.4	9.3	15.1	35.7
20	46.9	40.8	37.6	43.5	33.4	27.1	19.4	14.7	13.4	9.1	14.9	34.4
21	45.9	43.0	37.7	43.8	32.9	27.0	18.7	14.7	13.5	9.2	16.8	32.3
22	45.0	44.7	38.0	43.8	32.1	26.5	17.6	15.6	13.6	9.2	18.6	30.1
23	43.7	45.7	39.8	43.7	31.2	27.1	16.7	14.6	13.5	9.3	19.5	28.7
24	42.2	46.2	40.8	43.4	30.8	26.5	16.3	13.6	13.1	9.4	22.3	27.8
25	40.7	46.6	41.6	42.3	30.6	26.1	16.2	13.7	12.8	9.2	23.4	27.1
26	38.8	46.9	42.3	40.7	30.3	25.7	16.4	13.8	13.3	10.0	24.4	27.4
27	36.7	46.8	42.9	38.4	31.3	25.2	16.1	13.8	14.2	10.3	24.0	28.0
28	34.7	46.7	43.4	36.4	34.2	25.2	15.8	13.5	13.9	10.8	22.6	28.6
29	32.8		44.0	35.2	38.0	24.9	15.8	13.2	13.0	11.3	20.7	28.6
30	30.6		44.7	35.2	40.3	24.3	16.0	12.8	12.7	12.3	19.8	28.3
31	28.9		45.4		39.9		16.5	11.9		13.3		28.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	46.13	37.31	40.11	40.76	34.57	28.07	19.90	14.42	12.61	11.34	17.31	33.21
MAX.	51.6	46.9	46.6	46.8	40.3	38.0	24.2	16.0	14.2	14.3	24.4	41.6
MIN.	28.9	27.7	36.0	33.4	30.3	24.3	15.8	11.9	10.8	9.1	13.8	19.5

E- ESTIMATED.

HIGHEST STAGE WAS 51.60 ON JAN 2.

LOWEST STAGE WAS 9.10 ON OCT 19 AND 20.

DAILY STAGES FOR 1990

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	14.1	31.8	44.9	31.8	26.0	47.3	32.7	23.7	23.6	15.6	22.6	21.0
2	17.5	33.3	43.1	30.4	25.3	47.2	32.1	24.0	22.6	14.5	20.5	21.5
3	22.1	35.5	40.4	29.6	25.7	47.1	31.4	24.7	22.6	13.9	17.9	22.0
4	26.2	37.7	36.9	28.7	26.5	46.9	30.7	24.0	21.7	13.6	17.1	22.6
5	28.7	40.5	34.4	27.5	27.7	46.3	30.7	23.2	21.2	13.8	17.0	25.1
6	30.4	42.1	33.0	26.4	28.1	45.7	29.7	23.4	20.8	15.8	16.8	27.7
7	31.7	42.9	32.5	26.0	31.1	44.9	29.3	23.3	21.8	16.6	17.0	28.9
8	32.4	43.1	31.7	25.5	34.3	43.9	28.6	23.6	21.6	16.9	17.1	29.5
9	33.0	43.1	31.1	25.0	35.9	43.4	28.3	24.2	20.3	16.6	16.6	29.8
10	32.8	43.2	30.4	24.5	35.9	43.0	28.1	24.2	20.4	17.0	17.1	29.5
11	32.0	43.6	29.9	25.8	35.1	42.4	27.5	23.7	21.1	19.5	17.4	28.9
12	30.6	44.1	29.5	26.6	33.7	41.4	27.0	22.5	20.6	19.8	18.2	27.5
13	28.7	44.5	29.4	27.3	32.4	40.0	27.7	E 21.9	18.9	20.3	19.7	25.2
14	27.4	44.7	29.4	27.8	31.8	39.5	27.8	21.4	18.2	19.6	20.5	23.4
15	26.5	44.9	31.5	28.3	32.4	38.8	28.1	20.5	18.6	20.1	21.0	21.9
16	25.9	46.1	31.9	28.8	33.5	37.7	28.1	19.9	18.8	21.6	20.8	21.0
17	24.4	46.9	34.6	29.5	36.2	35.7	28.9	19.8	17.9	23.1	20.4	21.1
18	22.5	47.4	38.1	30.5	40.4	34.1	29.9	19.8	17.8	24.1	19.8	22.4
19	21.6	47.7	39.8	30.3	43.3	33.9	30.1	19.0	17.0	24.3	19.2	27.7
20	23.6	47.8	41.2	29.2	45.6	34.4	29.9	19.5	17.3	24.1	17.3	33.2
21	27.1	47.6	41.8	28.0	47.3	34.9	29.8	19.9	17.7	23.1	16.4	36.5
22	29.3	47.5	42.0	27.5	48.0	34.3	29.7	21.5	18.0	22.4	15.8	39.7
23	31.0	47.6	41.9	27.8	48.1	33.7	29.5	22.3	17.5	22.7	16.3	42.8
24	32.5	47.5	41.3	29.0	47.7	33.4	28.6	23.4	17.0	23.0	16.6	44.5
25	33.2	47.4	40.6	29.2	47.2	33.9	28.3	24.0	16.8	23.8	17.9	46.0
26	33.7	47.4	39.2	29.6	46.8	34.3	28.6	24.3	17.0	24.0	18.6	46.6
27	33.7	47.1	36.9	29.4	46.6	34.7	28.9	24.4	17.4	24.2	18.7	47.1
28	33.2	46.2	35.3	29.1	46.4	34.4	28.2	24.5	17.0	24.4	18.6	47.7
29	32.6		33.0	28.6	46.8	33.8	27.1	24.3	16.9	24.4	19.1	48.2
30	31.8		32.3	27.4	47.0	33.4	E 25.9	22.9	16.1	25.1	20.1	49.2
31	31.3		32.2		47.2		24.4	23.0		24.3		50.2

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	28.43	43.89	35.80	28.16	38.06	39.14	28.88	22.60	19.13	20.39	18.39	32.52
MAX.	33.7	47.8	44.9	31.8	48.1	47.3	32.7	24.7	23.6	25.1	22.6	50.2
MIN.	14.1	31.8	29.4	24.5	25.3	33.4	24.4	19.0	16.1	13.6	15.8	21.0

E- ESTIMATED.

HIGHEST STAGE WAS 50.60 ON DEC 31.

LOWEST STAGE WAS 13.60 ON OCT 4.

DAILY STAGES FOR 1989

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	33.4	22.0	45.8	37.2	24.6	31.4	33.0	19.6	19.9	23.3	17.7	21.3
2	32.7	22.1	45.4	37.2	26.5	31.0	31.7	19.4	20.3	23.1	15.7	21.2
3	31.4	23.7	44.8	37.5	28.0	30.4	33.9	19.0	21.1	24.3	16.1	21.0
4	29.9	27.4	43.9	39.4	29.2	28.8	34.8	18.0	22.4	26.2	16.5	20.8
5	28.7	29.0	42.9	41.6	31.0	27.4	34.3	16.5	22.2	25.4	16.8	20.1
6	27.7	30.1	42.4	43.7	31.7	26.8	33.4	E 16.4	20.8	26.4	16.9	19.0
7	27.6	31.1	42.0	45.3	30.8	27.2	32.7	17.0	19.9	26.8	16.9	18.0
8	28.4	31.6	41.7	45.8	31.0	27.8	31.6	16.6	19.1	26.4	17.2	17.0
9	28.5	31.1	41.8	45.8	31.0	28.5	30.4	17.4	18.7	25.7	17.1	16.6
10	30.2	30.7	41.8	45.6	30.9	28.7	29.4	18.3	18.3	24.6	17.2	16.8
11	31.0	29.3	41.9	45.4	31.2	28.9	28.4	16.2	20.2	23.2	18.8	17.1
12	32.3	27.0	41.8	45.5	31.9	28.9	27.0	13.8	22.6	21.2	19.5	17.1
13	34.1	24.8	41.9	45.4	32.5	29.7	26.0	13.1	23.1	19.4	20.5	17.6
14	36.0	27.8	42.2	45.1	32.7	30.9	25.7	E 11.8	25.3	18.5	20.7	17.5
15	38.1	33.8	42.4	44.4	32.9	32.8	25.0	E 11.4	27.7	18.0	20.8	16.7
16	39.6	39.1	42.1	43.4	33.0	33.9	24.7	E 11.2	27.3	17.1	20.9	15.8
17	40.6	40.7	41.4	41.8	33.0	35.2	24.7	E 11.1	27.1	16.6	22.0	15.5
18	41.3	40.8	40.0	39.5	33.3	35.7	22.6	12.1	27.3	17.2	24.5	15.4
19	41.0	40.7	38.3	36.3	33.2	35.9	20.0	12.3	27.4	19.3	25.8	14.0
20	40.8	41.1	35.8	33.3	32.8	36.4	18.5	12.4	28.0	20.6	27.0	12.4
21	40.2	41.8	33.5	E 29.9	31.9	37.0	18.8	12.8	28.1	22.8	28.4	12.3
22	39.5	43.0	33.3	27.5	31.1	37.5	19.4	13.5	27.2	25.4	29.2	12.5
23	38.5	44.6	34.0	26.2	31.1	38.1	19.5	15.0	25.5	27.3	29.3	12.4
24	36.2	45.9	35.0	25.5	31.2	38.5	20.1	17.1	24.8	28.5	28.4	11.6
25	31.3	46.4	35.5	24.8	30.7	38.7	20.6	17.6	24.5	29.0	26.8	12.0
26	26.4	46.2	35.8	24.2	29.7	38.3	20.3	18.5	24.9	28.9	25.3	12.3
27	23.2	46.0	35.9	23.5	29.0	37.6	19.6	19.6	25.8	27.4	24.0	12.0
28	22.2	45.9	35.8	21.9	28.7	36.9	19.2	21.1	26.3	24.4	22.8	10.8
29	21.8		35.4	22.0	29.4	36.1	18.3	21.9	26.0	21.5	22.1	11.1
30	21.7		35.3	22.7	30.1	34.8	17.8	22.4	24.5	19.5	21.5	11.6
31	21.9		36.5		30.8		19.3	20.8		18.2		11.9

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	32.13	35.12	39.55	36.24	30.80	32.98	25.18	16.25	23.87	23.10	21.54	15.52
MAX.	41.3	46.4	45.8	45.8	33.3	38.7	34.8	22.4	28.1	29.0	29.3	21.3
MIN.	21.7	22.0	33.3	21.9	24.6	26.8	17.8	11.1	18.3	16.6	15.7	10.8

E- ESTIMATED.

HIGHEST STAGE WAS 46.40 ON FEB 25.

LOWEST STAGE WAS 10.70 ON DEC 28.

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A. M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	39.6	23.9	26.4	29.4	20.1	12.5	6.3	6.8	8.2	11.9	8.1	25.7
2	38.4	25.5	24.8	31.2	19.3	E 10.9	6.2	6.4	8.1	11.4	7.3	24.0
3	36.3	31.4	23.4	31.6	18.7	E 10.4	6.2	6.0	7.5	10.0	8.5	22.7
4	33.8	35.2	22.8	31.2	18.8	E 10.5	6.1	6.2	7.4	9.3	9.1	21.2
5	31.4	36.4	24.2	31.4	18.8	E 10.8	6.0	6.4	7.9	8.6	8.4	20.4
6	29.7	37.2	26.1	32.7	18.4	E 10.6	5.8	6.8	7.7	8.7	10.0	19.8
7	28.2	37.6	28.8	33.8	18.2	E 10.5	5.7	8.6	7.7	8.9	10.7	18.3
8	26.4	37.5	30.7	34.7	18.0	E 9.7	5.7	8.2	8.1	9.2	12.1	16.2
9	23.4	37.5	32.8	34.9	19.1	9.4	5.8	7.2	8.7	9.5	13.4	14.2
10	19.9	37.7	34.1	35.2	19.5	8.9	5.8	6.4	8.6	9.2	14.3	14.2
11	18.8	37.6	34.4	34.9	19.9	8.9	5.6	6.2	7.8	8.3	14.6	14.3
12	18.5	37.3	33.7	34.6	19.4	8.9	5.3	6.4	6.7	7.0	14.3	13.9
13	17.9	36.2	31.8	34.2	19.2	8.6	5.4	6.9	6.3	E 6.7	15.0	14.2
14	18.5	33.9	29.8	34.3	19.0	8.3	5.3	7.1	6.2	E 6.5	15.0	13.8
15	18.2	30.9	29.0	33.7	18.0	7.8	5.6	7.3	6.2	E 6.6	14.8	12.2
16	17.5	28.5	28.7	32.6	17.4	7.5	6.1	8.2	8.1	7.5	14.7	10.4
17	17.0	27.4	28.3	30.4	17.1	7.3	6.4	7.6	9.3	8.1	14.8	10.4
18	17.2	27.2	28.0	28.6	15.9	7.3	6.2	6.9	8.0	8.6	15.6	8.3
19	17.8	26.7	27.6	27.4	15.3	E 7.5	6.4	7.4	6.6	8.7	16.6	7.3
20	22.6	26.8	25.5	26.8	14.8	E 7.6	6.5	8.9	7.0	8.0	20.5	7.7
21	29.5	27.3	23.8	26.7	14.9	E 7.5	10.0	9.2	9.3	7.9	24.8	7.3
22	34.7	27.5	23.0	26.3	15.6	E 7.5	12.7	9.2	10.9	7.3	28.3	8.4
23	37.0	28.6	21.8	25.4	16.3	E 7.3	13.5	8.3	10.1	8.8	30.2	11.1
24	37.2	29.9	20.8	24.6	16.7	E 7.1	12.0	7.7	9.7	10.0	31.1	13.8
25	37.0	30.5	20.2	23.7	17.1	E 6.7	8.8	7.7	10.3	9.4	31.6	17.7
26	36.9	30.3	19.4	22.5	17.3	6.4	8.0	7.8	11.1	9.1	31.6	20.6
27	36.5	30.0	19.7	22.2	16.7	5.7	8.7	7.6	11.7	8.7	31.8	24.6
28	35.0	29.1	20.6	21.5	16.4	5.8	9.4	7.2	11.8	9.4	31.0	28.8
29	31.7	27.6	21.5	21.0	16.2	E 6.0	9.2	7.7	11.9	9.7	29.3	32.4
30	28.6		22.4	20.4	15.8	E 6.3	7.8	8.1	12.0	9.3	27.5	33.7
31	25.6		25.5		14.8		7.2	8.4		8.2		33.7

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	27.75	31.47	26.10	29.25	17.49	8.33	7.26	7.43	8.68	8.71	18.48	17.44
MAX.	39.6	37.7	34.4	35.2	20.1	12.5	13.5	9.2	12.0	11.9	31.8	33.7
MIN.	17.0	23.9	19.4	20.4	14.8	5.7	5.3	6.0	6.2	6.5	7.3	7.3

E- ESTIMATED.

HIGHEST STAGE WAS 39.60 ON JAN. 1.

LOWEST STAGE WAS 5.30 ON JUL. 12, 13 AND 14.

DAILY STAGES FOR 1987

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	31.6	22.8	35.9	29.7	31.9	24.6	16.8	15.8	21.3	13.7	10.4	18.7
2	30.7	23.5	38.1	31.4	31.7	26.0	16.4	17.5	20.8	13.7	11.0	18.6
3	29.1	24.5	39.3	32.4	30.8	26.5	16.6	17.9	20.3	13.5	11.6	19.8
4	27.3	25.6	39.9	33.1	29.8	26.3	17.9	16.2	20.2	13.2	10.8	20.9
5	26.1	26.5	40.8	33.9	28.5	26.2	19.2	17.1	19.1	12.8	10.8	21.0
6	25.2	27.5	41.2	33.9	27.3	25.6	21.3	17.6	18.1	12.6	11.3	20.6
7	24.4	27.5	40.7	34.1	26.3	25.0	22.8	17.4	16.7	13.3	11.7	19.8
8	23.8	27.2	40.1	33.7	26.5	24.3	24.3	17.8	16.0	13.0	12.0	19.1
9	23.1	27.1	39.5	33.2	26.8	23.2	26.2	17.0	15.1	12.5	12.4	18.8
10	22.5	26.6	38.4	32.9	26.4	21.6	27.1	15.3	15.2	11.4	12.8	18.4
11	21.6	25.9	36.7	32.7	25.4	21.0	26.3	14.1	16.7	11.3	13.0	17.8
12	20.4	25.2	34.6	33.2	24.3	20.8	25.4	14.5	16.3	11.8	14.5	17.3
13	20.8	24.6	32.4	33.7	22.9	20.2	25.0	14.4	15.5	12.4	13.8	17.7
14	20.8	24.1	30.7	34.5	21.3	21.3	25.2	14.1	14.4	12.4	11.9	18.6
15	20.6	23.6	29.8	36.1	20.5	21.5	25.8	13.3	13.6	12.0	12.4	18.8
16	20.5	23.1	29.2	38.6	20.5	20.8	25.8	12.9	15.7	11.8	12.5	19.8
17	20.2	22.9	28.2	40.8	19.6	19.2	25.7	14.2	15.8	11.7	13.8	20.3
18	19.9	22.7	27.3	42.0	19.1	19.0	25.3	14.9	15.3	11.6	13.6	19.8
19	20.0	22.8	26.4	42.1	19.3	19.1	24.5	15.4	14.8	11.3	13.9	19.6
20	22.3	22.6	25.5	41.9	19.0	19.1	23.7	16.3	14.8	11.3	13.9	20.2
21	23.9	23.1	25.5	41.7	18.8	17.8	22.1	17.8	15.3	10.6	14.3	21.0
22	25.8	23.9	26.7	41.7	19.1	16.5	20.7	17.9	16.2	10.4	12.9	22.4
23	27.4	24.6	28.3	41.5	20.1	17.5	19.1	17.2	18.1	11.2	12.1	24.6
24	28.3	25.6	29.0	41.1	21.1	18.0	17.7	17.8	18.7	10.8	12.9	26.0
25	29.1	26.7	28.8	40.5	22.7	18.7	16.8	17.5	18.3	10.8	13.8	27.4
26	29.4	27.7	27.6	39.2	23.6	19.2	16.3	16.2	17.4	10.9	14.2	32.6
27	29.5	29.4	26.8	36.8	23.3	19.4	15.8	14.8	16.1	11.3	14.6	36.8
28	28.3	32.0	26.4	34.0	22.8	18.8	15.1	14.3	15.2	11.1	14.8	39.0
29	26.1		26.7	32.3	22.1	17.5	15.1	14.4	14.2	10.7	16.3	40.8
30	24.6		27.3	32.0	22.1	16.8	16.4	15.4	13.7	10.4	17.8	40.9
31	23.5		28.1		23.8		16.3	18.4		10.4		40.4

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	24.74	25.33	32.13	36.16	23.79	21.05	21.05	15.98	16.63	11.80	13.06	23.79
MAX.	31.6	32.0	41.2	42.1	31.9	26.5	27.1	18.4	21.3	13.7	17.8	40.9
MIN.	19.9	22.6	25.5	29.7	18.8	16.5	15.1	12.9	13.6	10.4	10.4	17.3

HIGHEST STAGE WAS 42.10 ON APR. 18 AND 19.

LOWEST STAGE WAS 10.30 ON OCT. 21 AND SUBSEQUENT DAYS.

DAILY STAGES FOR 1986

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	23.3	22.7	35.5	29.5	24.8	33.5	20.7	20.9	15.4	28.9	31.8	39.4
2	22.1	21.2	34.3	28.4	23.9	32.2	21.4	20.3	15.4	29.4	31.6	39.6
3	21.8	21.4	33.0	27.3	23.4	31.4	21.8	19.2	15.3	30.2	31.4	39.5
4	21.7	26.8	31.4	26.4	24.1	30.2	24.2	19.1	14.4	31.4	31.2	40.2
5	21.4	30.1	30.2	25.9	24.9	29.2	25.4	18.9	15.9	33.5	30.9	40.6
6	21.2	33.0	29.3	25.6	25.0	28.8	26.5	18.5	17.2	35.5	30.4	40.4
7	21.1	35.9	28.0	25.0	24.9	28.2	27.9	18.1	17.6	37.2	30.2	39.7
8	21.0	37.4	26.5	25.3	24.4	29.0	28.7	17.5	17.4	38.9	29.8	39.4
9	20.5	38.3	25.4	26.4	24.2	29.4	27.8	17.5	16.7	39.9	30.3	39.6
10	19.7	39.0	24.6	27.2	24.4	31.0	26.2	17.8	15.7	40.6	32.2	39.8
11	18.9	39.1	24.5	27.5	24.8	33.2	25.8	17.7	14.5	40.8	33.8	40.6
12	18.2	39.7	25.0	27.3	25.0	33.0	27.3	17.8	14.4	40.8	35.2	41.2
13	18.1	39.6	26.7	27.3	24.9	32.0	28.4	17.6	15.6	40.4	36.1	41.4
14	18.1	39.5	29.1	27.1	25.0	31.0	29.7	17.7	15.7	39.9	37.0	40.7
15	17.9	39.0	32.4	27.0	25.4	30.3	31.2	16.9	14.7	39.3	37.0	40.2
16	17.5	38.4	35.2	26.8	28.2	29.6	32.4	15.9	15.0	38.4	36.5	39.7
17	17.2	37.8	37.1	26.6	31.7	29.2	32.8	16.3	16.3	37.7	35.4	39.6
18	17.0	37.2	38.2	26.5	31.7	29.1	33.1	16.6	16.8	37.1	33.7	39.4
19	17.3	36.5	39.2	26.5	31.0	28.2	32.5	18.4	18.0	36.7	31.2	38.6
20	17.4	36.0	40.1	26.7	30.5	27.0	31.5	19.3	18.4	36.0	29.3	37.5
21	18.6	36.1	40.3	27.0	30.4	25.8	30.4	18.9	18.3	35.2	28.0	34.3
22	19.2	36.4	40.1	27.7	30.7	25.5	28.8	18.6	18.1	34.4	27.5	33.6
23	22.0	36.9	40.1	27.9	31.8	24.4	27.0	18.2	20.1	33.7	27.0	31.4
24	23.2	37.3	40.6	27.8	33.0	23.1	25.6	18.1	22.4	32.9	27.3	29.9
25	24.3	37.2	40.7	27.7	34.2	22.4	24.7	17.4	23.3	32.5	28.1	29.3
26	25.1	36.8	40.0	27.8	34.8	21.2	23.5	16.6	25.2	32.2	28.1	29.0
27	26.0	36.0	38.6	27.8	35.1	20.2	23.0	16.4	26.5	32.2	30.1	28.8
28	27.0	35.8	36.2	27.6	34.8	20.2	22.4	15.4	27.3	32.1	33.0	29.2
29	26.3		34.0	27.2	34.5	19.9	21.5	15.5	28.5	31.3	36.3	30.0
30	25.1		32.3	26.2	34.7	20.4	21.1	16.2	28.8	31.4	38.4	30.8
31	24.0		30.9		34.2		21.0	15.9		31.8		31.7

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	21.04	35.04	33.53	27.03	28.72	27.62	26.59	17.72	18.63	35.24	31.96	36.62
MAX.	27.0	39.7	40.7	29.5	35.1	33.5	33.1	20.9	28.8	40.8	38.4	41.4
MIN.	17.0	21.2	24.5	25.0	23.4	19.9	20.7	15.4	14.4	28.9	27.0	28.8

HIGHEST STAGE WAS 41.40 ON DEC. 13 AND SUBSEQUENT DAYS.
LOWEST STAGE WAS 14.40 ON SEP. 4.

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52. LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	41.0	E 18.1	48.1	E 39.8	28.4	23.8	20.7	16.6	20.2	16.0	25.0	44.4
2	42.8	E 20.0	48.6	41.8	28.9	23.1	19.6	17.8	19.4	16.7	24.5	44.6
3	43.9	E 22.9	49.1	43.1	30.3	23.4	19.9	18.8	18.3	17.0	24.2	44.9
4	44.9	E 25.8	49.3	43.8	31.7	24.8	20.4	18.5	17.9	17.2	25.2	45.8
5	44.9	E 27.5	49.4	44.4	33.4	25.3	19.8	17.9	18.5	19.0	26.7	46.1
6	43.9	E 28.6	49.3	44.8	34.2	25.5	20.0	18.9	21.4	19.5	27.0	45.8
7	42.4	E 29.5	49.3	45.0	33.7	26.3	19.8	17.3	18.0	19.3	27.3	45.4
8	41.3	29.2	49.3	45.2	33.0	26.9	19.0	15.9	16.5	19.0	27.9	45.2
9	40.3	28.2	49.3	45.1	32.1	27.0	19.6	16.4	16.5	18.8	29.0	45.1
10	39.6	27.0	49.1	44.8	30.8	26.8	18.9	16.7	16.1	18.5	29.3	44.8
11	E 38.8	27.3	48.7	44.1	29.2	27.3	20.3	16.6	15.5	17.9	30.2	44.5
12	E 38.0	28.3	48.1	43.2	27.0	28.1	20.6	16.9	15.2	17.5	31.5	44.2
13	E 37.3	29.4	47.4	42.2	25.7	29.5	20.7	16.6	14.2	18.4	32.5	43.8
14	E 35.2	31.1	46.8	40.7	25.0	29.7	20.7	15.6	13.8	22.0	33.4	43.8
15	E 32.6	E 31.9	46.3	39.6	24.6	28.3	20.6	15.3	14.0	24.3	33.9	43.1
16	E 30.5	E 31.9	46.1	38.1	25.0	27.3	19.2	16.7	13.5	25.7	35.0	41.8
17	E 28.5	E 31.4	45.8	36.8	26.2	26.3	18.2	18.2	12.8	26.0	37.0	40.4
18	E 27.1	E 31.1	45.3	35.3	26.6	25.5	18.4	20.9	12.8	25.9	38.8	39.5
19	E 26.4	E 30.5	45.0	33.8	26.6	25.4	18.0	21.6	13.7	25.4	40.8	38.9
20	E 25.2	E 29.8	44.5	32.7	26.3	26.5	18.2	21.0	13.4	24.4	42.2	38.5
21	E 23.6	E 29.5	44.0	32.2	25.9	26.6	16.9	21.9	13.3	25.3	43.5	38.1
22	E 23.3	E 30.0	43.5	31.0	25.9	26.4	15.5	21.6	13.8	26.8	44.5	37.4
23	E 23.0	E 32.2	41.8	29.9	26.2	25.6	15.3	21.3	14.0	27.3	45.5	35.8
24	E 22.2	E 38.0	39.5	28.6	25.9	24.0	15.2	19.3	14.3	27.5	46.0	34.0
25	E 20.9	E 41.9	37.3	27.9	25.1	23.5	15.0	22.5	13.8	27.8	46.3	32.0
26	E 20.6	E 44.1	35.6	27.4	24.4	E 23.2	14.7	21.1	14.4	27.1	45.7	31.0
27	E 20.3	46.0	34.1	27.7	24.2	22.4	14.4	21.2	14.6	25.8	45.0	28.9
28	E 19.9	47.1	33.3	28.4	24.9	22.5	14.9	21.7	15.4	24.6	44.4	27.6
29	E 19.4		33.1	27.5	25.5	22.5	14.6	21.2	15.7	23.9	44.1	27.1
30	E 18.7		33.3	27.6	25.6	21.5	15.2	19.9	15.9	24.2	44.3	25.5
31	E 18.2		E 36.5		24.9		15.9	19.4		24.9		24.2

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	31.44	31.01	44.07	37.07	27.64	25.49	18.06	18.87	15.55	22.37	35.68	39.09
MAX.	44.9	47.1	49.4	45.2	34.2	29.7	20.7	22.5	21.4	27.8	46.3	46.1
MIN.	18.2	18.1	33.1	27.4	24.2	21.5	14.4	15.3	12.8	16.0	24.2	24.2

E- ESTIMATED.

HIGHEST STAGE WAS 49.40 ON MAR 5.

LOWEST STAGE WAS 12.70 ON SEP 18.

DAILY STAGES FOR 1984

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	26.9	26.2	36.7	48.4	48.9	40.3	33.3	23.6	15.8	13.6	25.1	33.8
2	27.2	25.2	37.0	48.3	48.7	39.8	32.7	22.7	16.2	12.6	27.6	34.0
3	27.7	24.3	37.5	48.4	48.5	39.7	32.8	22.2	16.7	13.2	30.5	33.9
4	27.6	23.4	38.6	48.5	48.6	39.4	32.7	21.8	17.6	13.6	32.1	33.3
5	26.6	23.0	39.4	48.7	48.9	38.8	33.2	21.8	17.3	13.5	33.2	32.4
6	25.0	24.0	40.6	49.0	49.2	37.5	34.3	21.4	15.3	13.4	33.7	30.9
7	23.8	24.2	41.5	49.3	49.7	35.9	34.5	21.5	15.4	13.7	33.7	29.0
8	23.1	24.2	41.7	49.5	50.9	34.8	35.0	21.6	15.0	13.8	32.9	27.4
9	22.9	24.0	41.5	49.7	52.0	32.6	34.9	20.1	14.3	13.6	31.7	26.1
10	22.8	23.9	41.0	49.7	53.0	30.9	35.0	20.3	13.4	13.5	30.0	25.0
11	23.4	23.5	40.3	49.6	53.5	29.3	34.9	20.0	15.5	13.3	29.3	24.4
12	23.7	23.2	39.2	49.3	53.9	29.1	34.2	19.7	16.7	13.5	29.2	23.7
13	23.5	24.8	37.4	49.0	54.0	29.8	33.4	20.5	16.8	13.3	29.9	23.5
14	23.0	27.1	35.0	48.9	54.2	30.5	32.7	20.5	17.2	13.1	30.4	24.5
15	22.5	29.3	32.3	48.6	54.3	31.3	31.9	21.4	16.5	13.4	30.4	26.0
16	21.5	32.0	30.5	48.2	54.0	31.7	31.3	22.7	14.4	13.5	30.3	27.0
17	21.5	34.5	31.1	47.4	54.0	32.0	30.7	22.5	14.3	13.4	29.6	27.6
18	21.1	36.0	33.5	45.6	53.9	32.3	30.0	22.6	14.8	14.2	27.5	28.6
19	20.8	37.2	36.1	44.5	53.7	32.2	29.0	22.7	15.6	15.1	26.3	29.7
20	20.4	38.3	39.0	42.8	53.2	31.9	28.4	21.9	15.9	17.1	27.4	30.1
21	20.1	39.1	40.9	41.2	52.5	32.5	27.9	20.2	15.5	18.7	29.8	30.9
22	19.7	39.9	42.3	39.9	51.4	33.1	27.9	19.3	14.2	21.6	31.6	34.7
23	19.0	40.5	43.6	41.3	50.0	33.3	27.3	18.7	13.5	24.3	32.7	36.3
24	18.6	40.4	44.5	43.6	48.3	33.8	26.3	17.4	14.7	25.4	32.6	37.5
25	18.8	40.0	44.6	45.9	46.5	33.6	25.4	16.4	15.5	25.3	31.8	38.2
26	21.0	39.0	44.7	47.4	45.4	33.5	24.3	16.9	16.8	25.0	30.3	38.6
27	22.7	37.5	44.8	48.4	44.2	33.2	24.3	16.4	17.3	25.1	28.1	38.7
28	24.5	36.9	46.1	48.8	42.7	33.3	24.1	16.1	15.3	24.4	28.0	38.6
29	25.8	36.6	46.9	48.9	41.9	33.6	23.9	16.4	14.7	24.0	30.1	38.4
30	26.6		47.7	49.0	41.5	33.7	23.9	16.1	13.9	23.7	32.6	37.9
31	26.8		48.2		40.9		24.2	15.8		24.4		38.2

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	23.18	30.97	40.13	47.26	49.75	33.77	30.14	20.04	15.53	17.30	30.28	31.57
MAX.	27.7	40.5	48.2	49.7	54.3	40.3	35.0	23.6	17.6	25.4	33.7	38.7
MIN.	18.6	23.0	30.5	39.9	40.9	29.1	23.9	15.8	13.4	12.6	25.1	23.5

HIGHEST STAGE WAS 54.30 ON MAY 15.

LOWEST STAGE WAS 12.60 ON OCT. 2.

DAILY STAGES FOR 1983

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	E 47.1	26.0	29.2	34.3	47.5	E 52.1	26.0	19.8	15.8	14.6	18.7	38.4
2	E 47.1	26.1	28.5	35.0	48.0	E 51.4	26.7	19.1	16.5	15.0	17.8	39.2
3	E 46.9	26.6	27.8	36.1	50.7	E 50.4	27.5	18.7	16.7	14.5	17.0	39.4
4	E 46.5	28.1	27.0	37.0	52.4	E 48.6	29.2	19.0	15.3	14.5	16.6	40.7
5	E 45.7	30.2	26.4	38.1	53.4	E 47.1	29.4	18.5	14.0	14.2	17.3	42.0
6	E 44.7	31.6	26.6	40.5	53.9	E 45.8	29.7	19.0	13.0	13.6	18.8	42.8
7	E 43.1	32.4	29.4	43.0	54.3	E 44.8	29.5	19.1	12.3	13.0	20.7	43.0
8	E 41.7	33.0	31.6	45.7	54.5	E 43.8	29.0	18.7	13.4	13.6	22.0	42.8
9	E 40.5	33.2	32.9	47.5	54.4	E 42.8	28.9	19.0	15.4	12.6	21.9	42.0
10	E 37.7	33.0	33.6	48.8	54.2	E 41.8	28.6	E 18.3	15.0	12.1	21.2	41.3
11	E 33.9	32.5	34.0	49.5	53.9	E 40.4	27.9	17.7	13.8	11.9	20.0	40.7
12	E 32.7	31.9	33.9	50.1	53.6	E 36.9	27.8	17.2	13.2	12.0	19.6	39.7
13	30.9	31.3	33.6	50.3	53.3	E 33.1	27.2	17.4	13.0	12.1	19.8	39.9
14	29.6	30.6	33.1	50.7	53.0	E 30.7	26.7	17.7	13.4	13.4	21.0	40.3
15	28.5	30.5	32.7	51.0	52.7	29.7	26.0	16.6	14.9	12.7	22.4	40.9
16	27.7	30.3	31.9	51.0	52.6	28.5	25.4	17.0	13.0	12.1	23.0	40.8
17	27.2	30.0	30.9	50.8	52.3	28.0	24.9	16.6	12.1	13.5	23.2	40.3
18	26.4	29.4	30.4	50.6	52.0	27.4	24.1	16.8	E 11.7	14.4	22.5	39.3
19	25.4	28.9	29.6	50.3	52.0	27.8	23.7	16.1	E 11.8	13.8	22.1	38.5
20	24.3	29.0	29.2	50.1	52.0	28.1	24.4	14.8	E 12.1	14.5	23.0	37.0
21	23.6	29.9	29.1	49.8	52.1	28.3	24.2	15.9	E 12.3	15.4	24.4	35.0
22	22.7	30.3	30.4	49.6	52.4	29.2	23.7	15.7	E 12.6	18.4	25.7	33.0
23	23.3	30.2	31.8	49.4	52.4	30.0	23.1	15.4	E 11.8	22.4	26.4	31.5
24	24.6	29.4	32.9	49.1	53.0	30.1	23.0	15.8	E 13.1	23.8	28.0	30.2
25	26.6	29.5	34.0	48.4	53.2	29.7	23.8	15.9	E 13.1	25.0	30.0	29.4
26	27.6	29.5	34.0	47.7	53.4	29.1	24.0	16.0	E 12.5	26.0	32.4	28.8
27	28.2	29.7	34.0	46.8	53.5	28.7	25.3	15.8	E 12.8	26.2	33.4	28.4
28	28.2	29.5	34.4	46.1	E 53.5	27.3	25.4	15.5	13.6	25.9	33.4	27.8
29	27.5		34.1	45.2	E 53.4	26.9	24.4	15.2	14.2	25.0	34.8	27.5
30	26.8		33.8	46.0	E 52.9	26.5	21.3	15.7	14.5	22.0	36.8	26.5
31	26.2		33.7		E 52.6		20.4	16.2		19.8		26.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	32.67	30.09	31.43	46.28	52.68	35.50	25.84	17.10	13.56	16.71	23.79	36.55
MAX.	47.1	33.2	34.4	51.0	54.5	52.1	29.7	19.8	16.7	26.2	36.8	43.0
MIN.	22.7	26.0	26.4	34.3	47.5	26.5	20.4	14.8	11.7	11.9	16.6	26.0

E- ESTIMATED.

HIGHEST STAGE WAS 54.50 ON MAY 8.

LOWEST STAGE WAS 11.70 ON SEP. 18.

DAILY STAGES FOR 1982

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, N.O.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	24.5	41.9	44.7	46.0	30.3	34.0	23.8	22.8	23.3	16.6	17.0	32.3
2	23.0	43.2	44.1	44.6	30.1	36.4	24.4	22.6	24.9	16.0	17.2	33.2
3	22.2	43.3	43.1	43.2	29.4	38.6	25.4	22.0	26.8	15.2	17.4	34.0
4	23.0	42.9	41.7	41.9	28.5	39.5	25.6	21.8	29.4	14.5	18.4	39.2
5	27.3	42.3	40.0	40.9	27.8	39.4	26.7	21.0	31.4	14.6	19.5	43.3
6	30.5	41.9	38.0	40.5	27.5	38.5	27.3	20.7	30.4	15.0	21.6	45.6
7	33.0	41.6	36.2	40.3	27.4	37.1	28.8	20.8	28.2	15.1	21.0	47.1
8	34.0	41.1	35.0	39.8	27.3	36.8	30.6	20.6	26.0	14.9	20.6	47.8
9	34.5	40.7	34.2	39.5	27.2	37.2	31.4	20.0	24.0	15.3	20.7	48.0
10	34.5	40.6	33.8	38.8	26.8	37.9	31.1	21.0	21.4	15.4	20.6	47.6
11	34.1	40.8	33.5	37.5	26.1	38.5	30.0	22.4	19.6	15.8	19.2	47.1
12	33.4	40.7	32.9	36.4	26.7	38.7	29.6	22.3	18.3	17.0	18.4	46.6
13	31.8	40.4	32.0	35.2	27.0	38.8	29.4	22.2	18.3	17.3	17.9	45.9
14	28.9	39.5	33.0	34.3	26.5	39.0	27.8	22.1	19.2	18.6	18.4	45.0
15	25.6	38.5	34.7	33.5	26.0	39.0	26.6	20.0	19.8	20.9	18.6	44.4
16	23.5	37.3	37.4	32.4	25.0	38.6	26.1	18.4	19.9	19.3	19.9	43.7
17	21.1	36.5	40.0	32.0	24.0	38.5	25.4	18.5	20.7	18.6	21.3	43.3
18	19.6	35.7	42.1	32.6	23.0	37.4	25.1	23.0	21.0	19.2	22.6	42.7
19	18.1	36.3	43.8	33.4	23.5	37.2	25.4	24.6	22.2	19.3	22.7	42.2
20	17.8	38.1	45.2	35.0	25.0	37.1	25.5	24.8	22.3	18.3	22.9	41.6
21	17.0	40.4	46.0	35.9	25.3	36.2	25.7	24.1	21.5	18.2	23.0	41.0
22	18.6	42.1	46.7	36.5	26.0	35.0	26.5	22.5	21.0	17.9	23.9	40.5
23	24.5	43.4	47.1	36.5	27.2	33.3	28.0	20.4	20.7	17.3	24.8	39.7
24	30.8	44.7	47.5	36.1	28.2	31.6	28.6	18.9	20.2	17.4	25.7	38.8
25	35.0	45.3	47.9	35.5	28.4	29.4	29.0	19.0	20.0	16.9	26.0	39.3
26	36.6	45.7	48.2	34.2	28.2	27.5	29.4	18.5	19.7	16.8	26.4	41.0
27	38.1	45.8	48.1	32.4	29.3	26.0	28.9	17.8	17.8	16.7	27.0	42.9
28	38.6	45.2	47.9	31.9	30.2	24.0	27.4	18.6	17.4	17.3	28.2	45.5
29	38.7		47.7	31.3	30.3	23.0	25.1	19.7	17.6	17.1	29.5	46.8
30	39.0		47.3	30.8	30.4	23.6	23.9	21.4	16.8	16.8	31.0	47.8
31	40.0		46.8		31.6		23.3	22.3		16.7		47.9

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	28.95	41.28	41.51	36.63	27.43	34.93	27.15	21.12	21.99	16.97	22.05	42.96
MAX.	40.0	45.8	48.2	46.0	31.6	39.5	31.4	24.8	31.4	20.9	31.0	48.0
MIN.	17.0	35.7	32.0	30.8	23.0	23.0	23.3	17.8	16.8	14.5	17.0	32.3

HIGHEST STAGE WAS 48.80 ON DEC. 9.

LOWEST STAGE WAS 14.50 ON OCT. 4 AND 5.

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	8.8	12.8	32.9	17.4	28.0	34.4	32.3	34.0	17.8	14.2	21.0	18.3
2	9.3	12.9	33.2	19.8	26.2	34.5	31.1	34.2	19.0	14.3	20.9	21.0
3	9.3	14.9	32.8	20.9	25.5	34.7	30.2	33.5	21.6	14.0	20.6	22.2
4	9.8	18.8	32.3	20.5	25.1	35.1	29.7	31.9	22.9	13.7	19.9	21.9
5	9.5	21.1	32.6	18.9	25.4	35.6	29.8	29.7	24.0	13.5	18.1	22.2
6	9.4	22.7	32.1	18.3	25.9	36.1	30.1	28.0	24.6	13.8	20.6	23.0
7	9.0	24.0	31.2	19.2	26.1	37.2	31.2	26.5	24.8	14.4	23.0	23.0
8	8.0	23.5	30.2	22.8	26.0	38.7	32.2	25.8	24.8	14.5	23.1	22.5
9	8.3	22.1	28.9	24.0	25.4	39.4	33.1	26.0	24.5	14.2	21.6	20.8
10	8.3	19.6	28.0	24.2	24.6	39.3	33.4	25.7	22.6	14.0	20.4	19.1
11	8.1	18.3	27.5	24.2	24.2	38.4	33.4	24.9	21.0	14.2	19.3	18.2
12	8.2	17.8	27.0	22.8	24.3	37.7	31.7	25.0	20.0	14.5	18.6	17.8
13	8.0	17.9	25.7	21.7	24.7	37.7	29.3	24.2	19.1	14.5	18.0	17.3
14	8.1	18.1	23.3	22.0	25.5	38.0	27.5	22.4	18.7	14.6	17.4	16.8
15	8.0	17.9	21.0	22.9	26.5	38.2	26.0	21.5	18.3	14.7	16.7	16.6
16	7.6	18.8	18.9	25.0	27.0	38.2	24.7	21.3	17.9	14.7	15.6	16.7
17	7.4	19.6	17.3	27.0	27.4	38.4	24.6	20.9	17.1	14.6	14.8	16.0
18	7.3	19.6	16.5	29.1	28.7	38.3	24.4	20.6	17.9	14.9	14.0	16.1
19	7.1	19.0	16.5	30.6	31.7	37.8	24.6	20.3	17.3	16.0	13.8	16.1
20	7.6	20.1	16.6	31.5	36.3	37.7	24.7	20.5	16.3	17.0	13.6	15.2
21	7.7	23.3	16.4	31.8	39.5	38.0	25.2	21.0	15.8	16.9	13.7	14.7
22	7.7	25.9	16.2	31.9	41.5	37.3	26.3	20.0	14.6	16.7	13.8	14.0
23	7.8	27.2	15.8	33.2	42.2	36.5	27.7	18.3	14.3	17.4	14.0	16.8
24	8.0	28.3	15.1	33.6	42.2	35.6	28.1	16.8	13.6	17.2	15.1	20.2
25	8.0	28.7	13.7	33.7	41.5	35.0	28.9	17.0	13.0	16.8	15.9	22.3
26	8.0	29.2	12.3	33.1	40.5	34.4	29.1	16.6	12.9	16.7	16.0	23.5
27	9.4	30.5	12.4	32.7	40.2	33.4	29.4	16.3	12.9	17.0	14.8	23.9
28	9.8	31.7	12.2	32.2	39.2	32.9	29.4	16.5	13.0	17.3	14.8	25.1
29	9.8		13.5	31.0	37.2	32.7	30.2	15.6	13.4	17.7	16.2	26.1
30	9.9		14.2	29.5	35.4	32.7	31.2	15.7	13.9	18.7	16.8	26.2
31	11.5		15.4		34.5		32.5	16.3		20.8		25.3

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	8.53	21.58	21.99	26.18	31.24	36.46	29.09	22.80	18.25	15.60	17.40	19.96
MAX.	11.5	31.7	33.2	33.7	42.2	39.4	33.4	34.2	24.8	20.8	23.1	26.2
MIN.	7.1	12.8	12.2	17.4	24.2	32.7	24.4	15.6	12.9	13.5	13.6	14.0

HIGHEST STAGE WAS 42.20 ON MAY 23 AND 24.
 LOWEST STAGE WAS 7.09 ON JAN. 19.

DAILY STAGES FOR 1980

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	34.2	24.4	29.2	48.4	26.8	23.7	23.3	17.9	17.1	17.7	15.1	18.0
2	34.1	23.3	28.5	48.4	26.0	22.0	23.2	18.5	16.3	18.0	15.2	18.8
3	33.6	22.5	26.3	48.5	26.0	20.8	23.2	19.1	16.0	17.2	16.4	17.6
4	32.8	21.8	24.5	48.4	26.2	21.3	23.5	18.6	17.7	17.6	16.8	15.2
5	30.9	20.8	23.6	48.0	26.6	24.2	24.0	16.8	19.1	16.6	14.5	15.0
6	28.9	19.1	22.7	47.2	26.7	27.2	24.2	16.5	19.3	15.5	14.7	13.9
7	27.2	17.0	23.1	46.0	26.2	29.8	23.6	16.0	19.7	16.0	13.5	14.4
8	25.8	16.9	24.5	45.4	25.5	31.5	22.5	17.8	20.8	16.3	13.7	14.7
9	24.9	16.8	27.7	44.5	23.9	32.3	21.5	18.2	21.4	15.2	13.1	14.7
10	24.5	16.9	30.7	44.0	22.3	32.5	20.0	18.5	21.2	15.7	12.9	14.0
11	24.4	18.1	32.8	43.5	20.0	31.8	20.5	18.5	19.8	14.3	12.0	15.5
12	24.4	18.3	34.6	43.0	18.6	30.7	21.3	18.0	18.7	12.1	12.5	18.7
13	24.8	17.3	35.5	42.4	18.1	30.2	21.9	17.6	17.9	11.6	11.5	22.1
14	26.5	17.1	35.5	42.0	17.9	29.6	23.0	17.2	16.9	11.7	11.4	22.5
15	27.8	17.4	35.7	42.4	18.0	29.2	23.6	19.5	16.6	10.9	12.4	21.5
16	28.8	17.5	35.4	43.0	19.5	28.5	24.0	20.9	17.0	10.4	11.2	20.5
17	29.7	19.5	35.4	43.7	20.3	27.7	23.7	22.5	17.5	10.4	11.9	18.2
18	29.8	20.2	36.7	43.9	21.6	27.1	22.8	24.0	18.2	10.5	12.6	16.6
19	29.6	21.2	37.4	43.9	25.0	26.7	21.3	24.4	17.9	9.9	13.7	15.7
20	29.1	22.2	38.2	43.7	27.5	26.5	17.5	23.9	18.1	13.1	14.6	13.8
21	29.0	23.6	39.7	43.5	29.1	26.2	15.7	24.2	17.7	14.9	16.1	13.0
22	29.4	23.7	41.4	43.0	29.4	26.0	15.5	24.8	17.3	11.2	16.4	12.6
23	29.7	23.6	42.9	42.5	28.6	25.7	14.8	25.5	17.8	11.7	15.0	12.8
24	30.0	23.7	44.3	41.7	28.2	24.3	15.1	26.5	18.7	11.8	14.0	10.8
25	30.6	23.9	45.5	40.4	28.5	24.1	17.2	26.9	17.7	12.0	13.7	9.5
26	30.6	25.2	46.5	39.6	28.7	24.2	19.0	26.8	17.6	11.6	15.3	10.1
27	29.8	27.3	47.1	36.0	29.0	22.8	19.7	26.5	17.4	10.9	16.9	10.2
28	29.0	28.5	47.4	33.2	28.8	21.6	19.7	26.0	17.2	14.5	17.6	10.0
29	28.4	29.1	47.7	30.4	27.6	20.8	19.0	24.8	16.3	14.9	18.6	9.3
30	27.3		48.0	28.1	26.0	22.6	17.0	21.1	16.0	15.3	18.7	8.8
31	25.7		48.3		24.6		16.5	18.7		14.4		8.9

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	28.75	21.27	36.03	42.63	24.88	26.39	20.57	21.17	18.03	13.67	14.40	14.75
MAX.	34.2	29.1	48.3	48.5	29.4	32.5	24.2	26.9	21.4	18.0	18.7	22.5
MIN.	24.4	16.8	22.7	28.1	17.9	20.8	14.8	16.0	16.0	9.9	11.2	8.8

HIGHEST STAGE WAS 48.50 ON APR. 3 AND 4.
LOWEST STAGE WAS 8.80 ON DEC. 30 AND 31.

DAILY STAGES FOR 1979

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

MEAN. NOT COMPUTED FOR PERIOD OF RECORD.
DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	30.0	39.8	45.9	47.9	43.9	34.5	25.0	34.0	32.2	33.1	19.3	39.8
2	31.6	38.8	46.5	48.9	42.4	35.5	22.4	34.1	32.3	32.1	19.9	39.4
3	33.9	37.0	47.3	49.4	41.4	35.8	22.8	34.2	31.9	31.2	22.5	39.6
4	35.8	34.7	48.6	50.1	41.5	35.6	23.6	33.9	31.7	30.9	24.0	39.6
5	36.7	30.9	50.3	50.6	42.1	34.5	23.5	33.3	31.0	30.6	24.8	39.1
6	37.5	28.0	51.6	51.0	43.1	33.3	22.2	32.0	29.4	30.0	26.0	39.0
7	38.0	25.5	52.8	51.1	43.6	32.0	23.2	30.5	28.1	29.1	27.3	36.0
8	38.7	23.8	53.7	51.0	43.8	31.0	23.6	29.7	26.9	28.3	28.3	33.5
9	39.3	22.6	53.9	51.0	43.8	30.1	24.4	28.7	26.0	27.7	28.5	30.6
10	39.5	21.0	53.8	51.1	43.8	30.1	24.5	27.7	25.3	26.9	28.2	28.7
11	39.5	20.6	53.5	51.2	43.3	30.8	23.5	27.3	24.6	26.4	28.4	27.4
12	39.4	20.3	53.3	51.6	42.5	31.4	23.6	27.3	24.4	25.6	29.0	26.3
13	39.0	19.9	53.0	52.2	41.9	31.3	24.5	27.0	23.7	25.2	29.5	25.7
14	38.5	19.2	52.7	52.9	40.8	30.7	24.5	27.0	23.4	25.4	29.8	26.2
15	37.6	18.8	52.3	53.5	39.0	29.8	24.9	27.7	24.5	25.8	29.8	27.7
16	36.2	19.3	52.1	54.3	37.9	29.0	25.3	27.6	27.5	26.2	29.7	29.5
17	34.8	20.1	51.8	54.8	37.4	28.0	25.5	27.0	31.0	26.5	29.5	30.9
18	32.8	21.4	51.7	54.9	37.3	26.4	25.6	25.5	32.9	26.6	28.8	31.8
19	31.3	22.9	51.3	54.7	36.7	24.9	25.4	23.5	33.3	26.2	28.0	32.1
20	30.8	24.5	50.6	54.3	35.7	24.0	25.3	21.0	32.4	25.4	27.2	31.1
21	32.1	25.8	49.8	53.8	35.0	23.7	25.5	19.8	31.0	24.3	26.2	29.6
22	33.9	26.7	48.9	53.4	33.5	23.8	24.9	21.8	30.4	23.3	25.6	27.6
23	35.4	29.2	48.3	52.8	32.5	24.8	24.3	23.4	30.1	21.9	25.2	25.8
24	36.9	33.9	47.9	52.3	31.1	25.7	24.1	25.9	31.1	20.8	25.5	24.7
25	37.8	38.5	47.4	51.7	30.8	26.7	24.4	27.4	32.8	20.3	27.2	25.8
26	39.0	41.9	46.8	51.0	30.6	27.4	25.3	28.5	33.7	20.2	31.5	27.8
27	40.0	43.8	46.5	50.1	31.1	27.9	25.6	29.1	33.9	19.7	34.9	30.6
28	40.2	45.0	46.2	48.9	31.5	27.9	25.9	29.6	33.9	18.9	37.2	32.7
29	40.8		46.3	47.4	31.9	27.4	30.0	30.5	33.6	19.5	38.4	33.5
30	40.8		46.5	45.8	32.8	26.3	32.8	31.1	33.1	19.8	38.9	33.9
31	40.4		47.1		33.7		33.7	31.8		20.7		34.2

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	36.71	28.35	49.95	51.46	37.95	29.34	25.15	28.32	29.87	25.44	28.30	31.62
MAX.	40.8	45.0	53.9	54.9	43.9	35.8	33.7	34.2	33.9	33.1	38.9	39.8
MIN.	30.0	18.8	45.9	45.8	30.6	23.7	22.2	19.8	23.4	18.9	19.3	24.7

HIGHEST STAGE WAS 54.90 ON APR 18.
LOWEST STAGE WAS 18.80 ON FEB 15.

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT, 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE, STAFF TYPE IN SEVERAL SECTION.

GENERAL INFORMATION, DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. BANKFULL STAGE, 42 FEET.
LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE, STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	30.2	36.7	16.1	50.2	35.6	34.6	22.9	23.7	19.0	18.6	16.0	26.0
2	29.3	37.3	16.6	50.0	35.7	32.7	24.4	24.7	20.0	17.1	14.1	25.9
3	28.1	37.3	17.0	49.5	36.0	30.3	25.6	25.0	21.2	16.6	13.2	24.6
4	26.9	37.4	18.1	49.0	36.5	28.5	25.7	25.7	22.2	16.0	12.9	25.8
5	25.8	37.1	18.9	48.2	36.0	27.6	25.8	25.1	22.4	15.6	12.1	28.2
6	25.1	36.3	19.4	47.2	34.4	26.5	25.6	24.7	21.8	15.3	11.5	31.1
7	24.7	34.0	19.9	45.5	32.8	25.9	25.6	23.3	18.8	14.7	11.6	32.8
8	24.5	30.7	21.5	43.8	32.6	25.7	25.8	23.1	17.7	14.6	12.3	34.9
9	24.4	26.1	23.4	41.6	34.6	25.5	26.2	22.7	16.9	13.6	12.4	36.7
10	25.8	22.8	24.5	39.7	37.5	25.4	26.6	23.2	16.7	13.6	12.2	38.2
11	28.4	20.4	26.0	38.4	40.1	25.4	26.4	23.3	16.5	13.2	11.6	40.2
12	30.5	18.9	28.2	37.7	41.6	25.5	26.3	23.1	16.7	13.3	11.5	41.1
13	32.1	18.8	30.5	37.1	42.5	25.7	26.3	22.9	16.4	13.6	11.2	41.5
14	33.0	18.7	33.6	37.2	42.9	25.7	26.4	22.3	15.9	14.5	11.3	41.7
15	33.4	18.7	37.3	37.4	42.9	25.6	25.7	22.0	17.1	16.1	11.6	41.7
16	33.3	18.9	40.7	37.4	43.8	23.5	25.5	22.0	17.4	16.1	11.8	41.7
17	32.1	19.1	43.4	37.3	44.2	21.3	25.5	22.0	15.2	16.9	13.8	41.7
18	30.4	18.9	45.0	37.2	44.3	19.9	26.4	21.2	14.3	17.6	15.7	41.9
19	28.5	18.6	46.2	36.8	44.2	19.4	27.9	19.1	16.0	17.5	19.0	41.9
20	26.7	18.5	46.9	36.4	43.9	19.8	28.1	19.0	18.2	16.1	20.0	41.8
21	25.3	18.4	47.6	35.8	43.4	20.6	27.4	18.7	19.8	15.6	21.2	41.7
22	24.8	18.3	48.3	35.5	42.7	20.7	25.5	18.4	21.3	15.1	21.7	40.7
23	24.5	18.2	48.8	35.7	41.9	21.5	23.7	17.7	22.8	14.3	21.7	38.4
24	24.6	17.1	49.2	36.0	40.9	20.9	23.1	17.1	22.5	13.5	19.3	37.2
25	24.9	15.9	49.7	36.5	40.0	22.2	22.6	15.7	21.6	13.3	18.3	35.7
26	26.1	15.7	50.2	36.7	39.4	22.7	22.7	15.5	21.4	12.8	18.6	35.0
27	27.4	15.1	50.5	36.5	39.0	22.8	23.6	15.2	21.2	12.3	21.7	33.6
28	29.5	15.9	50.8	36.3	38.2	23.1	24.6	15.8	20.5	13.3	22.7	32.6
29	31.9		50.8	36.1	37.2	23.2	24.6	16.7	20.7	15.0	23.5	31.6
30	34.0		50.7	35.7	36.4	22.4	24.2	17.5	20.8	15.9	25.1	30.1
31	35.9		50.5		35.6		23.9	18.8		16.7		29.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	28.44	23.55	36.13	39.94	39.24	24.48	25.30	20.80	19.09	15.10	15.98	35.64
MAX.	35.9	37.4	50.8	50.2	44.3	34.6	28.1	25.7	22.8	18.6	25.1	41.9
MIN.	24.4	15.1	16.1	35.5	32.6	19.4	22.6	15.2	14.3	12.3	11.2	24.6

HIGHEST STAGE WAS 50.80 ON MAR. 28 AND 29.

LOWEST STAGE WAS 11.20 ON NOV. 13.

DAILY STAGES FOR 1977

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE, STAFF TYPE IN SEVERAL SECTION.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES; BANKFULL STAGE, 42 FEET.
LOW WATER REFERENCE PLANE, 10.2 FEET ON GAGE.

RECORDS AVAILABLE, STAGE, AUG. 3, 1932, TO DATE, DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	11.4	7.5	28.4	35.2	24.0	12.6	23.7	13.5	14.8	23.3	26.9	32.6
2	11.6	7.0	29.9	34.6	23.8	11.4	23.6	11.7	15.8	23.2	26.1	34.0
3	11.6	7.2	30.8	33.7	23.5	11.2	21.0	11.0	15.9	24.0	25.6	35.8
4	11.7	7.0	31.5	32.8	23.8	11.3	20.7	11.0	15.7	26.2	26.6	37.2
5	11.5	7.7	33.0	33.3	24.1	11.1	21.5	10.9	15.5	27.4	28.6	38.0
6	12.1	8.5	34.9	35.0	23.8	11.4	20.7	10.5	16.8	27.7	30.3	39.7
7	12.2	8.2	36.0	37.2	23.2	11.9	19.9	9.2	19.3	27.8	31.4	40.0
8	12.5	7.8	36.6	39.0	24.0	11.9	19.0	9.2	20.3	28.0	31.7	40.2
9	13.4	8.0	36.8	40.3	26.2	11.8	18.4	9.7	21.5	27.8	31.5	40.3
10	13.3	8.2	36.7	41.1	28.0	12.1	17.7	12.9	21.4	27.9	31.3	40.2
11	12.4	8.5	36.5	41.5	28.5	11.7	17.4	15.8	20.5	28.6	31.4	40.0
12	12.3	8.0	36.3	41.5	28.8	11.6	17.5	19.6	19.6	29.5	31.7	39.9
13	12.1	10.0	36.7	41.3	28.3	12.4	17.8	20.9	18.7	30.0	32.0	39.5
14	12.3	11.7	37.6	40.7	26.8	14.0	17.3	21.4	18.0	29.7	32.5	39.0
15	13.0	14.4	38.0	40.1	24.8	14.8	16.7	22.1	17.8	29.4	32.9	38.1
16	14.4	16.9	38.0	39.0	22.6	14.1	16.8	22.7	19.0	28.8	32.2	37.2
17	14.6	19.0	37.9	37.3	21.1	12.1	17.7	24.0	22.8	27.8	31.0	36.5
18	14.5	20.8	37.7	34.5	19.3	9.8	17.7	25.2	26.2	26.0	30.0	36.2
19	14.5	21.2	37.0	31.0	18.5	10.1	17.0	25.8	27.0	24.5	29.1	36.0
20	14.5	20.0	36.2	27.0	17.4	11.7	14.5	25.2	26.6	23.1	28.8	36.1
21	14.1	18.2	34.9	23.2	16.8	11.9	12.4	23.9	26.3	22.4	28.9	36.5
22	14.0	16.6	33.3	20.9	16.0	13.4	14.4	22.4	25.8	22.2	29.5	37.0
23	13.8	16.4	32.0	20.3	15.3	11.9	15.3	21.3	25.0	22.1	30.6	37.0
24	13.7	16.6	31.2	20.8	14.3	11.5	16.1	19.4	24.7	22.4	31.7	36.5
25	13.8	18.0	30.6	22.8	13.9	14.4	15.7	17.1	24.2	21.9	32.0	35.9
26	13.1	21.0	29.9	23.8	14.5	17.8	15.3	17.6	23.3	21.6	31.4	35.5
27	13.1	23.8	28.8	24.0	15.0	19.6	15.7	19.4	23.4	22.3	30.8	34.9
28	12.0	26.3	29.7	23.7	14.5	21.7	15.9	18.0	22.9	26.0	30.7	33.7
29	10.2		32.4	24.3	14.3	23.2	15.4	17.9	22.6	28.7	31.0	32.7
30	9.9		33.8	24.3	12.0	23.5	15.5	17.6	23.0	28.9	31.6	31.7
31	9.7		34.9		12.6		14.7	15.6		27.7		31.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	12.73	13.82	34.12	32.13	20.63	13.63	17.57	17.51	21.14	26.05	30.34	36.76
MAX.	15.0	26.3	38.0	41.5	28.8	23.5	23.7	25.8	27.0	30.6	32.9	40.3
MIN.	9.7	7.0	28.4	20.3	12.0	9.8	12.4	9.2	14.8	21.6	26.1	31.0

HIGHEST STAGE WAS 41.60 AT 400 P.M., APR. 11.
LOWEST STAGE WAS 6.90 AT 400 P.M., FEB. 2.

DAILY STAGES FOR 1976

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION: LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE, STAFF TYPE IN SEVERAL SECTION.

GENERAL INFORMATION. DRAINAGE AREA (REVISED), 917,400 SQUARE MILES. THE DRAINAGE AREA IN THE GREAT DIVIDE BASIN IN SOUTHERN WYOMING, APPROXIMATELY 4,000 SQUARE MILES, IS NO LONGER INCLUDED. BANKFULL STAGE, 42 FEET. AVERAGE LOW WATER PLANE, 9.5 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE, DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES: HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M., STAGE IN FEET

GAGE ZERO, 269.12 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	31.4	32.2	41.5	36.0	29.8	21.9	21.6	15.6	10.9	14.5	19.8	13.6
2	32.2	32.8	41.1	36.3	30.1	23.5	21.0	16.0	11.4	13.0	20.2	13.8
3	33.3	32.8	40.4	36.3	29.9	24.7	21.0	16.9	11.4	12.4	20.2	13.3
4	34.7	32.3	39.3	36.4	29.6	25.6	23.0	17.4	10.0	12.6	20.1	13.6
5	36.0	31.7	38.0	36.2	28.7	26.0	23.8	17.3	9.1	13.7	20.2	13.0
6	37.0	30.7	36.8	35.8	28.1	26.2	23.8	16.3	9.2	13.4	20.2	12.0
7	37.7	29.0	37.1	35.1	27.0	25.9	22.9	13.8	9.4	12.3	19.3	11.8
8	38.1	27.0	37.0	34.3	26.1	25.0	21.9	12.3	8.1	10.8	18.2	11.6
9	38.5	25.2	37.1	33.5	25.6	24.1	21.0	13.4	9.3	10.3	16.9	13.0
10	38.5	24.3	37.5	32.2	24.8	20.0	20.7	14.2	8.8	10.7	15.3	15.4
11	38.2	23.9	37.2	30.6	25.2	20.0	20.2	13.7	9.5	12.0	14.2	16.6
12	37.5	23.7	36.1	29.0	24.3	19.0	20.0	13.3	8.7	13.5	13.8	18.0
13	36.0	23.6	35.0	28.3	22.7	18.0	20.1	13.8	10.0	15.5	13.4	19.7
14	33.7	23.4	34.4	27.0	21.6	17.5	18.5	12.5	19.7	18.5	13.1	20.3
15	31.1	23.1	34.0	26.0	23.0	16.0	18.6	11.1	8.9	20.5	12.6	19.5
16	29.4	23.7	33.8	24.6	23.6	16.0	19.8	13.3	9.5	22.0	12.0	18.3
17	28.8	25.1	33.7	24.7	23.5	16.5	20.5	13.4	9.1	22.6	12.0	17.2
18	29.1	27.9	33.3	23.7	23.8	16.9	19.8	14.5	7.7	21.2	12.2	16.8
19	29.7	32.1	33.2	23.3	25.0	17.6	17.6	15.8	8.5	18.2	11.2	16.5
20	29.8	35.2	32.9	22.9	26.0	17.8	17.0	14.0	9.6	15.1	11.3	14.8
21	29.1	37.2	32.3	22.6	26.7	18.9	17.3	13.5	10.0	13.5	11.5	14.7
22	28.0	38.7	31.7	22.6	26.6	21.0	16.0	13.1	8.8	12.6	11.6	14.3
23	26.5	40.0	32.2	22.4	25.5	19.9	14.8	11.3	8.9	11.4	10.0	14.0
24	24.7	41.3	32.3	24.5	23.5	20.0	14.9	10.5	8.7	12.4	10.0	13.9
25	23.5	42.1	33.5	25.6	22.2	21.4	16.4	10.4	7.9	13.2	11.1	13.6
26	23.8	42.2	34.0	26.3	20.7	21.9	17.2	10.4	9.5	15.3	10.5	13.0
27	25.1	41.9	34.3	26.7	20.2	22.2	17.1	10.8	8.1	17.1	12.0	12.4
28	27.2	41.8	34.6	27.0	18.0	21.9	17.3	11.7	9.6	17.1	11.9	12.6
29	29.2	41.7	34.5	27.9	18.3	21.7	18.5	11.4	12.3	17.2	10.3	12.0
30	30.6		34.6	28.5	19.5	21.9	18.4	12.9	14.3	17.9	13.2	13.3
31	31.5		35.5		21.0		16.1	12.2		18.6		12.9

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	31.60	31.94	35.44	28.87	24.53	20.96	19.24	13.44	9.89	15.12	14.27	14.68
MAX.	38.5	42.2	41.5	36.4	30.1	26.2	23.8	17.4	19.7	22.6	20.2	20.3
MIN.	23.5	23.1	31.7	22.4	18.0	16.0	14.8	10.4	7.7	10.3	10.0	11.6

HIGHEST STAGE WAS 42.20 AT 800 A.M., FEB. 26.
LOWEST STAGE WAS 7.30 AT 400 P.M., SEP. 18.

DAILY STAGES FOR 1975

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTION.

GENERAL INFORMATION. DRAINAGE AREA, 921,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. AVERAGE LOW WATER PLANE, 9.5 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	32.9	35.6	45.8	55.6	47.4	29.7	28.3	16.2	20.3	26.3	21.6	22.5
2	34.0	38.0	45.8	56.0	47.5	28.8	28.3	16.5	20.4	24.5	20.8	23.8
3	34.8	40.0	45.8	56.2	47.3	28.6	28.0	17.1	21.1	22.2	19.4	26.0
4	35.6	40.8	45.8	56.0	47.1	29.4	26.8	17.6	22.0	19.3	19.0	27.9
5	36.1	41.2	45.7	55.8	46.9	29.7	25.4	17.0	23.0	18.2	18.5	29.0
6	36.3	41.5	45.6	55.4	46.8	29.9	25.4	16.2	22.7	18.6	18.3	29.2
7	36.2	42.0	45.2	55.0	46.8	29.7	26.0	16.8	21.0	18.0	17.6	28.8
8	35.8	42.3	44.6	54.6	46.5	29.1	26.6	17.2	18.9	17.2	18.1	27.5
9	35.3	42.4	44.0	53.8	46.3	28.3	26.6	17.5	18.9	17.2	19.3	26.0
10	34.9	42.5	43.3	52.7	46.4	28.1	25.4	17.9	19.1	18.9	19.1	25.7
11	35.3	42.4	42.5	51.3	46.2	28.3	25.0	16.5	18.6	19.1	19.3	25.4
12	37.3	42.2	41.8	49.7	45.8	28.6	25.2	15.9	18.2	19.0	20.4	25.0
13	39.4	42.0	42.2	47.8	45.3	28.9	24.8	14.8	19.0	19.9	20.3	24.8
14	40.7	41.7	44.1	45.5	44.2	28.4	23.0	15.2	18.8	20.0	20.6	24.3
15	41.3	41.1	46.2	42.6	39.4	27.9	22.7	15.0	19.0	20.0	21.6	23.8
16	41.7	40.3	47.8	39.0	39.4	27.7	22.0	15.5	20.4	19.8	23.5	23.9
17	41.5	39.4	49.2	36.3	39.4	28.3	21.8	17.0	20.8	18.7	25.4	25.0
18	40.7	38.3	50.0	34.3	38.2	28.4	21.6	18.0	19.3	21.0	26.9	26.8
19	39.5	37.8	50.6	33.0	37.7	28.9	21.4	18.1	18.6	24.1	27.5	28.2
20	38.5	37.7	51.2	32.5	37.5	29.4	20.9	19.8	19.1	27.3	27.0	29.4
21	37.8	37.5	51.7	32.4	37.2	29.5	21.2	19.4	19.1	29.6	25.8	29.4
22	36.9	36.9	52.0	32.3	36.8	29.3	21.2	18.0	20.5	31.2	23.9	28.7
23	36.3	37.5	52.2	32.3	36.1	28.9	21.8	16.2	21.8	31.4	22.6	28.2
24	36.0	40.4	52.3	32.6	35.2	28.5	21.9	15.8	22.8	31.2	21.9	27.4
25	36.2	43.2	52.3	35.3	34.4	27.9	21.2	15.0	23.0	30.8	21.4	26.2
26	36.3	44.8	52.1	39.5	33.0	27.4	20.7	14.2	23.1	30.1	21.5	25.3
27	36.4	45.8	51.9	42.6	31.6	26.5	20.5	14.8	23.5	28.8	21.5	24.5
28	36.0	45.8	52.2	44.8	31.0	26.3	20.3	16.5	25.0	27.2	20.4	25.2
29	35.3		53.3	46.2	30.9	27.5	18.9	17.3	26.3	25.6	21.7	26.8
30	34.6		54.5	47.1	30.9	28.0	18.8	17.7	26.9	24.0	22.0	29.0
31	34.3		55.2		30.3		17.6	19.3		22.5		30.4

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	36.89	40.74	48.28	44.93	40.30	28.52	23.19	16.76	21.03	23.27	21.55	26.57
MAX.	41.7	45.8	55.2	56.2	47.5	29.9	28.3	19.8	26.9	31.4	27.5	30.4
MIN.	32.9	35.6	41.8	32.3	30.3	26.3	17.6	14.2	18.2	17.2	17.6	22.5

HIGHEST STAGE WAS 56.25 AT 400 P.M. APR. 3.
LOWEST STAGE WAS 14.10 ON AUG. 26.

DAILY STAGES FOR 1974

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTION.

GENERAL INFORMATION. DRAINAGE AREA, 921,400 SQUARE MILES. BANKFULL STAGE, 42 FEET; AVERAGE LOW WATER PLANE, 9.5 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	42.7	52.0	40.7	38.8	31.3	41.5	38.2	18.1	22.7	18.4	13.6	24.5
2	42.7	51.9	39.5	37.4	30.7	42.0	38.0	17.3	22.8	18.5	14.0	23.6
3	42.5	51.9	38.4	36.8	30.2	43.3	37.6	17.3	23.4	18.6	14.8	23.8
4	42.5	51.9	37.3	37.4	30.0	44.1	37.0	17.2	25.2	18.5	15.0	24.6
5	42.9	51.8	36.3	38.7	30.0	44.4	36.3	16.6	26.6	18.1	E 15.9	E 25.4
6	43.4	51.6	34.9	39.8	31.3	44.6	35.3	16.8	26.5	16.3	E 18.6	E 26.6
7	43.8	51.2	34.6	40.7	31.3	44.8	34.4	16.9	26.9	15.9	E 22.9	27.4
8	43.8	50.6	35.6	41.4	31.4	45.2	33.1	16.6	27.7	16.2	25.4	27.7
9	43.8	49.7	37.0	42.3	31.2	46.0	32.3	16.7	27.5	14.9	25.8	27.5
10	44.0	48.5	38.2	43.0	30.9	46.4	31.6	17.3	27.2	14.0	25.0	27.4
11	44.8	47.3	39.4	43.6	30.3	46.7	29.9	17.4	26.2	14.7	23.9	28.0
12	45.0	46.0	40.5	44.0	29.9	46.2	28.0	19.1	24.7	14.5	23.3	28.6
13	45.5	44.6	41.2	44.3	29.0	45.5	26.8	20.0	23.7	13.9	23.6	29.0
14	46.0	42.9	41.8	44.7	28.9	44.9	26.2	21.1	23.8	E 13.4	24.6	29.4
15	46.4	40.3	42.7	44.7	29.3	44.4	25.0	22.5	24.4	E 13.9	24.7	29.8
16	47.0	37.3	43.6	44.7	31.0	43.7	22.8	22.4	24.8	E 14.6	24.6	29.9
17	47.8	36.7	44.5	44.3	32.8	42.7	22.3	20.1	24.9	E 15.7	24.6	29.8
18	48.4	36.3	45.0	43.4	35.6	41.3	22.2	18.8	24.5	16.7	24.6	29.3
19	48.7	36.2	45.4	42.3	37.7	39.7	22.0	18.9	23.5	17.5	23.9	28.7
20	49.0	36.4	45.5	41.1	38.6	37.9	21.7	18.8	22.3	16.9	24.2	28.5
21	49.7	37.4	45.6	39.7	39.0	36.3	21.2	18.5	21.0	17.1	23.9	28.7
22	50.8	39.3	45.4	38.5	39.6	35.2	20.5	17.7	18.5	17.1	23.6	28.3
23	50.7	40.8	45.1	37.9	40.6	34.3	19.6	17.0	17.9	16.5	23.4	27.7
24	50.8	41.4	44.6	37.2	41.6	33.8	18.9	17.1	18.0	15.0	23.5	27.3
25	50.8	41.9	44.2	36.0	42.5	34.0	18.7	17.2	18.8	14.9	23.9	27.0
26	50.7	42.2	44.0	35.0	42.7	34.8	18.2	16.9	18.9	14.0	24.7	27.1
27	50.8	42.2	43.8	34.3	42.6	35.5	18.0	16.8	18.6	14.1	25.4	27.7
28	50.6	41.6	43.5	33.6	42.6	36.4	17.9	16.6	18.6	14.4	25.3	28.2
29	51.1		43.2	32.5	42.5	37.3	17.7	17.2	18.1	14.3	24.9	29.1
30	51.7		42.3	31.8	42.2	38.0	18.0	20.3	17.5	14.2	24.7	30.0
31	51.9		40.8		41.6		18.0	22.3		13.8		31.3

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	47.85	44.34	41.43	39.65	35.12	41.02	26.04	18.30	22.70	15.69	22.53	27.79
MAX.	51.9	52.0	45.6	44.7	42.7	46.7	38.2	22.5	27.7	18.6	25.8	31.3
MIN.	42.5	36.2	34.6	31.8	28.9	33.8	17.7	16.6	16.1	E 13.4	13.6	23.6

E- ESTIMATED

HIGHEST STAGE WAS 52.0 ON JAN. 31 AND FEB. 1.

LOWEST STAGE WAS 13.38 ON OCT. 14.

DAILY STAGES FOR 1973

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 921,400 SQUARE MILES. BANKFULL STAGE, 42 FEET; AVERAGE LOW WATER PLANE, 9.5 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE; DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	44.8	39.3	26.6	55.6	53.8	45.2	32.0	29.2	18.6	24.4	24.2	42.7
2	44.7	39.3	26.5	55.7	54.5	45.0	32.2	28.0	18.4	26.4	25.4	43.5
3	45.0	39.2	27.0	55.5	54.8	45.0	31.9	26.8	16.8	27.4	26.1	43.9
4	45.2	39.2	27.4	55.2	54.9	45.4	30.9	25.5	15.8	29.3	26.2	44.4
5	45.1	39.7	27.6	55.0	54.8	45.6	29.8	24.3	16.7	30.4	25.8	45.0
6	44.9	40.5	27.8	54.5	54.6	45.6	28.8	22.6	17.0	30.3	24.5	45.4
7	44.6	41.4	29.0	54.3	54.4	45.6	28.4	22.3	16.5	30.5	25.0	45.9
8	44.3	42.3	31.9	54.0	54.4	45.0	29.3	21.4	16.8	30.7	24.6	46.1
9	44.0	43.4	35.7	53.9	54.3	44.8	30.3	20.4	16.6	30.9	23.5	45.8
10	43.7	44.0	39.0	53.7	54.0	44.6	30.2	19.7	15.2	30.6	22.4	45.0
11	42.3	44.2	41.9	53.4	53.6	44.5	28.6	19.4	16.6	29.7	22.5	43.6
12	40.4	44.0	44.3	53.0	53.0	44.2	26.8	20.2	17.8	27.8	22.2	41.2
13	38.2	43.5	46.1	52.6	52.4	43.5	25.9	21.3	17.4	25.3	22.0	38.3
14	36.0	42.9	47.0	52.2	51.9	42.5	25.7	22.3	16.0	24.1	21.5	35.2
15	33.6	42.4	47.6	51.7	51.5	41.2	25.4	24.3	16.8	24.8	20.4	32.3
16	31.3	42.2	48.1	51.2	51.1	39.8	24.8	24.6	16.8	26.9	20.2	30.7
17	29.2	42.3	49.2	50.9	50.7	38.5	23.7	24.4	15.3	28.0	20.4	29.7
18	27.7	42.4	50.6	50.6	50.0	37.7	23.0	23.9	16.3	27.6	20.4	28.6
19	27.5	42.0	52.0	50.4	49.1	37.2	22.5	24.3	15.9	27.6	20.6	27.7
20	28.7	41.2	53.0	50.7	47.9	36.7	21.9	23.1	15.3	28.1	21.2	27.4
21	30.5	39.7	53.6	50.6	46.6	36.6	21.8	22.5	14.6	28.3	20.6	27.3
22	35.0	37.7	54.0	50.4	45.2	37.1	21.5	22.0	15.3	28.5	21.2	26.9
23	38.0	35.4	54.2	50.7	43.8	37.6	22.7	21.7	15.8	28.2	21.9	26.2
24	39.7	32.8	54.4	51.4	42.4	37.9	24.2	21.2	15.2	27.9	23.2	26.2
25	40.8	30.3	54.7	52.0	41.2	37.5	28.2	21.3	15.6	27.3	27.4	27.9
26	41.3	28.6	54.8	52.5	40.7	36.3	31.6	20.0	15.9	26.0	30.8	30.0
27	41.4	27.8	54.8	52.8	41.0	34.8	32.8	19.7	15.7	24.8	33.0	33.0
28	41.2	27.3	54.8	52.9	42.7	33.2	32.7	19.0	17.6	23.4	36.4	36.6
29	40.6		54.8	53.1	43.4	31.9	31.8	19.1	19.3	22.6	39.5	39.1
30	40.0		54.9	53.4	44.2	31.5	31.0	18.6	22.3	22.5	41.4	41.0
31	39.5		55.3		44.8		30.4	18.3		23.1		42.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	39.00	39.10	44.46	52.79	49.40	40.39	27.76	22.29	16.65	27.20	25.14	36.72
MAX.	45.2	44.2	55.3	55.7	54.9	45.6	32.8	29.2	22.3	30.9	41.4	46.1
MIN.	27.5	27.3	26.5	50.4	40.7	31.5	21.5	18.3	14.6	22.5	20.2	26.2

HIGHEST STAGE WAS 55.70 AT 800 A.M., APR. 2.
LOWEST STAGE WAS 14.50 AT 400 P.M., SEP. 21.

DAILY STAGES FOR 1972

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 921,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. AVERAGE LOW WATER PLANE, 9.5 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	22.8	30.4	35.1	34.0	48.5	22.8	29.1	23.0	19.2	23.1	24.5	36.0
2	23.2	30.5	36.6	33.2	48.4	22.9	30.0	24.1	19.5	23.8	25.7	35.9
3	24.8	30.5	38.0	32.4	48.1	22.8	30.5	24.4	18.6	23.8	27.8	35.8
4	28.6	30.0	39.5	31.5	47.9	22.8	30.9	24.6	18.3	24.4	29.6	35.6
5	30.7	29.1	40.6	30.4	47.6	22.7	30.8	24.8	18.2	25.3	31.3	35.1
6	31.9	28.1	41.5	29.6	47.3	21.5	30.0	24.8	17.8	25.7	33.1	34.4
7	32.5	27.7	42.2	28.8	46.8	21.3	29.0	24.6	18.1	25.9	34.1	33.6
8	33.2	27.0	42.5	28.3	45.8	20.6	27.6	24.6	17.8	26.0	34.8	32.8
9	33.9	26.6	42.4	28.3	44.7	19.8	26.1	25.9	18.1	25.0	34.5	34.1
10	34.7	26.1	42.0	28.6	43.7	19.7	24.9	26.6	18.0	24.7	33.9	36.0
11	35.4	26.6	41.8	30.0	43.0	19.6	24.3	25.7	17.7	24.8	33.9	38.4
12	36.1	24.4	41.6	31.6	42.6	19.1	24.3	23.8	17.1	25.0	34.1	40.2
13	36.3	23.0	41.3	33.1	42.2	18.6	24.2	23.8	18.3	24.9	34.2	41.5
14	36.4	22.4	40.7	34.7	41.6	18.6	23.8	23.3	18.2	22.9	35.4	42.7
15	36.2	22.5	40.2	36.5	40.8	19.0	23.3	23.2	18.2	22.7	36.8	43.7
16	35.9	23.1	40.0	39.7	40.2	19.7	22.8	23.4	19.1	22.3	38.3	44.4
17	35.2	24.3	39.7	41.6	39.7	20.3	22.4	23.2	19.5	21.7	39.3	45.0
18	34.7	26.5	39.1	42.5	39.2	21.6	22.5	22.8	20.9	21.3	39.3	45.6
19	33.9	28.4	38.6	43.0	38.5	23.0	22.8	22.9	22.7	21.5	39.0	46.0
20	32.8	30.0	38.3	43.5	37.7	24.6	23.0	23.0	23.4	22.0	39.5	46.3
21	31.1	30.4	38.0	44.5	36.8	24.7	22.7	22.7	23.4	21.7	39.7	46.4
22	29.3	30.0	37.6	46.2	35.6	24.5	21.9	22.4	23.2	22.0	39.4	46.6
23	28.0	29.5	36.8	47.6	34.2	24.3	22.1	22.2	22.5	22.8	39.2	46.8
24	27.0	29.1	36.1	48.2	32.8	23.4	22.5	22.7	21.7	22.0	38.9	46.9
25	27.1	29.7	35.8	48.5	31.4	23.8	22.6	23.8	21.0	21.9	39.0	46.7
26	27.8	29.8	35.6	48.8	30.1	22.8	20.6	21.7	20.7	22.0	38.6	46.2
27	28.4	30.8	35.6	48.9	28.7	23.8	20.3	19.7	20.8	21.9	38.2	45.8
28	29.1	32.0	36.0	48.9	27.6	24.3	20.5	19.6	20.7	22.2	37.9	45.3
29	29.8	33.7	36.3	48.7	26.7	25.9	22.2	19.5	20.8	22.9	37.4	44.9
30	30.1		35.9	48.5	26.0	27.7	23.1	19.3	21.4	23.5	36.6	44.5
31	30.3		35.0		24.3		23.3	19.1		24.1		44.6

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	31.19	28.00	38.71	38.66	38.97	22.20	24.64	23.06	19.82	23.34	35.46	41.53
MAX.	36.4	33.7	42.5	48.9	48.5	27.7	30.9	26.6	23.4	26.0	39.7	46.9
MIN.	22.8	22.4	35.0	28.3	24.3	18.6	20.3	19.1	17.1	21.3	24.5	32.8

HIGHEST STAGE WAS 48.90 ON APR. 27 AND 28.
LOWEST STAGE WAS 17.00 AT 400 P.M., SEP. 12.

DAILY STAGES FOR 1971

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 921,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. AVERAGE LOW WATER PLANE, 9.5 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	32.9	25.2	47.2	31.8	24.8	23.6	21.4	20.4	14.0	17.0	16.0	18.0
2	31.9	24.2	47.5	31.2	24.7	E 24.6	21.0	20.3	13.7	17.1	15.0	18.5
3	E 29.6	23.2	47.8	30.4	24.6	24.7	19.9	20.2	13.7	16.5	15.2	19.4
4	E 27.0	21.8	48.1	30.0	25.0	24.8	18.9	21.0	14.2	15.3	15.9	19.9
5	E 26.5	21.4	48.3	30.2	24.8	25.2	18.2	20.9	13.6	15.0	16.6	E 20.6
6	E 25.6	22.2	48.1	30.0	24.6	25.3	17.5	21.5	13.0	14.6	17.4	E 22.5
7	27.0	23.7	47.8	30.0	24.6	24.1	17.1	22.0	13.2	E 14.2	18.5	E 22.7
8	28.2	26.2	47.5	29.9	25.5	23.9	16.8	22.4	15.4	15.2	19.4	E 23.0
9	29.1	29.6	46.5	29.6	25.8	24.5	16.0	23.2	16.3	15.2	19.5	23.0
10	29.8	32.2	45.5	28.9	26.2	25.2	15.8	23.7	15.2	13.9	19.2	E 25.9
11	30.3	33.5	44.5	28.2	28.3	25.0	17.3	23.0	14.9	14.0	18.5	27.5
12	30.4	34.4	43.5	27.5	31.0	23.6	18.4	21.9	14.7	13.7	18.3	28.9
13	30.2	35.2	42.3	27.1	33.0	22.7	20.0	19.0	E 14.6	13.4	18.0	31.0
14	31.0	35.5	41.0	27.0	35.4	22.6	20.8	17.6	14.8	12.8	17.3	32.0
15	30.9	35.0	40.4	26.8	37.4	23.3	21.5	E 17.5	15.4	13.5	16.9	32.1
16	29.7	34.2	40.0	26.5	38.3	24.8	22.9	E 17.1	16.2	14.4	E 16.6	32.3
17	28.7	33.8	39.6	26.0	38.6	25.6	23.3	E 16.5	18.2	13.5	17.2	32.6
18	28.0	33.8	39.4	25.5	38.6	26.7	E 22.5	E 15.3	20.4	12.8	17.0	33.0
19	27.8	33.5	39.5	24.6	38.3	27.1	21.9	E 15.1	20.9	13.3	16.9	33.7
20	27.8	33.8	39.3	24.3	37.6	26.8	22.4	E 13.6	20.4	12.7	16.7	33.9
21	27.7	34.2	38.8	23.6	36.4	26.4	22.4	E 13.7	20.2	11.8	16.4	33.2
22	27.3	36.5	37.7	22.8	34.9	25.8	22.2	E 14.1	19.8	12.8	16.3	31.7
23	26.6	41.3	36.7	22.4	32.8	24.7	22.9	E 16.2	19.4	13.6	16.7	30.4
24	25.6	44.0	35.8	22.2	31.0	22.5	23.2	E 17.2	18.1	13.8	17.2	29.2
25	25.2	45.8	34.6	22.6	30.5	22.3	23.4	17.0	17.5	13.2	17.3	28.0
26	25.2	46.8	33.8	23.0	29.7	22.0	20.3	15.8	16.3	14.3	17.6	27.4
27	25.0	47.2	33.8	23.7	28.5	21.7	19.3	16.0	15.6	15.7	17.5	26.8
28	24.5	47.1	33.8	24.3	27.2	20.9	19.0	17.6	15.8	17.4	16.5	26.3
29	24.0		33.6	24.4	26.2	21.4	19.1	18.4	16.2	18.1	16.7	25.2
30	24.4		33.4	24.4	25.4	21.3	18.9	17.3	16.6	17.7	17.4	24.2
31	24.8		32.8		24.9		19.5	15.3		16.7		23.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	27.82	33.39	40.91	26.62	30.14	24.09	20.11	18.40	16.27	14.61	17.18	26.95
MAX.	32.9	47.2	48.3	31.8	38.6	27.1	23.4	23.7	20.9	18.1	19.5	33.9
MIN.	24.0	21.4	32.8	22.2	24.6	20.9	15.8	E 13.6	13.0	11.8	15.0	18.0

E- ESTIMATED

HIGHEST STAGE WAS 48.30 FROM 800 A.M. TO 400 P.M. MARCH 5.

LOWEST STAGE WAS 11.80 AT 800 A.M. OCT. 21

DAILY STAGES FOR 1970

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 921,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. AVERAGE LOW WATER PLANE, 9.5 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 3, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	28.9	23.8	26.9	30.8	45.1	28.4	23.2	16.2	13.5	32.8	23.8	21.3
2	31.1	25.8	25.3	31.5	46.1	28.4	22.5	16.7	13.8	31.9	24.9	20.2
3	32.8	28.6	24.5	33.3	47.4	27.7	21.4	16.3	13.6	29.6	24.3	19.2
4	34.7	29.7	25.6	36.3	48.3	28.8	21.0	17.8	13.4	26.7	24.5	19.6
5	36.3	30.4	27.1	39.3	48.9	31.0	20.8	18.7	14.6	23.4	25.3	19.6
6	37.3	31.0	28.2	41.0	49.3	32.6	20.0	19.2	15.6	21.8	26.5	19.7
7	37.4	31.7	29.5	41.9	49.4	33.6	19.7	19.1	15.6	20.5	26.8	20.2
8	36.7	32.1	31.0	42.5	48.8	34.6	18.7	20.3	13.7	18.5	26.6	20.6
9	35.0	32.4	32.1	42.6	47.8	35.1	18.3	21.6	13.7	17.8	26.6	20.7
10	32.5	32.4	33.0	42.4	47.0	34.6	18.2	22.2	14.0	18.4	26.6	20.3
11	30.3	32.0	33.6	42.2	45.8	33.5	18.1	24.0	14.4	17.5	26.7	20.2
12	27.6	32.0	34.0	42.0	44.2	31.9	17.9	24.0	13.2	17.7	26.9	20.5
13	25.0	32.0	33.6	41.8	42.5	30.3	17.9	24.4	12.9	20.2	27.2	20.0
14	21.8	32.0	33.0	41.2	40.8	29.4	18.2	24.2	13.4	25.7	27.2	20.0
15	19.2	32.2	31.9	39.9	39.1	29.4	18.8	22.4	15.4	27.1	26.6	20.7
16	18.7	32.8	30.6	38.0	37.5	30.6	17.3	20.2	16.7	27.6	25.4	23.0
17	19.1	33.8	29.5	35.6	37.8	32.6	16.2	17.2	17.2	26.8	25.2	23.8
18	19.7	34.1	29.0	32.8	39.2	33.0	16.6	16.4	17.8	25.2	25.0	24.3
19	19.5	34.2	29.0	31.5	40.2	32.9	17.2	16.2	19.1	23.4	24.8	24.4
20	19.2	33.7	29.1	31.8	40.8	32.0	16.7	16.6	20.6	23.7	25.0	24.5
21	19.0	33.4	29.8	32.7	40.8	31.2	18.2	16.5	22.5	21.2	25.6	25.0
22	18.2	33.4	30.0	35.8	40.4	31.2	17.6	17.2	23.6	20.8	25.7	26.7
23	18.0	33.6	29.8	38.0	39.5	31.0	17.3	17.8	23.6	22.0	25.7	28.0
24	18.0	33.7	29.5	40.1	38.1	30.9	16.9	18.5	22.7	20.5	26.7	29.9
25	17.8	32.8	29.4	41.6	35.9	30.8	17.0	18.8	24.2	20.2	27.4	31.7
26	17.7	31.6	30.5	42.5	33.9	30.2	15.8	17.7	27.0	20.3	27.2	32.4
27	17.1	30.2	31.1	43.1	31.9	28.6	14.3	17.1	29.6	20.7	26.6	33.0
28	15.9	28.4	31.3	43.5	30.1	27.0	15.2	17.1	31.0	20.6	25.8	32.7
29	17.3		31.6	43.9	29.1	25.6	16.2	16.1	32.2	20.2	24.3	32.8
30	20.0		31.6	44.3	28.5	24.0	15.8	14.8	32.8	20.8	23.2	33.0
31	21.7		31.2		28.3		15.8	14.0		22.8		33.2

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	24.62	31.56	30.07	38.79	40.72	30.69	18.02	18.68	19.04	22.78	25.79	24.55
MAX.	37.4	34.2	34.0	44.3	49.4	35.1	23.2	24.4	32.8	32.8	27.4	33.2
MIN.	15.9	23.8	24.5	30.8	28.3	24.0	14.3	14.0	12.9	17.5	23.2	19.2

HIGHEST STAGE WAS 49.40 FROM 400 P.M. MAY 6 TO 800 A.M. MAY 7.
LOWEST STAGE WAS 12.90 FROM 800 A.M. TO 400 P.M. SEPT. 13

DAILY STAGES FOR 1969

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 921,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. AVERAGE LOW WATER PLANE, 9.5 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 30, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	30.9	42.6	25.1	33.6	40.8	25.6	33.6	27.4	14.7	15.2	18.3	19.5
2	30.5	43.8	25.6	32.6	39.9	23.5	34.0	26.8	14.4	14.8	18.1	19.7
3	29.9	44.7	26.0	31.9	39.4	23.4	34.2	26.2	14.4	15.1	17.6	18.6
4	29.4	45.4	26.6	31.2	38.8	23.9	34.5	24.7	15.2	15.4	18.8	18.0
5	29.1	45.8	26.2	30.9	38.1	24.6	34.0	22.6	15.9	15.2	19.3	17.6
6	28.6	45.8	25.2	30.5	37.0	24.6	34.0	22.2	16.0	14.8	19.6	17.9
7	27.2	45.8	24.8	30.8	35.5	24.2	34.0	21.0	17.0	15.1	19.3	18.2
8	26.0	46.0	25.1	32.1	33.4	23.0	34.7	19.6	17.1	14.4	19.0	18.7
9	24.5	46.2	24.6	33.8	32.0	22.0	35.6	19.4	17.8	14.7	18.4	20.4
10	22.8	46.4	24.1	36.6	31.5	21.8	36.2	20.2	17.4	15.0	17.8	21.0
11	19.7	47.0	23.3	38.6	31.4	21.2	36.8	19.9	16.3	14.3	17.5	20.6
12	16.8	47.2	24.2	39.9	31.4	21.2	37.5	20.2	17.2	14.8	17.1	19.3
13	16.1	47.2	23.6	40.5	31.5	21.6	38.5	21.4	17.6	15.2	17.1	19.4
14	16.0	46.6	22.5	40.8	31.5	23.0	39.0	22.2	17.1	21.9	17.2	20.3
15	15.6	45.8	22.0	41.0	32.0	23.7	39.7	22.5	16.1	25.9	17.9	19.4
16	14.3	44.8	21.8	40.9	32.4	24.2	40.2	22.4	14.6	29.2	17.8	20.2
17	14.1	43.4	20.5	40.8	32.8	23.6	40.0	20.0	14.8	30.8	17.0	20.8
18	17.4	41.3	19.2	41.1	32.9	23.6	40.0	17.2	14.7	31.8	17.3	21.7
19	21.0	38.4	18.6	41.8	33.2	24.7	39.6	18.7	15.8	32.0	17.7	22.4
20	24.9	35.8	19.2	42.5	33.6	24.0	38.4	19.7	17.0	31.0	19.5	22.2
21	28.4	32.4	19.8	43.4	33.6	23.2	36.7	20.5	18.0	28.5	21.5	21.6
22	30.5	30.0	20.0	44.0	33.4	22.5	35.3	21.1	18.0	26.0	22.3	20.2
23	32.0	28.3	19.8	44.3	33.2	22.2	34.3	21.0	18.5	24.0	22.9	19.8
24	33.4	27.3	21.4	44.7	33.0	26.6	33.9	22.0	18.3	23.5	23.2	19.8
25	34.6	26.4	25.3	45.1	32.6	28.8	34.0	22.4	17.3	22.5	23.2	19.2
26	35.6	25.8	27.5	45.2	32.6	30.6	33.8	23.1	15.5	21.8	22.6	15.6
27	36.0	25.3	30.1	44.9	32.6	32.0	33.0	22.5	14.8	21.4	22.2	14.8
28	35.6	25.1	32.3	44.3	31.9	32.6	31.8	18.9	14.8	20.5	21.8	15.8
29	35.6		33.7	43.2	32.0	32.8	30.8	16.5	15.7	19.6	21.2	16.6
30	37.7		34.3	42.0	29.5	33.0	29.7	16.1	15.4	19.0	19.3	20.8
31	40.7		34.0		27.0		28.5	15.6		18.4		25.1

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	26.92	39.66	24.71	39.09	33.56	25.05	35.36	21.09	16.24	20.70	19.41	19.51
MAX.	40.7	47.2	34.3	45.2	40.8	33.0	40.2	27.4	18.5	32.0	23.2	25.1
MIN.	14.1	25.1	18.6	30.5	27.0	21.2	28.5	15.6	14.4	14.3	17.0	14.8

HIGHEST STAGE WAS 47.30 AT 400 P.M., FEB. 12.

LOWEST STAGE WAS 14.10 AT 400 P.M., JAN. 16.

DAILY STAGES FOR 1968

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 921,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. AVERAGE LOW WATER PLANE, 9.5 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 30, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	36.2	29.4	15.2	38.8	26.2	43.0	22.2	22.3	12.2	14.4	16.0	23.7
2	34.6	30.9	15.6	38.7	24.9	43.5	22.0	21.8	12.5	13.6	16.1	26.1
3	32.5	33.1	15.1	38.4	23.6	43.8	22.4	21.8	11.5	13.6	16.4	27.0
4	31.0	35.8	14.4	39.0	22.5	43.9	22.3	21.6	12.0	13.5	17.3	26.0
5	30.6	38.0	14.2	40.2	22.7	44.0	22.0	20.7	12.0	13.0	16.8	25.2
6	30.6	39.0	13.9	40.9	23.0	44.2	22.0	21.6	11.7	13.8	16.3	24.0
7	30.3	39.4	13.4	41.3	23.0	44.2	21.7	23.6	10.7	14.0	16.6	23.4
8	30.0	39.5	12.9	41.4	22.2	44.0	21.6	24.2	11.6	14.2	17.0	22.9
9	29.7	39.6	12.7	41.6	21.0	43.6	21.6	24.2	10.7	14.0	17.2	22.4
10	29.6	39.6	12.4	41.4	21.7	43.1	21.0	24.1	11.0	13.7	17.6	22.2
11	29.6	39.1	13.0	40.9	22.3	42.3	21.2	22.3	12.2	13.9	17.8	22.2
12	29.6	38.2	14.0	40.4	22.8	40.8	21.4	22.2	11.7	14.0	18.2	22.0
13	30.0	37.3	17.8	39.6	22.8	38.2	21.5	23.0	12.5	13.1	18.5	21.3
14	30.0	35.9	20.4	38.6	23.1	34.2	21.4	23.0	12.7	12.6	17.6	20.3
15	29.8	34.3	23.2	37.4	24.7	30.3	21.2	23.8	12.0	14.0	17.2	18.9
16	30.0	32.7	25.6	35.6	26.1	26.8	20.8	25.3	12.2	15.2	17.2	16.1
17	29.5	31.0	28.5	33.8	26.8	24.8	20.6	25.3	12.3	15.7	16.8	15.8
18	28.7	28.8	31.1	32.3	27.7	24.3	20.4	24.2	12.2	16.3	17.8	15.8
19	28.0	26.5	32.5	30.9	28.4	23.8	19.8	22.9	12.2	16.4	19.5	14.4
20	26.7	24.4	33.5	30.0	28.7	22.8	19.6	22.7	12.7	16.4	21.5	13.8
21	25.3	22.9	35.4	29.3	28.7	21.0	19.4	22.5	12.3	17.0	22.2	13.9
22	23.5	21.8	36.2	28.4	28.3	21.0	18.4	20.0	12.4	16.6	21.8	14.2
23	22.5	20.6	36.4	27.7	28.0	21.4	18.7	19.0	12.8	17.0	20.9	16.3
24	22.7	18.3	37.0	27.0	28.0	19.9	19.0	19.2	12.3	18.0	20.8	18.6
25	23.5	17.7	38.0	26.6	28.4	20.2	19.2	19.0	12.7	18.4	20.8	19.6
26	24.7	16.9	38.7	26.3	29.3	20.7	19.0	17.5	13.3	17.3	20.6	19.8
27	26.0	16.6	39.3	26.1	33.5	21.0	19.2	16.9	14.6	16.3	21.1	20.0
28	27.2	16.1	39.6	26.8	38.0	21.8	20.5	15.2	14.4	15.8	20.0	21.7
29	28.0	15.6	39.6	27.5	40.4	23.0	20.7	14.0	14.8	16.0	21.9	23.9
30	28.5		39.2	27.2	41.8	22.8	21.2	13.3	14.4	16.0	22.5	26.0
31	29.0		38.9		42.4		22.6	12.4		15.7		29.3

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	28.64	29.61	25.72	34.46	27.44	31.94	20.79	20.95	12.41	15.14	18.73	20.86
MAX.	36.2	39.6	39.6	41.6	42.4	44.2	22.6	25.3	14.8	18.4	22.5	29.3
MIN.	22.5	15.6	12.4	26.1	21.0	19.9	18.4	12.4	10.7	12.6	16.0	13.8

HIGHEST STAGE WAS 44.15, JUNE 6, 7, AND 8.
LOWEST STAGE WAS 10.70, SEP. 7.

DAILY STAGES FOR 1967

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 921,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. AVERAGE LOW WATER PLANE, 9.5 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 30, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	24.5	21.3	24.4	35.9	32.4	28.8	33.0	24.8	15.2	15.0	17.5	19.9
2	24.4	22.8	23.9	34.1	32.8	25.9	33.4	25.0	15.2	15.6	18.2	21.9
3	24.6	24.4	23.2	32.3	33.4	25.0	33.1	24.8	15.3	15.7	21.3	24.6
4	25.4	25.5	21.8	31.7	33.4	24.9	33.2	24.8	15.1	15.7	25.3	27.4
5	24.0	25.8	20.8	31.9	33.3	25.4	33.4	24.6	15.6	15.2	26.3	30.5
6	23.2	25.2	20.4	33.1	33.2	26.0	33.0	23.7	15.2	14.3	26.8	32.3
7	22.0	25.4	23.0	33.6	33.1	25.8	33.2	22.5	13.0	14.4	27.0	32.8
8	20.7	25.6	27.3	33.0	33.0	25.4	32.9	21.7	12.4	14.5	26.3	32.8
9	19.5	25.8	31.4	31.8	33.1	24.9	32.2	21.5	14.0	14.2	25.2	32.5
10	18.8	25.6	34.7	30.6	34.2	24.2	31.2	21.3	14.8	14.6	23.7	32.1
11	17.6	25.3	36.9	29.7	35.6	23.8	31.4	21.7	14.8	15.4	21.8	31.6
12	16.0	24.7	38.1	29.1	36.6	22.9	31.8	22.0	13.6	16.1	21.2	32.2
13	17.4	23.9	39.0	28.9	37.0	22.9	32.3	20.5	12.3	16.7	21.2	32.6
14	17.4	22.6	39.4	29.2	38.6	23.8	32.3	19.5	13.2	17.4	20.7	32.6
15	17.4	20.9	39.5	29.4	41.1	24.8	32.1	18.8	13.2	16.8	20.1	32.8
16	15.7	19.6	40.0	29.3	42.6	26.1	31.6	17.2	13.4	15.6	19.8	33.4
17	15.9	19.1	40.4	29.5	43.4	27.5	30.6	16.0	13.2	15.1	19.4	33.6
18	16.2	18.3	40.8	30.4	43.6	29.2	28.8	15.4	13.6	16.8	19.0	33.6
19	16.1	18.0	41.2	31.2	43.7	29.6	26.0	14.8	14.5	17.2	18.6	34.2
20	15.6	19.6	41.4	31.4	43.7	30.1	23.8	14.4	14.8	17.2	17.5	34.6
21	15.0	20.0	41.5	31.6	43.6	30.6	21.0	14.0	14.9	17.8	17.3	35.0
22	14.5	20.8	41.6	31.4	43.6	31.0	20.5	15.2	14.8	18.0	17.2	36.4
23	14.1	22.2	41.8	30.8	43.4	31.3	20.5	16.3	14.6	17.8	17.9	38.4
24	13.7	23.2	42.0	30.2	43.4	31.7	20.1	16.3	14.5	17.6	18.2	39.5
25	14.3	23.4	41.9	29.7	43.2	31.7	19.2	15.5	13.4	17.3	19.4	39.9
26	14.5	23.2	41.4	29.6	42.8	31.9	18.9	15.0	13.8	17.0	19.4	40.2
27	15.1	23.6	41.0	30.7	41.8	32.0	19.7	15.8	13.9	17.2	18.0	40.2
28	16.7	24.2	40.3	31.5	40.6	32.2	20.3	16.6	14.2	17.2	18.6	39.8
29	19.0		39.6	32.5	38.9	32.0	20.5	16.4	14.6	17.0	19.7	39.1
30	20.2		38.7	32.8	35.9	32.6	22.7	15.4	14.6	16.7	20.1	38.4
31	20.6		37.4		32.8		23.8	15.4		17.2		37.2

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	18.38	22.85	35.31	31.22	38.31	27.79	27.62	18.92	14.18	16.26	20.75	33.61
MAX.	25.4	25.8	42.0	35.9	43.7	32.6	33.4	25.0	15.6	18.0	27.0	40.2
MIN.	13.7	18.0	20.4	28.9	32.4	22.9	18.9	14.0	12.3	14.2	17.2	19.9

HIGHEST STAGE WAS 43.70 FROM 800 A.M., MAY 19 TO 400 P.M., MAY 20.
LOWEST STAGE WAS 12.10 AT 400 P.M., SEPT. 8.

DAILY STAGES FOR 1966

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 921,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. AVERAGE LOW WATER PLANE, 9.5 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 30, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	19.6	I 12.6	33.3	21.8	36.2	24.4	15.8	14.7	13.5	14.8	12.0	16.2
2	22.8	I 12.8	29.4	21.8	37.0	23.3	15.2	14.2	13.8	15.0	11.9	17.4
3	25.2	13.0	26.4	21.6	38.6	21.7	15.8	14.2	13.5	14.7	13.1	19.2
4	27.1	13.2	24.5	21.2	39.6	21.1	16.1	14.6	12.5	14.8	13.7	19.4
5	28.9	12.6	24.8	21.0	40.3	20.1	16.8	14.6	12.2	14.8	13.9	19.4
6	30.7	12.6	26.4	21.3	40.8	19.6	16.7	14.4	12.2	15.5	15.2	19.2
7	31.8	12.3	27.6	21.6	41.0	18.8	16.2	14.2	13.4	15.8	15.2	19.0
8	32.6	12.8	28.3	21.9	41.3	18.8	14.5	13.1	13.7	15.5	16.2	19.0
9	32.8	13.1	28.7	22.0	41.5	18.6	15.0	13.0	13.4	12.2	16.6	19.3
10	32.3	15.7	28.5	21.9	41.3	19.0	14.5	12.9	13.3	11.0	16.8	21.2
11	31.2	20.8	28.1	21.5	40.9	19.0	14.4	13.3	12.0	12.8	18.2	23.7
12	30.2	27.7	27.6	21.8	40.4	18.7	14.8	14.4	11.6	12.3	18.2	27.5
13	29.3	33.5	26.8	23.0	39.8	19.4	14.2	13.4	11.4	12.3	18.6	31.1
14	28.1	37.6	26.0	24.5	38.7	20.5	15.0	13.5	12.3	12.8	19.6	33.1
15	26.8	39.0	25.6	25.0	36.6	21.1	15.4	14.6	11.3	12.9	20.6	33.6
16	24.4	40.2	25.2	25.7	35.0	21.8	16.0	16.2	12.4	12.2	21.4	33.6
17	22.7	40.8	24.8	26.7	34.6	23.6	17.1	15.9	12.6	12.4	21.4	33.4
18	20.7	41.3	24.7	27.6	34.8	25.3	16.4	16.0	12.6	12.8	21.0	33.5
19	17.5	41.6	24.5	28.5	35.6	25.8	16.4	15.5	12.0	13.2	20.5	33.6
20	16.7	41.6	24.2	29.1	36.3	25.1	14.0	15.4	13.0	13.4	19.5	33.6
21	16.0	41.5	23.8	28.9	37.1	23.7	15.5	15.4	14.2	14.0	16.6	33.0
22	15.5	41.4	23.2	28.8	37.7	22.4	14.7	16.2	13.9	14.7	15.0	31.5
23	15.2	41.3	22.6	30.2	36.8	21.3	14.5	16.5	13.6	15.9	15.2	30.4
24	15.0	41.0	22.2	31.6	36.4	20.0	13.6	15.8	14.8	15.6	15.1	29.1
25	15.0	40.3	21.1	32.7	35.7	18.3	13.7	15.4	13.9	15.0	14.8	27.4
26	15.3	39.0	20.5	32.8	33.8	17.3	13.6	14.8	13.0	13.6	15.4	25.1
27	14.0	37.4	21.0	33.6	32.1	15.8	12.1	14.0	13.6	13.5	14.7	22.9
28	14.2	35.8	21.5	34.2	30.4	15.7	11.9	14.0	12.5	13.0	14.2	21.5
29	13.4		22.3	34.5	28.7	15.8	12.5	13.3	12.2	12.5	15.4	22.1
30	12.3		21.9	34.9	26.6	15.7	12.8	14.0	13.7	12.5	15.8	23.1
31	12.0		22.1		25.3		14.1	13.0		11.8		24.2

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	22.23	29.01	25.07	26.38	36.47	20.38	14.81	14.52	12.93	13.64	16.52	25.68
MAX.	32.8	41.6	33.3	34.9	41.5	25.8	17.1	16.5	14.8	15.9	21.4	33.6
MIN.	12.0	12.3	20.5	21.0	25.3	15.7	11.9	12.9	11.3	11.0	11.9	16.2

I- ICE

HIGHEST STAGE WAS 41.7 AT 400 P.M., FEB. 19

LOWEST STAGE WAS 11.0 AT 800 A.M., OCT. 10.

DAILY STAGES FOR 1965

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS. GAGE IS READ AND MAINTAINED BY MEMPHIS DISTRICT, CORPS OF ENGINEERS.

GENERAL INFORMATION. DRAINAGE AREA, 921,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. AVERAGE LOW WATER PLANE, 9.5 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 30, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 269.12 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	+22.7	26.4	25.2	43.2	39.2	23.2	17.4	16.0	14.1	31.9	16.4	16.8
2	22.8	26.4	27.2	44.2	40.0	23.3	17.6	14.0	15.2	31.1	17.0	17.1
3	22.9	25.9	28.9	44.5	40.6	23.9	18.1	13.3	18.4	29.7	16.5	16.6
4	23.4	25.0	30.7	45.2	40.6	23.3	21.5	12.5	19.4	27.5	15.7	16.4
5	25.1	23.7	32.3	45.8	40.3	23.6	24.0	12.6	21.2	25.2	15.2	16.0
6	26.8	22.3	33.8	46.4	39.6	24.2	25.4	12.6	20.3	23.3	14.9	14.8
7	28.4	20.6	35.4	47.2	38.4	25.6	25.0	13.7	17.0	22.8	15.8	14.2
8	29.3	18.6	35.8	47.6	36.5	27.1	24.6	13.7	16.8	23.0	15.6	14.7
9	29.4	16.3	36.2	47.6	34.7	28.3	23.6	14.3	18.0	23.2	14.8	14.7
10	29.5	20.3	36.5	47.6	33.3	28.5	22.7	13.4	18.9	23.0	14.8	14.3
11	30.2	24.2	36.4	47.4	32.2	28.4	22.5	13.8	19.7	22.6	14.3	13.8
12	31.1	29.0	36.0	47.3	31.5	27.6	22.0	13.5	22.7	21.9	13.8	13.8
13	31.2	34.3	35.8	47.2	31.2	26.7	21.0	12.9	23.7	21.2	14.7	14.4
14	31.0	37.6	35.6	47.2	30.8	25.3	21.0	12.8	23.8	20.4	15.2	14.3
15	30.7	39.1	35.4	47.2	30.4	24.5	20.4	13.0	22.8	19.3	14.3	13.9
16	30.1	39.9	34.9	47.3	29.9	24.0	20.4	13.2	22.2	19.0	14.5	13.8
17	29.9	40.2	34.2	47.2	29.4	23.2	20.0	12.7	21.0	18.3	14.8	14.6
18	30.0	40.0	33.0	47.0	28.6	23.2	19.9	12.0	20.7	18.5	14.8	15.2
19	28.8	39.1	32.7	47.0	27.6	23.0	19.9	11.8	22.7	18.5	15.5	15.8
20	27.0	37.6	33.3	47.0	27.0	22.5	19.2	11.8	23.4	19.2	15.5	15.3
21	25.2	36.1	34.5	46.7	26.2	22.2	18.4	11.9	22.8	19.1	15.7	15.8
22	23.4	34.3	35.7	46.3	25.7	21.5	17.2	12.5	22.2	19.0	16.1	15.7
23	21.8	31.8	36.4	45.6	24.9	21.3	17.0	12.4	22.5	19.1	16.4	14.9
24	20.2	29.3	36.0	44.7	24.4	21.3	18.8	12.2	24.2	18.8	16.7	14.8
25	19.2	27.0	34.5	43.5	23.4	21.0	21.6	13.1	27.6	18.7	16.7	14.9
26	19.7	25.4	34.2	42.1	22.6	20.9	23.2	11.7	29.0	19.0	15.3	15.3
27	22.0	23.4	34.9	40.7	22.7	20.6	24.3	11.3	30.2	18.8	15.5	15.2
28	23.7	23.6	35.7	39.6	22.4	19.6	24.3	11.6	31.2	18.3	15.7	16.0
29	24.6		36.8	38.9	23.3	18.9	23.3	13.7	31.8	17.4	15.9	17.2
30	25.2		39.4	38.7	24.2	17.8	20.6	13.8	31.9	17.0	16.2	18.8
31	26.1		41.4		23.2		18.4	14.0		16.9		19.2

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	26.17	29.19	34.48	45.26	30.48	23.48	21.07	12.96	22.51	21.35	15.48	15.43
MAX.	31.2	40.2	41.4	47.6	40.6	28.5	25.4	16.0	31.9	31.9	17.0	19.2
MIN.	19.2	16.3	25.2	38.7	22.4	17.8	17.0	11.3	14.1	16.9	13.8	13.8

HIGHEST STAGE WAS 47.6, APR. 8 TO 10.

LOWEST STAGE WAS 11.2 AT 400 P.M., AUG. 27.

DAILY STAGES

A02

MISSISSIPPI RIVER AT WICKLIFFE, KY.

LOCATION. LAT. 36-57-52, LONG. 89-05-42. MILE 951.5 ABOVE HEAD OF PASSES.

GAGE. STAFF TYPE IN SEVERAL SECTIONS.

GENERAL INFORMATION. DRAINAGE AREA, 921,400 SQUARE MILES. BANKFULL STAGE, 42 FEET. AVERAGE LOW WATER PLANE, 9.5 FEET ON GAGE.

RECORDS AVAILABLE. STAGE, AUG. 30, 1932, TO DATE. DISCHARGE, MAR. 22, 1922, TO MAR. 24, 1923.

EXTREMES. HIGHEST, 58.18 FEET ON FEB. 4, 1937. LOWEST, 4.95 FEET ON OCT. 24 AND 25, 1939.

DAILY EIGHT A.M. STAGE IN FEET FOR 1964

GAGE ZERO, 269.12 FEET, M.S.L. (1929-58 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	7.3	20.6	13.3	43.1	41.8	21.3	21.3	12.05	10.75	15.1	11.2	17.9
2	6.7	19.8	13.25	40.4	41.85	21.6	19.0	12.05	11.1	16.35	10.3	17.75
3	6.95	18.65	13.9	37.4	41.85	20.3	17.6	11.55	10.65	15.5	10.45	17.7
4	7.5	18.0	16.2	33.9	41.65	18.45	16.9	11.1	10.6	15.9	10.35	17.8
5	7.9	17.45	20.6	31.9	41.3	16.95	15.7	11.05	10.3	15.7	10.8	19.5
6	8.8	16.0	24.7	31.5	40.85	16.1	14.8	11.65	10.0	15.15	10.8	21.45
7	9.8	14.7	28.3	32.65	40.0	15.45	13.2	12.3	9.6	14.5	10.8	22.85
8	11.2	13.2	31.5	36.2	38.5	15.25	13.7	11.7	9.5	14.4	12.0	22.95
9	13.7	13.55	35.35	39.1	36.5	15.05	14.7	11.6	11.4	14.1	11.5	21.8
10	16.5	14.5	40.2	40.2	34.0	15.4	14.4	11.65	10.8	14.1	11.45	20.6
11	17.5	14.8	42.55	40.4	31.35	15.35	14.6	11.2	10.8	12.4	11.15	20.5
12	18.5	15.1	43.3	39.8	29.2	14.85	15.1	9.8	11.2	12.05	11.6	21.4
13	18.85	16.2	43.8	39.1	27.2	15.2	14.9	10.2	10.95	11.4	11.2	21.45
14	18.8	15.15	44.5	38.85	25.65	14.8	15.45	10.6	12.1	10.95	11.1	22.1
15	18.6	15.45	44.9	38.9	24.0	14.45	15.4	9.8	12.8	10.4	11.85	22.95
16	18.3	15.4	45.4	38.8	22.7	14.05	16.0	9.2	12.7	11.2	11.0	23.85
17	18.0	17.1	46.4	38.35	21.5	14.9	16.0	10.35	12.3	11.4	10.95	24.8
18	17.8	19.2	47.15	37.5	21.55	18.45	15.7	11.0	12.45	11.5	11.4	24.9
19	17.0	20.45	47.6	36.2	21.4	21.2	15.25	11.2	11.3	10.55	11.8	24.8
20	13.3	21.1	47.9	34.1	21.2	22.85	15.45	10.6	11.05	10.8	12.95	24.1
21	10.5	21.2	48.0	31.2	20.85	23.5	15.0	10.0	11.6	11.35	14.3	23.15
22	12.95	21.3	48.1	29.6	20.45	23.8	14.3	10.0	11.95	11.0	14.8	22.2
23	13.8	21.2	48.1	29.8	19.5	22.5	13.6	11.5	11.5	10.9	14.55	21.15
24	14.35	20.75	48.05	31.7	19.2	23.7	13.1	12.0	12.5	11.45	14.5	19.3
25	16.1	19.85	47.95	35.25	18.3	24.3	12.85	11.15	11.7	11.7	14.5	16.7
26	17.5	19.2	47.7	37.7	17.8	24.4	13.1	11.0	11.2	11.5	14.45	17.1
27	18.9	17.95	47.45	39.5	17.25	24.6	12.75	12.2	11.05	10.3	14.55	18.0
28	19.9	15.1	47.15	40.6	17.9	24.4	12.1	11.85	11.7	10.05	15.8	19.25
29	20.45	13.4	46.7	41.2	18.2	23.7	11.8	11.7	12.95	10.45	17.7	20.35
30	20.55		45.8	41.6	19.0	23.4	12.3	11.05	13.85	11.15	18.1	21.6
31	20.45		44.8		19.17		11.75	11.8		11.65		22.3

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	14.79	17.46	39.05	36.88	27.47	19.34	14.77	11.13	11.41	12.42	12.60	21.04
MAX.	20.55	21.3	48.1	43.1	41.85	24.6	21.3	12.3	13.85	16.35	18.1	24.9
MIN.	6.7	13.2	13.25	29.6	17.25	14.05	11.75	9.2	9.5	10.05	10.3	16.7

HIGHEST STAGE WAS 48.1 FROM 800 A.M., MAR. 22 TO 400 P.M., MAR. 23.

LOWEST STAGE WAS 6.7 AT 800 A.M., JAN. 2.

MEMPHIS DISTRICT, CORPS OF ENGINEERS.

1963

MISSISSIPPI RIVER
Wickliffe, Ky.

Zero of gage: 289.12 m.s.l. (269.15 m.g.l.) (bankfull 42') 961.7 miles A.H.P.
Lat: 36° 57' 52" - Long.: 89° 05' 42"
Memphis District, CE gage.

Vertical staff gage located 100 ft. below old ferry landing
and 100 ft. above Mouth of Creek at Wickliffe, Ky.

Highest: 51.40 on 20, 25 & 26 March.

Lowest: 6.51 at 8:00 a.m. on 31 December.

Period of record: 30 August 1932 to date.

Highest for period of record: 58.18 on 4 February 1937.

Lowest for period of record: 4.95 on 24-25 October 1939.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	20.8	12.7	17.2	49.0	24.4	23.0	14.6	14.8	13.1	9.2	8.7	13.6
2	19.9	12.8	16.1	48.5	27.4	22.7	15.3	15.0	12.4	9.0	8.8	11.6
3	19.6	12.6	15.7	47.6	28.7	22.4	16.0	14.4	11.6	9.2	9.2	11.8
4	19.7	13.2	16.9	46.8	28.2	21.7	16.4	14.4	11.9	9.6	9.6	12.9
5	20.0	15.5	18.5	45.8	26.4	19.7	15.5	15.8	11.8	9.5	9.0	13.2
6	20.0	16.3	23.0	44.5	25.2	18.3	15.3	15.0	12.7	9.4	8.6	13.0
7	19.4	18.1	29.4	42.9	23.8	17.6	14.9	15.4	11.9	8.8	10.0	12.2
8	18.4	18.2	36.0	40.9	23.2	17.2	14.1	15.4	11.2	9.3	11.5	12.0
9	15.8	18.8	39.7	38.5	21.7	17.8	13.6	14.9	10.5	9.5	9.7	11.8
10	13.4	19.9	41.2	35.9	20.6	18.7	14.0	13.9	11.0	9.6	11.4	11.3
11	14.6	19.9	42.0	33.2	20.1	20.4	14.0	14.3	11.4	9.4	10.4	10.4
12	15.0	19.9	42.8	30.6	19.9	20.6	13.4	14.4	11.7	9.2	10.3	11.6
13	15.0	19.8	44.0	28.7	19.2	21.4	13.1	14.9	11.4	8.7	10.7	12.2
14	15.8	19.7	45.2	27.3	18.2	21.7	13.0	14.7	12.3	8.7	10.2	11.9
15	17.0	19.7	46.4	25.7	18.7	21.2	14.3	14.6	11.6	9.1	10.1	12.0
16	17.3	19.3	47.6	23.7	19.0	20.3	14.6	13.0	11.3	9.4	9.4	12.0
17	17.7	18.8	48.8	21.8	19.4	21.0	14.1	12.5	11.2	9.4	9.4	11.7
18	18.5	18.4	49.8	19.7	20.4	20.9	14.1	12.6	10.5	9.4	9.1	11.4
19	19.7	17.8	51.0	18.5	22.3	19.4	14.8	11.8	10.5	8.9	8.8	10.8
20	20.4	17.3	51.40	18.3	23.8	17.4	15.0	12.6	10.6	9.2	8.8	9.2
21	20.4	15.7	51.2	18.0	26.0	17.0	15.3	13.1	10.6	8.8	9.7	8.4
22	19.8	14.7	51.0	17.6	25.8	16.9	16.1	12.5	9.7	9.0	9.0	9.0
23	18.7	15.0	51.0	17.7	25.1	16.3	16.6	12.3	8.8	8.7	9.2	7.9
24	17.6	15.5	51.2	18.1	24.5	16.8	16.4	12.2	9.4	8.6	9.8	7.8
25	15.4	15.6	51.40	18.6	23.8	16.4	17.2	12.6	9.9	9.1	10.2	7.8
26	13.8	16.5	51.40	18.8	22.4	15.9	16.4	12.2	10.4	8.9	10.3	8.0
27	13.0	17.8	51.3	19.0	21.3	16.2	15.8	12.3	9.6	8.6	9.8	8.1
28	13.2	17.8	50.9	20.6	22.7	15.6	15.7	11.9	9.7	8.6	10.6	8.4
29	13.2		50.4	21.0	23.4	15.4	15.7	12.4	9.2	9.4	10.4	7.3
30	12.7		50.0	21.6	24.3	14.7	15.6	13.3	8.9	8.9	12.8	6.9
31	12.7		49.5		24.3		14.6	14.0		8.8		6.51

8:00 a. m. readings.

DMS 21

June 62

1962

MISSISSIPPI RIVER
Wickliffe, Ky.

Zero of gage: 269.12 m.s.l. (269.15 m.g.l.) (bankfull 42') 961.7 miles A.H.P.
Lat.: 36° 57' 52" - Long.: 89° 05' 42"
Memphis District, CE gage.

Vertical staff gage located 100 ft. below the old ferry landing and 100 ft. above Mouth of Creek at Wickliffe, Ky.

Highest: 50.45 on 16 March
Lowest: 10.45 at 4:00 p.m. on 17 December
Period of record: 30 August 1932 to date
Highest for period of record: 58.18 on 4 February 1937
Lowest for period of record: 4.95 on 24-25 October 1939

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	26.3	41.6	45.0	50.3	32.6	22.8	20.1	19.1	14.0	15.7	13.6	20.3
2	25.1	42.2	46.4	50.2	32.4	23.3	19.1	19.0	14.2	15.6	14.4	19.4
3	24.2	42.4	47.5	50.1	32.4	25.8	19.0	18.8	13.8	15.9	14.6	15.4
4	23.2	42.2	48.4	49.9	32.2	27.4	18.4	17.9	14.9	16.8	14.9	14.0
5	22.2	42.0	48.7	49.7	31.8	27.8	18.0	17.8	16.0	17.9	15.0	14.2
6	21.4	41.7	48.8	49.4	31.2	27.4	19.1	17.5	16.3	18.2	15.4	14.2
7	22.5	41.3	48.7	49.1	30.2	26.7	21.0	16.8	16.4	18.2	15.7	14.7
8	25.5	40.8	48.7	48.8	29.2	26.2	22.4	16.5	16.1	17.8	13.9	15.3
9	27.7	40.0	48.9	48.6	28.2	26.8	22.4	17.5	16.4	17.0	13.3	15.4
10	28.7	38.8	49.2	48.2	27.4	27.2	21.3	17.2	16.5	17.3	13.7	15.5
11	29.2	37.7	49.5	48.2	26.6	27.0	20.8	16.7	16.8	16.2	14.4	15.2
12	29.2	36.6	49.8	48.2	25.8	27.0	20.4	16.6	16.4	15.2	16.0	14.9
13	28.5	35.4	49.9	48.2	25.4	27.7	20.2	15.6	16.6	15.6	17.7	14.3
14	28.2	34.5	50.0	48.4	25.9	28.2	20.0	15.4	16.6	16.2	18.2	12.7
15	28.7	33.5	50.3	48.6	26.7	28.4	19.4	15.0	17.8	16.2	19.2	12.0
16	30.2	32.6	50.45	48.6	26.5	28.6	19.6	14.4	17.1	16.2	20.2	11.2
17	30.4	32.1	50.4	48.5	25.8	28.6	20.2	14.1	16.3	15.8	21.3	10.45
18	29.8	32.0	50.0	48.2	25.4	28.2	21.0	13.8	16.0	16.1	21.7	10.6
19	28.7	32.0	49.4	48.0	24.7	27.3	22.3	14.0	16.9	17.6	21.5	11.4
20	27.8	32.0	48.7	47.7	23.0	25.9	23.6	13.4	16.8	17.2	21.0	12.7
21	27.0	31.7	48.3	47.3	22.2	23.8	22.9	13.2	16.6	15.7	20.3	13.0
22	27.0	31.0	48.3	46.8	22.0	23.3	20.7	13.4	15.2	15.4	19.6	13.4
23	28.9	30.6	48.6	46.0	21.4	22.6	20.8	12.8	14.7	15.6	19.3	14.3
24	30.9	32.4	49.0	44.7	21.0	21.6	20.8	12.8	14.4	15.8	19.4	14.7
25	33.5	35.0	49.4	42.8	20.6	21.5	20.2	12.7	14.4	15.8	19.4	17.0
26	35.5	37.0	49.5	40.5	20.2	21.2	20.9	13.2	14.4	15.4	19.4	17.4
27	37.2	39.8	49.6	38.2	20.4	21.4	21.8	13.2	14.5	15.1	19.2	18.3
28	38.4	42.8	49.6	35.8	21.2	20.8	22.2	13.6	14.6	14.6	19.3	20.0
29	39.6		49.5	34.2	21.6	20.5	21.8	12.8	14.8	13.9	19.8	21.2
30	40.9		49.7	33.2	22.3	20.6	21.1	13.2	15.2	15.3	20.4	21.8
31	41.2		50.0		22.6		20.2	14.2		14.3		21.6

8:00 a.m. readings

DMS 21

June 62

1961

MISSISSIPPI RIVER
WICKLIFFE, KY.

Zero of gage: 269.12 m.s.l. (269.15 m.g.l.) (bankfull 42') 961.7 miles A.H.P.
Lat.: 36° 57' 52" - Long.: 89° 05' 42"
Memphis District, CE gage.

Vertical staff gage located 100 ft. below the old ferry landing and 100 ft. above
Mouth of Creek at Wickliffe, Ky.

Highest: 54.60 on 16 May
Lowest: 10.20 at 4:00 p.m. on 2 February
Period of record: 30 August 1932 to date
Highest for period of record: 58.18 on 4 February 1937
Lowest for period of record: 4.95 on 24-25 October 1939

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	15.6	12.3	37.2	42.1	40.00	28.0	18.0	23.6	14.2	21.4	14.5	24.6
2	17.3	10.20	38.4	42.5	40.00	26.4	17.7	22.1	14.0	20.8	15.1	24.4
3	18.5	10.4	39.1	42.1	39.9	25.2	18.4	22.4	14.3	19.8	16.3	24.0
4	19.3	10.4	39.5	41.3	39.8	24.9	18.9	21.8	14.9	18.7	20.3	23.2
5	19.4	11.0	39.6	40.0	39.8	24.5	19.2	21.8	14.5	19.8	22.7	22.6
6	19.4	11.1	40.2	38.6	40.5	24.5	19.2	22.0	14.2	20.6	24.8	19.7
7	18.6	11.4	41.2	38.0	41.9	24.2	18.3	22.6	14.7	21.0	26.5	18.4
8	18.1	12.7	42.3	37.5	44.2	23.6	17.4	23.4	15.0	20.5	26.8	18.4
9	17.5	13.1	43.7	37.0	46.4	23.8	16.7	23.3	16.0	18.9	27.2	18.7
10	15.0	13.5	45.7	37.0	48.3	25.4	16.2	23.0	16.6	18.9	26.8	20.4
11	13.9	14.2	47.7	36.9	50.0	26.7	17.2	22.8	15.8	18.3	25.7	23.1
12	13.6	16.2	48.7	36.4	51.6	26.8	18.3	22.6	15.0	16.7	23.7	25.4
13	13.2	16.6	49.0	37.6	52.9	26.9	17.8	21.7	15.0	15.8	22.4	26.4
14	12.8	17.2	49.0	38.7	53.9	27.6	16.5	21.4	14.8	15.9	21.5	27.0
15	12.2	17.2	49.0	39.5	54.5	28.8	16.0	21.5	14.5	15.3	20.4	27.6
16	12.9	17.0	49.3	40.0	54.60	30.6	16.6	21.3	16.9	16.8	20.4	27.9
17	15.0	17.3	49.5	40.5	54.5	31.7	17.3	21.6	22.1	19.5	20.4	28.2
18	15.9	17.6	49.6	40.8	54.2	32.3	17.4	20.8	25.4	20.0	21.0	29.5
19	16.0	18.2	49.7	40.8	53.7	32.5	18.0	19.3	27.4	19.8	22.4	31.2
20	16.9	20.0	49.4	40.4	53.2	33.0	19.2	17.9	28.7	19.0	25.0	32.5
21	18.0	21.3	49.1	39.9	52.4	33.3	19.7	14.8	28.2	18.0	27.0	33.6
22	19.3	24.0	48.8	39.2	51.3	33.0	20.8	14.6	26.1	17.0	27.7	34.4
23	19.7	28.4	48.4	38.9	50.0	32.6	22.0	14.0	24.3	16.6	29.2	35.0
24	20.1	31.5	47.9	38.6	48.4	31.5	22.0	14.4	22.8	16.5	29.4	35.6
25	19.7	33.0	47.4	38.6	46.4	29.8	22.6	15.0	21.4	16.5	29.2	36.3
26	19.0	33.9	46.8	39.3	43.6	27.6	24.6	14.5	21.6	16.3	23.5	36.8
27	17.7	34.8	46.0	40.0	40.3	25.6	26.3	14.1	22.8	16.5	27.2	36.5
28	12.7	36.0	45.0	40.3	37.2	23.5	26.3	14.0	24.0	15.8	26.2	35.4
29	11.4		43.7	40.6	34.6	20.9	26.1	14.3	24.5	14.5	25.4	33.1
30	11.2		42.3	40.4	32.4	19.0	25.7	14.8	23.3	14.2	25.0	30.7
31	11.8		41.6		30.2		24.8	15.0		14.3		28.4

1960

MISSISSIPPI RIVER
WICKLIFFE, KY.

Zero of gage: 269.12 m.s.l. (269.15 m.g.l.) (bankfull 42') 961.7 miles A.H.P.
Lat.: 36° 57' 52" - Long.: 89° 05' 42"
Memphis District, CE gage.

Vertical staff gage located 100 ft. below the old ferry landing and 100 ft. above
Mouth of Creek at Wickliffe, Ky.

Highest: 47.70 on 13 April.
Lowest: 10.20 on 31 October.
Period of record: 30 August 1932 to date.
Highest for period of record: 58.18 on 4 February 1937.
Lowest for period of record: 4.95 on 24-25 October 1939.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	28.8	25.8	27.2	37.3	27.9	31.6	33.5	14.8	13.1	13.2	11.6	14.0
2	29.4	25.4	27.0	39.5	27.8	31.4	33.8	14.2	13.4	13.3	11.6	14.2
3	29.4	24.9	27.5	40.9	28.2	31.0	33.7	14.2	14.4	12.8	11.9	13.1
4	29.2	24.2	28.8	42.2	29.4	30.4	33.6	14.0	16.0	12.2	12.0	13.3
5	28.8	24.0	30.3	43.5	29.6	29.9	34.5	13.2	17.1	12.6	13.2	13.1
6	28.2	24.2	30.8	44.7	29.5	28.9	35.4	13.6	17.1	12.5	15.1	13.0
7	27.8	25.1	30.5	45.8	29.0	28.0	35.8	15.0	16.3	12.7	15.7	13.2
8	27.5	26.4	29.8	46.6	29.4	27.4	35.5	15.6	16.0	13.1	15.2	12.2
9	27.0	27.8	29.0	47.2	30.3	26.5	34.6	16.0	14.9	12.9	14.4	11.6
10	27.0	29.4	28.0	47.5	31.0	23.6	33.7	16.2	14.3	12.2	15.1	12.1
11	27.4	30.4	26.5	47.6	31.8	23.4	31.8	16.4	14.3	12.2	14.8	13.2
12	27.8	30.9	25.2	47.6	32.8	23.2	28.7	15.8	15.4	12.0	15.5	14.5
13	27.9	31.4	23.7	47.70	33.8	23.0	25.3	16.1	14.6	11.4	15.8	13.7
14	27.5	32.2	22.5	47.6	34.2	22.6	23.4	15.4	14.5	11.0	16.0	14.4
15	28.3	32.8	22.1	47.4	34.4	22.7	23.8	15.4	15.0	11.1	15.5	14.7
16	29.9	33.5	22.0	47.1	34.3	23.4	23.8	15.2	14.8	10.9	15.2	14.0
17	31.6	33.8	22.4	46.3	34.0	25.3	24.3	14.3	14.1	11.7	14.9	13.7
18	33.8	34.0	23.3	45.2	33.6	26.6	22.7	13.8	14.8	11.7	14.7	13.9
19	35.9	34.2	24.3	43.8	33.3	28.1	20.8	13.4	15.3	11.0	14.7	12.2
20	37.3	34.4	25.5	42.4	33.2	28.4	20.0	13.4	15.9	12.2	14.7	12.7
21	38.2	34.7	26.4	41.2	33.4	27.2	19.2	14.0	15.3	12.4	13.5	12.0
22	38.8	34.4	27.3	40.0	33.4	25.8	18.6	14.2	15.0	11.7	14.0	11.9
23	38.4	33.8	28.1	38.7	33.2	24.8	18.1	14.5	14.4	12.0	14.0	12.7
24	37.3	33.1	28.2	37.2	32.8	24.9	17.2	14.0	14.6	11.6	14.5	13.0
25	35.6	31.9	28.2	35.8	32.2	25.2	16.2	14.8	14.0	11.0	14.6	12.3
26	33.4	30.5	28.7	34.3	31.7	26.8	16.4	15.7	14.2	11.5	13.8	11.8
27	31.3	29.3	29.2	32.4	31.4	30.4	16.0	15.6	13.2	11.4	13.6	11.1
28	29.4	28.5	29.5	30.7	31.6	32.8	15.7	15.4	13.0	11.2	12.2	11.4
29	28.0	27.8	29.7	29.0	31.8	33.4	15.3	14.9	12.9	11.0	12.8	12.4
30	26.8		31.3	28.4	31.5	33.2	15.3	14.1	13.8	11.1	12.7	12.8
31	26.2		34.4		31.5		15.3	13.5		10.2		13.2

1959

MISSISSIPPI RIVER
WICKLIFFE, KY.

Zero of gage: 269.12 m.s.l. (269.15 m.g.l.) (bankfull 42') 961.7 L miles A.H.P.
Lat. 36° 57' 52" - Long. 89° 05' 42"
Memphis District, CE Gage

Vertical staff gage located 100 ft. below the old ferry landing and 100 ft. above
Mouth of Creek at Wickliffe, Ky.

Highest: 40.55 on 25 February.
Lowest: 8.10 at 4:00 p.m. on 22 September.
Period of record: 30 August 1932 to date.
Highest for period of record: 58.18 on 4 February 1937.
Lowest for period of record: 4.95 on 24-25 October 1939.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	12.8	38.0	37.4	30.0	24.8	25.6	15.0	14.1	12.9	17.5	18.0	21.8
2	12.7	38.2	36.2	30.3	24.6	25.4	15.4	12.9	13.6	13.4	18.4	22.6
3	13.3	38.4	35.0	30.4	25.0	26.2	15.3	12.8	13.8	18.5	17.0	23.0
4	13.8	38.2	33.6	30.8	25.5	27.8	15.0	12.3	13.6	18.6	17.0	23.2
5	14.2	38.0	32.6	31.2	25.7	29.4	15.7	13.0	14.1	18.2	17.3	23.0
6	15.9	37.1	31.8	31.8	25.6	30.0	16.9	13.5	13.8	18.4	18.0	23.0
7	16.0	35.8	31.3	32.2	25.4	29.4	18.4	14.4	13.5	18.6	19.0	23.0
8	16.2	34.1	31.0	32.2	25.4	28.1	19.0	17.8	13.9	19.4	19.4	22.8
9	16.2	31.9	30.8	31.8	25.6	27.2	18.0	17.8	13.5	21.5	18.8	22.4
10	16.0	29.4	31.0	31.4	25.8	26.5	17.0	19.5	12.8	23.9	19.5	21.9
11	15.1	27.2	30.7	31.7	26.1	26.1	15.5	19.0	12.9	25.7	18.9	21.6
12	12.9	27.3	30.3	32.6	27.4	24.4	15.0	17.7	12.8	26.0	18.9	21.3
13	12.2	29.4	30.4	33.0	27.9	20.6	14.6	16.3	12.5	26.5	18.3	22.3
14	11.2	31.7	30.9	33.0	27.5	19.9	14.3	14.3	11.7	27.1	18.2	24.2
15	11.2	34.6	31.3	32.7	27.1	19.0	14.3	13.5	11.0	24.8	18.0	25.9
16	13.1	36.8	31.7	31.8	26.4	18.0	13.9	13.0	10.3	23.0	16.5	27.2
17	14.2	38.4	31.6	30.7	25.9	18.1	13.4	12.5	10.9	21.5	15.2	28.0
18	16.5	39.4	31.4	30.0	25.2	17.2	13.3	16.1	9.6	19.9	16.8	28.8
19	17.4	40.1	31.4	29.7	25.1	16.5	14.5	16.4	9.4	18.7	15.8	30.2
20	18.3	40.3	31.4	30.4	26.2	15.7	14.7	13.9	9.0	18.2	17.0	31.9
21	20.9	40.3	31.2	31.1	26.9	15.4	13.4	14.6	8.8	17.9	16.4	33.5
22	25.2	40.2	31.0	31.2	27.0	14.4	13.8	14.7	8.10	17.4	15.6	34.6
23	29.4	40.2	30.3	30.9	27.2	12.9	13.4	13.6	8.4	16.3	15.0	35.0
24	32.8	40.50	30.2	30.5	27.5	12.8	13.1	12.5	8.5	15.5	15.0	34.4
25	34.8	40.55	30.4	30.4	28.0	13.4	14.6	12.2	8.25	15.0	15.3	33.2
26	35.8	40.0	30.4	30.5	28.4	14.2	15.4	12.0	8.9	14.8	16.0	32.0
27	36.6	39.2	30.2	29.9	28.2	14.2	15.6	11.2	10.0	15.5	17.7	30.4
28	37.0	38.3	30.2	28.7	28.2	14.4	15.2	10.8	12.2	16.0	17.7	29.0
29	37.2		29.9	27.2	28.0	13.8	15.0	12.1	13.9	16.4	18.8	28.1
30	37.2		29.5	25.8	26.9	14.2	15.2	12.9	15.4	17.2	20.7	27.8
31	37.5		29.4		26.1		14.6	12.0		17.8		28.2

8:00 a.m. readings.

1958

MISSISSIPPI RIVER
WICKLIFFE, KY.

Zero of gage: 269.15 m.s.l. (269.15 m.g.l.) (bankfull 42') 961.7 L miles A.H.P.
Lat. 36° 57' 52" - Long. 89° 05' 42"
Memphis District, CE Gage

Vertical staff gage located 100 ft. below the old ferry landing and 100 ft. above
Mouth of Creek at Wickliffe, Ky.

Highest: 44.25 on 27 July.

Lowest: 9.20 on 28 December.

Period of record: 30 August 1932 to date.

Highest for period of record: 58.18 on 4 February 1937.

Lowest for period of record: 4.95 on 24-25 October 1939.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	39.8	31.6	19.5	31.2	36.3	20.2	26.6	42.0	17.7	17.5	11.2	16.3
2	39.8	31.6	22.3	30.6	37.5	17.9	26.2	42.0	17.8	17.4	11.0	16.9
3	39.6	31.2	25.7	30.2	38.7	17.3	25.0	42.5	17.0	16.3	10.8	17.8
4	39.1	30.6	27.3	30.2	39.6	17.6	22.7	42.8	14.4	15.5	11.4	17.6
5	38.2	29.6	28.2	30.4	39.9	17.8	19.9	43.0	14.1	14.4	11.8	16.9
6	37.2	28.4	29.1	30.6	40.2	18.0	19.4	43.1	14.3	13.2	11.3	16.3
7	35.8	27.6	29.8	30.8	41.0	19.8	19.0	43.0	15.5	13.2	10.6	16.3
8	34.0	27.9	30.2	31.2	41.8	18.7	21.4	42.7	14.7	13.7	11.7	17.2
9	31.8	28.8	30.4	32.0	42.7	17.3	22.7	42.1	14.8	13.5	10.8	18.2
10	29.2	29.0	30.8	32.2	43.2	16.9	23.7	41.2	15.6	13.2	10.8	18.6
11	25.9	28.6	31.3	32.2	43.2	17.2	24.8	39.8	16.0	12.9	11.2	18.8
12	22.6	27.9	31.6	32.4	43.1	18.9	24.8	38.1	15.7	13.0	10.4	18.6
13	20.0	27.0	31.7	32.8	43.0	21.2	24.6	36.4	17.3	14.1	10.8	18.2
14	19.1	26.3	31.5	33.0	42.9	23.6	24.7	35.0	17.5	15.2	9.9	17.5
15	18.8	26.2	31.1	32.8	42.9	24.8	25.7	33.5	17.4	15.8	11.2	16.4
16	18.6	25.6	30.2	32.9	43.0	26.8	28.2	31.8	17.4	15.5	11.2	13.2
17	18.6	24.2	29.0	33.0	43.0	28.4	31.8	30.1	17.0	14.4	10.7	11.6
18	18.6	22.5	27.7	32.6	42.9	29.8	34.0	28.8	16.6	13.9	13.2	11.5
19	18.8	20.7	27.2	32.0	42.8	31.0	36.5	27.6	16.0	13.1	14.1	11.2
20	19.1	19.1	26.7	31.0	42.7	31.0	38.2	26.3	16.3	12.0	15.7	10.4
21	19.9	18.2	26.0	30.0	42.4	30.6	39.5	25.5	17.1	11.5	17.3	10.4
22	22.3	17.0	25.4	29.2	41.8	30.2	40.8	24.6	18.2	11.4	18.6	10.3
23	24.0	17.7	24.8	28.5	40.2	29.6	42.3	24.0	19.8	11.8	20.3	10.2
24	25.0	15.5	25.8	28.0	37.5	29.2	43.2	23.4	20.4	11.5	19.4	10.2
25	25.7	14.0	28.2	27.2	33.9	29.0	44.0	22.2	19.1	11.3	19.2	10.2
26	26.6	13.2	30.0	27.2	30.0	28.9	44.20	20.3	18.5	10.6	18.7	9.8
27	28.2	14.1	30.7	28.4	26.7	28.7	44.25	19.7	18.3	10.5	17.8	9.6
28	29.4	17.1	31.2	30.1	24.2	28.0	44.1	20.5	18.2	10.8	16.3	9.20
29	30.4		31.7	32.3	22.2	27.3	43.8	20.1	18.6	11.4	16.3	9.4
30	31.2		32.0	34.4	21.2	26.9	43.3	19.8	18.2	11.8	16.2	11.1
31	31.4		31.8		20.6		42.7	19.3		11.4		12.2

8:00 a.m. readings

1957

MISSISSIPPI RIVER
WICKLIFFE, KY.

Zero of gage: 269.34 m.s.l. (269.15 m.g.l.) (bankfull 42') 961.7 L miles A.H.P.
Lat. 36°57'52" - Long. 89°05'42"
Memphis District, CE Gage.

Vertical staff gage located 100 ft. below the old ferry landing and 100 ft. above Mouth of Creek at Wickliffe, Ky.

Highest: 45.60 at 4:00 p.m. on 13 February.
Lowest: 10.35 on 31 August, 1 September.
Period of record: 30 August 1932 to date
Highest for period of record: 58.18 on 4 February 1937
Lowest for period of record: 4.95 on 24-25 October 1939

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	22.2	37.0	30.2	21.6	34.9	40.2	27.6	22.6	10.35	11.9	15.8	33.8
2	21.7	38.4	30.2	21.3	34.0	38.3	29.2	21.5	10.5	11.7	14.7	32.4
3	21.1	39.4	30.2	21.4	32.7	36.3	31.7	19.4	10.7	12.0	14.2	30.4
4	20.2	40.5	29.8	23.7	31.2	34.5	33.4	18.4	11.0	12.2	13.5	28.0
5	19.3	41.3	28.9	29.4	30.2	32.6	34.0	17.6	11.1	11.6	13.2	25.7
6	19.0	42.4	28.0	34.3	29.5	31.4	33.5	17.6	11.1	11.6	13.5	24.1
7	19.2	43.2	27.5	37.8	28.9	30.4	32.4	17.3	10.9	11.3	12.6	23.6
8	18.6	43.9	27.2	39.8	27.9	29.6	32.1	16.8	10.9	10.8	13.9	24.2
9	17.9	44.6	27.5	41.3	26.6	28.9	32.1	15.8	10.7	10.7	15.6	26.0
10	16.5	45.1	27.8	42.1	25.0	29.4	32.0	14.8	11.0	11.0	15.9	28.8
11	14.6	45.4	28.0	43.2	22.9	30.0	31.1	14.0	11.0	10.8	15.8	30.8
12	14.8	45.5	27.8	43.8	20.8	29.5	29.5	14.2	11.2	10.6	15.6	32.5
13	16.6	45.6	27.2	43.8	21.0	28.2	28.2	15.4	11.6	10.5	14.7	33.2
14	17.2	45.5	26.2	43.5	20.8	27.3	27.0	14.6	12.0	10.5	19.4	33.5
15	18.5	45.0	25.7	43.2	20.8	27.1	26.2	13.5	13.0	10.5	23.3	33.2
16	20.0	44.5	25.5	43.0	20.4	27.4	25.7	13.3	12.2	10.6	25.7	32.9
17	21.7	44.0	25.2	43.4	20.4	29.6	25.4	12.6	12.9	11.4	27.4	32.6
18	22.5	43.7	24.7	43.6	21.0	30.8	24.8	12.4	14.0	11.3	28.9	32.8
19	22.4	43.0	24.2	43.6	23.0	30.8	24.3	12.4	13.4	11.2	32.8	33.0
20	21.8	42.4	23.3	43.7	26.2	30.0	22.9	12.0	12.5	10.9	35.4	33.0
21	20.5	41.9	22.4	43.6	29.4	28.9	22.4	12.6	13.3	11.3	37.4	34.4
22	19.2	41.3	21.6	43.4	31.5	28.0	20.7	12.5	13.0	11.4	38.6	35.8
23	19.2	40.3	21.2	42.9	36.3	27.4	20.4	12.4	13.2	11.5	39.4	37.0
24	20.6	38.6	21.2	42.2	40.2	27.6	20.8	11.5	12.4	12.4	39.7	38.0
25	23.3	36.1	20.7	41.6	42.4	27.5	20.9	11.8	12.8	12.7	39.6	39.0
26	25.0	33.1	21.5	40.3	43.4	27.5	21.0	11.4	13.0	13.0	39.3	39.4
27	26.1	31.0	22.4	38.9	43.7	27.0	20.0	11.2	12.9	15.0	38.6	39.6
28	27.0	30.5	23.3	37.2	43.7	26.4	20.2	10.6	13.4	16.0	37.7	39.5
29	28.5		23.9	36.0	43.6	26.0	20.4	10.4	13.2	16.4	36.5	39.5
30	31.6		23.6	35.3	43.0	26.4	20.4	10.40	12.8	16.9	35.0	39.7
31	35.2		22.6		41.9		22.3	10.35		16.6		39.8

8:00 a.m. readings

1956
MISSISSIPPI RIVER
WICKLIFFE, KY.

Zero of gage: 269.34 m.s.l. (269.15 m.g.l.) (bankfull 42') 961.7 L miles A.H.P.
Lat. 36° 57' 52" - Long. 89° 05' 42"
Memphis District, CE gage.

Vertical staff gage located 100 ft. below the old ferry landing and 100 ft. above Mouth of Creek at Wickliffe, Ky.

Highest: 43.55 on 27 February
Lowest: 6.80 on 21 January
Period of record: 30 August 1932 to date
Highest for period of record: 58.18 on 4 February 1937
Lowest for period of record: 4.95 on 24-25 October 1939

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	9.8	22.0	42.8	31.0	26.4	20.6	21.7	18.0	12.7	10.5	9.0	10.6
2	10.0	25.9	42.5	29.0	26.5	21.8	21.5	18.1	12.6	10.7	9.8	10.2
3	10.1	30.5	42.0	27.8	27.0	23.5	21.4	18.3	13.3	11.0	10.0	9.3
4	9.9	33.5	41.4	27.6	27.4	25.2	21.0	19.0	14.3	10.8	10.0	10.0
5	9.4	35.8	40.7	28.2	27.0	26.7	20.5	20.0	14.3	10.4	10.2	9.4
6	9.2	37.4	39.9	29.4	26.6	27.4	20.3	20.6	14.2	10.3	10.8	8.5
7	9.3	38.6	39.3	31.4	26.8	27.6	19.9	20.5	13.6	10.4	10.8	9.0
8	9.0	39.4	38.8	33.8	27.4	27.2	20.2	19.6	13.2	10.5	10.3	8.4
9	8.8	40.0	38.6	35.5	28.1	26.9	20.0	18.0	13.3	10.3	10.3	10.4
10	9.7	40.4	38.0	36.2	28.8	26.5	19.7	17.7	13.5	10.2	9.0	11.9
11	8.7	40.2	37.4	36.6	29.4	25.8	19.4	17.7	13.2	10.3	9.0	12.4
12	8.6	39.6	36.8	37.2	29.4	24.8	19.4	17.9	13.1	10.0	8.8	13.8
13	8.4	38.8	36.4	37.0	28.8	23.6	19.6	18.3	12.9	9.4	9.3	15.1
14	8.0	37.6	36.2	36.5	27.8	22.3	19.4	20.0	12.9	9.3	9.4	17.3
15	8.2	36.7	36.8	36.5	27.0	21.1	18.8	20.8	12.4	9.3	8.8	20.1
16	7.8	36.5	37.7	36.8	26.3	20.1	17.4	21.6	12.0	8.8	8.6	23.0
17	7.9	36.4	38.8	37.4	26.0	19.1	16.8	22.1	13.0	8.5	8.9	24.5
18	7.6	37.8	39.6	37.8	25.6	15.6	16.4	22.1	13.0	8.0	9.4	24.8
19	7.2	39.8	40.0	37.7	25.1	13.7	16.6	21.3	14.2	8.0	9.0	24.9
20	6.9	41.0	40.4	37.3	24.6	14.8	17.4	20.2	14.1	7.6	8.8	25.2
21	6.80	41.8	40.7	36.5	24.6	15.6	18.6	18.6	14.0	7.3	10.2	25.4
22	6.9	42.2	40.6	35.5	24.8	16.1	19.1	17.9	13.6	7.2	10.4	25.6
23	7.0	42.4	40.3	35.0	25.2	17.4	18.7	16.4	11.9	7.4	11.1	25.6
24	7.4	42.6	39.8	34.8	25.0	19.2	18.4	15.5	11.1	9.0	11.7	26.0
25	8.4	42.8	39.2	34.5	24.3	19.6	18.0	16.0	11.8	8.2	10.6	26.2
26	8.4	43.2	38.8	34.0	23.5	20.2	18.2	15.4	11.0	8.9	11.2	25.8
27	8.2	43.55	38.4	32.9	23.1	21.2	18.2	14.8	10.9	9.0	11.2	25.1
28	8.6	43.4	37.8	31.2	22.5	22.1	18.0	14.2	10.7	8.6	11.3	24.4
29	7.7	43.0	36.8	29.2	21.8	22.3	18.6	13.5	10.3	10.1	10.6	23.7
30	11.7		35.4	27.4	21.0	22.3	18.6	12.6	9.6	8.8	11.2	23.2
31	17.8		33.4		20.4		18.2	12.0		9.6		22.8

8:00 a. m. readings

1955
MISSISSIPPI RIVER
WICKLIFFE, KY.

Zero of gage: 269.34 m. s. l. (269.15 m. g. l.) (bankfull 42') 961.7 L miles A. H. P.
Lat. 36°57'52" - Long. 89°05'42"
Memphis District, CE gage.

Vertical staff gage located 100 ft. below the low water ferry landing and 100 ft. above
Mouth of Creek at Wickliffe, Ky.

Highest: 49.85 on 28 March
Lowest: 8.30 on 22 September
Period of record: 30 August 1932 to date.
Highest for period of record: 58.18 on 4 February 1937
Lowest for period of record: 4.95 on 24-25 October 1939

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	24.9	14.9	40.7	48.8	33.2	23.4	19.0	15.0	10.0	12.4	12.8	17.6
2	25.2	14.4	40.4	48.1	33.0	23.7	18.5	14.2	11.5	12.5	12.0	16.4
3	25.1	14.5	40.3	47.0	32.4	23.5	18.1	13.9	12.0	12.8	13.6	14.7
4	25.6	15.4	40.6	45.6	31.6	22.0	16.8	12.7	12.5	13.5	14.4	13.9
5	26.4	16.1	41.1	43.5	30.6	20.6	16.2	12.4	12.4	13.8	15.0	14.0
6	27.6	17.3	41.4	41.0	29.5	20.4	15.8	11.9	11.6	12.6	15.1	15.4
7	28.6	18.5	41.2	38.6	28.2	20.0	15.7	12.0	11.0	12.9	14.2	17.0
8	29.3	21.6	41.3	36.6	26.7	20.0	15.8	12.2	10.2	16.0	13.6	17.0
9	31.3	24.4	41.7	35.0	24.6	20.2	16.4	12.8	10.1	18.8	13.4	17.0
10	32.4	26.9	42.1	33.3	23.0	20.8	17.4	13.4	10.0	20.7	13.7	16.8
11	32.5	28.6	42.6	31.5	20.1	21.2	18.9	14.3	9.6	20.4	13.6	16.6
12	31.8	29.4	43.0	30.8	18.3	22.4	19.2	13.9	8.8	18.4	13.5	15.4
13	30.7	30.0	43.1	30.5	18.0	23.3	19.2	14.7	9.2	17.6	13.2	16.3
14	29.6	30.6	43.2	30.8	19.4	24.2	19.4	15.2	9.2	16.6	12.7	14.2
15	28.7	30.6	43.2	31.3	20.4	24.2	19.6	14.9	8.6	15.8	11.6	13.0
16	28.0	30.2	43.4	31.3	22.4	24.2	19.4	14.3	8.8	15.2	11.7	12.8
17	27.0	29.5	43.4	30.9	23.8	24.2	18.6	14.4	8.5	14.0	14.0	13.0
18	26.2	28.7	43.8	30.4	24.7	24.0	18.8	13.8	8.4	14.1	15.6	13.2
19	25.0	27.5	44.4	29.7	24.7	23.3	18.8	13.6	8.6	15.1	15.7	12.6
20	23.7	26.5	44.8	29.5	24.0	22.4	18.4	12.7	8.4	14.5	17.0	11.4
21	22.8	26.0	46.2	30.0	23.4	20.5	18.8	12.7	8.6	13.0	17.7	11.0
22	21.9	28.2	47.4	30.5	23.0	19.6	18.3	12.4	8.3	13.0	18.7	9.5
23	20.9	33.3	48.5	30.7	22.8	18.9	17.4	13.0	9.1	11.9	19.0	10.7
24	19.4	37.7	48.9	31.0	22.1	18.6	16.6	13.2	10.1	11.6	18.8	9.2
25	17.6	39.8	49.2	31.9	21.2	19.0	16.4	12.7	9.4	12.2	18.7	8.9
26	17.8	40.5	49.4	32.6	20.3	18.2	15.8	12.6	10.4	11.5	18.9	8.9
27	18.4	41.0	49.7	33.2	19.9	18.0	16.0	12.0	10.2	11.0	19.1	8.6
28	17.9	41.0	49.85	33.6	19.8	17.8	15.8	11.7	10.0	10.3	18.7	10.5
29	17.4		49.8	33.5	20.1	18.3	15.7	10.5	9.7	10.8	18.7	11.1
30	17.1		49.6	33.4	20.4	18.8	15.6	10.4	9.3	11.7	18.3	11.2
31	15.3		49.3		22.0		15.4	10.6		12.4		10.6

8:00 a. m. readings

1954
MISSISSIPPI RIVER
WICKLIFFE, KY.

Zero of gage: 269.34 m. s. l. (269.15 m. g. l.) (bankfull 42') 961.7 L miles A. H. P.
Lat. 36° 57' 52" - Long. 89° 05' 42"
Memphis District, CE gage.

Vertical staff gage located 100 ft. below the low water ferry landing and 100 ft. above
Mouth of Creek at Wickliffe, Ky.

Highest: 31.35 on 27 January.

Lowest: 9.13 on 3, 11 January.

Period of record: 30 August 1932 to date.

Highest for period of record: 58.18 on 4 February 1937.

Lowest for period of record: 4.95 on 24-25 October 1939.

Day		Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	11.0	28.8	18.3	21.0	26.8	16.6	20.7	11.0	18.1	10.5	18.4	12.9
2	9.8	26.6	19.1	21.2	26.2	16.4	20.0	10.6	17.4	11.2	17.6	14.0
3	9.13	23.2	20.1	21.0	25.9	17.8	19.8	11.8	15.6	11.8	18.2	14.0
4	9.8	20.1	20.7	21.0	26.0	20.0	20.2	12.0	14.4	12.0	18.0	13.9
5	9.7	18.0	20.6	21.0	25.8	21.4	20.6	11.0	14.1	11.7	17.0	13.8
6	10.0	16.0	20.3	21.7	25.9	22.3	20.7	12.1	14.0	11.5	16.5	15.0
7	10.0	15.1	20.2	22.6	26.9	23.4	20.7	13.4	13.6	13.1	15.5	16.3
8	10.1	13.9	20.6	23.2	28.5	24.1	19.6	14.0	13.0	13.8	15.8	16.8
9	9.8	13.3	21.6	23.6	29.0	24.2	18.8	14.5	12.5	14.5	15.6	15.6
10	9.7	13.0	22.5	23.8	29.0	23.6	18.3	14.7	11.3	15.6	14.8	15.1
11	9.13	12.8	23.6	23.2	28.7	23.1	17.2	14.6	10.5	15.7	13.7	15.0
12	10.0	11.3	24.0	22.0	28.1	22.5	16.3	15.1	10.0	15.1	13.8	14.2
13	10.6	11.6	23.8	21.2	27.6	21.1	16.8	14.5	9.8	15.4	13.4	14.5
14	11.1	11.7	23.0	20.8	27.4	21.1	16.6	13.2	9.6	16.9	13.5	15.2
15	11.4	11.5	21.8	20.8	27.2	20.8	16.3	13.2	9.3	18.4	12.5	14.8
16	12.4	11.5	20.6	20.6	27.2	20.5	16.8	13.4	9.2	19.1	12.0	14.8
17	16.2	12.6	19.4	21.6	27.1	20.3	16.2	12.9	9.4	20.6	12.0	14.8
18	19.0	13.8	18.4	22.4	26.8	19.8	16.0	12.1	9.5	20.6	11.8	14.9
19	21.8	15.4	18.0	23.6	26.4	20.5	16.8	13.2	9.7	20.6	11.1	15.2
20	23.2	16.5	18.4	24.8	25.8	21.2	16.2	13.3	9.9	20.5	10.5	15.4
21	24.2	17.6	18.8	25.8	25.3	21.4	16.2	13.4	13.2	21.3	10.6	16.8
22	25.7	18.6	19.2	26.0	25.0	21.4	17.3	13.8	14.8	20.6	11.3	16.8
23	27.0	19.1	19.2	26.2	24.4	21.3	17.4	13.8	15.6	22.3	11.2	16.3
24	28.4	19.1	18.9	27.3	23.0	20.8	17.8	14.4	15.6	23.8	11.4	17.1
25	30.0	18.8	18.7	28.6	22.4	19.6	18.0	14.6	13.5	24.8	11.9	17.4
26	31.0	18.2	19.4	29.0	21.5	19.0	18.0	13.5	13.6	25.9	12.3	17.6
27	31.35	17.6	20.2	28.6	21.0	19.4	18.2	12.7	12.7	25.7	13.5	18.0
28	31.30	16.6	20.7	28.2	19.9	20.3	18.5	13.4	11.4	25.2	13.3	18.5
29	31.1		21.6	27.5	19.0	21.0	18.1	14.6	11.8	24.1	12.2	19.6
30	30.6		21.4	27.1	18.1	21.0	15.7	16.6	11.4	23.2	12.1	21.3
31	29.8		21.2		17.0		11.6	18.4		21.0		23.3

6:00 a. m. readings

1953
MISSISSIPPI RIVER
WICKLIFFE, KY.

Zero of gage: 269.34 m. s. l. (269.15 m. g. l.) (bankfull 42') 961.7 L miles A. H. P.
Lat. 36° 57' 52" - Long. 89° 05' 42"
Memphis District, CE gage.

Vertical staff gage located 100 ft. below the low water ferry landing and 100 ft. above
Mouth of Creek at Wickliffe, Ky.

Highest: 38.40 at 4:00 p. m. on 21 May.
Lowest: 8.20 on 17-21 Nov.
Period of record: 30 August 1932 to date.
Highest for period of record: 58.18 on 4 February 1937.
Lowest for period of record: 4.95 on 24-25 October 1939.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	14.0	26.7	32.2	32.5	31.4	31.2	20.7	16.0	13.6	9.0	8.7	8.6
2	14.2	26.8	31.4	33.0	32.4	29.9	20.7	16.2	13.3	8.8	8.6	9.0
3	14.6	26.3	30.9	34.2	32.3	28.4	21.0	16.2	12.9	8.7	8.6	8.8
4	15.0	25.6	32.7	35.4	31.5	27.0	21.7	16.2	12.6	8.6	8.6	9.0
5	14.9	25.0	34.6	36.0	30.9	25.8	21.5	15.9	12.2	8.6	8.6	9.4
6	15.1	24.6	36.0	36.0	31.3	24.9	21.5	15.9	12.0	8.8	8.6	9.3
7	15.3	24.4	37.0	35.8	31.5	24.5	22.3	16.3	12.8	9.0	8.6	10.3
8	15.8	24.2	37.6	35.2	30.7	23.9	22.6	16.7	12.2	9.0	8.6	10.2
9	17.5	23.8	37.7	34.2	30.2	23.6	22.7	16.9	11.9	8.9	8.5	9.7
10	17.5	23.5	37.4	33.3	30.0	23.6	23.1	16.8	11.4	8.8	8.6	10.6
11	18.5	22.9	36.6	32.8	30.5	23.8	23.4	17.9	11.1	9.0	8.6	11.6
12	20.1	23.1	35.7	32.2	30.8	23.8	22.3	18.2	10.5	8.6	8.8	12.3
13	22.3	25.0	34.7	31.5	31.2	23.8	21.7	17.9	10.3	8.4	8.8	10.6
14	24.1	27.2	33.7	31.3	30.9	23.6	21.3	18.0	10.3	8.3	8.7	11.6
15	25.4	28.6	33.5	31.0	31.1	23.2	20.2	18.2	10.4	8.3	8.5	12.6
16	26.4	29.2	33.6	30.7	31.6	24.1	19.2	17.7	10.3	9.0	8.3	12.6
17	26.4	29.4	33.6	30.3	32.5	25.2	18.9	17.0	10.9	8.4	8.2	11.7
18	25.6	28.6	33.4	30.2	34.0	24.7	18.2	17.1	10.4	8.8	8.2	12.1
19	24.2	27.9	33.8	30.8	36.0	24.2	18.1	17.3	10.0	8.6	8.2	11.9
20	23.8	27.0	33.9	31.0	37.7	24.2	18.0	16.4	9.9	8.6	8.2	11.7
21	24.0	26.4	34.1	31.0	38.40	23.9	18.2	16.0	9.5	8.5	8.2	11.2
22	24.4	27.0	34.0	31.0	38.1	23.3	18.0	15.5	10.3	8.5	8.3	11.9
23	25.0	28.4	34.4	31.0	37.5	22.6	18.3	14.9	9.8	8.4	8.4	12.0
24	25.7	30.2	35.3	30.9	36.5	21.4	18.5	14.7	10.0	8.3	9.4	11.1
25	26.2	32.0	35.9	31.0	35.0	20.4	18.6	14.4	9.9	8.3	8.7	11.2
26	26.5	32.9	35.6	31.1	34.0	19.3	18.2	14.3	9.6	8.3	8.6	10.5
27	26.7	33.2	34.9	31.6	34.0	19.5	17.5	14.6	9.9	8.5	8.3	11.0
28	26.2	33.0	34.0	31.5	33.9	19.8	16.8	14.4	9.6	8.4	8.4	11.0
29	26.0		33.3	30.7	33.7	20.3	17.0	14.0	9.7	8.7	8.6	10.9
30	26.2		32.7	30.3	33.0	20.4	16.2	13.5	9.5	9.0	8.7	10.0
31	26.4		32.5		32.0		16.0	13.8		8.8		10.8

8:00 a. m. readings

ARMY, CE MEMPHIS (CLASS A)

1952
MISSISSIPPI RIVER
WICKLIFFE, KY.

Zero of gage: 269.34 m.s.l. (269.15 m.g.l.) (bankfull 42') 961.7 L miles A.H.P.
Lat. 36° 57' 52" - Long. 89° 05' 42"
Memphis District, CE gage

Vertical staff gage located 100 ft. below the low water ferry landing and 100 ft. above Mouth of Creek at Wickliffe, Ky.

Highest: 50.65 on 27 March.

Lowest: 9.50 on 7 November.

Period of record: 30 August 1932 to date.

Highest for period of record: 53.18 on 4 February 1937.

Lowest for period of record: 4.95 on 24-25 October 1939.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	40.4	41.6	28.6	48.7	43.0	31.6	25.0	17.0	14.8	11.4	10.4	13.2
2	40.4	42.4	27.2	48.1	43.4	30.6	24.2	17.0	14.5	11.1	10.0	13.2
3	40.2	43.5	26.4	47.6	44.0	29.8	23.7	16.5	15.7	11.2	10.2	13.5
4	39.6	44.4	26.4	47.2	44.4	29.2	24.4	16.3	15.6	10.9	10.0	13.4
5	39.4	45.2	28.4	46.7	44.5	28.8	24.0	16.8	15.4	10.5	9.8	14.6
6	39.0	46.1	30.0	46.6	44.4	28.7	23.5	16.7	15.4	11.4	9.65	15.2
7	38.8	46.9	31.1	46.1	43.6	28.4	23.1	17.0	15.6	10.8	9.50	15.8
8	39.0	47.5	31.2	45.4	42.4	27.8	22.7	16.9	15.4	10.5	9.8	16.0
9	39.2	47.5	30.7	44.4	40.9	26.5	21.5	16.8	15.3	10.3	9.8	15.6
10	39.5	47.4	30.6	43.4	39.1	22.6	21.0	17.1	15.0	10.1	9.7	15.6
11	39.8	47.2	33.3	42.5	37.0	20.7	21.0	17.8	14.3	10.2	10.2	16.6
12	40.4	47.0	36.6	41.8	34.9	21.9	21.0	19.4	13.5	10.7	10.8	17.3
13	41.4	46.7	39.8	41.5	33.6	22.4	20.5	18.7	12.7	10.4	10.1	18.5
14	42.0	46.4	43.2	41.5	32.3	22.6	20.3	18.6	13.0	10.8	9.6	18.2
15	42.2	46.0	45.2	41.7	31.5	22.1	20.8	18.1	13.0	11.3	9.7	18.1
16	41.6	45.5	46.4	41.8	30.8	21.4	21.0	18.0	13.1	11.2	10.6	18.0
17	40.6	44.8	47.2	42.0	30.2	21.8	20.8	18.0	14.1	11.1	9.8	18.0
18	39.1	44.0	47.4	42.0	29.5	22.2	21.1	17.8	13.7	10.9	10.0	18.2
19	37.2	42.7	47.5	42.1	29.8	22.4	20.4	18.9	13.2	10.5	10.3	18.6
20	35.5	41.4	47.4	41.8	29.5	22.5	19.9	18.8	13.2	10.5	11.3	19.0
21	33.8	40.1	47.2	41.8	30.0	22.4	19.8	18.5	14.0	10.6	12.6	19.0
22	32.8	38.9	47.5	41.6	29.9	22.3	19.8	18.2	12.8	10.7	12.8	16.8
23	32.9	37.2	48.2	41.9	29.7	22.5	19.9	17.8	12.0	10.6	13.0	15.1
24	34.4	35.3	49.2	42.3	29.4	23.6	19.9	18.5	13.0	10.2	14.2	14.6
25	35.8	33.9	50.0	42.6	29.3	23.8	19.0	19.0	12.7	10.7	14.8	14.2
26	36.9	32.9	50.45	42.8	29.4	25.2	18.6	19.5	12.4	10.2	15.3	14.6
27	37.7	31.8	50.55	42.8	29.9	27.4	18.4	19.1	11.7	10.0	14.1	14.8
28	38.7	30.7	50.60	42.6	30.9	28.2	18.0	18.6	11.4	10.0	14.2	14.8
29	39.8	29.6	50.2	42.6	32.0	27.8	17.9	17.2	11.4	10.2	13.4	14.4
30	40.7		49.6	42.8	32.4	26.7	17.7	16.1	11.0	10.9	13.4	13.1
31	41.1		49.2		32.2		17.4	15.5		10.7		13.4

8:00 a. m. readings.

1951
MISSISSIPPI RIVER
WICKLIFFE, KY.

ZERO OF GAGE: 269.34 M.S.L. (269.15 M.G.L.) (BANKFULL 42')
961.7 L MILES A.H.P.
LAT. 36° 57' 52" - LONG. 89° 05' 42"
MEMPHIS DISTRICT, CE GAGE

VERTICAL STAFF GAGE LOCATED 100 FT. BELOW THE LOW WATER FERRY
LANDING AND 100 FT. ABOVE MOUTH OF CREEK AT WICKLIFFE, KY.

HIGHEST: 49.10 ON 26 FEB.

LOWEST: 15.50 ON 22 OCT.

PERIOD OF RECORD: 30 AUG. 1932 TO DATE.

HIGHEST FOR PERIOD OF RECORD: 58.18 ON 4 FEB. 1937.

LOWEST FOR PERIOD OF RECORD: 4.95 ON 24-25 OCT. 1939.

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	17.3	33.3	47.6	44.6	41.0	25.8	35.0	36.7	24.2	19.6	20.4	31.8
2	17.6	33.2	47.2	46.1	39.7	25.7	36.0	34.6	24.9	19.5	20.2	31.5
3	17.9	34.1	46.9	47.0	38.8	25.4	36.7	31.6	24.6	19.4	20.4	31.1
4	20.0	34.9	47.2	47.6	38.1	25.0	37.4	28.4	23.2	18.8	20.2	31.2
5	23.5	35.3	47.0	47.6	37.9	25.5	38.0	25.4	21.9	18.4	20.6	31.8
6	26.8	35.8	46.8	47.1	38.1	24.9	38.6	22.7	21.7	17.9	20.9	32.4
7	30.0	37.3	46.5	45.9	38.5	24.5	39.1	21.3	21.4	17.0	20.3	32.8
8	32.2	38.7	46.1	44.9	39.1	26.0	39.3	20.0	22.1	17.0	20.2	33.0
9	33.3	39.8	45.5	44.4	39.5	27.9	39.3	19.3	22.8	17.4	20.4	34.3
10	33.4	40.9	44.8	44.3	39.9	28.5	39.6	19.2	22.9	18.1	20.6	35.8
11	33.4	41.4	44.0	44.3	39.9	28.8	39.9	19.1	23.8	18.8	20.8	36.6
12	33.6	41.4	43.6	44.4	39.4	29.1	39.8	19.0	24.4	19.4	20.9	37.3
13	34.1	41.0	42.9	44.5	38.4	29.5	39.5	19.1	24.4	19.7	21.0	38.1
14	35.6	40.6	42.7	44.6	37.3	29.9	39.4	20.0	25.4	18.7	22.4	38.6
15	38.8	39.6	42.7	44.7	36.8	30.2	39.7	20.0	25.8	18.4	24.3	39.4
16	40.5	39.4	42.4	44.8	36.3	30.4	40.0	19.8	26.1	18.1	27.1	40.4
17	41.3	40.1	41.4	45.0	35.9	30.2	40.3	18.9	25.8	17.8	29.6	40.8
18	41.4	40.1	41.0	45.2	35.6	30.0	40.7	18.6	26.0	17.4	31.0	40.3
19	41.3	39.9	41.5	45.3	35.2	29.6	40.9	18.5	26.2	17.1	31.4	39.8
20	40.9	41.0	42.6	45.3	34.4	29.5	41.1	18.8	26.2	16.8	31.4	39.4
21	40.3	43.6	43.2	45.4	33.7	30.1	41.1	20.0	25.8	16.0	30.8	39.2
22	39.7	45.8	43.0	45.8	32.9	30.7	41.0	20.9	25.8	15.5	30.2	39.0
23	39.1	47.3	42.2	46.1	31.8	30.3	41.0	21.7	25.0	16.3	29.4	38.8
24	38.6	48.3	41.2	46.4	30.8	30.1	40.8	21.6	23.8	17.5	29.4	38.4
25	38.3	48.9	40.7	46.4	29.8	30.8	40.8	20.6	23.3	18.8	29.7	38.5
26	38.1	49.1	40.2	46.2	28.8	31.6	41.2	19.8	23.9	19.7	30.4	38.7
27	37.8	48.8	39.9	45.8	28.0	31.6	41.2	19.2	23.2	20.4	31.3	39.0
28	37.2	48.2	39.6	44.7	27.2	31.6	41.1	20.0	22.2	20.5	30.0	39.3
29	36.2		40.3	43.4	26.7	32.6	40.5	21.8	21.2	20.6	30.2	39.7
30	35.4		41.3	42.1	25.9	33.8	39.5	22.8	20.5	21.0	32.0	40.0
31	34.4		42.6		25.8		38.3	24.0		20.8		40.2

8:00 A. M. READINGS.

1950
MISSISSIPPI RIVER
WICKLIFFE, KY.

ZERO OF GAGE: 269.34 M.S.L. (269.15 M.G.L.) (BANKFULL 42")
961.7 L MILES A.H.P.
LAT. 36° 57' 52" - LONG. 89° 05' 42"
GAGE IN CHARGE OF MEMPHIS DISTRICT, CE, MEMPHIS, TENN.

VERTICAL STAFF GAGE LOCATED 100 FT. BELOW THE LOW WATER FERRY
LANDING AND 100 FT. ABOVE MOUTH OF CREEK AT WICKLIFFE, KY.

HIGHEST: 55.70 ON 15 FEBRUARY
LOWEST: 13.00 ON 2, 4, NOVEMBER
PERIOD OF RECORD: 30 AUGUST 1932 TO DATE.
HIGHEST FOR PERIOD OF RECORD: 58.18 ON 4 FEB. 1937
LOWEST FOR PERIOD OF RECORD: 4.95 ON 24-25 OCT. 1939

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	31.0	53.2	49.4	37.9	33.1	30.4	32.9	28.0	21.7	26.4	13.6	27.3
2	30.0	53.0	47.9	38.5	34.9	30.9	30.6	28.4	25.3	25.0	13.00	26.1
3	30.5	52.8	46.6	39.9	36.3	31.3	29.0	28.4	26.9	22.5	13.20	25.2
4	33.0	52.7	45.3	42.0	37.2	32.1	27.5	27.9	28.2	17.8	13.00	24.8
5	39.0	52.6	44.1	43.8	37.7	32.9	26.3	26.9	29.7	16.4	13.6	25.4
6	42.6	52.6	42.7	45.0	38.0	34.0	24.8	25.9	30.0	16.4	14.6	26.6
7	44.7	52.6	41.3	45.8	37.8	34.8	22.6	24.7	29.2	15.9	15.7	29.3
8	45.9	52.4	39.8	46.2	38.0	35.0	22.4	21.7	28.4	16.6	16.0	31.9
9	46.7	52.4	37.9	46.6	38.2	34.6	22.7	20.2	28.4	17.1	17.0	33.6
10	47.4	52.5	36.0	46.9	38.3	34.0	22.8	18.9	29.3	18.6	18.9	34.6
11	48.4	52.8	34.7	47.1	39.0	33.1	23.0	17.9	29.0	19.0	20.0	35.6
12	49.5	53.2	34.3	46.8	39.6	32.2	23.3	18.1	27.8	18.6	21.7	36.1
13	51.0	54.5	34.8	46.2	40.1	31.4	23.6	18.3	26.4	18.6	23.1	36.4
14	52.4	55.50	36.6	45.4	40.8	31.3	23.5	18.4	25.1	18.5	23.7	36.8
15	53.4	55.70	38.6	44.6	41.5	31.3	22.8	18.9	23.5	18.0	23.8	37.2
16	54.0	55.60	39.8	43.6	41.7	30.9	20.7	20.5	22.3	16.7	23.6	37.4
17	54.6	55.4	40.5	42.4	41.2	30.3	21.6	20.8	21.8	17.1	22.9	37.7
18	54.9	55.3	41.2	41.0	40.3	29.8	23.6	21.5	21.4	17.2	22.1	38.0
19	55.0	55.0	41.7	39.0	39.2	29.2	23.7	24.3	20.9	17.0	21.0	38.1
20	54.9	54.5	42.4	36.8	37.9	29.3	23.6	24.7	18.3	16.2	19.6	37.7
21	54.7	54.1	42.7	34.4	36.6	29.4	23.9	24.1	17.5	15.4	20.9	36.9
22	54.3	54.2	42.2	31.6	35.8	29.8	26.4	22.7	17.5	14.3	22.8	35.4
23	54.0	54.2	40.9	30.0	35.4	32.0	28.6	21.2	18.8	13.7	25.4	33.0
24	53.7	54.1	38.7	28.3	35.0	34.6	29.9	20.0	19.1	14.6	27.6	29.8
25	53.5	53.8	36.8	28.0	34.3	36.8	30.6	19.0	20.4	14.7	29.1	26.5
26	53.6	53.2	35.3	27.9	33.2	38.2	30.9	18.1	22.5	14.4	30.1	23.5
27	54.0	52.1	34.8	27.9	32.0	38.8	30.3	17.2	24.7	13.6	30.1	21.1
28	54.0	50.7	37.1	28.2	30.7	38.6	29.5	16.2	26.3	13.8	29.9	19.5
29	53.7		38.0	29.1	29.7	37.2	28.8	16.6	26.8	14.2	29.6	18.4
30	53.4		37.9	30.9	29.6	35.2	28.0	17.1	27.0	13.5	28.6	17.8
31	53.2		37.7		29.9		27.8	17.8		13.8		17.7

8:00 A.M. READINGS

1949
MISSISSIPPI RIVER
WICKLIFFE, KY.

ZERO OF GAGE: 269.34 M.S.L. (269.15 M.G.L.) (BANKFULL 42')
961.7 L MILES A.H.P.
LAT. 36° 57' 52" - LONG. 89° 05' 42"
GAGE IN CHARGE OF MEMPHIS DISTRICT, CE, MEMPHIS, TENN.

VERTICAL STAFF GAGE LOCATED 100 FT. BELOW THE LOW WATER FERRY
LANDING AND 100 FT. ABOVE MOUTH OF CREEK AT WICKLIFFE, KY.

HIGHEST: 50.35 ON 31 JAN.

LOWEST: 10.90 ON 3 OCT.

PERIOD OF RECORD: 30 AUGUST 1932 TO DATE.

HIGHEST FOR PERIOD OF RECORD: 58.18 ON 4 FEB. 1937

LOWEST FOR PERIOD OF RECORD: 4.95 ON 24-25 OCT. 1939.

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	32.4	50.0	48.3	46.3	27.0	23.8	27.8	17.4	15.1	12.3	18.6	14.3
2	31.0	49.7	47.7	46.8	27.1	23.8	27.2	17.5	15.0	11.3	20.4	16.2
3	29.8	49.6	47.0	47.0	27.8	23.5	26.5	17.6	14.6	10.9	20.5	15.0
4	29.4	49.5	46.2	46.8	28.6	22.9	26.2	17.7	14.9	11.3	20.3	14.9
5	31.0	49.3	45.2	46.2	28.9	20.8	25.6	17.5	14.4	12.4	19.9	15.0
6	34.0	49.0	43.8	45.2	29.1	21.8	23.4	17.0	14.7	14.8	20.2	15.0
7	36.7	48.7	42.2	43.9	28.3	23.6	21.9	16.4	14.4	16.8	20.4	15.3
8	38.6	48.3	40.2	42.7	27.0	24.4	20.6	16.4	13.0	16.9	20.0	15.4
9	39.9	47.8	38.4	41.1	26.0	24.4	19.5	16.6	12.8	17.2	19.8	14.4
10	41.0	47.1	37.8	39.4	25.7	23.7	19.0	15.6	12.8	17.3	19.0	12.3
11	41.9	46.4	38.9	37.4	25.8	22.4	19.9	14.8	12.4	16.7	15.5	13.5
12	42.7	45.5	39.9	36.2	25.4	21.3	21.5	14.1	12.2	16.2	14.0	15.6
13	43.4	44.4	40.6	35.3	24.4	20.5	23.5	14.4	12.4	17.2	14.8	20.0
14	44.0	43.8	40.9	34.8	23.5	21.1	24.3	14.7	14.4	18.2	14.7	24.0
15	44.3	43.8	41.0	35.0	22.8	21.4	25.7	15.6	16.7	18.2	14.4	26.8
16	44.4	44.2	40.8	35.4	22.0	22.6	26.0	17.0	18.6	18.2	13.5	28.5
17	44.1	44.9	40.2	35.4	20.5	26.7	26.5	17.0	19.7	18.0	13.0	29.9
18	43.6	45.3	40.0	35.0	20.2	30.0	27.3	17.2	20.1	17.9	13.3	30.8
19	43.4	45.6	39.8	34.8	19.6	32.0	27.4	17.4	19.2	17.4	13.1	31.9
20	43.0	46.1	39.4	34.7	19.3	33.1	27.7	18.7	19.1	17.6	13.0	32.3
21	42.4	46.6	38.7	34.7	19.3	32.5	27.5	17.2	18.0	17.4	13.0	32.4
22	41.7	47.2	38.2	34.6	18.9	31.5	28.0	17.0	17.6	17.5	13.2	32.6
23	41.4	47.9	37.8	34.0	19.3	29.5	28.4	17.1	16.6	19.9	13.0	33.2
24	41.9	48.8	37.2	32.8	20.0	27.5	27.3	17.2	15.4	22.7	12.9	34.0
25	44.6	49.2	37.0	31.0	20.7	25.8	26.5	16.7	14.1	24.9	12.7	34.8
26	46.3	49.2	37.4	29.8	21.6	25.1	25.5	14.9	13.4	24.9	12.5	34.8
27	47.2	49.0	40.0	28.4	23.2	24.2	24.4	14.6	13.3	23.3	12.9	34.2
28	48.2	48.8	42.2	27.5	23.6	24.6	23.4	13.8	13.1	22.4	12.8	33.3
29	49.2		43.7	27.2	23.6	25.9	22.3	13.3	13.0	21.0	12.8	32.8
30	50.1		44.9	27.1	23.8	27.2	19.5	14.0	11.7	19.8	14.0	32.6
31	50.35		45.7		23.9		17.8	15.0		18.5		31.9

8:00 A.M. READINGS

1948
MISSISSIPPI RIVER
WICKLIFFE, KY.

ZERO OF GAGE: 269.34 M.S.L. (269.15 M.G.L.) (BANKFULL 42")
961.7 L MILES A.H.P.
LAT. 36° 57' 52" - LONG. 89° 05' 42"
GAGE IN CHARGE OF MEMPHIS DISTRICT, CE, MEMPHIS, TENN.

VERTICAL STAFF GAGE LOCATED 100 FT. BELOW THE LOW WATER FERRY
LANDING AND 100 FT. ABOVE MOUTH OF CREEK AT WICKLIFFE, KY.

HIGHEST: 51.50 AT 4:00 P.M. ON 2 APRIL
LOWEST: 9:00 ON 2 - 3 OCTOBER
PERIOD OF RECORD: 30 AUGUST 1932 TO DATE.
HIGHEST FOR PERIOD OF RECORD: 58.18 ON 4 FEB. 1937
LOWEST FOR PERIOD OF RECORD: 5.00 ON 24-25 OCT. 1936 AND 6 JAN. 1940.

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	11.8	12.7	43.3	51.1	43.7	17.8	27.7	29.3	12.6	9.2	9.3	27.0
2	17.1	12.4	43.5	51.4	41.5	17.2	26.6	27.2	11.8	9.0	9.4	28.5
3	21.5	12.6	43.8	51.4	38.2	17.0	26.7	24.2	12.0	9.0	10.4	29.4
4	23.5	13.0	44.6	51.2	34.7	16.6	26.8	22.7	10.9	9.9	11.6	30.4
5	24.3	13.3	45.4	51.0	31.2	16.7	26.3	23.9	11.5	10.8	12.3	31.8
6	24.9	13.6	45.6	50.5	29.0	16.7	24.9	23.5	11.7	10.1	15.6	32.7
7	25.3	16.1	45.7	50.0	28.0	15.9	24.0	22.6	11.4	10.0	18.1	33.0
8	25.3	17.8	45.5	49.3	28.0	15.9	24.1	22.0	11.6	9.2	19.6	32.8
9	25.4	18.9	45.1	48.4	28.6	15.7	22.8	21.6	11.9	9.7	19.6	31.7
10	25.4	19.7	44.7	47.6	29.0	16.0	21.4	21.2	12.5	9.6	19.4	30.1
11	25.2	20.0	44.0	47.2	29.4	16.9	20.6	20.5	11.8	9.3	19.8	28.3
12	24.7	21.4	42.9	46.8	30.4	18.2	19.3	19.8	10.3	10.2	19.8	26.5
13	23.9	24.4	40.7	46.8	31.4	16.7	18.6	19.1	11.0	11.5	18.9	24.8
14	23.0	27.6	37.2	47.0	31.8	16.4	18.0	18.6	11.2	11.0	17.0	23.3
15	22.0	32.3	33.6	47.2	31.8	16.9	17.0	16.8	11.3	9.8	17.0	22.0
16	20.8	35.7	31.1	47.4	32.4	17.4	16.3	16.1	11.0	9.4	17.1	22.0
17	19.9	38.8	31.0	47.4	33.7	17.8	17.8	16.7	9.9	9.5	16.3	24.3
18	19.6	41.0	32.6	47.2	33.5	17.5	18.7	16.3	10.3	10.9	15.9	27.3
19	19.7	42.6	34.5	47.4	32.8	17.3	18.6	16.1	9.8	11.4	16.4	30.7
20	19.7	43.8	36.0	47.5	32.1	17.6	19.6	14.8	9.6	12.0	19.3	32.9
21	19.4	44.8	37.6	47.8	30.9	18.1	20.3	14.5	10.0	11.7	21.2	34.2
22	18.6	45.8	39.4	47.8	29.8	19.3	20.9	14.4	9.8	10.7	22.9	35.2
23	15.0	46.4	41.4	47.9	28.6	20.1	22.4	14.3	11.6	10.9	22.9	35.4
24	12.9	46.4	43.7	48.0	27.4	20.8	22.9	14.5	11.4	10.8	22.2	35.0
25	13.0	46.4	45.3	48.0	26.2	23.2	24.5	14.0	11.6	10.7	21.6	34.8
26	12.1	46.4	46.4	47.8	25.2	25.4	25.7	14.0	11.1	10.2	21.3	35.2
27	13.4	45.9	47.4	47.6	24.2	26.6	26.8	13.3	11.5	10.2	21.8	36.0
28	13.5	45.0	48.4	47.1	23.2	27.8	28.9	12.2	11.6	9.8	22.9	36.0
29	14.7	43.9	49.3	46.4	22.1	28.4	30.8	12.2	10.6	10.0	24.0	35.8
30	14.4		50.0	45.3	20.4	28.2	31.0	12.1	9.9	10.0	25.1	35.3
31	13.7		50.5		18.7		30.3	12.7		9.5		34.0

8:00 A.M. READINGS.

1947
MISSISSIPPI RIVER
WICKLIFFE, KY.

ZERO OF GAGE: 269.34 M.S.L. (269.15 M.G.L.) (BANKFULL 42')
961.7 L MILES A.H.P.
LAT. 36° 57' 52" - LONG. 89° 05' 42"
GAGE IN CHARGE OF MEMPHIS DISTRICT, CE, MEMPHIS, TENN.

VERTICAL STAFF GAGE LOCATED 100 FT. BELOW THE LOW WATER FERRY
LANDING AND 100 FT. ABOVE MOUTH OF CREEK AT WICKLIFFE, KY.

HIGHEST: 47.30 ON 19-20 APRIL.

LOWEST: 9.20 ON 19 OCTOBER.

PERIOD OF RECORD: 30 AUG. 1932 TO DATE.

HIGHEST FOR PERIOD OF RECORD: 58.18 ON 4 FEB. 1937

LOWEST FOR PERIOD OF RECORD: 5.00 ON 24-25 OCT. 1939 AND 6 JAN. 1940.

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	22.2	39.1	17.5	29.2	46.0	39.5	41.8	19.7	14.2	11.5	12.2	15.0
2	23.7	38.0	17.2	30.2	46.2	39.8	42.2	19.5	14.1	10.8	12.4	14.7
3	27.1	37.4	17.3	31.3	46.1	40.2	42.6	18.8	14.1	10.6	13.7	13.3
4	29.9	37.0	17.4	32.4	45.8	40.2	43.3	18.7	14.2	9.7	14.0	12.1
5	31.9	36.5	17.0	33.0	45.3	40.2	44.0	18.4	14.5	10.0	13.2	12.0
6	33.6	36.0	16.8	33.1	45.0	40.2	44.4	17.8	14.2	10.7	13.4	10.8
7	35.1	35.0	17.3	33.6	44.4	40.4	44.2	17.7	13.1	10.3	14.2	11.0
8	36.0	34.0	19.0	35.9	43.4	40.5	43.7	17.5	13.3	10.4	14.5	13.8
9	36.5	32.7	20.0	38.2	42.2	40.5	43.2	17.4	14.3	10.8	14.7	15.5
10	35.8	31.4	20.9	39.7	41.1	40.4	42.6	17.2	14.8	10.6	14.2	16.8
11	34.0	30.0	21.6	41.4	39.5	40.4	42.1	17.3	15.5	10.0	14.3	18.3
12	32.4	28.1	22.4	42.8	38.0	40.8	41.4	17.9	15.4	9.8	14.4	18.9
13	31.0	26.0	23.0	44.1	36.8	41.4	40.6	17.3	14.4	9.6	13.6	18.4
14	29.2	24.0	23.2	45.0	35.4	42.6	39.4	15.4	12.8	10.6	13.5	17.6
15	27.5	22.0	23.5	45.8	34.0	43.6	37.9	15.0	12.0	11.0	13.7	16.6
16	26.8	19.2	23.7	46.4	32.6	44.3	36.5	15.5	13.1	10.2	14.5	16.7
17	27.6	16.5	26.2	46.9	31.2	45.1	34.4	15.9	13.2	9.9	15.5	17.4
18	29.2	18.0	28.0	47.2	30.1	45.5	31.8	15.0	13.0	9.3	15.6	17.5
19	31.5	18.8	28.5	47.3	29.3	45.5	29.9	14.5	13.3	9.2	15.4	17.4
20	33.7	18.8	28.7	47.3	29.1	45.2	29.0	15.5	13.3	9.5	15.1	16.7
21	36.0	18.6	29.6	47.2	29.9	44.8	27.9	15.5	12.2	10.3	15.3	16.1
22	38.0	21.3	30.1	46.7	31.6	44.0	27.0	15.3	11.8	11.0	14.2	16.1
23	39.0	21.5	29.7	46.0	33.6	43.3	25.9	15.2	11.8	11.2	14.6	16.5
24	39.4	21.5	29.2	45.3	35.1	42.9	24.9	15.2	12.4	10.3	14.8	16.0
25	39.8	21.2	28.7	44.7	36.5	42.5	23.4	14.8	14.0	9.5	14.6	14.3
26	40.4	19.0	28.2	44.5	38.0	42.2	22.7	15.3	14.4	10.0	14.4	12.8
27	40.8	18.2	27.2	44.6	38.9	41.9	21.5	15.7	13.4	11.2	14.4	11.9
28	41.0	17.8	26.8	44.9	39.6	41.6	19.5	16.3	12.5	12.5	14.4	12.0
29	40.9		27.2	45.3	39.9	41.7	20.1	16.6	12.2	11.9	15.0	12.7
30	40.7		27.7	45.7	39.9	41.8	20.1	16.3	12.3	11.8	15.0	12.6
31	40.0		28.2		39.6		19.7	15.4		11.3		12.0

8:00 A.M. READINGS

RIVER STAGES

.....Mississippi.....River Gauge at Wickliffe, Ky.for the calendar year 1946

Zero elevation 269.15 feet above M.G.L.
269.34 " " M.S.L.

Bank full stage.....feet on gauge A.H.P. Miles 961.71

M.R.C. 5M1.5-5-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	27.20	23.30	37.10	41.60	20.50	30.50	31.20	15.60	13.40	13.90	15.60	21.40	1
2	26.80	22.65	35.90	41.20	23.50	29.60	29.80	16.00	12.00	14.10	15.90	19.20	2
3	27.00	22.00	34.60	40.55	24.50	29.10	28.30	14.60	12.40	13.00	18.90	19.40	3
4	27.30	22.10	32.90	39.60	25.20	29.20	26.65	15.00	12.80	12.90	23.60	18.10	4
5	26.80	23.90	31.50	38.30	25.70	30.25	25.55	14.60	12.30	12.90	26.00	17.30	5
6	26.40	26.00	30.90	36.75	26.40	31.50	24.55	15.40	11.70	12.70	27.10	15.80	6
7	26.50	28.60	31.00	35.10	27.70	32.50	24.05	17.40	10.70	12.40	27.15	15.30	7
8	30.80	31.10	32.50	33.70	28.50	33.50	24.05	17.50	10.40	12.20	26.10	14.30	8
9	38.20	33.30	34.80	32.20	28.70	33.80	23.85	16.70	10.30	11.45	25.20	14.30	9
10	42.50	35.45	36.65	31.15	28.20	33.50	24.00	16.25	10.50	10.50	24.00	14.30	10
11	44.90	37.00	37.30	30.60	28.25	32.70	23.85	16.00	12.80	10.20	23.20	13.90	11
12	46.90	38.00	37.80	29.80	28.90	31.60	24.20	14.50	15.25	10.30	23.60	14.60	12
13	48.60	39.20	37.90	27.90	29.25	29.90	22.95	14.30	15.40	11.30	24.55	17.30	13
14	50.10	41.50	37.40	26.20	29.80	27.90	23.00	14.10	14.65	11.80	25.50	20.45	14
15	51.20	43.70	36.85	25.10	29.50	25.75	22.20	13.80	14.30	11.80	24.20	21.65	15
16	51.70	44.80	36.15	24.60	28.90	24.55	21.40	13.90	14.60	11.10	23.20	23.10	16
17	51.91	45.20	35.80	23.50	29.50	23.75	21.20	18.95	15.20	12.30	22.40	24.20	17
18	51.91	45.30	36.15	23.40	30.70	23.15	20.50	24.75	14.20	13.50	22.20	24.60	18
19	51.75	45.60	36.90	23.50	31.90	23.15	20.00	27.75	13.20	14.75	24.30	24.40	19
20	51.40	45.90	37.70	23.60	33.70	24.25	19.30	27.55	13.00	16.20	23.80	23.90	20
21	50.80	45.90	38.00	23.60	35.10	25.95	19.60	27.25	12.80	16.30	22.30	22.80	21
22	49.80	45.50	38.60	23.20	35.70	28.75	20.90	26.65	12.30	16.40	22.00	21.00	22
23	48.50	44.80	39.40	22.50	35.50	30.70	22.00	25.65	12.80	17.30	21.40	18.00	23
24	46.80	43.90	40.10	21.80	34.80	32.20	22.30	22.75	13.20	17.30	20.70	17.60	24
25	44.50	42.80	40.50	21.10	35.40	33.75	21.30	20.65	12.80	17.50	20.00	17.30	25
26	41.60	41.50	40.50	20.10	35.80	34.30	19.90	19.15	13.40	17.55	19.30	17.40	26
27	37.50	40.10	41.00	19.60	35.70	34.20	18.00	17.55	13.30	16.40	20.60	17.80	27
28	33.30	38.50	41.40	19.70	35.00	33.90	16.50	16.00	12.90	14.90	22.30	17.40	28
29	29.80		41.60	20.20	34.20	33.50	16.00	14.80	13.90	15.30	22.35	17.00	29
30	26.40		41.80	20.20	33.00	32.50	15.70	14.30	13.00	15.30	22.70	19.20	30
31	24.30		41.75		31.50		14.80	13.90		15.70		20.70	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 a.m. readings:

Highest: 51.91 on 17-18 Jan.

Lowest: 10.20 on 11 Oct.

Period of record: 30 Aug. 1932 to date.

Highest for period of record: 58.18 on 4 Feb. 1937.

Lowest for period of record: 5.00 on 24-25 Oct. 1939 and 6 Jan. 1940.

RIVER STAGES

Mississippi River Gauge at Wickliffe, Ky. for the calendar year 1945

Zero elevation 269.15 feet above MGL

Bank full stage feet on gauge AHP Miles 961.7 L

M.R.C. 5M. 5-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	27.90	15.70	45.40	52.85	42.40	39.55	38.25	19.15	13.10	29.75	16.00	26.80	1
2	31.00	15.90	45.80	53.25	41.60	38.25	35.80	19.35	12.30	31.50	14.50	25.70	2
3	33.25	15.80	46.50	53.65	41.20	37.15	34.00	19.85	12.00	31.90	14.30	24.60	3
4	34.95	15.35	47.25	53.70	40.90	36.00	33.50	20.65	12.00	31.50	14.80	23.50	4
5	36.05	14.50	48.05	53.55	39.95	34.90	33.25	20.15	13.50	31.20	15.50	22.80	5
6	36.75	14.40	49.05	53.15	38.05	33.40	33.10	19.65	12.90	31.00	15.60	22.70	6
7	36.55	13.60	50.65	52.35	35.90	32.00	32.60	19.85	13.30	30.25	16.00	23.70	7
8	36.55	13.70	51.70	51.45	35.30	31.70	30.90	20.65	12.10	28.90	16.30	25.00	8
9	36.75	14.70	52.60	50.45	34.10	33.00	29.40	20.95	12.30	27.20	16.70	26.30	9
10	36.35	15.00	53.30	49.35	33.70	35.40	27.95	18.60	12.55	25.90	17.75	26.50	10
11	35.85	15.30	53.50	48.25	34.90	37.65	27.15	18.40	14.10	25.35	18.40	25.90	11
12	35.35	15.30	53.25	47.20	36.40	38.75	26.80	19.85	13.80	24.80	18.50	26.00	12
13	34.45	16.50	52.85	46.30	36.40	39.85	25.95	19.45	14.10	24.40	18.70	26.20	13
14	33.45	18.90	52.55	45.70	35.90	41.20	24.65	19.95	14.00	23.70	19.80	26.20	14
15	32.15	21.00	52.35	46.10	35.40	42.10	23.75	19.75	14.40	22.75	20.70	24.50	15
16	30.90	22.60	52.35	46.70	35.30	42.80	23.35	19.85	15.25	21.40	21.40	25.50	16
17	29.80	24.00	52.55	46.85	36.95	43.35	22.55	19.50	14.70	18.20	21.80	26.90	17
18	28.70	27.40	52.85	46.70	37.80	44.10	22.35	18.90	15.40	16.40	22.10	26.70	18
19	27.85	31.05	53.00	46.60	38.65	44.20	22.30	19.35	15.20	16.40	21.90	26.00	19
20	27.30	33.85	53.40	46.60	39.65	44.20	22.25	19.25	15.25	16.20	21.75	24.80	20
21	27.00	36.05	53.60	46.50	40.65	44.35	21.95	18.70	14.80	15.30	21.80	23.10	21
22	26.90	38.35	53.67	46.30	41.80	44.60	20.55	18.10	15.35	15.70	22.70	20.70	22
23	26.70	39.85	53.45	46.20	42.90	44.80	19.75	17.60	15.80	16.50	24.40	18.70	23
24	26.30	40.70	53.25	46.20	43.90	44.95	19.40	16.60	16.60	16.50	26.40	16.60	24
25	25.50	41.60	53.05	46.00	44.50	45.00	19.95	16.80	18.90	16.05	27.60	18.50	25
26	24.10	42.60	52.90	45.70	44.60	45.00	20.35	17.30	22.80	15.80	28.00	19.40	26
27	22.70	44.00	52.80	45.25	44.30	44.70	19.95	17.30	24.30	16.20	28.60	21.50	27
28	21.50	45.00	52.60	44.40	43.70	44.10	19.65	16.40	25.40	17.30	28.90	22.70	28
29	20.20		52.35	43.75	42.70	42.90	19.15	15.70	27.00	17.30	28.30	25.75	29
30	18.80		52.15	43.30	41.75	41.00	18.40	16.00	28.00	17.00	27.70	27.20	30
31	16.70		52.55		40.70		18.50	14.40		16.70		27.85	31
Sum													
Mean	Note: Time basis Central War Time during the interim 2:00 a.m., 9 February 1942 to 2:00 a.m., 30 September 1945. To convert War Time to Standard Time, subtract one hour.												
High													
Low													

Remarks: 8:00 a.m. readings

Highest: 53.70 on 4 April.

Lowest: 11.90 at 4:00 p.m. 3 Sept.

Period of record: 30 Aug. 1932 to date.

Highest for period of record: 58.18 on 4 Feb. 1937.

Lowest for period of record: 5.00 on 24-25 Oct. 1939 and 6 Jan. 1940.

RIVER STAGES

Mississippi River Gauge at Wickliffe, Ky. for the calendar year 1944

Zero Elevation 269.15 feet above M. G. L.

Bank full stage feet on gauge. A. H. P. Miles 961.7 L

M. R. C. 3M, 11-28-41.

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	12.70	12.80	35.50	44.60	50.90	33.00	30.80	17.20	19.60	14.50	11.30	15.00	1
2	13.10	14.50	37.50	45.00	50.70	33.90	30.60	17.70	21.90	16.70	11.30	15.30	2
3	13.80	15.00	38.40	45.35	50.50	34.50	29.40	17.70	22.90	18.10	10.70	15.20	3
4	14.10	15.20	39.10	45.60	50.30	34.70	28.80	17.20	23.30	18.80	11.20	15.30	4
5	15.50	15.10	39.90	45.70	50.30	34.50	27.80	15.60	21.40	19.00	10.90	14.90	5
6	18.00	14.90	40.30	45.40	50.10	33.90	27.40	14.15	20.80	19.10	11.30	13.80	6
7	18.50	14.70	40.85	44.85	50.30	33.10	27.20	14.30	21.30	19.40	11.00	13.50	7
8	18.70	12.10	41.30	43.80	50.40	32.00	26.80	13.75	19.20	19.60	11.60	13.35	8
9	18.50	11.40	41.60	42.00	50.00	30.90	26.40	15.00	18.70	19.70	12.50	13.60	9
10	18.50	12.40	41.60	39.80	49.50	29.70	25.90	15.00	17.20	18.80	13.10	15.00	10
11	18.80	14.90	41.50	38.20	48.50	28.70	25.90	15.50	15.30	18.20	13.10	17.80	11
12	19.00	18.00	41.30	38.50	47.60	27.90	25.40	16.50	16.10	17.40	13.00	18.50	12
13	18.80	18.60	41.10	40.00	46.65	27.20	24.60	15.50	15.90	16.80	12.20	19.00	13
14	18.00	18.50	40.80	42.40	45.85	26.00	24.40	14.85	14.10	16.20	12.10	18.50	14
15	11.70	17.90	40.20	44.40	45.20	26.20	24.10	14.10	13.50	14.60	12.30	17.60	15
16	12.30	17.50	39.30	46.20	44.20	26.50	22.40	14.40	12.90	14.80	11.50	16.80	16
17	12.20	16.10	37.70	47.60	42.90	26.60	21.70	13.60	12.30	14.80	11.70	16.40	17
18	12.70	17.50	37.10	48.60	40.90	27.00	21.80	14.10	11.75	13.20	11.30	15.50	18
19	12.90	19.00	36.65	49.30	38.50	27.05	21.10	14.65	11.90	12.80	12.55	12.90	19
20	12.90	21.50	37.10	49.75	36.00	27.10	20.40	15.30	11.90	11.80	13.00	13.35	20
21	12.80	23.30	39.00	49.95	33.95	27.45	20.50	15.10	11.30	10.90	13.00	13.50	21
22	12.80	24.60	40.80	49.90	32.50	27.15	20.10	15.20	10.90	11.10	13.60	14.10	22
23	13.20	25.60	42.10	49.80	31.30	27.00	19.60	14.20	11.30	13.40	13.90	14.40	23
24	13.30	26.70	42.70	50.00	30.60	27.15	19.35	15.90	11.70	13.40	14.30	14.20	24
25	13.10	27.80	43.10	50.50	30.30	28.50	19.30	16.10	12.80	13.90	14.30	14.15	25
26	12.60	29.20	42.80	50.80	30.10	28.70	19.10	15.30	12.80	14.70	15.30	15.20	26
27	12.10	30.20	42.30	51.05	30.20	29.30	18.70	14.40	12.35	15.40	14.70	16.00	27
28	12.00	31.00	42.10	51.20	30.70	29.90	18.50	15.50	13.30	14.90	14.00	18.20	28
29	11.90	32.80	42.30	51.30	31.30	30.40	18.20	16.10	14.40	13.90	14.20	19.60	29
30	12.45		43.00	51.20	31.90	30.70	17.35	16.20	14.00	11.10	15.40	22.80	30
31	12.80		43.90		32.40		16.80	17.60		11.30		25.30	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 a.m. readings (Central War Time)
 Highest: 51.30 on 28-29 April.
 Lowest: 10.70 on 3 Nov.
 Period of record: 30 Aug., 1932 to date.
 Highest for period of record: 58.18 on 4 Feb. 1937
 Lowest for period of record: 5.00 on 24-25 Oct., 1929 and 6 Jan. 1940

RIVER STAGES

MISSISSIPPI River Gauge at WICKLIFFE, KY. for the calendar year 1943

Zero elevation 269.15 feet above M.G.L.

Bank full stage feet on gauge A.H.P. MILES 961.7 L

M.P.C. 5M. 5-3-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	43.00	25.60	23.30	49.40	43.00	52.50	36.90	21.30	15.80	10.70	12.20	11.50	1
2	44.80	25.80	23.65	49.10	42.40	51.70	36.60	22.80	15.70	10.70	12.00	11.30	2
3	46.20	26.70	24.10	48.50	41.60	50.70	35.80	22.80	14.80	10.40	12.10	11.00	3
4	47.00	28.00	24.85	47.50	40.00	49.30	34.65	23.00	13.80	10.80	12.80	11.00	4
5	47.50	29.20	25.10	46.10	37.50	47.80	33.10	23.20	14.30	10.70	12.10	11.20	5
6	47.65	30.75	24.70	44.00	34.60	46.00	31.80	23.00	14.30	10.35	11.40	11.40	6
7	47.40	32.80	23.90	41.40	31.95	44.10	30.60	23.20	15.00	10.60	12.30	11.20	7
8	47.30	34.65	23.20	38.40	29.90	42.60	29.90	22.10	15.20	10.75	13.30	10.90	8
9	47.30	36.05	22.50	35.80	28.70	41.50	29.50	22.10	13.90	10.80	12.80	10.90	9
10	47.40	37.10	21.90	33.75	28.40	40.70	29.40	23.20	14.50	10.50	12.80	10.70	10
11	47.40	37.60	21.80	32.15	30.70	40.20	29.70	24.70	14.00	10.35	14.60	11.20	11
12	47.35	37.70	23.10	30.80	34.75	39.90	29.65	24.70	13.60	10.20	14.40	11.20	12
13	47.00	37.40	25.60	29.90	36.15	39.60	29.60	24.20	13.90	10.50	15.20	11.70	13
14	46.40	37.00	29.30	29.85	37.30	39.40	29.30	20.30	15.10	10.20	15.60	12.10	14
15	45.20	36.65	32.20	30.40	38.75	39.20	28.80	18.20	15.30	10.70	15.50	12.10	15
16	43.60	36.25	33.80	30.85	40.00	39.00	28.60	18.70	14.20	9.90	14.80	12.10	16
17	41.60	35.55	34.85	31.50	40.90	38.90	28.20	19.60	14.20	10.20	13.60	12.10	17
18	38.80	34.75	36.20	31.80	41.60	38.70	27.40	19.90	14.20	11.70	14.20	11.70	18
19	34.95	33.75	38.10	32.15	42.65	38.40	27.00	20.10	13.80	11.40	14.40	10.55	19
20	30.60	32.95	40.80	32.75	44.10	38.10	26.90	20.10	13.40	10.70	14.35	10.30	20
21	27.00	31.65	42.40	33.65	45.70	37.95	26.95	20.00	13.20	10.10	14.10	10.20	21
22	24.20	30.25	43.90	34.95	47.10	38.00	26.20	19.00	13.90	10.10	13.30	9.60	22
23	23.10	28.70	45.40	36.40	48.10	38.00	24.80	18.30	14.40	10.20	13.00	9.50	23
24	23.00	27.35	46.60	38.20	49.10	37.80	22.80	16.80	14.00	11.70	12.95	9.40	24
25	23.30	25.95	47.30	39.90	49.80	37.70	22.50	15.40	14.20	11.90	12.90	9.20	25
26	24.00	24.45	47.90	41.10	50.45	37.10	21.60	15.20	13.35	11.90	12.50	9.35	26
27	24.70	23.45	48.35	41.90	51.45	36.60	21.30	14.60	12.60	12.30	12.00	9.50	27
28	25.30	23.05	48.75	42.50	52.40	36.50	20.90	14.70	12.10	13.30	12.60	11.40	28
29	25.80		49.00	42.80	53.00	36.60	20.80	14.50	10.90	12.40	12.10	12.70	29
30	25.90		49.30	43.00	53.10	36.90	20.80	14.95	11.20	11.20	11.60	12.70	30
31	25.75		49.50		52.95		20.90	15.00		11.20		12.00	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 A.M. READINGS (CENTRAL WAR TIME)
 HIGHEST: 53.10 ON 30 MAY
 LOWEST: 9.20 ON 25 DEC.
 PERIOD OF RECORD: 30 AUG. 1932 TO DATE.
 HIGHEST FOR PERIOD OF RECORD: 58.18 ON 4 FEB. 1937.
 LOWEST FOR PERIOD OF RECORD: 5.00 ON 24-25 OCT. 1939 AND 6 JAN. 1940.

RIVER STAGES

Mississippi River Gauge at Wickliffe, Ky. for the calendar year 1942

Zero elevation 269.15 feet above M.G.L.

Bank full stage feet on gauge A.H.P. Miles 961.7 L

M.R.C. 5M.5-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	24.40	20.00	32.30	37.00	18.85	31.45	38.10	16.30	22.40	18.30	15.70	29.10	1
2	24.80	20.70	30.70	35.45	18.00	30.80	38.10	16.30	21.45	18.75	17.15	28.20	2
3	24.95	20.70	28.60	34.15	18.10	29.80	37.90	16.45	17.50	19.20	17.60	27.20	3
4	25.00	20.40	26.40	32.85	18.70	28.10	37.60	16.80	16.60	19.60	18.80	26.50	4
5	24.40	19.90	24.75	31.60	19.30	25.20	37.00	18.60	16.00	20.30	18.50	26.30	5
6	23.40	19.60	23.75	30.10	19.50	21.80	36.25	18.80	15.20	20.30	18.45	26.30	6
7	22.20	22.10	23.20	28.90	19.85	21.30	35.25	19.80	15.90	18.90	18.95	26.40	7
8	21.10	25.20	22.80	27.90	21.30	21.50	34.25	20.80	16.00	18.65	19.50	27.30	8
9	19.30	27.80	23.70	29.50	22.45	21.50	33.25	22.80	16.45	18.80	19.90	28.30	9
10	18.20	30.20	25.30	33.40	23.80	22.80	32.75	23.10	16.30	19.00	20.30	28.80	10
11	17.15	32.10	26.10	36.70	24.90	23.70	32.65	23.40	17.95	19.45	20.50	28.60	11
12	15.75	33.00	26.50	39.30	25.30	24.50	32.15	23.60	19.30	19.40	20.50	27.90	12
13	14.15	33.00	27.10	41.00	24.85	25.10	31.85	23.70	20.40	18.70	21.00	26.80	13
14	11.60	32.40	28.80	41.90	24.25	26.75	31.55	23.70	20.30	17.30	21.40	25.60	14
15	9.40	31.80	31.50	42.50*	23.75	27.40	31.00	23.60	20.55	16.80	21.40	24.30	15
16	9.25	31.30	34.30	42.40	24.00	28.50	30.25	23.50	19.65	16.20	21.20	23.00	16
17	10.30	31.60	36.00	41.90	25.65	29.30	29.80	23.30	19.80	16.80	21.10	21.70	17
18	12.40	32.20	37.30	41.20	27.20	30.00	29.80	22.80	18.10	16.80	21.10	20.50	18
19	12.60	33.30	38.70	40.60	28.00	30.50	29.35	22.00	17.50	17.30	21.20	19.90	19
20	13.00	34.00	40.40	39.90	28.50	30.60	28.10	19.50	18.30	17.30	21.00	19.30	20
21	14.60	34.10	41.60	39.10	29.20	30.70	25.20	18.10	18.70	17.70	21.00	19.40	21
22	15.40	33.70	42.30	38.20	29.80	31.65	22.60	18.50	18.85	17.55	21.30	19.90	22
23	16.00	33.20	42.75	36.90	30.30	33.05	22.50	19.80	18.90	17.10	22.20	20.00	23
24	16.80	33.00	43.10	35.10	30.30	34.05	22.20	21.75	19.10	16.90	23.30	20.00	24
25	18.90	33.40	43.20	32.75	29.90	34.90	21.90	21.50	19.30	16.80	25.20	20.50	25
26	16.60	33.40	43.10	30.25	29.20	35.60	21.60	21.30	18.80	16.60	27.00	21.20	26
27	18.50	33.45	42.60	27.60	28.50	36.20	21.20	21.30	18.00	15.40	28.20	22.50	27
28	19.20	33.20	42.00	25.00	28.30	36.75	20.40	21.70	17.90	13.40	29.00	24.90	28
29	19.90		41.20	22.00	28.80	37.30	19.00	22.10	18.10	13.50	29.40	30.50	29
30	20.00		40.10	19.30	30.30	37.80	18.45	22.60	18.10	15.00	29.50	36.80	30
31	18.60		38.60		31.40		16.20	22.80		15.60		40.60	31
Sum													
Mean	Time basis: Standard Time prior to 2:00 a.m., Feb. 9, 1942; War Time thereafter.												
High	To convert War Time to Standard Time, subtract one hour.												
Low													

Remarks: 8:00 a.m. readings. *4:00 p.m. reading.

Highest: 43.22 on Mar. 24 and 25.

Lowest: 8.95 at 4:00 p.m., Jan. 15.

Period of record: Aug. 30, 1932 to date.

Highest for period of record: 58.18 on Feb. 4, 1937.

Lowest for period of record: 5.00 on Oct. 24, 25, 1939 and Jan. 6, 1940.

RIVER STAGES

Mississippi River Gauge at Wickliffe, Ky. for the calendar year 1941

Zero elevation 269.15 feet above M.G.L.

Bank full stage 42 feet on gauge

M.R.C. 5M. 5-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	15.75	24.00	12.75	19.60	25.75	10.10	16.60	11.60	11.45	14.40	25.45	18.75	1
2	16.15	24.00	12.20	19.10	24.75	11.50	16.20	12.80	10.85	13.20	26.45	18.20	2
3	16.65	23.50	11.80	18.80	22.25	11.95	15.35	12.90	11.10	13.10	27.65	17.30	3
4	17.55	22.90	11.30	18.70	21.55	13.20	17.30	12.65	11.00	13.85	28.80	16.65	4
5	19.55	22.10	11.10	18.85	20.80	15.00	19.30	9.80	10.00	14.80	29.25	16.30	5
6	21.70	21.20	11.60	19.00	19.75	16.60	19.85	10.20	12.30	15.60	29.55	15.80	6
7	23.20	19.95	11.50	20.20	19.50	17.80	21.60	10.40	12.90	18.80	29.95	15.70	7
8	23.75	18.95	11.90	22.15	18.90	18.90	21.80	8.90	13.70	22.40	30.25	15.50	8
9	23.40	18.15	12.85	23.85	18.30	20.40	21.60	7.90	13.70	24.80	30.75	15.30	9
10	22.80	15.95	13.65	25.55	18.20	20.80	21.50	8.30	12.80	26.35	31.05	14.80	10
11	21.65	14.55	13.95	26.45	18.20	22.30	21.45	7.80	12.70	26.35	31.05	14.80	11
12	20.55	13.70	15.95	26.85	18.20	24.40	21.70	7.50	13.40	26.30	30.65	15.05	12
13	19.45	13.60	16.25	27.05	17.50	26.65	22.30	7.20	12.90	25.95	29.45	14.70	13
14	18.35	13.50	16.85	27.15	17.00	28.95	22.70	8.10	15.10	25.65	27.85	14.10	14
15	17.45	12.10	17.75	27.15	16.50	30.55	22.80	8.20	17.50	26.15	25.65	14.00	15
16	14.65	12.85	18.65	26.95	15.50	31.13	22.80	7.09	17.60	27.15	24.00	14.65	16
17	12.00	14.05	19.35	26.35	14.35	30.75	22.10	9.90	16.70	27.35	22.45	15.30	17
18	12.10	14.25	20.35	25.65	14.70	29.85	18.00	10.90	16.50	26.75	21.80	15.80	18
19	13.45	14.30	21.30	25.40	15.20	28.95	16.30	10.10	16.00	26.05	20.70	15.70	19
20	14.45	15.15	21.70	26.00	16.10	28.45	18.10	12.40	15.80	25.00	19.50	15.50	20
21	15.20	16.05	21.75	27.05	16.10	28.35	17.80	10.20	15.80	23.90	18.90	15.10	21
22	16.15	16.75	21.25	28.55	15.80	28.25	17.30	10.20	15.90	23.10	18.20	13.50	22
23	17.45	16.85	20.65	29.25	14.50	27.65	17.50	10.10	16.50	22.10	18.00	15.00	23
24	16.95	15.95	19.85	30.45	12.85	26.65	18.00	9.80	17.00	21.80	18.10	15.50	24
25	17.75	13.25	19.05	31.05	11.90	25.20	18.40	8.20	17.00	22.60	18.90	16.40	25
26	18.80	12.95	18.05	31.00	12.35	23.85	18.50	8.00	16.30	23.20	19.50	17.50	26
27	19.55	13.05	17.35	30.75	11.30	19.70	14.60	8.20	15.90	23.80	19.50	20.60	27
28	19.95	13.45	18.05	30.00	11.00	17.60	12.30	9.20	15.70	24.00	19.50	22.40	28
29	20.45		18.40	28.55	10.60	16.90	12.30	11.20	15.50	24.60	19.45	23.80	29
30	21.80		18.45	27.05	10.40	16.80	12.00	12.00	14.80	24.80	19.20	24.30	30
31	23.25		18.40		10.80		11.30	11.70		24.80		24.50	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 a.m. readings.

Highest: 31.13 on June 16, and 31.17 on Nov. 10, 4:00 p.m.

Lowest: 7.09 on Aug. 16.

Period of record: Aug. 30, 1932 to date.

Highest for period of record: 58.18 on Feb. 4, 1937.

Lowest for period of record: 5.00 on Oct. 24, 25, 1939, and Jan. 6, 1940.

RIVER STAGES

Mississippi River Gauge at Wickliffe, Ky. for the calendar year 1940

Zero elevation 269.15 feet above M.G.L.

Bank full stage feet on gauge

M.R.C. 5M. 6-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	8.15	7.70	25.50	22.80	43.80	19.60	21.30	10.00	14.50	9.55	6.80	13.50	1
2	7.25	7.90	24.40	23.55	44.30	20.35	20.70	10.10	16.20	8.40	7.20	13.70	2
3	6.45	7.75	23.70	24.00	44.43	20.85	20.20	10.35	16.85	7.50	7.70	13.40	3
4	6.10	7.70	24.00	25.00	44.30	21.15	20.35	10.00	18.80	7.60	9.00	13.45	4
5	5.80	7.60	24.50	26.55	43.90	21.45	20.75	9.80	18.90	7.00	10.00	13.70	5
6	5.00	7.60	26.25	28.65	43.20	21.90	20.80	10.80	18.50	6.20	10.25	13.90	6
7	6.10	7.50	29.00	30.50	41.70	22.30	20.50	11.00	16.80	6.30	10.20	13.60	7
8	7.20	7.40	31.10	31.80	39.40	22.70	19.60	11.95	16.70	6.80	9.65	11.50	8
9	7.10	7.40	32.60	33.00	36.00	23.00	18.80	11.50	14.00	6.20	9.20	10.10	9
10	7.10	7.70	33.20	33.45	32.20	22.85	18.30	12.00	12.80	6.60	7.70	11.25	10
11	7.50	8.60	33.10	33.20	28.70	22.30	18.30	11.00	12.50	6.70	8.95	11.00	11
12	7.40	10.50	33.20	33.20	25.70	21.60	18.80	10.35	12.10	6.35	9.55	11.20	12
13	6.00	13.50	33.40	32.90	23.60	20.80	18.60	9.85	11.10	6.40	9.65	11.85	13
14	6.00	15.30	34.00	32.00	21.90	20.80	15.10	10.00	10.45	6.40	9.30	13.20	14
15	7.90	17.20	34.55	31.40	20.70	21.95	14.30	10.00	10.20	6.20	8.80	13.20	15
16	7.70	19.20	34.60	31.20	18.35	22.20	14.85	9.80	10.80	6.20	9.00	13.45	16
17	9.30	20.70	34.10	31.00	17.00	21.80	15.40	12.30	9.40	6.20	9.80	13.90	17
18	10.10	21.90	32.70	31.30	16.60	21.45	15.70	14.50	9.20	6.50	9.35	14.30	18
19	11.50	24.40	31.10	32.00	16.00	21.45	16.20	15.95	8.00	6.20	9.30	15.10	19
20	11.30	26.20	29.40	34.10	15.70	21.50	16.30	17.00	7.55	6.00	9.50	16.25	20
21	10.55	28.00	27.80	37.00	15.60	21.35	15.75	18.60	7.80	6.30	8.70	15.80	21
22	10.30	29.50	26.50	38.80	15.60	21.20	14.40	19.80	7.35	6.10	9.00	15.90	22
23	10.30	30.40	25.60	40.00	15.60	21.00	13.70	20.00	7.50	5.90	8.20	16.50	23
24	9.70	30.90	24.50	40.75	15.80	20.60	12.35	18.20	7.00	5.57	8.80	17.20	24
25	8.20	30.80	23.30	41.20	16.70	20.10	11.90	14.80	7.85	5.57	10.20	17.50	25
26	7.50	30.60	22.30	41.60	17.40	19.45	11.20	13.80	7.80	6.30	10.40	17.40	26
27	7.35	29.80	21.80	42.00	17.70	19.40	11.00	13.75	8.95	5.80	10.50	17.10	27
28	7.10	28.50	21.50	42.50	17.80	20.35	11.85	13.40	8.00	5.80	11.00	17.00	28
29	7.10	27.00	21.50	43.00	19.10	21.30	11.30	13.20	9.20	7.00	12.00	16.60	29
30	7.10	-	21.55	43.45	18.90	21.50	11.10	13.80	9.30	6.00	12.30	14.50	30
31	7.30	-	21.85	-	19.00	-	10.40	14.10	-	5.60		13.70	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 A.M. Readings

Highest = 44.43, May 3.

Lowest = 5.00, Jan. 6.

" = 5.57, Oct. 24 & 25.

Gage affected by ice floes and jams from Jan. 5 to Feb. 12, 1940.

RIVER STAGES

Mississippi River Gauge at Wickliffe, Ky. for the calendar year 1939

Zero elevation 269.15 feet above M.G.L.

Bank full stage feet on gauge

M.R.C. 5M. 5-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	17.50	27.10	48.30	35.15	48.20	18.40	27.80	17.60	11.10	5.80	8.75	6.20	1
2	18.10	29.90	47.75	35.45	47.40	17.90	27.00	17.10	9.75	5.80	8.60	6.10	2
3	17.90	33.00	47.10	35.90	46.20	18.20	26.30	16.70	9.35	7.60	9.10	6.10	3
4	14.15	35.20	46.60	36.05	44.30	18.10	25.40	16.65	9.20	5.90	8.70	6.25	4
5	13.85	37.10	47.00	36.05	41.70	18.90	24.50	17.20	9.00	5.40	7.00	6.50	5
6	16.55	38.90	47.40	36.80	38.45	19.55	23.80	17.75	9.30	5.10	6.65	6.70	6
7	17.60	40.30	47.50	38.50	34.80	19.90	23.35	16.70	8.65	5.40	6.60	6.60	7
8	18.35	41.40	47.30	39.60	31.45	20.10	23.30	14.70	7.60	5.10	6.50	6.50	8
9	18.70	42.30	47.30	40.80	28.80	20.20	23.10	13.90	7.30	5.30	6.30	6.80	9
10	19.30	43.50	47.30	41.50	26.80	20.20	22.80	13.50	7.90	5.30	6.40	8.00	10
11	19.30	44.70	47.60	41.80	25.25	20.35	23.00	13.45	7.30	5.40	6.20	8.10	11
12	19.00	45.80	48.00	41.70	24.95	20.50	24.00	14.65	7.10	6.00	6.00	7.90	12
13	18.90	46.80	48.30	41.55	25.25	20.60	24.70	13.50	7.60	6.20	5.95	7.50	13
14	19.20	47.70	49.00	41.60	24.40	21.70	24.50	14.60	6.80	6.50	6.00	7.60	14
15	20.35	48.40	49.75	41.60	22.65	21.10	24.00	16.80	6.90	5.70	6.90	7.80	15
16	22.30	48.70	50.40	41.85	22.35	21.20	22.85	17.10	6.90	5.50	6.40	7.80	16
17	23.90	48.85	50.70	43.10	21.80	21.50	18.05	17.00	6.60	5.40	6.40	8.10	17
18	24.40	48.95	50.85	44.50	21.05	21.00	15.35	16.30	7.40	5.35	6.40	8.10	18
19	24.50	49.10	50.85	45.70	20.05	19.40	15.30	13.75	8.40	5.30	6.70	8.10	19
20	24.70	49.50	50.65	46.80	19.45	21.50	15.30	16.00	7.70	5.35	6.65	8.10	20
21	24.60	49.85	50.45	48.00	19.35	23.30	14.90	17.60	7.50	5.30	6.70	8.20	21
22	23.75	50.15	49.85	49.10	18.75	25.50	15.60	18.40	7.40	5.20	6.90	8.05	22
23	22.70	50.30	49.10	49.90	18.95	26.80	15.70	17.30	7.20	5.15	6.70	8.00	23
24	21.50	50.30	48.20	50.30	18.65	27.90	16.55	16.00	6.75	5.00	6.90	10.30	24
25	20.40	50.00	47.05	50.50	18.25	28.70	16.80	14.15	6.45	5.00	7.00	9.60	25
26	19.70	49.70	45.80	50.40	17.85	29.20	17.10	14.10	6.45	5.10	7.00	9.60	26
27	19.20	49.20	44.10	50.10	18.20	29.20	17.20	14.25	6.10	5.80	6.80	9.90	27
28	18.80	48.70	41.90	49.70	18.25	29.00	17.75	14.20	6.00	6.25	6.60	10.10	28
29	18.70		39.30	49.20	18.00	28.60	17.70	13.10	6.10	7.10	6.40	9.40	29
30	20.70		36.90	48.70	17.90	28.20	17.45	11.90	6.00	8.30	6.25	7.80	30
31	24.40		35.70		18.05		17.70	11.00		8.80		6.60	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 A.M. Readings.

Gage inspected May 26, Aug. 4, Oct. 3, Nov. 1, 1939.

Highest reading, 50.85 on Mar. 18 & 19, 1939.

Lowest reading, 5.00 Oct. 24 & 25, 1939.

RIVER STAGES

Mississippi River Gauge at Wickliffe, Ky. for the calendar year 1938

Zero elevation 269.15 feet above M.G.L.

Bank full stage _____ feet on gauge

U.S.M.A.-8-37

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	28.6	31.8	33.8	43.5	31.7	41.4	28.1	28.3	14.9	20.5	10.5	13.6
2	27.5	32.0	33.4	44.4	29.8	41.2	27.6	29.0	14.5	20.5	9.5	14.2
3	26.2	32.5	32.9	44.9	28.0	40.5	27.3	28.7	15.1	21.1	9.0	13.6
4	24.9	32.9	32.2	44.9	26.6	39.8	27.2	28.3	15.4	20.3	8.8	13.7
5	23.9	33.1	31.3	44.4	25.4	38.5	27.3	28.3	14.4	20.5	9.5	13.6
6	23.1	32.6	30.6	43.6	24.4	37.4	27.4	28.6	14.0	19.9	8.9	13.6
7	22.5	31.4	30.2	42.5	23.1	36.3	27.3	28.8	12.5	19.1	9.3	14.9
8	22.0	29.8	30.1	41.4	20.8	35.0	27.2	29.1	12.9	18.3	10.1	15.7
9	21.5	27.9	30.5	40.9	21.0	33.5	27.1	29.3	11.9	17.4	11.6	14.9
10	21.0	26.1	31.7	41.5	21.3	31.6	27.5	29.3	11.9	16.8	11.6	15.7
11	20.6	24.7	33.0	42.6	22.3	29.9	27.8	29.3	11.3	16.2	13.3	15.6
12	20.1	24.1	34.5	43.6	23.0	30.1	27.5	29.0	12.9	14.5	13.5	15.0
13	19.4	24.2	35.9	44.4	22.6	31.1	27.0	28.5	15.5	13.3	13.3	15.0
14	18.6	24.7	37.5	44.8	22.2	31.9	26.8	27.7	16.5	12.1	13.5	15.2
15	16.1	25.5	38.7	45.1	21.9	32.3	26.7	26.2	16.7	11.7	15.0	15.0
16	12.7	26.5	39.6	45.3	21.5	32.1	26.7	24.9	17.6	11.4	14.6	14.8
17	13.3	27.6	40.7	45.2	22.0	31.1	26.6	23.6	18.8	11.3	13.9	14.5
18	13.5	29.5	41.2	44.5	22.5	30.0	26.9	22.6	19.2	11.1	14.3	14.1
19	13.5	32.2	41.3	44.1	22.7	29.4	27.7	21.8	19.6	10.9	15.5	13.1
20	13.3	34.0	41.1	43.5	22.4	29.2	28.7	21.0	20.2	10.6	16.6	13.2
21	13.0	34.9	40.6	43.0	22.3	29.1	29.9	18.0	20.5	10.5	17.7	12.0
22	13.9	35.7	40.0	42.4	23.9	28.9	30.3	17.1	19.5	10.6	20.4	11.6
23	17.7	36.2	39.8	41.5	24.6	28.6	29.9	17.3	19.9	10.5	20.9	11.5
24	20.2	36.2	39.8	40.6	26.3	28.1	28.7	17.0	20.5	10.3	21.0	10.3
25	22.5	35.7	39.9	39.7	29.1	27.8	27.3	17.0	19.7	9.9	21.1	9.9
26	24.7	35.3	40.1	38.8	32.7	27.5	27.2	17.1	19.8	9.9	21.2	11.1
27	26.2	34.8	40.2	37.7	36.1	27.7	27.8	16.3	19.7	9.7	20.6	11.6
28	27.4	34.2	40.1	36.4	38.6	28.4	27.8	16.1	20.8	9.3	20.0	12.4
29	28.9	—	40.0	34.6	40.2	28.8	27.2	15.9	20.7	9.3	18.0	14.2
30	29.9	—	40.5	33.2	41.1	28.6	26.8	15.4	21.0	9.4	15.2	14.8
31	31.0	—	41.8	—	41.5	—	27.0	14.7	—	9.5	—	16.9
Sum												
Mean												
High												
Low												

Remarks: 8:00AM Readings

Gage inspected: Jan. 21; Mar. 29; May 2; June 25; Aug. 24;
Sept. 15; Oct. 19; and Nov. 14.

RIVER STAGES

Mississippi River Gauge at Wickliffe, Ky. for the calendar year 1937

Zero elevation 269.15 feet above M. B. L.

Bank full stage _____ feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	D.
1	20.7	58.0	38.2	28.8	34.1	24.1	27.0	15.5	15.9	7.4	16.4	11.5	1
2	22.4	58.1	36.7	28.1	36.5	23.7	27.3	14.5	15.7	6.4	16.5	12.1	2
3	24.6	58.1	35.3	27.3	39.6	23.4	27.4	14.2	15.5	7.8	16.8	12.8	3
4	28.2	58.2	33.8	26.3	42.2	23.4	27.0	13.4	12.0	7.7	18.1	12.2	4
5	31.4	58.1	32.2	25.3	44.1	23.6	26.4	13.6	10.9	9.2	19.7	11.8	5
6	34.0	58.0	30.6	25.0	46.0	24.3	25.6	13.2	12.4	10.2	21.0	11.0	6
7	36.0	57.7	29.2	24.5	47.3	25.2	23.6	13.7	14.1	9.9	21.6	11.0	7
8	37.7	57.4	28.0	23.8	48.2	25.5	20.5	13.6	13.6	9.8	21.5	10.6	8
9	39.1	57.0	27.7	23.3	48.7	24.9	20.2	13.4	13.6	10.7	20.7	9.4	9
10	40.8	56.4	28.3	22.9	48.7	24.0	20.1	15.3	13.8	11.1	19.6	8.3	10
11	41.9	55.7	29.2	22.9	48.1	23.2	19.8	15.3	14.1	11.6	17.1	10.0	11
12	42.7	55.0	30.0	23.2	47.2	24.8	18.8	14.8	14.1	10.7	10.7	9.3	12
13	43.3	54.2	30.7	23.5	45.8	26.5	18.0	15.2	13.9	9.4	9.5	6.7	13
14	43.9	53.4	31.0	24.0	43.9	27.4	17.6	14.9	14.0	9.2	10.5	5.9	14
15	45.2	52.6	31.1	24.3	42.0	27.2	18.2	14.5	14.1	7.9	11.0	6.1	15
16	46.0	51.7	31.0	24.5	40.4	26.7	17.9	14.8	10.4	8.2	10.6	8.4	16
17	46.7	50.9	30.8	24.7	39.3	26.4	18.5	14.9	10.7	9.1	11.7	10.9	17
18	47.6	50.2	30.4	24.9	38.3	26.3	19.2	15.1	9.7	9.2	11.9	13.6	18
19	48.7	49.5	30.0	25.0	37.2	26.3	20.9	15.1	9.8	10.9	11.8	16.9	19
20	49.5	48.9	29.7	24.8	35.4	26.3	21.3	12.8	9.8	11.4	11.5	18.1	20
21	51.0	48.1	29.6	24.9	33.4	26.5	21.8	12.3	10.1	12.0	11.0	19.8	21
22	53.2	47.0	29.8	25.7	31.5	26.9	21.4	12.4	9.7	13.6	11.2	21.7	22
23	54.9	45.6	30.1	27.2	30.0	26.8	21.1	11.9	7.8	13.8	11.8	23.3	23
24	56.1	44.3	30.1	28.5	28.8	26.2	20.8	12.7	7.5	14.2	10.6	24.8	24
25	57.4	43.1	29.6	29.9	27.8	25.6	20.4	12.1	6.9	15.7	10.7	26.0	25
26	57.2	42.0	29.0	31.4	27.1	25.0	20.1	12.7	8.4	16.2	9.8	27.1	26
27	56.6	40.9	28.5	32.0	26.7	24.5	19.0	14.4	7.0	16.0	10.9	27.9	27
28	56.6	39.6	28.3	32.2	26.5	24.3	16.0	15.1	8.2	16.0	8.9	28.4	28
29	57.0		28.5	32.1	26.1	25.0	16.0	15.0	7.1	16.2	10.1	28.9	29
30	57.4		29.0	32.5	25.5	26.1	15.8	15.5	7.4	16.2	9.7	29.3	30
31	57.7		29.1		24.7		15.8	15.8		16.2		29.4	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 A.M. Readings.

Highest - 58.18, Feb. 4

Lowest - 5.84, Dec. 14

Blasting of B.P.-N.M. fuse plug started at 11:10 A.M. Jan. 25.

RIVER STAGES

Mississippi River Gauge at Wickliffe, Ky. for the calendar year 190

Zero elevation 269.15 feet above M. G. L.

Bank full stage _____ feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	
1	11.9	20.7	39.6	47.7	24.9	15.8	10.1	8.6	8.7	12.3	10.6	9.9	
2	10.8	18.9	35.8	48.9	24.3	16.3	10.8	7.4	8.9	14.9	11.3	9.9	
3	10.3	17.4	36.4	49.5	23.9	15.7	11.4	6.5	8.7	16.6	12.0	8.9	
4	10.6	16.1	36.5	49.9	23.5	16.0	9.7	6.8	7.8	15.2	15.3	9.0	
5	12.0	15.4	36.4	50.4	23.3	16.0	10.4	7.4	9.6	14.7	18.1	8.7	
6	14.0	16.0	36.4	51.2	23.5	15.2	10.6	6.3	8.0	13.8	21.3	7.1	
7	16.4	18.0	36.6	51.7	24.0	16.0	13.0	7.3	7.8	12.0	24.3	10.1	
8	19.4	19.5	36.8	51.8	24.7	15.3	14.9	8.0	7.7	11.9	25.3	11.3	
9	23.2	20.6	37.0	51.9	25.0	15.2	15.6	6.7	8.0	13.2	25.6	14.1	
10	27.5	21.4	37.1	51.9	24.7	14.5	14.8	6.4	9.0	12.4	25.7	16.9	1
11	30.6	22.6	37.0	52.0	24.2	13.8	13.4	7.4	8.1	13.9	25.6	17.4	1
12	32.8	24.0	36.7	52.1	23.6	14.2	11.4	8.0	7.3	13.8	25.9	18.6	1
13	34.0	24.4	36.0	52.2	22.7	14.1	11.6	6.4	7.3	13.6	25.3	17.4	1
14	35.0	25.5	35.1	52.3	21.6	15.3	10.9	6.1	7.2	13.7	25.1	19.8	1
15	35.8	26.7	34.0	52.4	20.8	13.7	10.4	6.0	7.0	14.0	24.7	19.9	1
16	36.2	25.7	32.7	52.4	19.0	13.9	9.7	6.2	7.1	13.2	24.0	19.7	1
17	36.3	24.4	31.7	52.4	19.3	13.6	8.4	7.6	7.6	13.4	23.0	17.1	1
18	35.8	22.8	32.0	52.2	19.8	13.6	9.8	6.9	8.0	14.0	21.6	19.9	1
19	34.8	22.0	32.7	51.9	20.3	12.9	10.5	6.5	7.7	14.2	19.0	17.0	1
20	33.4	21.4	34.0	51.3	19.6	12.6	9.6	5.9	7.9	15.0	14.5	16.0	2
21	31.3	21.3	35.8	50.4	19.7	12.4	9.5	5.4	8.5	14.9	12.5	15.1	2
22	29.0	21.8	37.2	49.0	19.5	12.2	10.8	5.3	9.0	14.7	12.5	14.6	2
23	27.3	22.5	38.3	47.3	18.8	13.1	10.2	5.6	7.6	14.0	12.5	12.4	2
24	26.2	23.2	34.2	44.6	19.0	12.4	9.5	5.7	10.4	13.5	11.6	12.4	2
25	25.4	25.5	40.0	41.1	19.2	12.1	9.8	5.6	11.1	12.5	11.3	13.2	2
26	25.0	30.7	41.1	36.6	18.5	11.7	7.3	6.1	11.3	11.7	11.5	15.5	2
27	24.4	32.8	42.5	32.1	18.5	11.4	9.9	5.7	10.5	11.7	10.1	15.2	2
28	24.5	32.4	43.8	28.6	17.8	11.0	7.6	7.3	10.4	10.0	10.4	15.3	2
29	24.4	32.7	44.8	26.3	17.1	10.8	8.0	6.5	10.2	10.5	9.9	15.3	2
30	23.8	—	45.8	25.7	17.3	10.2	8.6	7.0	10.4	11.3	10.7	16.8	3
31	22.4	—	46.8	—	16.3	—	9.4	7.1	—	11.6	—	17.6	3
Sum													
Mean													
High													
Low													

Remarks: 8:00 A. M. Readings Corrected

RIVER STAGES

Mississippi River Gauge at Wickliffe, Ky. for the calendar year 1935

Zero elevation 269.15 feet above

Bank full stage feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DAY
1	17.6	36.7	27.0	46.0	26.4	42.2	40.0	24.6	15.0	8.4	10.0	15.5	1
2	19.1	35.3	27.7	46.3	24.7	40.9	39.5	24.3	14.4	8.6	10.3	15.9	2
3	19.2	33.6	28.1	46.5	22.7	39.9	38.7	24.1	12.3	8.7	9.9	16.4	3
4	20.0	31.6	28.5	46.6	24.4	37.0	37.5	23.8	12.3	8.5	9.2	16.0	4
5	20.7	29.3	28.9	46.8	26.3	38.5	36.2	23.1	13.6	8.0	9.2	16.8	5
6	20.7	26.7	29.0	47.1	30.1	38.3	35.2	22.1	14.9	7.6	9.6	16.6	6
7	20.2	24.0	27.1	47.3	33.9	38.7	34.5	20.4	15.5	7.8	10.2	15.3	7
8	19.6	22.0	29.4	47.5	36.2	39.3	34.0	19.5	16.0	8.8	10.1	15.4	8
9	19.2	20.8	30.0	47.5	37.5	40.1	33.4	20.2	18.3	7.8	13.1	15.5	9
10	19.0	20.3	30.8	47.6	38.3	40.8	32.8	19.3	20.3	7.9	14.7	15.9	10
11	18.1	20.0	33.9	47.8	39.0	41.2	32.2	19.2	21.8	7.5	16.2	16.2	11
12	17.5	20.1	39.7	47.9	37.6	41.3	31.6	19.7	22.3	7.7	17.6	16.5	12
13	19.8	20.8	42.9	48.0	40.1	41.2	30.8	20.7	21.8	7.5	18.4	18.3	13
14	20.6	22.0	44.5	48.1	40.6	40.9	29.9	21.8	20.8	7.2	20.0	18.5	14
15	21.1	22.9	45.9	48.2	40.9	40.5	29.0	23.3	18.9	7.5	22.0	19.3	15
16	21.7	23.8	47.0	48.1	41.4	39.9	27.8	24.4	17.7	7.7	21.3	20.1	16
17	22.6	24.9	48.0	47.9	42.0	39.5	25.8	25.2	13.4	7.6	22.5	20.6	17
18	23.7	26.2	48.7	47.5	42.6	39.0	21.9	25.1	12.4	7.1	23.1	20.9	18
19	24.4	27.5	49.1	46.8	43.2	38.3	20.8	25.3	11.8	6.9	23.8	21.1	19
20	26.6	28.5	49.3	45.8	43.7	37.3	20.2	25.0	11.0	7.2	23.9	21.9	20
21	30.7	29.2	49.4	44.4	44.3	37.1	17.6	24.8	10.7	8.0	23.6	22.8	21
22	34.7	29.3	49.5	48.7	44.9	38.5	17.1	24.7	10.4	7.9	23.0	23.2	22
23	32.1	28.8	49.6	40.7	45.4	38.9	19.7	24.6	10.3	8.9	22.3	23.0	23
24	37.5	28.1	49.5	38.5	45.7	39.4	21.1	24.0	10.3	7.9	21.3	22.5	24
25	37.9	27.4	49.2	36.4	46.0	40.0	21.3	23.2	10.5	8.7	19.2	21.8	25
26	38.0	26.6	48.7	34.4	46.1	41.1	21.7	21.4	10.3	8.6	15.9	21.1	26
27	38.0	26.0	48.0	32.3	46.0	42.0	22.9	19.0	9.4	8.6	14.8	20.1	27
28	38.1	26.1	47.2	30.6	45.8	42.3	24.4	15.9	9.2	8.4	13.8	18.9	28
29	38.1		46.3	29.2	45.4	41.9	26.0	14.8	8.6	9.6	14.4	17.4	29
30	38.0		45.5	27.7	44.7	41.1	25.5	15.5	9.0	9.9	14.0	15.3	30
31	37.6		45.1		43.5		25.0	15.2		9.0		13.3	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 - A.M. Readings - Corrected.

RIVER STAGES

..... Mississippi River Gauge at Wickliffe, Ky. for the calendar year 1934

Zero elevation 269.27¹⁵ feet above M.G.L.

Bank full stage 36.0 feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	D/
1	181 ⁵	12.4	17.3	37.0	21.9	10.7	10.8	9.2	11.3	11.5	9.8	20.4	1
2	17.5	12.4	18.3	37.6	20.7	9.2	11.2	11.1	10.2	11.8	10.7	20.1	2
3	16.8	12.9	20.0	37.9	19.5	9.2	11.1	12.3	8.9	13.5	9.3 ²	20.2	3
4	16.3	13.1	22.7	38.0	17.8	9.1	10.0	11.8	8.8	15.5	10.6 ⁵	21.4	4
5	15.8	12.0	25.7	37.9	15.3	8.3	9.8	9.8	8.8	16.5	10.9 ⁵	22.4	5
6	15.1	11.4	28.1	37.1	15.6	8.1	10.0	10.8	8.1	16.2	11.9	23.5	6
7	14.7	11.5	30.1	35.3	15.4	10.4	10.2	10.7	7.1	14.5	12.3	23.1	7
8	15.1	11.5	32.2	32.8	15.0	10.2	10.4	10.7	7.8	13.3	12.5	23.3	8
9	17.6	11.7	34.4 ³	30.0	14.6	10.6	10.1	9.7	7.7	10.9	13.5 ⁴	24.0	9
10	20.8	11.6	36.4 ⁰	27.8	13.4	10.7	10.7	8.5	8.1	11.2	14.8	24.3	10
11	23.3	11.6	37.5	25.9	13.1	12.8	9.3	6.8	7.2	11.5	13.7	23.7	11
12	25.8	11.4	38.5	24.5	12.6	13.3	9.3	9.5	9.1	10.8	14.3 ²	22.0	12
13	27.6	11.7	37.5	23.8	12.8	12.8	9.0	10.7	9.8	10.8	13.6	18.2	13
14	28.7	11.1	40.4	33.2	12.6	13.1	10.5	11.1	9.6	10.7	12.0	16.5	14
15	28.9	10.4	40.9	23.2	12.3	13.3	11.6	11.8	9.9	11.5	11.2 ⁶	15.3	15
16	28.0	9.3	40.9	23.5	12.8	13.2	12.0	12.5	9.3	11.6	11.4	14.2	16
17	26.4	9.1	40.5	23.8	13.2	12.3	12.4	12.7	11.6	11.2	10.2	13.8	17
18	24.6	8.7	39.1	24.0	13.4	12.6	12.3	12.7	12.7	10.5	10.0	13.2	18
19	22.8	8.1	36.9 ⁸	23.8	12.9	15.0	11.9	12.0	13.4	10.2	10.3	12.9	19
20	21.0	8.3	33.5	23.6	12.9	16.1	11.4	12.1	13.5	10.2	9.2	13.7	20
21	19.4	8.4	29.7	23.6	12.9	15.8	10.7	13.8	13.2	8.6 ⁵	9.9	13.9	21
22	17.8	8.5	26.5	23.5 ⁶	13.0	15.0	10.3	15.1	12.7	9.3 ²	14.5	14.0	22
23	15.8	8.5	24.9	23.7	13.4	13.8	11.3	15.2	12.2	8.7 ⁶	15.5	13.6	23
24	11.4	8.6	24.4	23.7	13.1	13.4	11.7	16.7	10.4	7.8	15.0	13.5	24
25	11.0	10.9	24.8	23.7	12.5	13.6	11.6	16.7	9.7	8.5 ⁴	15.0	14.0	25
26	11.8	10.9	26.7	24.1	11.2	19.9	9.8	13.3	9.0	8.6 ⁵	15.9	15.2	26
27	12.0	14.5	29.6	24.3	10.8	12.1	9.6	10.7	7.3	8.9 ⁸	17.0	16.1	27
28	11.7	16.8	31.9	24.5	10.8	10.9	8.6	12.1	8.4	8.0 ⁹	18.8	16.2	28
29	11.5		33.6	24.0	10.9	10.3	7.7	11.5	8.4	9.2 ⁶	19.6	16.4	29
30	12.4		35.0	23.0	10.1	11.4	8.9	11.0	11.0	10.0 ⁰	20.5	16.9	30
31	12.4		36.2		10.4		9.9	11.1		10.0 ¹		17.3	31
Sum													
Mean													
High													
Low													

Remarks:

Inspection and levels of Dec. 8 1934 indicate zero of gage should have been 269.15

8:00 A.M. readings corrected.

*Compared with
stage pump
AK-EJR*

RIVER STAGES

FILE 6-17

Mississippi River Gauge at Wickliffe, Ky. for the calendar year 1933

Zero elevation 269.27 feet above above Mean Gulf Level

Bank full stage _____ feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	D.
1	37.5	41.1	42.2	49.9	40.2	47.7	15.0	16.7	10.3	12.4	8.7	8.2	1
2	39.0	40.9	42.1	50.4	38.4	46.2	15.3	16.7	10.5	11.8	7.7	8.3	2
3	40.4	40.6	41.4	51.0	36.3	44.4	16.4	16.7	10.3	11.4	8.1	9.0	3
4	41.1	40.0	39.9	51.5	31.2	42.3	18.5	16.2	12.4	11.5	8.3	9.1	4
5	41.9	39.3	37.5	51.6	32.4	40.2	20.1	15.9	12.1	12.2	7.8	8.3	5
6	42.4	38.3	34.3	51.4	31.6	38.0	20.6	15.5	14.7	12.4	8.4	8.9	6
7	42.6	37.0	31.4	51.0	32.0	35.6	19.9	15.4	15.4	11.6	10.8	9.6	7
8	42.6	35.8	29.0	50.4	32.8	33.3	18.2	15.5	15.5	10.5	11.7	11.2	8
9	42.4	34.2	27.3	49.5	33.5	31.3	17.3	15.5	15.1	10.3	11.1	12.1	9
10	41.9	32.8	26.6	48.5	34.6	29.4	17.5	15.4	14.3	10.0	9.5	13.0	10
11	41.1	31.7	26.5	47.5	36.6	27.4	17.1	14.0	13.6	9.2	8.9	12.8	11
12	39.8	30.5	26.8	46.7	39.1	25.7	16.6	13.3	12.7	9.2	8.8	12.4	12
13	38.7	29.5	26.7	45.9	40.5	24.2	16.0	13.4	11.8	9.1	8.4	12.2	13
14	35.2	28.4	26.3	45.1	42.1	22.7	16.3	13.9	11.7	8.3	8.6	11.1	14
15	35.2	28.0	25.7	44.4	44.7	21.9	15.8	14.4	11.4	8.1	7.9	10.8	15
16	33.5	29.3	25.7	44.5	46.9	21.5	15.1	15.4	12.1	8.3	7.6	8.3	16
17	31.6	30.6	26.2	44.7	48.7	21.4	15.0	16.0	12.1	8.6	8.3	10.8	17
18	29.9	32.0	27.2	44.8	50.1	21.0	15.2	15.7	12.8	8.8	8.7	14.3	18
19	28.0	33.2	29.4	44.9	51.1	20.2	15.5	13.9	11.9	8.0	7.8	16.9	19
20	27.0	34.3	33.0	45.0	51.6	18.2	14.9	12.5	11.3	7.5	8.4	18.0	20
21	26.2	35.5	36.6	45.2	51.8	17.6	13.4	12.2	11.4	7.0	7.6	20.0	21
22	28.2	36.5	39.0	46.2	51.7	17.8	13.9	11.4	10.9	6.9	7.5	22.1	22
23	31.7	37.6	40.7	45.3	51.5	17.6	12.9	11.1	10.8	9.1	8.3	23.5	23
24	31.6	38.6	42.1	45.2	51.3	16.3	12.8	10.2	10.7	10.1	9.1	24.0	24
25	37.3	39.7	43.4	45.0	51.2	16.8	12.9	10.6	11.5	10.4	9.0	24.1	25
26	39.0	40.8	44.5	44.6	51.0	16.5	14.3	10.0	11.6	10.9	8.9	24.2	26
27	39.7	41.5	45.6	44.2	50.9	16.0	15.2	9.5	10.4	9.8	9.9	23.9	27
28	40.3	42.0	46.6	43.5	50.8	16.0	16.5	9.4	12.2	8.6	9.6	23.4	28
29	40.6		47.6	42.6	50.5	16.4	17.1	10.8	12.6	8.8	9.8	22.5	29
30	40.9		48.0	41.5	49.8	15.9	17.4	11.1	12.5	8.6	8.7	21.2	30
31	41.1		48.8		49.9		16.7	10.6		8.6		19.9	31
Sum													
Mean													
High													
Low													

Remarks: Crest 51.6 Apr. 5-1933
8:00 A.M. Readings Corrected

RIVER STAGES

Mississippi River Gauge at Wickliffe, Ky. for the calendar year 1932

Zero elevation 269.27 feet above M. G. L.

Bank full stage 36.0 feet on gauge

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	DA
1									12.0	12.5	13.6	19.5	1
2									11.6	11.5	14.9	17.0	2
3									12.0	10.3	14.9	15.5	3
4									15.2	10.6	15.0	15.2	4
5									14.3	11.4	15.0	14.3	5
6									12.8	11.2	14.5	13.3	6
7									12.8	10.8	14.0	12.5	7
8									12.7	10.8	14.0	13.2	8
9									12.3	10.5	14.1	13.4	9
10									11.3	9.3	13.1	14.0	10
11									11.9	9.9	12.3	14.8	11
12									10.4	10.0	13.5	15.3	12
13									10.6	9.4	14.5	17.5	13
14									9.8	8.8	14.3	18.4	14
15									9.5	9.5	14.7	19.6	15
16									9.1	8.3	15.4	20.3	16
17									9.0	7.5	16.1	20.7	17
18									8.8	10.6	16.5	21.1	18
19									8.5	16.5	16.4	21.3	19
20									8.2	17.9	16.2	20.9	20
21									11.8	17.4	16.0	20.4	21
22									10.1	17.0	17.2	20.0	22
23									8.9	16.1	17.2	19.5	23
24									9.5	15.7	17.5	20.5	24
25									9.6	14.1	18.3	22.6	25
26									8.7	13.2	18.8	23.0	26
27									8.6	12.7	18.9	24.4	27
28									10.3	12.1	19.2	27.5	28
29									11.6	13.2	19.6	29.4	29
30									12.6	13.6	20.0	30.7	30
31								13.0		13.2		34.8	31
Sum													
Mean													
High													
Low													

Remarks: 8:00 - A. M. Readings.