

DAILY STAGES FOR 1994

REELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U.S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 270.22 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.7	12.9	13.1	13.1	12.8	12.2	12.1	11.8	11.7	E 11.4	11.3	11.4
2	12.7	12.9	13.1	13.0	12.8	12.2	12.1	11.8	11.6	E 11.4	11.3	11.4
3	12.7	12.9	13.0	13.1	12.7	12.3	12.1	11.8	11.6	E 11.4	11.2	11.4
4	12.7	12.8	12.9	13.0	12.6	12.3	12.1	11.8	11.6	E 11.4	11.3	11.4
5	12.6	12.8	12.9	13.0	12.7	12.3	12.1	11.9	E 11.6	11.4	11.3	11.4
6	12.6	12.8	12.9	13.0	12.8	12.3	12.1	11.8	11.6	11.4	11.3	11.4
7	12.7	12.8	12.9	13.0	12.7	12.3	12.1	11.8	11.6	11.3	11.3	11.4
8	12.6	12.8	13.0	12.9	12.6	12.3	12.1	11.8	11.6	11.3	11.3	11.4
9	12.6	12.9	13.1	12.9	12.6	12.3	12.1	11.8	11.5	11.4	11.3	11.6
10	12.6	12.9	13.0	13.0	12.6	12.3	12.1	11.8	11.5	11.4	11.4	11.8
11	12.6	12.9	13.0	13.1	12.6	12.3	12.1	11.8	11.5	11.4	11.3	11.9
12	12.6	12.8	13.1	13.0	12.6	12.3	12.1	11.7	11.5	11.4	11.3	11.9
13	12.6	12.9	13.1	13.0	12.6	12.3	12.0	11.7	11.6	11.4	11.3	12.0
14	12.6	12.8	13.0	13.0	12.5	12.3	12.0	11.7	11.6	11.4	11.3	12.1
15	12.6	12.8	13.0	13.0	12.4	12.3	12.0	11.7	11.5	11.4	11.4	12.1
16	12.6	12.9	13.1	12.9	12.4	12.3	12.0	11.7	11.5	11.4	11.4	12.1
17	12.6	12.8	13.0	12.9	12.4	12.3	12.0	11.6	11.5	11.4	11.3	12.1
18	12.6	12.8	12.9	12.8	12.4	12.2	12.0	11.6	11.5	11.4	11.3	12.2
19	12.6	12.7	12.9	12.7	12.4	12.2	12.0	11.6	11.5	11.4	11.3	12.2
20	12.6	12.8	12.9	12.8	12.4	12.2	12.0	11.6	11.5	11.4	11.3	12.2
21	12.6	12.9	12.9	12.8	12.4	12.2	12.0	11.6	11.5	11.4	11.3	12.2
22	12.6	12.9	12.9	12.8	12.4	12.1	12.0	11.6	11.5	11.4	11.4	12.3
23	12.6	13.0	12.8	12.8	12.3	12.1	12.0	11.5	11.4	11.4	11.4	12.3
24	12.6	13.0	12.8	12.7	12.3	12.1	11.9	11.5	11.4	11.4	11.3	12.4
25	12.6	13.1	12.8	12.7	12.3	12.1	11.9	11.5	11.4	11.4	11.3	12.3
26	12.7	13.1	12.8	12.7	12.3	12.1	11.9	11.4	11.4	11.4	11.3	12.3
27	12.9	13.1	13.0	12.7	12.3	12.2	11.9	11.4	E 11.4	11.4	11.3	12.3
28	13.0	13.1	13.1	12.9	12.3	12.1	11.9	11.4	E 11.4	11.3	11.4	12.3
29	13.0	----	13.2	12.9	12.2	12.1	11.9	11.4	11.5	11.3	11.4	12.4
30	13.0	----	13.2	12.9	12.2	12.1	11.9	11.7	E 11.4	11.3	11.4	12.3
31	12.9	----	13.1	----	12.2	----	11.9	11.7	----	11.3	----	12.3
MEAN	12.7	12.9	13.0	12.9	12.5	12.2	12.0	11.7	11.5	11.4	11.3	12.0
MAX	13.0	13.1	13.2	13.1	12.8	12.3	12.1	11.9	11.7	11.4	11.4	12.4
MIN	12.6	12.7	12.8	12.7	12.2	12.1	11.9	11.4	11.4	11.3	11.2	11.4

E-ESTIMATED

THE MEAN STAGE FOR THE YEAR 12.2

HIGHEST STAGE WAS 13.18 29 MAR 1994

LOWEST STAGE WAS 11.24 3 NOV 1994

DAILY STAGES FOR 1993

REELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U.S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 270.22 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.4	12.9	12.8	12.9	12.7	12.6	12.5	11.9	11.9	11.6	11.7	12.9
2	12.4	12.9	12.8	12.9	12.7	12.5	12.5	11.9	11.8	11.7	11.7	12.9
3	12.3	12.9	12.9	12.9	12.7	12.5	12.5	11.9	11.8	11.7	11.7	13.1
4	12.4	12.8	12.9	12.9	12.8	12.5	12.5	11.8	11.8	11.7	11.7	13.3
5	12.5	12.8	13.0	12.9	12.8	12.6	12.4	11.8	11.8	11.7	11.7	13.5
6	12.6	12.8	13.0	12.9	12.8	12.5	12.4	11.8	11.8	11.7	11.7	13.5
7	12.6	12.8	12.9	12.8	12.7	12.5	12.3	11.8	11.8	11.7	11.7	13.4
8	12.7	12.8	12.9	12.8	12.7	12.5	12.3	11.8	11.8	11.7	11.7	13.4
9	12.7	12.7	12.9	13.0	12.8	12.5	12.3	11.8	11.7	11.7	11.7	13.3
10	12.7	12.7	12.9	13.1	12.7	12.5	12.3	11.8	11.7	11.7	11.7	13.2
11	12.7	12.8	12.9	13.1	12.8	12.6	12.3	11.7	11.7	11.6	11.6	13.2
12	12.7	12.8	12.9	13.1	12.7	12.7	12.2	11.8	11.7	11.6	11.6	13.1
13	12.6	12.8	12.8	13.2	12.7	12.6	12.2	11.9	11.6	11.6	11.7	13.1
14	12.7	12.8	12.7	13.1	12.7	12.6	12.2	11.9	11.6	11.6	11.8	13.1
15	12.7	12.8	12.6	13.2	12.7	12.6	12.2	11.9	11.7	11.6	11.9	13.1
16	12.7	12.8	12.7	13.2	12.7	12.6	12.2	11.8	11.7	11.6	12.0	13.1
17	12.7	12.9	12.8	13.2	12.7	12.6	12.2	11.8	11.7	11.6	12.3	13.0
18	12.7	12.8	12.8	13.1	12.7	12.5	12.1	11.8	11.7	11.6	12.5	13.0
19	12.7	12.8	12.7	12.9	12.7	12.5	12.1	11.9	11.7	11.7	12.7	13.0
20	12.6	12.8	12.7	12.9	12.6	12.5	12.1	11.9	11.7	11.7	12.8	12.9
21	12.6	12.7	12.7	12.9	12.6	12.5	12.1	11.9	11.7	11.8	12.8	12.9
22	12.7	12.8	12.7	12.7	12.6	12.5	12.1	11.8	11.7	11.8	12.9	12.9
23	12.7	12.8	12.8	12.7	12.5	12.4	12.1	11.8	11.7	11.8	12.9	12.9
24	12.9	12.8	12.8	12.7	12.5	12.4	12.1	11.8	11.7	11.8	12.9	12.8
25	13.0	12.8	12.9	12.7	12.6	12.5	12.0	11.8	11.7	11.7	12.9	12.8
26	13.1	12.8	12.9	12.8	12.6	12.5	12.0	11.8	11.8	11.7	13.0	12.7
27	13.0	12.8	12.9	12.7	12.5	12.5	12.0	11.8	11.7	11.7	13.0	12.8
28	13.0	12.8	12.9	12.7	12.5	12.5	12.0	11.8	11.7	11.7	12.9	12.8
29	13.1		12.9	12.7	12.5	12.6	12.0	11.7	11.7	11.8	13.0	12.8
30	13.0		12.9	12.7	12.6	12.6	12.0	11.8	11.7	11.8	13.0	12.7
31	12.9		12.9		12.6		11.9	11.9		11.7		12.7

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	12.70	12.80	12.84	12.91	12.65	12.53	12.20	11.82	11.73	11.68	12.23	13.02
MAX.	13.1	12.9	13.0	13.2	12.8	12.7	12.5	11.9	11.9	11.8	13.0	13.5
MIN.	12.3	12.7	12.6	12.7	12.5	12.4	11.9	11.7	11.6	11.6	11.6	12.7

HIGHEST STAGE WAS 13.47 ON DEC. 6.

LOWEST STAGE WAS 11.58 ON OCT. 16.

REELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U.S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY MEAN STAGE IN FEET

GAGE ZERO, 270.22 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	E 12.7	E 12.7	E 12.8	12.7	12.2	12.0	12.1	11.7	11.6	11.9	11.8	12.0
2	12.7	E 12.7	E 12.8	12.7	12.2	12.0	12.0	11.6	11.5	11.8	11.8	12.0
3	12.7	12.7	E 12.9	12.6	12.3	12.1	12.0	11.6	11.5	11.8	11.8	12.0
4	E 12.7	12.6	12.8	12.6	12.2	12.1	12.0	11.7	11.5	11.8	11.9	12.0
5	E 12.7	12.6	12.8	12.6	12.2	12.1	12.0	11.6	11.5	11.8	11.9	12.1
6	12.7	12.6	12.7	12.6	12.2	12.1	12.1	11.6	11.5	11.8	11.9	12.0
7	12.7	12.6	12.7	12.5	12.2	12.2	12.0	11.6	11.6	11.8	11.8	12.0
8	12.8	E 12.6	12.7	12.5	12.2	12.2	12.0	11.5	11.7	11.7	11.8	12.0
9	12.8	E 12.6	12.7	12.5	12.1	12.3	12.0	11.5	11.7	11.7	11.8	12.0
10	12.8	12.6	12.8	12.5	12.1	12.3	11.9	11.6	11.8	11.7	11.8	12.0
11	E 12.8	12.6	12.8	12.5	12.1	12.3	11.9	11.7	11.8	11.7	11.8	12.1
12	E 12.8	12.6	12.8	12.6	12.1	12.3	11.9	11.7	11.8	11.7	11.9	12.1
13	12.9	12.6	12.8	12.5	12.1	12.3	11.8	11.7	11.8	11.7	11.9	12.1
14	12.9	12.7	12.8	12.5	12.1	12.3	11.8	11.6	11.8	11.6	11.9	12.1
15	12.9	12.8	12.8	12.4	12.1	12.3	11.8	11.6	11.8	11.6	11.9	12.0
16	12.9	12.9	12.8	12.4	12.1	12.3	11.8	11.6	11.8	11.8	11.9	12.1
17	12.9	E 12.9	12.7	12.4	12.0	12.3	11.8	11.6	11.8	11.9	11.8	12.1
18	E 12.8	12.9	12.8	12.4	12.0	12.3	11.8	11.5	11.8	11.8	11.9	12.1
19	E 12.8	12.9	12.9	12.4	12.0	12.3	11.8	11.5	11.8	11.8	11.9	12.1
20	E 12.8	12.9	13.0	12.4	12.0	12.3	11.8	11.5	11.8	11.8	11.8	12.2
21	12.8	12.9	12.9	12.4	12.0	12.3	11.7	11.5	11.8	11.8	11.9	12.2
22	12.8	E 12.9	13.0	12.4	12.0	12.2	11.7	11.5	11.9	11.8	11.9	12.2
23	12.8	E 12.9	12.9	12.4	12.0	12.2	11.7	11.5	11.9	11.8	11.9	12.2
24	12.8	12.9	12.9	12.4	12.0	12.1	11.7	11.6	11.9	11.8	12.0	12.2
25	E 12.8	12.9	12.9	12.4	12.0	12.1	11.7	11.5	11.8	11.8	12.0	12.2
26	E 12.8	12.9	12.9	12.4	12.0	12.2	11.7	11.5	11.9	11.8	12.0	12.3
27	12.8	12.9	12.9	12.4	12.0	12.1	11.7	11.6	11.9	11.8	12.0	12.3
28	12.8	12.9	12.8	12.3	12.0	12.1	11.7	11.6	11.9	11.8	12.0	12.3
29	12.8	E 12.9	12.8	12.3	12.0	12.1	11.7	11.6	11.9	11.8	12.0	12.3
30	12.7		12.8	12.3	12.0	12.1	11.7	11.6	11.9	11.8	12.0	12.3
31	12.7		12.7		12.0		11.7	11.6		11.8		12.4

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	12.79	12.76	12.82	12.46	12.08	12.18	11.83	11.58	11.76	11.78	11.88	12.13
MAX.	12.9	12.9	13.0	12.7	12.3	12.3	12.1	11.7	11.9	11.9	12.0	12.4
MIN.	12.7	12.6	12.7	12.3	12.0	12.0	11.7	11.5	11.5	11.6	11.8	12.0

E- ESTIMATED.

HIGHEST STAGE WAS 12.95 ON MAR 20 AND 22.

LOWEST STAGE WAS 11.48 ON AUG 22.

REELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U.S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY MEAN STAGE IN FEET

GAGE ZERO, 270.22 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	13.9	12.4	12.4	12.4	12.6	12.6	12.2	11.6	11.3	11.4	E 11.4	E 12.0
2	13.9	12.4	12.4	12.4	12.6	12.6	12.2	11.6	11.3	11.3	E 11.4	12.0
3	13.8	12.4	12.5	12.4	12.6	12.6	12.2	11.6	11.4	11.3	E 11.4	12.1
4	13.7	12.4	12.5	12.4	12.6	12.6	12.2	11.5	11.5	11.3	11.4	12.1
5	13.7	12.4	12.4	12.4	12.6	12.6	12.1	11.5	11.6	E 11.3	11.4	12.1
6	13.7	12.7	12.4	12.4	12.6	12.6	12.1	11.5	11.6	E 11.3	11.4	12.2
7	13.7	12.8	12.4	12.4	12.5	12.5	12.1	11.5	11.6	11.3	11.4	12.2
8	13.6	12.9	12.4	12.4	12.5	12.5	12.1	11.4	11.6	11.3	11.3	E 12.2
9	13.6	12.9	12.4	12.4	12.5	12.4	12.0	11.4	11.6	11.3	E 11.3	12.3
10	13.6	12.9	12.3	12.5	12.5	12.4	12.0	11.4	11.6	11.3	E 11.3	12.3
11	13.5	12.8	12.3	12.5	12.6	12.4	12.0	11.4	11.5	11.3	E 11.4	12.3
12	13.5	12.7	12.2	12.4	12.7	12.4	12.0	11.4	11.5	E 11.3	11.4	12.3
13	13.4	12.7	12.3	12.4	12.7	12.5	12.0	11.4	11.5	E 11.3	11.4	12.5
14	13.3	12.8	12.3	12.6	12.7	12.5	12.0	11.4	11.5	E 11.3	11.3	E 12.5
15	13.3	12.8	12.3	12.7	12.7	12.4	12.0	11.4	11.4	E 11.3	11.4	E 12.6
16	13.2	12.8	12.3	12.7	12.7	12.4	12.0	11.3	11.4	11.2	E 11.4	12.6
17	13.1	12.8	12.3	12.7	12.7	12.4	11.9	11.2	11.4	11.2	E 11.4	12.6
18	13.0	12.8	12.3	12.7	12.7	12.4	11.9	11.2	11.4	11.2	11.4	12.6
19	12.9	12.8	12.4	12.7	12.7	12.4	11.9	11.2	11.5	E 11.2	11.4	E 12.6
20	12.8	12.8	12.3	12.6	12.7	12.4	11.8	11.2	11.5	E 11.2	11.6	12.6
21	12.7	12.8	12.3	12.6	12.6	12.3	11.8	11.2	11.5	11.2	11.7	E 12.6
22	12.6	12.8	12.5	12.5	12.6	12.3	11.8	11.2	11.5	11.2	11.8	E 12.7
23	12.6	12.7	12.5	12.4	12.6	12.3	11.7	11.2	11.5	11.1	E 11.8	12.7
24	12.6	12.7	12.6	12.4	12.7	12.3	11.7	11.2	11.5	11.1	E 11.8	12.7
25	12.5	12.7	12.6	12.4	12.7	12.3	11.7	11.2	11.4	11.1	11.8	12.8
26	12.5	12.5	12.6	12.4	12.7	12.3	11.7	11.2	11.4	11.2	11.8	12.8
27	12.5	12.4	12.5	12.4	12.7	12.3	11.7	11.2	11.4	E 11.3	E 11.9	12.8
28	12.5	12.4	12.5	12.4	12.7	12.3	11.7	11.2	11.4	11.3	E 11.9	E 12.8
29	12.4		12.5	12.5	12.6	12.2	11.7	11.2	11.4	11.4	E 11.9	E 12.8
30	12.5		12.5	12.5	12.6	12.2	11.6	11.3	11.4	11.4	E 11.9	12.8
31	12.4		12.4		12.6		11.6	11.3		11.5		12.7

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	13.13	12.67	12.41	12.48	12.62	12.41	11.92	11.34	11.46	11.27	11.53	12.46
MAX.	13.9	12.9	12.6	12.7	12.7	12.6	12.2	11.6	11.6	11.5	11.9	12.8
MIN.	12.4	12.4	12.2	12.4	12.5	12.2	11.6	11.2	11.3	11.1	11.3	12.0

E- ESTIMATED.

HIGHEST STAGE WAS 13.89 ON JAN 1.

LOWEST STAGE WAS 11.13 ON OCT 24 AND 25.

REELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U.S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957; LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

MEAN DAILY STAGES IN FEET

GAGE ZERO, 270.22 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	11.3	12.1	12.8	12.6	12.8	12.6	11.9	11.5	11.1	11.0	11.9	12.0
2	11.3	12.3	12.7	12.6	12.8	12.6	11.9	11.5	11.0	11.0	11.9	12.0
3	11.3	12.6	12.7	12.6	12.8	12.6	11.9	11.4	11.0	11.0	11.9	12.1
4	11.3	12.7	12.6	12.5	12.8	12.6	11.9	11.4	11.0	11.0	11.9	12.1
5	11.4	12.8	12.6	12.5	12.8	12.5	11.8	11.5	11.0	11.0	11.9	12.1
6	11.4	12.9	12.5	12.5	12.7	12.4	11.8	11.5	11.0	11.0	12.0	12.1
7	11.4	12.8	12.5	12.4	12.6	12.4	11.8	11.4	11.0	11.1	12.0	12.1
8	A	12.8	12.4	12.4	12.6	12.4	11.8	11.4	11.0	11.3	12.0	12.1
9	A	12.9	12.5	12.3	12.5	12.4	11.8	11.4	11.0	11.5	12.0	12.1
10	11.3	12.9	12.5	12.3	12.5	12.4	11.7	11.3	11.0	11.6	12.0	12.1
11	11.3	12.9	12.4	12.4	12.5	12.4	11.8	11.3	11.1	11.7	12.0	12.1
12	11.3	12.8	12.4	12.3	12.4	12.3	11.8	11.3	11.0	11.8	12.0	12.1
13	11.3	12.7	12.4	12.3	12.4	12.3	11.8	11.3	11.0	11.9	12.0	12.1
14	11.3	12.7	12.4	12.3	12.4	12.3	11.7	11.3	11.0	11.9	12.0	12.1
15	11.2	13.0	12.5	12.3	12.3	12.3	11.7	11.3	11.0	12.0	11.9	12.1
16	11.2	13.4	12.5	12.3	12.3	12.3	11.7	11.3	11.0	12.0	11.9	12.2
17	11.3	13.6	12.5	12.4	12.4	12.2	11.7	11.4	11.0	12.0	12.0	12.3
18	11.4	13.6	12.5	12.4	12.4	12.2	11.6	11.3	10.9	12.0	11.9	12.6
19	11.5	13.6	12.5	12.3	12.4	12.2	11.6	11.3	11.0	12.0	11.9	12.7
20	11.6	13.5	12.5	12.4	12.4	12.1	11.6	11.3	11.0	12.0	11.9	12.9
21	11.6	13.4	12.4	12.4	12.5	12.1	11.6	11.3	11.0	12.0	11.9	12.9
22	11.7	13.3	12.3	12.5	12.5	12.1	11.6	11.3	11.1	12.0	11.9	A
23	11.7	13.2	12.4	12.5	12.4	12.1	11.6	11.2	11.1	12.0	11.9	A
24	11.9	13.2	12.4	12.5	12.4	12.1	11.6	11.2	11.1	12.0	11.9	A
25	11.8	13.1	12.4	12.4	12.4	12.1	11.6	11.2	11.0	12.0	11.9	A
26	11.9	13.0	12.3	12.4	12.4	12.1	11.6	11.2	11.0	12.0	11.9	A
27	11.8	12.8	12.3	12.4	12.5	12.0	11.6	11.2	11.1	12.0	11.9	13.8
28	11.9	12.8	12.3	12.5	12.7	12.0	11.5	11.1	11.0	12.0	12.0	13.9
29	12.0		12.3	12.7	12.7	12.0	11.5	11.1	11.0	12.0	12.1	14.1
30	11.9		12.4	12.8	12.7	11.9	11.5	11.1	11.1	11.9	12.0	14.1
31	12.0		12.5		12.7		11.5	11.1		11.9		13.9

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	12.97	12.47	12.44	12.53	12.26	11.70	11.30	11.02	11.70	11.94		
MAX.	13.6	12.8	12.8	12.8	12.6	11.9	11.5	11.1	12.0	12.1		
MIN.	12.1	12.3	12.3	12.3	11.9	11.5	11.1	10.9	11.0	11.9		

A- NO RECORD.

HIGHEST STAGE WAS 14.06 ON DEC. 30.

LOWEST STAGE WAS 10.93 ON SEP. 18.

DAILY STAGES FOR 1989

61

REELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U.S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

MEAN DAILY STAGE IN FEET

GAGE ZERO, 270.22 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.7	12.4	14.1	12.4	12.3	12.1	12.3	12.2	11.6	11.4	11.2	A
2	12.7	12.5	13.9	12.4	12.3	12.1	12.4	12.1	11.6	11.4	11.2	A
3	12.7	12.8	13.7	12.4	12.2	12.1	12.3	12.1	11.6	11.4	11.2	A
4	12.6	12.9	13.7	12.7	12.2	12.1	12.3	12.1	11.6	11.4	11.1	A
5	12.5	13.0	13.9	12.9	12.3	12.1	12.3	12.0	11.5	11.3	11.1	A
6	12.5	13.0	14.0	13.0	12.3	12.1	12.3	12.1	11.5	11.4	11.1	A
7	12.5	12.9	14.0	13.0	12.3	12.1	12.2	12.1	11.5	11.4	11.2	A
8	12.6	12.9	14.0	13.0	12.2	12.0	12.2	12.0	11.6	11.3	11.2	A
9	12.6	12.8	13.9	12.9	12.3	12.0	12.2	12.0	11.6	11.3	11.2	11.3
10	12.5	12.7	13.8	12.8	12.3	12.0	12.2	12.0	11.6	11.3	11.2	11.2
11	12.5	12.7	13.7	12.7	12.3	12.0	12.2	12.0	11.6	11.3	11.2	11.3
12	12.7	12.6	13.6	12.7	12.2	12.2	12.3	11.9	11.6	11.3	11.2	11.3
13	12.9	12.7	13.5	12.6	12.2	12.3	12.4	11.9	11.6	11.3	11.2	11.3
14	13.0	13.2	13.3	12.6	12.2	12.3	12.4	11.9	11.6	11.3	11.2	11.2
15	13.1	13.9	13.2	12.5	12.2	12.3	12.3	11.9	11.6	11.2	A	11.3
16	13.1	14.6	13.1	12.5	12.2	12.4	12.2	11.9	11.6	11.3	A	11.2
17	13.1	14.8	12.9	12.4	12.2	12.4	12.2	11.8	11.5	11.4	A	11.2
18	13.1	14.8	12.9	12.4	12.1	12.4	12.2	11.8	11.5	11.4	A	11.2
19	13.0	14.7	12.8	12.4	12.1	12.5	12.2	11.8	11.5	11.3	A	I
20	13.0	14.7	12.7	12.4	12.1	12.4	12.2	11.7	11.5	11.3	A	I
21	12.9	14.8	12.7	12.4	12.1	12.4	12.2	11.7	11.5	11.3	A	I
22	12.8	14.8	12.6	12.4	12.2	12.3	12.2	11.7	11.5	11.2	A	I
23	12.7	14.8	12.5	12.3	12.2	12.3	12.2	11.7	11.5	11.2	A	I
24	12.7	14.6	12.4	12.3	12.2	12.3	12.2	11.7	11.4	11.2	A	I
25	12.6	14.4	12.4	12.3	12.1	12.3	12.2	11.7	11.4	11.2	A	I
26	12.6	14.3	12.4	12.3	12.1	12.2	12.2	11.7	11.4	11.2	A	I
27	12.5	14.3	12.3	12.3	12.2	12.2	12.2	11.7	11.4	11.2	A	I
28	12.5	14.1	12.3	12.3	12.2	12.3	12.1	11.6	11.3	11.2	A	11.2
29	12.5		12.4	12.3	12.1	12.3	12.2	11.6	11.3	11.2	A	11.2
30	12.4		12.4	12.3	12.1	12.3	12.1	11.6	11.4	11.2	A	11.3
31	12.4		12.5		12.1		12.2	11.6		11.2		11.3

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	12.70	13.66	13.14	12.52	12.18	12.21	12.23	11.85	11.50	11.28		
MAX.	13.1	14.8	14.1	13.0	12.3	12.5	12.4	12.2	11.6	11.4		
MIN.	12.4	12.4	12.3	12.3	12.1	12.0	12.1	11.6	11.3	11.2		

A- NO RECORD.

I- ICE.

HIGHEST RECORDED STAGE WAS 14.84 ON FEB 17 AND 18.

LOWEST STAGE WAS NOT DETERMINED.

REELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U.S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

MEAN DAILY STAGE IN FEET

GAGE ZERO, 270.22 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.8	12.8	12.5	12.6	12.3	11.9	11.3	A	10.9	11.2	10.9	13.1
2	12.8	12.9	12.4	12.6	12.3	11.9	11.4	A	10.9	11.2	10.9	13.0
3	12.7	13.0	12.4	12.5	12.2	11.9	11.4	A	11.0	11.2	10.9	12.9
4	12.7	13.1	12.4	12.5	12.3	11.9	11.3	A	11.0	11.2	10.9	12.9
5	12.6	13.1	12.4	12.4	12.3	11.9	11.3	A	11.0	11.2	10.9	12.8
6	12.6	13.0	12.4	12.5	12.3	11.8	11.3	A	11.0	11.2	10.9	12.7
7	12.6	12.8	12.4	12.5	12.2	11.8	11.3	A	10.9	11.2	11.0	12.6
8	12.6	12.8	12.4	12.4	12.2	11.8	11.3	A	10.9	11.2	11.0	12.6
9	12.5	12.8	12.5	12.4	12.2	11.8	11.3	A	10.9	11.2	11.0	12.5
10	12.5	12.7	12.5	12.4	12.2	11.7	11.2	A	10.9	11.2	11.0	12.4
11	12.5	12.8	12.4	12.3	12.2	11.7	11.2	A	10.9	11.2	11.1	12.4
12	12.5	12.7	12.4	12.3	12.1	11.7	11.2	A	10.9	11.2	11.0	12.3
13	12.5	12.7	12.4	12.2	12.1	11.6	11.3	A	10.9	11.1	11.1	12.2
14	12.5	12.6	12.4	12.2	12.1	11.6	11.3	A	10.9	11.1	11.1	12.1
15	12.5	12.7	12.3	12.2	12.1	11.6	11.3	A	10.9	11.1	A	12.2
16	12.5	12.7	12.3	12.2	12.1	11.6	11.2	A	10.9	11.1	A	12.2
17	12.5	12.7	12.3	12.2	12.1	11.6	11.2	A	10.9	11.1	A	12.2
18	12.5	12.7	12.3	12.3	12.1	11.6	11.2	A	10.9	11.1	A	12.1
19	12.7	12.7	12.3	12.4	12.0	11.5	11.2	11.2	11.0	11.0	11.9	12.1
20	12.9	12.7	12.2	12.4	12.0	11.5	11.1	11.2	11.0	10.9	12.4	12.1
21	13.1	12.7	12.3	12.4	12.0	11.5	A	11.1	11.0	10.9	12.9	12.2
22	13.1	12.5	12.3	12.4	12.0	11.5	A	11.1	11.0	10.9	13.1	12.2
23	13.0	12.7	12.2	12.4	12.0	11.4	A	11.1	11.0	10.9	13.2	12.2
24	13.0	12.6	12.2	12.4	12.1	11.4	A	11.1	11.1	10.9	13.2	12.2
25	12.9	12.6	12.3	12.4	12.1	11.4	A	11.1	11.1	10.9	13.1	12.3
26	12.9	12.6	12.4	12.4	12.1	11.4	A	11.0	11.1	10.9	13.1	12.3
27	12.8	12.6	12.4	12.3	12.0	11.3	A	11.0	11.1	10.9	13.2	12.3
28	12.7	12.6	12.4	12.3	12.0	11.3	A	11.0	11.1	11.0	13.2	12.6
29	12.7	12.6	12.4	12.3	12.0	11.3	A	11.0	11.0	11.0	13.2	12.7
30	12.7		12.5	12.3	12.0	11.3	A	11.0	11.0	11.0	13.2	12.7
31	12.7		12.6		12.0		A	11.0		11.0		12.8

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	12.69	12.73	12.37	12.37	12.11	11.60			10.97	11.06		12.44
MAX.	13.1	13.1	12.6	12.6	12.3	11.9			11.1	11.2		13.1
MIN.	12.5	12.5	12.2	12.2	12.0	11.3			10.9	10.9		12.1

A- NO RECORD.

HIGHEST STAGE WAS 13.22 ON NOV. 27 AND 28.

LOWEST STAGE WAS NOT DETERMINED.

REELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U.S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.
DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 270.22 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.1	12.3	12.6	12.1	12.1	12.2	11.9	11.6	11.1	10.8	10.5	11.0
2	12.1	12.4	12.8	12.1	12.1	12.2	12.1	11.6	11.1	10.7	10.5	11.0
3	12.1	12.4	12.8	12.2	12.1	12.3	12.0	11.6	11.1	10.7	10.5	10.9
4	12.2	12.4	12.8	12.2	12.1	12.3	12.0	11.6	11.1	10.7	10.5	11.0
5	12.2	12.4	12.7	12.1	12.1	12.3	12.0	11.6	11.1	10.7	10.6	11.0
6	12.1	12.4	12.7	12.1	12.1	12.3	12.0	11.5	11.0	10.7	10.5	11.0
7	12.2	12.3	12.6	12.1	12.1	12.2	12.0	11.5	11.0	10.7	10.5	11.0
8	12.2	12.3	12.6	12.1	12.1	12.2	12.0	11.5	11.0	10.6	10.4	11.0
9	12.2	12.3	12.5	12.1	12.0	12.2	12.0	11.4	11.0	10.6	10.5	11.0
10	12.2	12.2	12.5	12.1	12.0	12.2	12.0	11.5	11.0	10.6	10.7	11.0
11	12.2	12.2	12.4	12.1	12.0	12.1	12.0	11.5	10.9	10.6	10.5	11.0
12	12.2	12.2	12.3	12.1	12.0	12.1	12.0	11.5	10.9	10.6	10.5	11.0
13	12.2	12.2	12.2	12.1	12.0	12.1	11.9	11.4	10.9	10.6	10.5	11.0
14	12.2	12.2	12.2	12.2	12.0	12.1	11.9	11.4	10.9	10.6	10.5	11.2
15	12.2	12.3	12.1	12.2	12.0	12.1	11.9	11.4	10.9	10.6	10.5	11.1
16	12.3	12.4	12.1	12.3	12.0	12.0	11.9	11.3	10.9	10.5	10.5	11.2
17	12.3	12.3	12.1	12.4	12.0	12.1	11.9	11.3	10.9	10.6	10.6	11.3
18	12.4	12.3	12.2	12.4	11.9	12.0	11.8	11.3	10.9	10.5	10.6	11.4
19	12.2	12.3	12.2	12.4	11.9	12.0	11.8	11.4	10.9	10.5	10.6	11.4
20	12.3	12.3	12.2	12.4	11.9	12.0	11.7	11.3	10.9	10.6	10.7	11.5
21	12.3	12.3	12.2	12.4	11.9	12.0	11.7	11.3	10.9	10.5	10.6	11.5
22	12.3	12.3	12.2	12.3	11.9	12.0	11.7	11.3	10.9	10.5	10.6	11.5
23	12.3	12.3	12.1	12.3	11.9	12.1	11.7	11.3	10.9	10.5	10.5	11.5
24	12.4	12.3	12.0	12.3	11.9	12.1	11.7	11.3	10.8	10.5	10.6	11.5
25	12.4	12.3	12.0	12.3	12.0	12.0	11.8	11.2	10.8	10.5	10.7	11.9
26	12.4	12.3	12.0	12.2	12.1	12.0	11.7	11.2	10.8	10.5	10.8	12.2
27	12.4	12.3	12.0	12.2	12.1	12.0	11.7	11.2	10.8	10.6	10.9	12.5
28	12.3	12.5	12.1	12.2	12.0	12.0	11.7	11.2	10.8	10.6	10.9	12.7
29	12.3		12.1	12.2	12.0	11.9	11.7	11.2	10.8	10.5	10.9	12.7
30	12.3		12.2	12.1	12.0	11.9	11.7	11.2	10.8	10.5	10.9	12.8
31	12.3		12.1		12.1		11.6	11.1		10.5		12.8

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	12.26	12.31	12.30	12.20	12.02	12.09	11.85	11.36	10.93	10.58	10.60	11.47
MAX.	12.4	12.5	12.8	12.4	12.1	12.3	12.1	11.6	11.1	10.8	10.9	12.8
MIN.	12.1	12.2	12.0	12.1	11.9	11.9	11.6	11.1	10.8	10.5	10.4	10.9

HIGHEST STAGE WAS 12.84 ON MAR. 3.
LOWEST STAGE WAS 10.43 ON NOV. 8.

DAILY STAGES FOR 1986

61

REELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U. S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A. M. STAGE IN FEET

GAGE ZERO, 270.22 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.2	12.3	12.1	12.0	12.2	12.3	12.0	11.5	10.9	10.6	10.8	11.4
2	12.2	12.3	12.1	12.0	12.2	12.2	12.0	11.4	10.9	10.7	10.9	11.4
3	12.1	12.5	12.1	12.0	12.2	12.2	12.0	11.4	10.9	10.7	10.8	11.4
4	12.1	12.7	12.1	12.0	12.1	12.2	11.9	11.4	10.9	10.6	10.8	11.4
5	12.2	13.0	12.1	12.0	12.1	12.3	11.9	11.4	10.9	10.7	10.9	11.4
6	12.1	13.1	12.1	12.1	12.1	12.3	11.8	11.3	10.9	10.7	10.9	11.4
7	12.3	13.0	12.2	12.1	12.1	12.2	11.8	11.3	10.9	10.6	10.9	11.4
8	12.2	13.1	12.1	12.3	12.1	12.3	11.8	11.3	10.9	10.6	11.0	11.4
9	12.2	13.0	12.0	12.3	12.1	12.4	11.8	12.3	10.8	10.6	11.1	11.9
10	12.1	13.0	12.0	12.3	12.1	12.5	11.7	11.2	10.8	10.6	11.2	12.1
11	12.1	12.9	12.1	12.3	12.2	12.6	11.7	11.3	10.7	10.6	11.3	12.4
12	12.1	12.8	12.3	12.3	12.2	12.6	11.7	11.2	10.8	10.6	11.2	12.5
13	12.2	12.7	12.3	12.2	12.2	12.6	11.7	11.2	10.8	10.8	11.3	12.6
14	12.1	12.6	12.4	12.2	12.1	12.6	11.7	11.2	10.8	10.8	11.2	12.6
15	12.1	12.6	12.4	12.2	12.4	12.5	11.8	11.2	10.8	10.8	11.2	12.6
16	12.1	12.5	12.4	12.2	12.5	12.4	11.7	11.2	10.8	10.7	11.3	12.6
17	12.1	12.5	12.3	12.2	12.6	12.4	11.7	11.2	10.8	10.7	11.3	12.5
18	12.1	12.6	12.3	12.2	12.8	12.3	11.7	11.2	10.8	10.7	11.3	12.5
19	12.3	12.6	12.3	12.2	12.9	12.2	11.7	11.2	10.8	10.7	11.3	12.4
20	12.3	12.5	12.4	12.2	12.9	12.2	11.7	11.2	10.8	10.7	11.2	12.3
21	12.3	12.5	12.3	12.3	12.8	12.2	11.7	11.1	10.8	10.7	11.3	12.3
22	12.3	12.4	12.2	12.3	12.6	12.2	11.6	11.1	10.8	10.7	11.3	12.2
23	12.3	12.4	12.1	12.2	12.5	12.1	11.6	11.1	10.8	10.7	11.3	12.3
24	12.3	12.3	12.1	12.2	12.5	12.1	11.6	11.1	10.8	10.7	11.3	12.3
25	12.3	12.3	12.1	12.2	12.5	12.1	11.5	11.1	10.7	10.8	11.3	12.3
26	12.3	12.1	12.0	12.2	12.6	12.1	11.5	11.0	10.7	10.8	11.3	12.3
27	12.3	12.2	12.0	12.2	12.7	12.1	11.6	11.0	10.7	10.8	11.4	12.2
28	12.3	12.2	12.0	12.1	12.6	12.0	11.5	11.1	10.7	10.8	11.4	12.2
29	12.3		12.0	12.2	12.5	12.0	11.6	11.0	10.7	10.8	11.4	12.2
30	12.3		12.0	12.1	12.4	12.0	11.5	10.9	10.6	10.8	11.4	12.2
31	12.3		12.0		12.4		11.5	10.9		10.8		12.2

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	12.21	12.59	12.16	12.17	12.38	12.27	11.70	11.22	10.80	10.71	11.16	12.08
MAX.	12.3	13.1	12.4	12.3	12.9	12.6	12.0	12.3	10.9	10.8	11.4	12.6
MIN.	12.1	12.1	12.0	12.0	12.1	12.0	11.5	10.9	10.6	10.6	10.8	11.4

HIGHEST STAGE WAS 13.09 ON FEB. 6.

LOWEST STAGE WAS 10.60 ON OCT. 11.

REELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U. S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.
DAILY EIGHT A. M. STAGE IN FEET GAGE ZERO, 270.22 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	13.4	11.9	12.1	12.4	12.7	11.4	9.9	10.0	10.8	10.5	11.2	11.9
2	13.6	12.0	12.1	12.3	12.9	11.4	9.8	10.1	10.8	10.5	11.2	12.0
3	13.6	12.1	11.7	12.2	12.8	11.3	9.7	10.0	10.8	10.6	11.3	12.0
4	13.4	12.1	11.9	12.2	12.7	11.2	9.6	10.0	10.8	10.6	11.3	12.0
5	13.3	12.1	11.9	12.3	12.6	11.1	9.6	10.1	10.8	10.5	11.3	12.0
6	13.2	12.1	11.9	12.3	12.5	11.0	9.6	10.0	10.7	10.5	11.3	12.1
7	13.1	12.2	11.9	12.3	12.5	10.9	9.6	10.0	10.7	10.4	11.4	12.0
8	13.1	12.2	12.0	12.3	12.4	10.8	9.6	10.0	10.8	10.4	11.2	12.0
9	13.1	12.2	12.1	12.2	12.3	10.7	9.7	10.1	10.8	10.4	11.2	12.0
10	13.1	12.2	12.1	12.2	12.3	10.6	9.8	10.1	10.8	10.3	11.2	12.0
11	13.0	12.4	12.3	12.2	12.3	10.6	9.9	10.2	10.8	10.4	11.3	12.1
12	12.8	12.7	12.3	12.2	12.3	10.7	10.0	10.2	10.8	10.4	11.3	12.2
13	12.8	12.7	12.3	12.2	12.2	10.8	10.0	10.2	10.9	10.3	11.3	12.3
14	12.5	12.6	12.4	12.3	12.2	10.8	10.1	10.2	10.9	10.6	11.3	12.2
15	12.5	12.5	12.3	12.3	12.2	10.8	10.1	10.2	10.8	10.6	11.3	12.2
16	12.5	12.4	12.3	12.3	12.2	10.8	10.2	10.2	10.8	10.6	11.4	12.2
17	12.3	12.4	12.3	12.3	12.2	10.8	10.2	10.2	10.7	10.6	11.3	12.2
18	12.2	12.5	12.2	12.2	12.1	10.8	10.2	10.2	10.7	10.6	11.4	12.4
19	12.2	12.6	12.2	12.2	12.1	10.8	10.2	10.3	10.7	10.5	11.3	12.3
20	12.2	12.5	12.2	12.2	12.0	10.7	10.2	10.3	10.7	10.8	11.6	12.2
21	12.1	12.5	12.3	12.1	12.2	10.6	10.2	10.3	10.6	10.7	11.6	12.2
22	12.0	12.4	12.2	12.1	12.2	10.5	10.2	10.3	10.6	10.7	11.5	12.2
23	12.0	12.4	12.2	12.2	12.2	10.5	10.2	10.3	10.6	10.8	11.5	12.2
24	11.9	12.4	12.2	12.2	12.1	10.4	10.2	10.2	10.6	10.9	11.5	12.2
25	11.9	12.4	12.2	12.2	12.1	10.3	10.1	10.2	10.5	11.0	11.5	12.3
26	11.9	12.4	12.1	12.3	12.0	10.2	10.1	10.5	10.6	11.0	11.4	12.3
27	11.9	12.4	12.0	12.4	11.9	10.2	10.2	10.6	10.6	11.0	11.7	12.1
28	11.9	12.2	12.1	12.4	11.9	10.2	10.2	10.7	10.6	11.2	11.7	12.1
29	11.9		12.2	12.5	11.8	10.1	10.1	10.7	10.6	11.2	11.8	12.1
30	11.9		12.1	12.5	11.6	10.0	10.0	10.8	10.6	11.2	11.9	12.1
31	11.9		12.3		11.5		10.0	10.8		11.3		12.1

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	12.55	12.33	12.14	12.26	12.22	10.69	9.98	10.25	10.72	10.68	11.39	12.14
MAX.	13.6	12.7	12.4	12.5	12.9	11.4	10.2	10.8	10.9	11.3	11.9	12.4
MIN.	11.9	11.9	11.7	12.1	11.5	10.0	9.6	10.0	10.5	10.3	11.2	11.9

HIGHEST STAGE WAS 13.56 ON JAN 3.
LOWEST STAGE WAS 9.59 ON JUL 7.

REELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U.S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.
DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 270.22 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.4	12.3	12.1	12.1	12.4	12.2	11.8	11.0	10.4	10.3	12.1	12.2
2	12.4	12.2	12.1	12.2	12.4	12.2	11.7	10.9	10.3	10.3	12.3	12.2
3	12.4	12.2	12.1	12.2	12.5	12.2	11.7	10.8	10.4	10.2	12.2	12.2
4	12.4	12.2	12.3	12.2	12.5	12.1	11.7	10.7	10.3	10.2	12.1	12.2
5	12.4	12.1	12.4	12.3	12.5	12.1	11.7	10.6	10.3	10.2	12.1	12.2
6	12.3	12.1	12.4	12.3	12.6	12.0	11.7	10.7	10.3	10.7	12.1	12.2
7	12.3	12.1	12.4	12.2	13.1	12.0	11.7	10.6	10.2	10.8	12.0	12.1
8	12.3	12.1	12.3	12.2	13.4	12.0	11.7	10.6	10.2	10.9	12.0	12.1
9	12.3	12.1	12.3	12.3	13.5	12.0	11.6	10.6	10.4	11.0	12.0	12.2
10	12.4	12.2	12.2	12.3	13.5	12.0	11.6	10.6	10.4	11.1	12.0	12.2
11	12.4	12.2	12.2	12.3	13.4	12.0	11.6	10.6	10.4	11.2	12.1	12.2
12	12.4	12.3	12.2	12.3	13.4	12.0	11.6	10.6	10.4	11.3	12.1	12.1
13	12.4	12.3	12.2	12.3	13.3	12.0	11.6	10.6	10.4	11.3	12.1	12.2
14	12.4	12.3	12.1	12.3	13.3	12.0	11.5	10.6	10.5	11.4	12.0	12.2
15	12.4	12.3	12.1	12.3	13.2	11.9	11.5	10.6	10.4	11.4	12.0	12.2
16	12.4	12.3	12.2	12.2	13.0	11.9	11.5	10.6	10.4	11.4	12.1	12.1
17	12.4	12.3	12.2	12.2	12.9	11.9	11.3	10.6	10.4	11.5	12.1	12.2
18	12.4	12.2	12.3	12.1	12.8	11.9	11.2	10.5	10.4	11.5	12.2	12.4
19	12.4	12.2	12.3	12.1	12.7	11.9	11.2	10.5	10.3	11.6	12.3	12.5
20	12.4	12.2	12.3	12.1	12.5	11.9	11.2	10.5	10.3	11.7	12.3	12.6
21	12.4	12.2	12.3	12.1	12.4	11.9	11.2	10.5	10.3	11.8	12.3	12.8
22	12.4	12.2	12.3	12.1	12.3	11.8	11.2	10.5	10.3	12.0	12.3	13.0
23	12.4	12.1	12.3	12.1	12.2	11.9	11.1	10.5	10.3	12.1	12.2	13.1
24	12.4	12.2	12.3	12.1	12.2	11.9	11.1	10.5	10.3	12.1	12.2	13.1
25	12.4	12.2	12.3	12.1	12.2	11.9	11.1	10.5	10.4	12.1	12.1	13.2
26	12.4	12.3	12.2	12.1	12.2	11.8	11.1	10.5	10.4	12.0	12.0	13.1
27	12.4	12.3	12.2	12.1	12.4	11.8	11.0	10.4	10.4	12.1	12.1	13.1
28	12.4	12.2	12.3	12.2	12.5	11.8	11.0	10.4	10.3	12.1	12.1	13.0
29	12.4	12.1	12.2	12.3	12.4	11.8	11.0	10.4	10.3	12.1	12.2	12.9
30	12.4		12.2	12.3	12.4	11.8	11.0	10.4	10.3	12.1	12.2	13.2
31	12.4		12.2		12.3		11.0	10.4		12.1		13.4

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	12.36	12.20	12.25	12.21	12.72	11.94	11.38	10.57	10.35	11.38	12.13	12.53
MAX.	12.4	12.3	12.4	12.3	13.5	12.2	11.8	11.0	10.5	12.1	12.3	13.4
MIN.	12.3	12.1	12.1	12.1	12.2	11.8	11.0	10.4	10.2	10.2	12.0	12.1

HIGHEST STAGE WAS 13.51 ON MAY 9.
LOWEST STAGE WAS 10.20 ON SEP. 8.

REELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U. S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.
DAILY EIGHT A.M. STAGE IN FEET GAGE ZERO, 270.22 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.7	11.7	12.2	12.2	12.3	11.5	12.3	10.8	12.4	10.6	14.1	11.5
2	12.3	11.0	12.3	11.6	12.3	10.9	12.3	10.6	14.5	11.2	A	12.4
3	12.1	10.5	12.3	10.6	12.4	10.5	12.8	10.7	A	12.4	11.8	A
4	12.2	10.8	12.5	10.5	12.4	10.8	13.6	12.4	11.9	A	11.2	A
5	12.3	12.0	12.4	10.8	12.7	12.3	A	12.3	11.3	12.3	10.7	12.2
6	13.3	12.4	13.0	12.3	A	12.3	12.0	12.3	10.8	12.2	10.6	12.2
7	12.2	12.3	12.5	12.3	12.1	12.3	11.4	12.2	10.6	12.5	11.4	13.7
8	11.7	12.1	12.2	12.2	11.5	12.2	10.8	12.6	10.8	14.3	12.4	A
9	11.2	12.4	11.6	12.5	10.9	12.7	10.5	14.4	12.4	A	A	11.8
10	10.6	13.1	11.0	12.3	10.5	13.3	10.7	A	A	11.8	12.2	11.2
11	10.5	13.0	10.6	12.9	10.8	A	12.2	12.0	12.4	11.2	12.1	10.7
12	11.7	12.2	10.8	12.3	12.3	12.0	12.3	11.3	12.2	10.7	12.3	10.6
13	12.7	11.6	12.2	12.1	12.2	11.5	12.4	10.8	12.4	10.6	13.9	11.6
14	12.2	11.0	12.4	11.6	12.3	10.9	12.3	10.6	14.5	11.3	A	12.4
15	12.2	10.5	12.2	10.9	12.3	10.5	12.8	10.8	A	12.4	11.8	A
16	12.2	10.8	12.5	10.5	12.4	10.8	13.5	12.3	11.9	A	11.2	A
17	12.7	12.1	12.4	10.8	13.0	12.2	A	A	11.2	12.3	10.7	12.2
18	13.1	12.3	13.1	12.3	A	12.2	12.0	12.3	10.8	12.2	10.6	12.4
19	12.2	12.3	12.6	12.3	12.1	12.3	11.3	12.3	10.6	12.5	11.5	13.5
20	11.7	12.4	12.2	12.3	11.5	12.2	10.8	12.5	10.9	14.2	12.4	12.2
21	11.0	12.4	11.6	12.5	10.9	12.8	10.6	14.5	12.4	A	A	11.7
22	10.5	13.1	11.0	12.3	10.5	13.6	10.7	A	A	11.9	12.2	11.2
23	10.7	12.8	10.5	12.8	10.8	A	12.3	12.0	12.3	11.2	12.2	10.9
24	11.9	12.3	10.8	A	12.3	12.0	12.3	11.3	12.3	10.7	12.3	10.6
25	12.6	11.6	12.2	12.1	12.2	11.4	12.3	10.9	12.5	10.6	13.8	11.7
26	12.3	11.0	12.4	11.5	12.3	10.8	12.2	10.6	14.4	11.3	A	12.4
27	12.1	10.6	12.2	10.9	12.2	10.5	12.7	10.8	A	12.4	11.8	A
28	12.3	10.8	12.5	10.5	12.6	10.7	14.0	12.3	11.9	A	11.2	A
29	12.9		12.4	10.8	13.2	12.2	A	A	11.2	12.3	10.7	12.2
30	13.0		13.0	12.3	A	12.2	12.0	12.3	10.8	12.1	10.5	A
31	12.2		12.5		12.1		11.3	12.2		12.4		13.4

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	12.04	11.82	12.06
MAX.	13.3	13.1	13.1
MIN.	10.5	10.5	10.5

A- NO RECORD.

HIGHEST AND LOWEST STAGES NOT DETERMINED.

REELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U. S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.
DAILY EIGHT A. M. STAGE IN FEET GAGE ZERO, 270.22 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	11.5	A	12.1	12.1	12.2	12.0	11.8	11.4	12.0	11.8	11.6	12.6
2	11.6	A	12.1	12.0	12.2	12.0	11.8	11.4	11.8	11.8	11.8	12.5
3	11.6	A	12.1	12.2	12.1	11.9	11.7	11.4	11.9	11.8	11.8	13.1
4	11.7	A	12.2	12.3	12.1	11.9	11.7	11.3	11.9	11.8	11.7	13.5
5	11.7	A	12.2	12.4	12.1	12.0	11.7	11.3	11.9	11.8	11.7	13.7
6	11.9	A	12.2	12.4	12.1	11.9	11.7	11.3	11.9	11.8	11.7	13.7
7	11.9	A	12.2	12.3	12.1	11.9	11.7	11.4	11.9	11.8	11.7	13.7
8	11.8	A	12.2	12.3	12.2	11.8	11.7	11.4	11.9	11.8	11.7	13.7
9	11.9	A	12.2	12.3	12.2	11.8	11.8	11.4	11.9	11.9	11.7	13.5
10	A	A	12.2	12.3	12.1	11.8	11.8	11.4	11.9	11.9	11.7	13.4
11	A	12.4	12.2	12.3	12.1	11.8	11.8	11.3	11.9	11.9	11.6	13.4
12	A	12.4	12.1	12.2	12.1	11.8	11.8	11.3	11.9	11.9	11.7	13.1
13	A	12.4	12.3	12.1	12.1	11.8	11.8	11.3	11.9	11.9	11.7	12.9
14	A	12.4	12.4	12.3	12.1	11.8	11.7	11.3	11.9	11.8	11.7	12.9
15	A	12.4	12.3	12.2	12.1	11.7	11.7	11.3	11.9	11.8	11.7	13.0
16	A	12.5	12.2	12.2	12.1	11.7	11.7	11.3	11.9	11.8	11.6	13.0
17	A	12.6	12.2	12.3	12.1	11.9	11.7	11.3	11.9	11.8	11.7	12.9
18	A	12.5	12.2	12.4	12.0	11.8	11.7	11.3	12.0	11.8	11.7	12.8
19	A	12.5	12.1	12.4	12.0	11.8	11.6	11.3	11.9	11.7	11.7	12.7
20	A	12.4	12.2	12.4	12.0	11.8	11.6	11.3	12.0	11.8	11.8	12.6
21	A	12.4	12.1	12.5	12.0	11.8	11.6	11.2	11.9	11.8	12.0	12.5
22	A	12.3	12.1	12.3	12.0	11.8	11.6	11.3	11.9	11.8	12.0	12.4
23	A	12.2	12.1	12.3	12.0	11.8	11.6	11.2	11.9	11.7	12.2	12.4
24	A	12.3	12.1	12.2	12.0	11.8	11.6	11.2	11.9	11.7	12.2	12.4
25	A	12.3	12.1	12.2	12.0	11.7	11.5	11.2	11.9	11.7	12.2	12.6
26	A	12.2	12.1	12.1	12.0	11.7	11.5	11.3	11.9	11.7	12.3	12.7
27	A	12.2	12.1	12.2	12.0	11.7	11.5	11.3	11.9	11.7	12.4	12.7
28	A	12.1	12.1	12.2	12.0	11.8	11.5	11.4	11.9	11.6	12.5	12.9
29	A		12.0	12.2	12.0	11.8	11.5	11.4	11.8	11.7	12.6	13.0
30	A		12.0	12.2	12.0	11.8	11.5	11.4	11.8	11.7	12.6	12.9
31	A		12.1		12.0		11.4	11.4		11.7		12.8

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	12.15	12.25	12.07	11.82	11.65	11.32	11.89	11.77	11.89	12.96
MAX.	12.4	12.5	12.2	12.0	11.8	11.4	12.0	11.9	12.6	13.7
MIN.	12.0	12.0	12.0	11.7	11.4	11.2	11.8	11.6	11.6	12.4

A- NO RECORD.

HIGHEST STAGE WAS NOT DETERMINED.

LOWEST STAGE WAS NOT DETERMINED.

DAILY STAGES FOR 1981

59

REELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U.S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 270.22 FEET, N. G. V. D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	11.7	11.9	A	12.3	12.1	12.1	12.0	12.0	11.6	11.3	11.3	11.2
2	11.7	11.9	A	12.2	12.0	12.1	12.0	11.9	11.6	11.3	11.3	11.3
3	11.8	11.9	A	12.1	12.0	12.2	12.0	11.9	11.7	11.2	11.3	11.3
4	11.8	11.9	12.3	12.3	12.0	12.2	12.0	11.9	11.6	11.3	11.3	11.3
5	11.8	11.9	12.3	12.3	12.0	12.2	12.0	11.9	11.6	11.3	11.3	11.3
6	11.7	11.9	12.3	12.3	12.0	12.6	12.0	11.9	11.6	11.3	11.3	11.2
7	11.8	12.0	12.3	12.2	12.0	12.8	12.0	11.9	11.5	11.3	11.3	11.3
8	11.7	12.0	12.2	12.2	12.0	12.8	12.0	11.9	11.6	11.3	11.3	11.3
9	11.7	11.9	12.1	12.3	12.0	12.7	12.0	11.8	11.5	11.2	11.3	11.3
10	11.7	12.1	12.1	12.3	12.1	12.8	12.0	11.8	11.5	11.2	11.3	11.3
11	11.7	12.0	12.1	12.2	12.1	12.8	12.0	11.8	11.5	11.2	11.2	11.3
12	11.7	12.0	12.1	12.2	12.2	12.7	12.0	11.8	11.5	11.2	11.2	11.3
13	11.7	12.0	12.1	12.2	12.3	12.6	11.9	11.8	11.5	11.2	11.2	11.3
14	11.7	A	12.1	12.3	12.3	12.5	11.9	11.7	11.4	11.2	11.2	11.3
15	11.7	A	12.1	12.2	12.3	12.4	11.9	11.7	11.6	11.2	11.2	11.2
16	11.7	A	12.1	12.1	12.4	12.3	11.9	11.8	11.5	11.2	11.2	11.2
17	11.7	A	12.1	12.1	12.4	12.2	11.9	11.7	11.5	11.2	11.2	11.3
18	11.7	A	12.1	12.1	12.4	12.2	12.0	11.7	11.5	11.2	11.2	11.3
19	11.7	A	12.1	12.2	12.3	12.2	12.0	11.7	11.4	11.2	11.1	11.2
20	11.8	A	12.1	12.3	12.3	12.2	12.0	11.6	11.4	11.2	11.2	11.2
21	11.8	A	12.1	12.2	12.2	12.1	12.0	11.6	11.4	11.2	11.2	11.3
22	11.7	A	12.2	12.1	12.2	12.2	12.0	11.6	11.5	11.3	11.1	11.4
23	11.7	A	12.1	12.2	12.2	12.2	12.0	11.6	11.4	11.3	11.2	11.4
24	11.7	A	12.1	12.2	12.2	12.1	12.1	11.6	11.4	11.2	11.2	11.4
25	11.7	A	12.1	12.1	12.2	12.1	12.0	11.6	11.4	11.3	11.1	11.5
26	11.7	A	12.1	12.1	12.2	12.1	12.0	11.6	11.3	11.3	11.2	11.5
27	11.7	A	12.1	12.1	12.2	12.1	12.0	11.6	11.4	11.3	11.2	11.5
28	11.7	A	12.0	12.1	12.1	12.0	12.1	11.6	11.4	11.3	11.2	11.5
29	11.9		12.2	12.1	12.1	12.0	12.0	11.6	11.3	11.3	11.2	11.5
30	11.8		12.2	12.1	12.1	12.0	12.0	11.6	11.3	11.3	11.2	11.5
31	11.7		12.3		12.1		12.0	11.6		11.3		11.5

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	11.74			12.18	12.17	12.32	11.99	11.73	11.48	11.24	11.22	11.32
MAX.	11.9			12.3	12.4	12.8	12.1	12.0	11.7	11.3	11.3	11.5
MIN.	11.7			12.1	12.0	12.0	11.9	11.6	11.3	11.2	11.1	11.2

A- NO RECORD.

HIGHEST STAGE WAS 12.83 ON JUN. 10.

LOWEST STAGE WAS 11.09 ON NOV. 19.

DAILY STAGES FOR 1980

55

REELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U.S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 270.22 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	11.3	11.3	12.0	12.2	12.1	11.9	11.5	10.9	10.7	11.1	11.4
2	A	11.3	11.3	12.1	12.2	12.0	12.0	11.5	10.9	10.8	11.1	11.5
3	A	11.2	11.3	12.2	12.1	12.0	12.1	11.4	10.9	10.7	11.1	11.5
4	A	11.2	11.3	12.2	12.1	12.1	12.0	11.4	10.9	10.7	11.1	11.5
5	A	11.2	11.3	12.2	12.1	12.1	12.0	11.4	10.9	10.7	11.1	11.5
6	A	11.2	11.3	12.2	12.1	12.0	12.0	11.4	10.9	10.7	11.1	11.5
7	A	11.2	11.3	12.2	12.1	12.0	12.0	11.4	10.8	10.6	11.0	11.5
8	A	11.2	11.3	12.2	12.1	12.1	12.0	11.4	10.8	10.6	11.1	11.4
9	A	11.2	11.4	12.2	12.1	12.0	12.0	11.4	10.8	10.6	11.0	11.7
10	A	11.2	11.4	12.3	12.0	11.9	11.9	11.4	10.8	10.6	11.1	11.7
11	A	11.2	11.4	12.3	12.0	11.9	11.9	11.3	10.8	10.6	11.1	11.7
12	A	11.2	11.4	12.6	12.0	11.9	11.9	11.3	10.7	10.6	11.1	11.7
13	A	11.2	11.4	12.6	12.1	11.9	11.9	11.3	10.7	10.6	11.0	11.8
14	A	11.2	11.4	12.6	12.2	11.8	11.8	11.3	10.7	10.5	11.0	11.8
15	A	11.2	11.4	12.6	12.1	11.8	11.8	11.3	10.7	10.5	11.1	11.7
16	12.4	11.4	11.4	12.6	12.1	11.8	11.8	11.3	10.6	10.5	11.1	11.8
17	12.4	11.4	11.5	12.6	12.1	11.8	11.8	11.2	10.7	10.5	11.3	11.8
18	12.3	11.5	11.6	12.5	12.1	11.8	11.7	11.2	10.7	10.9	11.3	11.7
19	12.2	11.5	11.7	12.4	12.2	11.8	11.7	11.2	10.7	10.9	11.3	11.9
20	12.1	11.5	11.7	12.3	12.2	11.8	11.6	11.2	10.6	10.9	11.3	11.9
21	12.0	11.5	11.7	12.2	12.2	11.7	11.6	11.2	10.6	11.0	11.3	11.8
22	11.8	11.5	11.7	12.1	12.2	11.7	11.6	11.2	10.6	11.0	11.3	11.8
23	11.8	11.5	11.7	12.1	12.2	11.8	11.6	11.1	10.8	11.0	11.3	11.7
24	11.6	11.5	11.6	12.2	12.2	11.8	11.6	11.1	10.8	11.0	11.4	11.8
25	11.5	11.4	11.7	12.2	12.2	11.8	11.5	11.1	10.8	11.0	11.4	11.8
26	11.4	11.4	11.6	12.3	12.2	11.8	11.5	11.0	10.8	11.0	11.4	11.8
27	11.4	11.3	11.6	12.2	12.2	11.8	11.6	11.0	10.8	11.0	11.4	11.8
28	11.4	11.3	11.7	12.2	12.1	11.7	11.6	11.0	10.8	11.2	11.4	11.8
29	11.3	11.3	11.8	12.2	12.1	11.8	11.6	11.0	10.8	11.2	11.4	11.8
30	11.3		11.8	12.2	12.1	11.9	11.6	11.0	10.8	11.1	11.5	11.8
31	11.3		11.9		12.1		11.6	10.9		11.1		11.7

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE.

MEAN	11.32	11.51	12.29	12.13	11.88	11.78	11.24	10.77	10.80	11.21	11.70
MAX.	11.5	11.9	12.6	12.2	12.1	12.1	11.5	10.9	11.2	11.5	11.9
MIN.	11.2	11.3	12.0	12.0	11.7	11.5	10.9	10.6	10.5	11.0	11.4

A- NO RECORD.

HIGHEST STAGE WAS 12.86 ON APR. 13.

LOWEST STAGE WAS 10.42 ON OCT. 17.

REELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U.S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

MEAN. NOT COMPUTED FOR PERIOD OF RECORD.
DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 270.22 FEET, N.G.V.D. OF 1929

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.4	12.7	13.5	12.9	12.4	12.1	11.6	11.6	11.7	12.3	12.2	12.6
2	12.4	12.7	13.5	13.7	12.3	12.0	11.7	11.6	11.7	12.3	12.2	12.6
3	12.4	12.7	13.4	14.3	12.3	12.0	11.6	11.6	11.7	12.3	12.2	12.6
4	12.4	12.7	13.5	14.4	12.6	12.0	11.6	11.6	11.7	12.3	12.2	12.5
5	12.4	12.7	13.6	14.4	12.9	11.9	11.7	11.5	11.7	12.2	12.2	12.5
6	12.4	12.7	13.5	14.3	13.0	11.9	11.7	11.5	11.6	12.2	12.2	12.5
7	12.4	12.7	13.4	14.2	13.0	11.9	11.7	11.5	11.6	12.2	12.2	12.5
8	12.4	12.7	13.3	14.0	13.0	11.9	11.7	11.5	11.6	12.2	12.2	12.5
9	12.4	12.6	13.2	14.1	12.9	11.9	11.6	11.5	11.6	12.3	12.2	12.4
10	12.4	12.6	13.1	14.0	12.8	11.9	11.6	11.4	11.5	12.2	12.3	12.4
11	12.4	12.6	13.0	13.9	12.8	11.9	11.6	11.6	11.5	12.1	12.3	12.4
12	12.4	12.6	12.9	14.0	12.8	11.8	11.7	11.6	11.5	12.1	12.3	12.4
13	12.4	12.6	12.8	14.1	12.6	11.8	11.7	11.7	11.5	12.2	12.3	12.5
14	12.3	12.6	12.7	13.9	12.5	11.8	11.6	11.7	11.6	12.1	12.3	12.5
15	12.3	12.1	12.6	13.8	12.4	11.7	11.6	11.8	11.6	12.1	12.3	12.5
16	12.3	12.1	12.5	13.7	12.3	11.7	11.6	11.8	11.6	12.1	12.3	12.4
17	12.2	12.2	12.3	13.6	12.2	11.7	11.6	11.8	11.6	12.1	12.3	12.4
18	12.0	12.2	12.2	13.4	12.1	11.7	11.6	11.8	11.5	12.1	12.3	A
19	12.1	12.2	12.1	13.3	12.1	11.7	11.6	11.7	11.5	12.1	12.3	A
20	12.2	12.2	12.2	13.2	12.1	11.6	11.5	11.7	11.5	12.0	12.3	A
21	12.4	12.1	12.3	13.0	12.3	11.7	11.5	11.7	11.9	12.0	12.3	A
22	12.4	12.1	12.3	12.9	12.2	11.6	11.5	11.7	12.0	12.0	12.3	A
23	12.5	12.5	12.5	12.9	12.2	11.6	11.5	11.7	12.1	12.1	12.4	A
24	12.6	12.9	12.5	12.9	12.2	11.7	11.5	11.7	12.2	12.1	12.5	A
25	12.6	13.3	12.7	12.9	12.2	11.7	11.5	11.7	12.3	12.1	12.5	A
26	12.7	13.5	12.7	12.9	12.2	11.7	11.5	11.7	12.3	12.1	12.6	A
27	12.7	13.5	12.8	12.8	12.1	11.6	11.6	11.7	12.3	12.1	12.6	A
28	12.7	13.5	12.7	12.7	12.2	11.6	11.5	11.7	12.3	12.1	12.7	A
29	12.7		12.6	12.6	12.1	11.6	11.6	11.7	12.3	12.2	12.7	A
30	12.7		12.6	12.5	12.1	11.6	11.6	11.7	12.3	12.2	12.7	A
31	12.7		12.6		12.1		11.6	11.7		12.1		A

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	12.43	12.63	12.83	13.51	12.42	11.78	11.60	11.65	11.79	12.15	12.35	
MAX.	12.7	13.5	13.6	14.4	13.0	12.1	11.7	11.8	12.3	12.3	12.7	
MIN.	12.0	12.1	12.1	12.5	12.1	11.6	11.5	11.4	11.5	12.0	12.2	

A- NO RECORD

HIGHEST STAGE WAS 14.4 ON APR. 4 AND 5.

LOWEST STAGE WAS 11.4 ON AUG. 10.

REELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U. S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

MIDNIGHT STAGE IN FEET

GAGE ZERO, 270.22 FEET, M.S.L. (1929 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.2	A	A	11.5	12.2	12.1	11.9	11.7	11.8	11.5	11.3	12.4
2	12.2	A	A	11.5	12.2	12.1	11.9	11.7	11.8	11.5	11.3	12.4
3	12.2	A	A	11.5	12.2	12.1	11.9	11.7	11.8	11.4	11.3	12.6
4	12.2	A	A	11.6	12.1	12.0	11.9	11.7	11.8	11.4	11.3	13.0
5	12.2	A	A	11.5	12.2	12.0	11.8	11.6	11.8	11.4	11.3	13.3
6	12.2	A	A	11.6	12.2	12.0	11.8	11.6	11.8	11.4	11.3	13.4
7	12.5	A	A	11.6	12.3	12.0	11.9	11.6	11.8	11.4	11.4	13.4
8	12.3	11.3	A	11.6	12.3	12.1	11.9	11.6	11.8	11.4	11.3	14.0
9	12.2	11.2	A	11.6	12.3	12.0	12.0	11.5	11.7	11.4	11.3	14.4
10	12.2	11.3	A	11.8	12.2	12.0	12.0	11.6	11.7	11.3	11.3	14.4
11	12.2	11.3	A	11.8	12.2	12.0	12.0	11.6	11.7	11.3	11.3	14.3
12	12.1	11.3	A	11.8	12.1	12.0	12.0	11.6	11.7	11.3	11.3	14.2
13	12.1	11.4	A	11.9	12.1	12.0	12.0	11.6	11.7	11.4	11.3	14.1
14	12.1	11.5	A	11.9	12.1	12.0	12.0	11.5	11.7	11.3	11.3	14.0
15	12.1	11.6	A	11.9	12.1	11.9	12.1	11.5	11.7	11.3	11.4	13.8
16	12.1	11.7	12.3	11.9	12.1	11.9	12.0	11.5	11.7	11.3	11.4	13.7
17	12.2	11.7	12.2	11.9	12.1	11.9	12.0	11.5	11.7	11.3	11.4	13.6
18	12.2	11.7	12.1	12.0	12.1	12.0	12.0	11.5	11.6	11.3	11.6	13.4
19	12.2	A	12.1	12.1	12.1	11.9	12.0	11.5	11.6	11.3	11.6	13.3
20	12.2	A	11.9	12.1	12.2	12.0	12.0	11.4	11.6	11.3	11.7	13.1
21	12.2	A	12.0	12.2	12.2	12.0	11.9	11.4	11.7	11.2	11.7	13.1
22	12.3	A	11.9	12.1	12.2	12.0	11.9	11.4	11.6	11.2	11.7	12.9
23	12.3	A	11.8	12.1	12.1	12.0	11.9	11.4	11.6	11.2	11.7	12.8
24	12.4	A	11.7	12.2	12.1	12.0	11.8	11.3	11.6	11.2	11.8	12.7
25	12.4	A	11.6	12.2	12.1	11.9	11.8	11.3	11.5	11.2	11.8	12.6
26	A	A	11.6	12.2	12.1	11.9	11.9	11.3	11.5	11.4	11.9	12.5
27	A	A	11.5	12.1	12.1	11.9	11.8	11.3	11.5	11.3	12.1	12.4
28	A	A	11.4	12.1	12.1	11.9	11.8	11.3	11.5	11.3	12.3	12.3
29	A		11.5	12.1	12.1	11.9	11.7	11.5	11.5	11.4	12.4	12.2
30	A		11.5	12.2	12.1	11.9	11.8	11.7	11.5	11.3	12.5	12.2
31	A		11.5		12.1		11.7	11.7		11.3		12.3

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN		11.88	12.14	11.97	11.90	11.51	11.66	11.32	11.57	13.18
MAX.		12.2	12.3	12.1	12.1	11.7	11.8	11.5	12.5	14.4
MIN.		11.5	12.1	11.9	11.7	11.3	11.5	11.2	11.3	12.2

A- NO RECORD
YEARLY RECORD INCOMPLETE FOR HIGHEST AND LOWEST STAGES.

KEELFOOT LAKE NEAR TIPTONVILLE, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN KEELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U. S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 270.22 FEET, M.S.L. (1929 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	11.3	11.5	11.7	12.1	12.3	12.1	11.8	11.5	12.1	12.2	12.0	12.2
2	11.3	11.5	11.7	12.2	12.2	12.1	11.8	11.5	12.1	12.2	12.0	12.2
3	11.3	11.5	11.9	12.2	12.2	12.0	11.8	11.5	12.1	12.1	12.1	12.3
4	11.3	11.5	12.0	12.1	12.2	12.0	11.8	11.4	12.1	12.1	12.1	12.4
5	11.4	11.5	12.1	12.1	12.2	12.0	11.8	11.4	12.1	12.1	12.1	12.5
6	11.4	11.5	12.2	12.1	12.2	12.0	11.7	11.4	12.1	12.0	12.1	12.5
7	11.4	11.5	12.2	12.1	12.2	11.9	11.7	11.4	12.1	12.0	12.1	12.5
8	11.4	11.5	12.2	12.1	12.2	11.9	11.7	11.3	12.0	12.1	12.1	12.5
9	11.4	11.5	12.2	12.1	12.2	11.9	11.8	11.3	12.0	12.1	12.0	12.5
10	11.4	11.5	12.2	12.0	12.1	11.8	11.8	11.3	12.0	12.1	12.0	12.4
11	11.4	11.6	12.2	12.0	12.1	11.8	11.8	11.3	12.0	12.1	12.1	12.3
12	11.4	11.6	12.2	12.0	12.1	11.8	11.8	11.3	11.9	12.1	12.1	12.3
13	11.4	11.6	12.3	12.0	12.1	11.8	11.8	11.4	12.1	12.0	12.1	12.4
14	11.4	11.6	12.3	12.0	12.1	11.7	11.8	11.6	12.1	12.0	12.0	12.5
15	11.5	11.6	12.3	12.0	12.0	11.8	11.7	11.7	12.1	12.0	12.0	12.5
16	11.5	11.6	12.2	12.0	12.0	11.8	11.7	11.8	12.1	12.0	12.1	12.5
17	11.5	11.6	12.1	12.0	12.0	11.8	11.7	11.9	12.1	12.0	12.1	12.5
18	11.5	11.6	12.2	11.9	12.0	11.8	11.7	12.0	12.1	12.0	12.1	12.5
19	11.5	11.6	12.1	12.1	12.0	11.8	11.7	12.1	12.1	12.0	12.1	12.4
20	11.5	11.6	12.1	12.1	12.0	11.8	11.6	12.1	12.1	12.0	12.3	12.4
21	11.5	11.6	12.1	12.1	11.9	11.8	11.6	12.1	12.1	12.0	12.4	12.3
22	11.5	11.5	12.1	12.2	12.1	11.8	11.6	12.1	12.1	12.0	12.4	12.2
23	11.5	11.5	12.1	12.3	12.2	11.8	11.6	12.1	12.0	12.0	12.4	12.2
24	11.5	11.6	12.1	12.4	12.1	11.8	11.5	12.1	12.1	12.0	12.3	12.2
25	11.5	11.7	12.1	12.4	12.2	11.8	11.6	12.1	12.1	12.0	12.4	12.2
26	11.5	11.7	12.1	12.4	12.1	11.8	11.6	12.1	12.1	12.0	12.3	12.2
27	11.5	11.7	12.1	12.3	12.1	11.8	11.6	12.0	12.0	12.0	12.3	12.1
28	11.5	11.7	12.0	12.3	12.1	11.8	11.6	12.0	12.1	12.0	12.3	12.1
29	11.5		12.1	12.3	12.1	11.8	11.5	12.1	12.2	12.0	12.3	12.1
30	11.5		12.1	12.3	12.1	11.8	11.5	12.1	12.1	12.0	12.3	12.2
31	11.5		12.2		12.1		11.5	12.1		12.0	12.2	12.2

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	11.43	11.56	12.10	12.13	12.10	11.84	11.67	11.74	12.07	12.03	12.16	12.32
MAX.	11.5	11.7	12.3	12.4	12.3	12.1	11.8	12.1	12.2	12.2	12.4	12.5
MIN.	11.3	11.5	11.7	11.9	11.9	11.7	11.5	11.3	11.9	12.0	12.0	12.1

HIGHEST STAGE WAS 12.53 ON DEC. 6.

LOWEST STAGE WAS 11.29 ON AUG. 11 AND 12.

REELFOOT LAKE NEAR SPILLWAY, TENN.

LOCATION: LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U. S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES: HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 270.46 FEET, M.S.L. (1929 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.2	11.8	A	12.4	12.1	12.3	12.3	12.2	11.7	11.4	11.4	11.4
2	12.2	11.7	A	12.4	12.1	12.5	12.2	12.2	11.7	11.4	11.4	11.4
3	12.2	11.6	A	12.3	12.1	12.6	12.4	12.1	11.7	11.3	11.4	11.4
4	12.2	11.5	A	12.3	12.0	12.5	12.4	12.1	11.7	11.3	11.4	11.4
5	12.2	11.5	A	12.3	12.0	12.4	12.4	12.0	11.7	11.3	11.3	11.4
6	12.2	A	A	12.2	12.1	12.4	12.3	12.1	11.6	11.3	11.3	11.5
7	12.2	A	A	12.2	12.1	12.2	12.2	12.0	11.6	11.3	11.4	11.4
8	12.1	A	A	12.2	12.0	12.1	12.2	12.0	11.6	11.3	11.3	11.4
9	12.0	A	A	12.1	12.0	12.1	12.2	12.0	11.6	11.2	11.3	11.4
10	12.0	A	A	12.0	12.0	12.1	12.2	12.0	11.6	11.2	11.4	11.4
11	12.0	A	A	12.1	12.0	12.1	12.2	12.0	11.6	11.2	11.4	11.4
12	12.0	A	A	12.1	12.0	12.1	12.2	11.9	11.6	11.2	11.3	11.4
13	12.1	A	A	12.0	12.0	12.0	12.2	11.9	11.5	11.2	11.3	11.4
14	12.1	A	A	12.0	12.0	12.0	12.1	12.0	11.5	11.2	11.3	11.4
15	12.0	A	A	12.0	12.0	12.0	12.1	12.0	11.5	11.2	11.3	11.4
16	12.2	A	A	12.0	12.0	12.1	12.2	12.0	11.5	11.2	11.3	11.4
17	12.2	A	A	12.0	12.1	12.1	12.1	12.0	11.5	11.2	11.3	11.4
18	12.1	A	A	12.0	12.1	12.1	12.1	12.0	11.5	11.1	11.3	11.4
19	12.2	A	A	12.0	12.0	12.1	12.1	12.0	11.5	11.2	11.3	11.4
20	12.2	A	A	11.9	12.0	12.1	12.0	11.9	11.5	11.2	11.3	11.5
21	12.2	A	A	12.0	12.0	12.1	12.0	11.9	11.4	11.1	11.3	11.4
22	12.2	A	A	12.0	12.0	12.1	12.0	11.9	11.4	11.1	11.3	11.4
23	12.0	A	A	12.0	12.0	12.2	12.0	11.9	11.4	11.2	11.3	11.4
24	12.1	A	11.4	12.1	12.0	12.5	12.0	11.9	11.4	11.4	11.2	11.4
25	12.1	A	11.5	12.1	12.0	12.7	12.0	11.8	11.4	11.4	11.2	11.4
26	12.1	A	11.4	12.1	12.0	12.7	11.9	11.8	11.4	11.4	11.3	11.4
27	12.1	A	11.5	12.1	12.0	12.7	12.1	11.8	11.4	11.4	11.5	11.3
28	12.0	A	11.6	12.2	12.1	12.6	12.1	11.8	11.4	11.3	11.4	11.3
29	12.0	A	11.8	12.1	12.0	12.5	12.1	11.8	11.4	11.3	11.4	11.4
30	12.0		12.2	12.1	12.0	12.4	12.1	11.8	11.4	11.4	11.4	11.5
31	11.8		12.4		12.2		12.2	11.7		11.4		11.4

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	12.09			12.10	12.02	12.27	12.14	11.94	11.51	11.26	11.32	11.39
MAX.	12.2			12.4	12.2	12.7	12.4	12.2	11.7	11.4	11.5	11.5
MIN.	11.8			11.9	12.0	12.0	11.9	11.7	11.4	11.1	11.2	11.3

A- NO RECORD

HIGHEST STAGE WAS 12.70 ON JUN, 26 AND 27.

LOWEST STAGE WAS 11.10 ON OCT, 19.

DAILY STAGES FOR 1975

55

REELFOOT LAKE NEAR SPILLWAY, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U. S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 270.46 FEET, M.S.L. (1929 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.2	12.3	12.6	14.6	12.2	11.9	11.6	12.1	12.0	12.1	11.9	12.4
2	12.2	12.4	12.5	14.4	12.2	11.9	11.6	12.0	12.0	12.0	11.9	12.4
3	12.2	12.3	12.4	14.4	12.2	11.9	11.6	12.1	11.9	12.0	11.9	12.4
4	12.3	12.3	12.3	14.3	12.2	11.8	11.6	12.2	11.9	12.0	12.0	12.3
5	12.2	12.3	12.1	14.1	12.1	11.9	11.6	12.2	11.9	12.0	12.0	12.3
6	12.2	12.2	12.1	14.0	12.1	11.9	11.9	12.2	12.0	12.0	12.2	12.5
7	12.2	12.1	12.2	13.9	12.1	11.9	12.0	12.1	12.0	12.0	12.1	12.4
8	12.2	12.3	12.2	13.7	12.2	11.9	12.1	12.1	11.9	12.0	12.2	12.3
9	12.2	12.2	12.2	13.7	12.1	11.9	12.1	12.0	11.9	12.0	12.1	12.2
10	12.0	12.2	12.3	13.7	12.1	11.9	12.1	12.0	11.9	12.0	12.2	12.2
11	12.3	12.2	12.4	13.5	12.1	11.9	12.1	12.0	12.0	12.0	12.2	12.2
12	12.4	12.2	13.0	13.3	12.1	11.9	12.2	12.0	12.1	12.0	12.2	12.2
13	12.3	12.1	13.3	13.2	12.1	11.9	12.2	12.0	12.1	12.0	12.2	12.2
14	12.2	12.1	13.4	13.1	12.0	11.8	12.1	12.0	12.1	11.9	12.1	12.2
15	12.2	12.0	13.4	13.0	12.0	11.9	12.1	12.0	12.1	11.9	12.1	12.3
16	12.2	12.1	13.3	12.8	12.0	11.9	12.1	12.1	12.1	12.0	12.2	12.3
17	12.1	12.0	13.2	12.7	12.0	11.9	12.1	12.1	12.1	12.0	12.2	12.4
18	12.1	12.0	13.2	12.6	12.0	11.9	12.1	12.1	12.1	11.9	12.2	12.2
19	12.2	12.1	13.2	12.6	12.0	11.9	12.1	12.1	12.2	11.9	12.1	12.1
20	12.1	12.1	13.1	12.5	12.0	11.9	12.3	12.1	12.2	11.9	12.1	12.2
21	12.1	12.1	12.9	12.4	12.0	11.9	12.2	12.0	12.2	11.8	12.2	12.1
22	12.2	12.3	13.0	12.3	12.0	11.8	12.2	12.0	12.2	11.9	12.2	12.1
23	12.1	12.3	13.0	12.1	12.0	11.8	12.2	12.0	12.2	11.9	12.2	12.1
24	12.1	12.5	12.9	12.1	11.9	11.8	12.2	12.0	12.1	11.9	12.2	12.1
25	12.1	12.7	12.9	12.2	11.9	11.7	12.1	11.9	12.1	12.0	12.2	12.3
26	12.2	12.0	12.8	12.2	11.9	11.8	12.1	12.0	12.0	11.9	12.2	12.4
27	12.2	12.7	12.9	12.1	11.9	11.7	12.1	12.0	12.0	11.9	12.2	12.4
28	12.1	12.6	13.9	12.1	11.9	11.7	12.0	11.9	12.0	11.9	12.2	12.4
29	12.2		14.6	12.1	11.9	11.7	12.0	11.9	12.0	12.0	12.1	12.4
30	12.2		14.7	12.2	11.9	11.7	12.0	12.0	12.0	11.9	12.3	12.3
31	12.2		14.7		12.0		12.0	12.0		11.9		12.3

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	12.17	12.26	12.98	13.05	12.03	11.84	12.01	12.03	12.03	11.94	12.13	12.27
MAX.	12.4	12.8	14.7	14.6	12.2	11.9	12.3	12.2	12.2	12.1	12.3	12.5
MIN.	12.0	12.0	12.1	12.1	11.9	11.7	11.6	11.9	11.9	11.8	11.9	12.1

HIGHEST STAGE WAS 14.70 ON MAR. 30.

LOWEST STAGE WAS 11.58 ON JUL. 4.

DAILY STAGES FOR 1974

55

REELFOOT LAKE NEAR SPILLWAY, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U. S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 270.46 FEET, M.S.L. (1929 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.7	12.3	12.1	A	12.4	12.2	11.9	11.6	12.1	12.0	12.0	12.2
2	12.5	12.4	A	A	12.3	12.2	11.9	11.6	12.4	12.0	12.0	12.2
3	12.4	12.3	A	A	12.4	12.1	11.9	A	12.3	12.0	12.0	12.2
4	12.3	12.2	A	A	12.2	12.1	11.9	A	12.3	11.9	12.0	12.2
5	12.2	12.1	A	A	12.2	12.1	12.0	A	12.3	11.9	12.0	12.2
6	12.1	12.2	A	A	12.2	12.2	11.9	A	12.2	12.0	12.0	12.2
7	12.0	12.2	A	A	12.1	12.4	11.9	11.8	12.2	12.0	12.0	12.2
8	12.0	12.1	A	A	12.2	12.5	11.9	11.8	12.2	11.9	12.0	12.2
9	12.1	12.1	A	A	12.2	12.5	11.9	11.8	12.1	11.9	12.0	12.2
10	12.3	12.0	A	A	12.3	12.5	11.9	11.7	12.1	11.9	12.0	12.2
11	12.5	12.1	A	A	12.2	12.4	11.9	11.8	12.1	11.9	12.0	12.2
12	12.6	12.1	A	A	12.2	12.4	11.9	11.8	12.1	11.9	12.0	12.2
13	12.6	12.1	A	A	12.1	12.2	11.8	11.8	12.2	11.8	12.1	12.2
14	12.6	12.2	12.2	A	12.1	12.2	11.8	12.1	12.2	12.0	12.0	12.1
15	12.5	12.2	12.3	A	12.2	12.2	11.8	12.2	12.1	12.0	12.0	12.2
16	12.4	12.2	12.2	A	12.1	12.2	11.8	12.2	12.1	11.9	12.0	12.2
17	12.4	12.2	12.2	A	12.2	12.2	11.8	12.2	12.1	11.9	12.0	12.2
18	12.3	12.2	12.1	A	12.2	12.2	11.8	12.3	12.1	12.0	12.0	12.2
19	12.2	12.3	12.2	A	12.2	12.2	11.7	12.2	12.1	11.9	12.1	12.2
20	12.2	12.2	12.2	12.1	12.2	12.2	11.7	12.1	12.1	11.9	12.0	12.2
21	12.2	12.2	12.1	12.4	12.2	12.1	11.7	12.1	12.1	11.9	12.1	12.2
22	12.2	12.2	12.1	12.8	12.2	12.2	11.7	12.1	12.1	11.9	12.0	12.1
23	12.2	12.3	12.2	13.1	12.2	12.2	11.7	12.1	12.1	11.9	12.0	12.2
24	12.1	12.4	12.2	13.0	12.2	12.1	11.7	12.1	12.0	11.9	12.2	12.4
25	12.1	12.3	12.1	13.0	12.2	12.1	11.6	12.1	12.0	11.8	12.2	12.4
26	12.1	12.2	12.1	12.9	12.1	12.1	11.7	12.1	12.0	11.9	12.1	12.3
27	12.2	12.2	12.1	12.8	12.1	12.0	11.7	12.0	12.0	11.8	12.1	12.3
28	12.3	12.1	12.1	12.7	12.0	12.0	11.6	12.1	12.0	11.9	12.2	12.3
29	12.4		12.2	12.6	12.0	12.0	11.7	12.1	12.0	11.9	12.2	12.2
30	12.4		12.2	12.5	12.0	11.9	11.6	12.1	12.0	11.9	12.2	12.2
31	12.4		A		12.2		11.6	12.1		11.9		12.2

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	12.30	12.19			12.17	12.19	11.78		12.11	11.91	12.04	12.21
MAX.	12.7	12.4			12.4	12.5	12.0		12.4	12.0	12.2	12.4
MIN.	12.0	12.0			12.0	11.9	11.6		12.0	11.8	12.0	12.1

A- NO RECORD

HIGHEST STAGE WAS 13.09 ON APR. 23.

LOWEST STAGE WAS 11.55 ON AUG. 2.

DAILY STAGES FOR 1973

55

REELFOOT LAKE NEAR SPILLWAY, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE BANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U. S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 270.46 FEET, M.S.L. (1929 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.4	12.2	12.3	12.2	A	13.1	12.0	11.8	11.5	11.3	11.2	13.7
2	12.4	12.2	12.3	12.3	A	13.0	12.0	11.8	11.5	11.3	11.1	13.5
3	12.3	12.3	12.4	12.4	A	12.8	12.0	11.7	11.5	11.3	11.2	13.4
4	12.3	12.4	12.4	12.5	A	12.8	12.0	11.7	11.5	11.3	11.3	13.3
5	12.3	12.4	12.4	12.4	A	12.6	12.0	11.7	11.5	11.4	11.3	13.1
6	12.3	12.4	12.4	12.3	A	12.5	12.0	11.7	11.5	11.3	11.2	13.2
7	12.3	12.4	12.3	12.2	A	12.5	12.0	11.6	11.5	11.3	11.2	13.1
8	12.3	12.4	12.4	12.4	A	12.4	11.9	11.6	11.5	11.3	11.2	13.0
9	12.2	12.5	12.4	12.4	A	12.3	11.9	11.6	11.5	11.3	11.3	12.9
10	12.2	12.4	12.3	12.2	A	12.3	11.9	11.6	11.5	11.3	11.3	12.8
11	12.1	12.4	12.5	12.3	14.5	12.2	11.9	11.7	11.5	11.3	11.2	12.6
12	12.1	12.3	12.6	12.3	14.5	12.2	12.0	11.7	11.4	11.2	11.2	12.5
13	12.1	12.2	12.8	12.4	14.4	12.2	11.9	11.7	11.4	11.2	11.1	12.3
14	12.0	12.2	12.8	12.4	14.3	12.3	11.9	11.7	11.4	11.3	11.1	12.3
15	12.0	12.3	12.8	12.3	14.1	12.3	11.9	11.8	11.4	11.3	11.1	12.2
16	12.0	12.3	12.8	12.3	13.9	12.3	11.9	11.8	11.4	11.3	11.2	12.2
17	12.1	12.4	12.7	12.3	13.8	12.2	11.9	11.7	11.4	11.3	11.2	12.2
18	12.1	12.4	12.7	12.4	13.6	12.2	11.9	11.7	11.4	11.2	11.1	12.1
19	12.1	12.3	12.7	12.5	13.4	12.2	11.8	11.7	11.4	11.2	11.3	12.0
20	12.2	12.2	12.6	13.0	13.3	12.2	11.9	11.7	11.3	11.2	11.3	12.3
21	12.3	12.3	12.6	13.7	13.2	12.2	11.9	11.7	11.4	11.2	11.4	12.3
22	12.4	12.3	12.5	14.0	13.1	12.2	11.8	11.7	11.4	11.2	11.4	12.2
23	12.5	12.2	12.4	14.2	13.0	12.2	11.8	11.7	11.4	11.2	11.5	12.2
24	12.6	12.3	12.3	14.7	13.1	12.1	11.8	11.6	11.4	11.2	12.0	12.3
25	12.6	12.3	12.3	15.0	13.3	12.1	11.8	11.6	11.4	11.2	12.4	12.4
26	12.5	12.3	12.3	15.1	13.3	12.1	11.9	11.6	11.4	11.2	13.0	12.5
27	12.5	12.4	12.4	A	13.2	12.1	11.8	11.6	11.3	11.2	13.5	12.7
28	12.4	12.3	12.2	A	13.2	12.1	11.8	11.6	11.3	11.2	13.8	12.8
29	12.5		12.3	A	13.3	12.1	11.8	11.5	11.4	11.2	13.8	12.8
30	12.4		12.3	A	13.2	12.0	11.8	11.5	11.4	11.2	13.7	12.9
31	12.3		12.3		13.2		11.8	11.6		11.1		12.9

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	12.27	12.31	12.46			12.32	11.88	11.66	11.42	11.24	11.68	12.66
MAX.	12.6	12.5	12.8			13.1	12.0	11.8	11.5	11.4	13.8	13.7
MIN.	12.0	12.2	12.2			12.0	11.8	11.5	11.3	11.1	11.1	12.0

A- NO RECORD

RECORD INCOMPLETE FOR HIGHEST STAGE.

LOWEST STAGE WAS 11.1 ON OCT. 31 AND SUBSEQUENT DATES.

125.00
270.46
12.54

REELFOOT LAKE NEAR SPILLWAY, TENN.

LOCATION. LAT. 36-21-09, LONG. 89-25-07, AT MIDDLE LANDING IN REELFOOT LAKE STATE PARK, 0.4 MILE EAST OF BLUE RANK, 0.8 MILE WEST OF THE SPILLWAY AND 3.3 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY U.S. GEOLOGICAL SURVEY.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 270.46 FEET, M.S.L. (1929 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.3	12.4	12.5	12.3	12.2	11.9	11.7	13.0	12.2	12.0	12.4	12.3
2	12.2	12.4	12.5	12.3	12.2	11.8	11.7	12.8	12.2	12.0	12.5	12.3
3	12.2	12.3	12.4	12.4	12.2	11.8	11.8	12.8	12.2	12.0	12.5	12.4
4	12.4	12.2	12.5	12.4	12.2	11.8	11.8	12.6	12.2	12.0	12.5	12.4
5	12.3	12.2	12.4	12.3	12.1	11.8	11.8	12.5	12.1	12.0	12.4	12.6
6	12.2	12.4	12.3	12.2	12.1	11.8	11.8	12.4	12.1	12.0	12.3	12.4
7	12.3	12.3	12.4	12.5	12.1	11.8	11.8	12.4	12.1	12.0	12.4	12.2
8	12.2	12.3	12.3	12.4	12.1	11.8	11.8	12.5	12.1	12.0	12.4	12.7
9	12.3	12.3	12.3	12.3	12.1	11.7	11.8	12.4	12.1	12.0	12.3	13.2
10	12.4	12.2	12.3	12.3	12.1	11.8	11.8	12.4	12.0	12.0	12.3	13.3
11	12.4	12.2	12.2	12.3	12.0	11.7	11.8	12.3	12.0	11.9	12.2	13.3
12	12.3	12.2	12.2	12.2	12.1	11.6	11.8	12.4	12.0	11.9	12.1	13.3
13	12.4	12.2	12.3	12.2	12.1	11.6	11.7	12.3	12.0	11.9	12.1	13.3
14	12.5	12.1	12.3	12.3	12.0	11.6	11.7	12.3	12.0	11.9	12.1	13.2
15	12.4	12.2	12.3	12.4	12.0	11.6	11.7	12.3	12.0	11.9	12.1	13.2
16	12.3	12.1	12.3	12.4	12.1	11.6	12.5	12.3	12.0	11.9	12.2	13.1
17	12.3	12.1	12.3	12.4	12.1	11.6	12.8	12.2	12.0	11.9	12.2	13.0
18	12.3	12.2	12.3	12.4	12.0	11.6	13.0	12.2	12.0	12.1	12.3	12.9
19	12.3	12.2	12.3	12.3	12.0	11.6	13.0	12.2	12.0	12.1	12.3	12.8
20	12.4	12.1	12.3	12.4	12.0	11.6	13.0	12.2	12.0	12.1	12.2	12.8
21	12.4	12.2	12.3	12.5	12.0	11.6	12.9	12.2	12.0	12.1	12.2	12.7
22	12.4	12.2	12.3	12.5	12.0	11.5	12.8	12.2	12.0	12.1	12.2	12.6
23	12.4	12.2	12.3	12.6	12.0	11.5	12.6	12.3	11.9	12.2	12.2	12.5
24	12.4	12.3	12.3	12.6	11.9	11.5	12.5	12.3	11.9	12.2	12.2	12.5
25	12.4	12.3	12.3	12.5	11.9	11.4	12.4	12.3	11.9	12.2	12.2	12.4
26	12.3	12.3	12.3	12.4	11.9	11.5	12.4	12.3	11.9	12.2	12.2	12.4
27	12.3	12.3	12.3	12.4	11.9	11.5	12.6	12.3	11.9	12.3	12.3	12.4
28	12.4	12.2	12.4	12.3	11.9	11.6	12.8	12.2	11.9	12.3	12.3	12.3
29	12.4	12.2	12.4	12.3	11.9	11.6	13.1	12.2	12.1	12.3	12.4	12.1
30	12.4		12.4	12.2	11.9	11.6	13.1	12.2	12.0	12.4	12.3	12.3
31	12.4		12.4		11.9		13.0	12.2		12.4		12.4

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	12.33	12.22	12.33	12.36	12.02	11.64	12.28	12.35	12.02	12.06	12.27	12.68
MAX.	12.5	12.4	12.5	12.6	12.2	11.9	13.1	13.0	12.2	12.4	12.5	13.3
MIN.	12.2	12.0	12.2	12.2	11.9	11.4	11.7	12.2	11.9	11.9	12.1	12.1

HIGHEST STAGE WAS 13.30 FROM DEC. 10 TO DEC. 13.
LOWEST STAGE WAS 11.40 ON JUN. 25.

REELFOOT LAKE AT SPILLWAY, TENN.

LOCATION. LAT. 36-21-06, LONG. 89-24-16. AT STATE HIGHWAY 21 BRIDGE OVER OUTLET CHANNEL, 5-1/2 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY THE BUREAU OF SPORT FISHERIES AND WILDLIFE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 270.46 FEET, M.S.L. (1929 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.4	12.4	12.5	11.8	12.0	12.2	12.1	11.9	12.3	12.0	12.0	12.0
2	12.3	12.4	12.5	11.9	12.1	12.3	12.1	11.8	12.3	12.0	12.0	12.0
3	12.2	12.3	12.5	11.9	12.1	12.2	12.0	11.8	12.3	12.0	12.0	12.0
4	12.2	12.3	12.2	12.0	12.0	12.2	12.0	11.9	12.3	12.0	12.0	12.0
5	12.3	12.4	12.1	12.1	12.0	12.2	12.0	11.9	12.3	12.0	11.9	12.0
6	12.3	12.4	12.0	12.0	12.0	12.2	12.0	12.0	12.3	12.0	12.0	12.0
7	12.2	12.5	12.1	12.0	12.0	12.2	12.0	11.9	12.3	12.0	12.0	12.0
8	12.2	12.3	12.1	11.9	12.1	12.2	12.0	11.9	12.2	11.9	12.0	12.0
9	12.1	12.2	12.1	11.8	12.1	12.5	12.0	11.9	12.2	11.9	12.0	12.1
10	12.1	12.3	12.1	12.0	12.1	12.4	11.9	11.9	12.2	11.9	12.0	12.0
11	12.0	12.2	12.1	11.9	12.1	12.4	11.9	11.9	12.2	11.9	12.0	12.3
12	12.1	12.4	12.0	11.9	12.2	12.3	11.9	11.9	12.2	11.9	12.0	12.3
13	12.1	12.3	12.1	11.8	12.4	12.3	11.9	11.8	12.2	11.8	11.9	12.4
14	12.2	12.3	12.0	11.9	12.4	12.2	11.9	11.8	12.1	11.8	11.9	12.3
15	12.3	12.3	12.0	11.9	12.4	12.2	11.9	11.8	12.1	11.9	11.9	12.2
16	12.3	12.2	12.0	11.9	12.3	12.3	11.9	11.8	12.2	11.9	12.0	12.4
17	12.3	12.4	12.0	11.9	12.3	12.3	11.9	11.8	12.1	12.0	11.9	12.4
18	12.4	12.4	12.0	11.9	12.2	12.3	11.8	11.8	12.1	11.9	11.9	12.4
19	12.4	12.4	11.8	11.9	12.2	12.3	11.8	11.7	12.0	11.9	12.0	12.3
20	12.3	12.4	11.9	11.9	12.2	12.3	11.8	11.7	12.1	11.9	11.9	12.4
21	12.3	12.5	11.9	12.0	12.2	12.3	11.8	11.7	12.1	11.9	11.9	12.4
22	12.3	12.5	12.0	12.0	12.2	12.3	11.8	12.3	12.1	11.9	11.9	12.4
23	12.4	12.7	12.0	12.1	12.2	12.2	11.8	12.6	12.0	11.9	12.0	12.3
24	12.4	12.8	12.0	12.0	12.2	12.2	11.8	12.8	12.1	12.1	12.0	12.3
25	12.4	12.8	11.9	12.0	12.2	12.2	11.8	12.8	12.0	12.0	12.0	12.3
26	12.4	12.7	12.0	12.0	12.3	12.2	11.8	12.8	12.1	12.0	11.9	12.2
27	12.4	12.6	11.9	12.0	12.3	12.2	11.8	12.7	12.0	12.0	11.9	12.2
28	12.3	12.6	11.9	12.1	12.3	12.2	11.8	12.6	12.0	12.0	12.0	12.3
29	12.3		12.0	12.1	12.3	12.1	11.9	12.5	12.0	12.0	11.9	12.2
30	12.4		12.0	12.1	12.2	12.1	12.0	12.4	12.0	12.0	12.0	12.2
31	12.4		11.9		12.2		11.9	12.4		12.0		12.3

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	12.27	12.42	12.04	11.95	12.18	12.24	11.89	12.07	12.14	11.94	11.95	12.20
MAX.	12.4	12.8	12.5	12.1	12.4	12.5	12.1	12.8	12.3	12.1	12.0	12.4
MIN.	12.0	12.2	11.8	11.8	12.0	12.1	11.8	11.7	12.0	11.8	11.9	12.0

HIGHEST STAGE WAS 12.84 FROM 200 A.M. TO 600 A.M., AUG. 25.
LOWEST STAGE WAS 11.64 AT 1100 P.M., AUG. 21.

REELFOOT LAKE AT SPILLWAY, TENN.

LOCATION. LAT. 36-21-06, LONG. 89-24-16. AT STATE HIGHWAY 21 BRIDGE OVER OUTLET CHANNEL, 5-1/2 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY THE BUREAU OF SPORT FISHERIES AND WILDLIFE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 270.46 FEET, M.S.L. (1929 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.2	12.4	12.0	12.1	12.2	12.1	11.9	11.7	11.6	11.8	12.2	12.2
2	12.2	12.5	12.0	12.1	12.2	12.1	12.1	11.7	11.6	11.8	12.2	12.2
3	12.2	12.5	12.1	12.1	12.1	12.2	12.2	11.6	11.6	11.8	12.2	12.2
4	12.3	12.5	12.1	12.2	12.0	12.2	12.2	11.6	11.5	11.8	12.2	12.2
5	12.38	12.4	12.1	12.2	12.0	12.2	12.2	11.7	11.7	11.8	12.1	12.2
6	12.38	12.4	12.2	12.2	12.0	12.2	12.1	11.7	11.7	11.8	12.1	12.2
7	12.38	12.4	12.2	12.1	12.1	12.2	12.1	11.7	11.8	11.7	12.1	12.2
8	12.38	12.4	12.2	12.1	12.1	12.2	12.1	11.7	11.7	11.7	12.1	12.2
9	12.38	12.4	12.2	12.1	12.1	12.2	12.1	11.7	11.7	11.8	12.1	12.2
10	12.38	12.4	12.1	12.1	12.1	12.1	12.1	11.7	11.7	11.8	12.2	12.2
11	12.38	12.4	12.1	12.08	12.2	12.1	12.1	11.7	11.7	11.9	12.2	12.2
12	12.38	12.4	12.1	12.1	12.1	12.1	12.0	11.74	11.7	11.9	12.2	12.3
13	12.4	12.38	12.1	12.1	12.1	12.1	12.0	11.74	11.7	11.9	12.2	12.3
14	12.4	12.38	12.1	12.1	12.1	12.3	12.0	11.74	11.7	12.0	12.2	12.3
15	12.4	12.38	12.1	12.1	12.0	12.5	12.0	11.7	11.7	12.0	12.2	12.3
16	12.4	12.5	12.0	12.1	12.0	12.64	12.0	11.7	11.7	12.0	12.2	12.48
17	12.4	12.5	12.0	12.1	12.0	12.74	12.0	11.7	11.6	12.1	12.2	12.48
18	12.42	12.4	12.0	12.1	12.14	12.68	12.0	11.7	11.6	12.1	12.2	12.48
19	12.42	12.3	12.2	12.1	12.1	12.84	12.0	11.6	11.6	12.1	12.2	12.48
20	12.42	12.3	12.2	12.3	12.1	12.8	11.96	11.6	11.7	12.2	12.2	12.5
21	12.42	12.3	12.2	12.3	12.08	12.7	11.96	11.6	11.8	12.2	12.2	12.5
22	12.42	12.3	12.2	12.2	12.08	12.68	11.96	11.6	11.8	12.1	12.2	12.5
23	12.42	12.3	12.2	12.2	12.08	12.68	11.96	11.7	11.8	12.1	12.2	12.5
24	12.42	12.2	12.2	12.4	12.1	12.46	11.9	11.7	11.9	12.1	12.2	12.5
25	12.4	12.1	12.2	12.3	12.1	12.4	11.9	11.8	11.92	12.1	12.2	12.5
26	12.4	12.1	12.1	12.5	12.1	12.2	11.8	11.8	11.9	12.1	12.2	12.4
27	12.4	12.0	12.1	12.6	12.08	12.2	11.8	11.7	11.9	12.1	12.2	12.4
28	12.4	12.0	12.1	12.3	12.08	12.2	11.7	11.7	11.9	12.1	12.2	12.4
29	12.4		12.1	12.2	12.08	12.1	11.7	11.7	11.9	12.1	12.2	12.3
30	12.4		12.1	12.2	12.1	12.0	11.7	11.7	11.8	12.1	12.2	12.3
31	12.4		12.1		12.1		11.7	11.6		12.2		12.3

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	12.37	12.33	12.11	12.16	12.08	12.33	11.97	11.68	11.72	11.97	12.17	12.33
MAX.	12.42	12.5	12.2	12.6	12.2	12.84	12.2	11.8	11.92	12.2	12.2	12.5
MIN.	12.2	12.0	12.0	12.08	12.0	12.0	11.7	11.6	11.5	11.7	12.1	12.2

HIGHEST STAGE WAS 12.84, JUNE 19.

LOWEST STAGE WAS 11.50, SEPT. 4.

REELFOOT LAKE AT SPILLWAY, TENN.

LOCATION. LAT. 36-21-06, LONG. 89-24-16. AT STATE HIGHWAY 21 BRIDGE OVER OUTLET CHANNEL, 5-1/2 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY THE BUREAU OF SPORT FISHERIES AND WILDLIFE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 270.46 FEET, M.S.L. (1929 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.5	12.92	11.94	12.3	12.22	11.96	11.74	11.32	11.16	10.86	10.8	11.12
2	12.4	12.92	11.94	12.28	12.18	11.98	11.74	11.3	11.14	10.88	10.79	11.1
3	12.48	12.82	11.9	12.4	12.18	11.96	11.76	11.3	11.18	10.86	10.79	11.12
4	12.38	12.72	11.88	12.44	12.2	11.94	11.74	11.3	11.18	10.86	10.78	11.12
5	12.34	12.64	11.86	12.44	12.18	11.9	11.7	11.28	11.2	10.86	10.78	11.12
6	12.3	12.53	11.86	12.52	12.18	11.88	11.68	11.26	11.2	10.84	10.76	11.16
7	12.28	12.52	11.84	12.42	12.18	11.88	11.7	11.22	11.2	10.88	10.76	11.26
8	12.28	12.42	11.86	12.4	12.16	11.86	11.7	11.18	11.22	10.84	10.74	11.26
9	12.3	12.4	11.88	12.54	12.16	11.86	11.7	11.16	11.22	10.84	10.72	11.24
10	12.26	12.3	11.9	12.66	12.12	11.84	11.66	11.2	11.2	10.8	10.72	11.22
11	12.2	12.2	11.9	12.96	12.12	11.8	11.66	11.18	11.16	10.88	10.72	11.2
12	12.16	12.2	11.88	12.94	12.1	11.76	11.64	11.16	11.14	10.9	10.72	11.2
13	12.12	12.08	11.86	12.82	12.08	11.76	11.62	11.12	11.1	10.9	10.74	11.18
14	12.1	12.0	11.86	12.72	12.08	11.78	11.6	11.08	11.1	10.96	10.72	11.22
15	12.08	12.0	11.86	12.68	12.08	11.82	11.56	11.08	11.1	10.92	10.68	11.22
16	12.0	11.94	11.86	12.58	12.06	11.88	11.52	11.06	11.16	10.86	10.8	11.2
17	12.16	11.94	11.84	12.5	12.06	11.88	11.5	11.14	11.04	10.86	10.84	11.2
18	12.28	12.08	11.84	12.48	12.08	11.8	11.48	11.16	11.04	10.86	10.86	11.22
19	12.4	12.06	11.8	12.5	12.14	11.76	11.48	11.26	11.02	10.86	11.08	11.22
20	12.48	12.04	11.78	12.42	12.12	11.74	11.46	11.28	11.02	10.85	11.2	11.22
21	12.18	12.0	11.78	12.36	12.14	11.72	11.46	11.3	10.98	10.83	11.0	11.24
22	12.12	12.0	11.76	12.3	12.14	11.68	11.44	11.3	10.96	10.8	11.02	11.26
23	12.06	12.0	11.76	12.22	12.12	11.66	11.48	11.28	10.94	10.84	11.06	11.26
24	12.04	12.0	11.88	12.14	12.1	11.82	11.46	11.28	11.0	10.8	11.14	11.28
25	12.0	11.98	12.06	12.02	12.1	11.78	11.44	11.28	10.98	10.78	11.14	11.3
26	11.92	11.96	12.2	12.28	12.1	11.78	11.42	11.28	10.94	10.78	11.14	11.32
27	11.88	11.96	12.26	12.2	12.08	11.76	11.4	11.26	10.92	10.78	11.16	11.32
28	11.82	11.94	12.3	12.22	12.02	11.76	11.4	11.22	10.92	10.76	11.16	11.42
29	11.82		12.38	12.22	12.0	11.76	11.38	11.22	10.9	10.76	11.18	11.66
30	12.38		12.38	12.22	12.0	11.76	11.36	11.2	10.88	10.76	11.1	11.86
31	12.72		12.36		11.98		11.34	11.18		10.76		12.0

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	12.20	12.23	11.94	12.43	12.10	11.81	11.55	11.21	11.06	10.83	10.89	11.27
MAX.	12.72	12.92	12.38	12.96	12.22	11.98	11.76	11.32	11.22	10.96	11.2	12.0
MIN.	11.82	11.94	11.76	12.02	11.98	11.66	11.34	11.06	10.88	10.76	10.68	11.1

HIGHEST STAGE WAS 12.96, APR. 11.
LOWEST STAGE WAS 10.68, NOV. 15.

REELFOOT LAKE AT SPILLWAY, TENN.

LOCATION. LAT. 36-21-06, LONG. 89-24-16. AT STATE HIGHWAY 21 BRIDGE OVER OUTLET CHANNEL, 5-1/2 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY THE BUREAU OF SPORT FISHERIES AND WILDLIFE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 270.46 FEET, M.S.L. (1929 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	11.9	11.86	11.8	12.3	12.14	12.04	11.8	11.54	11.1	11.18	11.08	11.76
2	11.9	11.98	11.82	12.26	12.12	12.12	11.86	11.58	11.08	11.16	11.1	11.8
3	11.9	11.86	11.82	12.28	12.1	12.12	11.86	11.58	11.08	11.14	11.1	11.86
4	11.88	11.9	11.82	12.34	12.1	12.12	11.84	11.58	11.08	11.12	11.1	11.94
5	11.84	11.9	11.78	12.06	12.08	12.1	11.8	11.58	11.08	11.1	11.12	11.96
6	11.0	11.86	11.78	12.1	12.06	12.08	11.78	11.56	11.06	11.18	11.12	11.94
7	11.8	11.82	11.82	12.1	12.04	12.06	11.76	11.54	11.06	11.2	11.12	11.94
8	11.8	11.76	11.8	12.06	11.98	12.04	11.74	11.52	11.04	11.18	11.12	11.92
9	11.76	11.9	11.8	12.02	11.96	12.02	11.74	11.48	11.04	11.16	11.12	11.96
10	11.74	11.9	11.82	11.96	11.96	12.0	11.72	11.48	11.06	11.2	11.12	11.94
11	11.7	11.9	11.82	11.86	12.14	11.98	11.74	11.48	11.02	11.18	11.1	11.96
12	11.68	11.84	11.98	12.1	12.12	11.98	11.74	11.48	11.0	11.18	11.08	11.98
13	11.66	11.84	12.0	12.16	12.12	12.02	11.72	11.48	10.96	11.18	11.6	12.0
14	11.66	11.8	12.0	12.16	12.18	11.96	11.7	11.48	10.94	11.18	11.06	12.1
15	11.64	11.78	12.04	12.18	12.18	11.94	11.68	11.48	10.94	11.16	11.04	12.14
16	11.64	11.8	12.06	12.16	12.22	11.94	11.66	11.46	10.94	11.14	11.06	12.12
17	11.62	11.78	12.08	12.2	11.94	11.96	11.64	11.44	11.02	11.14	11.06	12.09
18	11.62	11.78	12.04	12.24	11.88	11.94	11.64	11.42	11.18	11.24	11.08	12.06
19	11.6	11.82	12.06	12.26	11.84	11.92	11.62	11.42	11.18	11.24	11.1	11.98
20	11.6	11.8	12.08	12.1	11.76	11.88	11.6	11.4	11.2	11.22	11.1	12.06
21	11.62	11.82	12.32	12.1	12.06	11.86	11.58	11.36	11.2	11.22	11.08	12.1
22	11.66	11.82	12.38	12.1	12.1	11.84	11.58	11.36	11.2	11.22	11.06	12.24
23	11.7	11.82	12.4	12.08	12.06	11.82	11.56	11.34	11.2	11.2	11.04	12.28
24	11.76	11.82	12.4	12.0	12.08	11.8	11.56	11.32	11.2	11.2	11.06	12.4
25	11.8	11.82	12.4	12.04	12.06	11.88	11.56	11.3	11.2	11.18	11.1	12.38
26	11.8	11.82	12.38	12.18	12.06	11.9	11.56	11.28	11.26	11.16	11.06	12.28
27	11.8	11.82	12.36	12.18	12.12	11.86	11.56	11.26	11.24	11.16	11.18	12.24
28	11.8	11.84	12.36	12.16	12.12	11.84	11.56	11.24	11.22	11.14	11.32	12.36
29	11.8	11.84	12.3	12.14	12.1	11.8	11.56	11.22	11.2	11.12	11.48	12.4
30	11.84		12.3	12.12	12.1	11.8	11.56	11.18	11.15	11.08	11.58	12.46
31	11.86		12.24		12.08		11.54	11.12		11.08		12.6

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	11.71	11.83	12.06	12.12	12.05	11.94	11.66	11.41	11.09	11.16	11.13	12.10
MAX. I	11.9	11.98	12.4	12.34	12.22	12.12	11.86	11.58	11.26	11.24	11.6	12.6
MIN.	11.0	11.76	11.78	11.86	11.76	11.8	11.54	11.12	10.94	11.08	11.04	11.76

1- ICE

HIGHEST STAGE WAS 12.60, DEC. 31.

LOWEST STAGE WAS 10.94 ON SEPT. 14 THRU. 16.

REELFOOT LAKE AT SPILLWAY, TENN.

LOCATION. LAT. 36-21-06, LONG. 89-24-16. AT STATE HIGHWAY 21 BRIDGE OVER OUTLET CHANNEL, 5-1/2 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY THE BUREAU OF SPORT FISHERIES AND WILDLIFE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 270.46 FEET, M.S.L. (1929 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.4	11.72	11.74	12.28	12.18	12.36	12.2	12.16	11.86	11.66	11.62	11.74
2	12.4	11.82	11.76	12.28	12.32	12.36	12.2	12.14	11.8	11.64	11.62	11.8
3	12.38	11.7	11.76	12.28	12.36	12.34	12.18	12.14	11.78	11.62	11.66	12.0
4	12.36	11.66	11.82	12.24	12.34	12.34	12.12	12.3	11.76	11.6	11.66	12.08
5	12.34	11.64	11.84	12.2	12.3	12.32	12.1	12.22	11.76	11.58	11.62	12.16
6	12.3	11.8	12.16	12.08	12.28	12.28	12.24	12.24	11.74	11.56	11.62	12.2
7	12.28	11.7	12.16	12.24	12.28	12.26	12.22	12.24	11.74	11.56	11.6	12.22
8	12.28	11.62	12.32	12.24	12.26	12.24	12.2	12.26	11.74	11.56	11.6	12.24
9	12.26	11.58	12.36	12.2	12.22	12.22	12.16	12.18	11.74	11.58	11.58	12.26
10	12.1	11.54	12.36	12.36	12.18	12.2	12.14	12.18	11.72	11.58	11.56	12.26
11	12.08	11.56	12.32	12.36	12.0	12.2	12.12	12.16	11.72	11.6	11.6	12.28
12	12.0	11.52	12.28	12.32	12.18	12.18	12.1	12.14	11.7	11.56	11.66	12.28
13	12.0	11.48	12.26	12.24	12.78	12.16	12.22	12.12	11.68	11.48	11.68	12.36
14	11.98	11.44	12.24	12.16	12.48	12.17	12.26	12.1	11.68	11.5	11.7	12.38
15	11.98	11.2	12.26	12.18	12.88	12.1	12.2	12.08	11.68	11.46	11.72	12.4
16	11.9	11.48	12.18	12.18	12.9	12.1	12.18	12.06	11.66	11.52	11.7	12.4
17	11.94	11.54	12.52	12.24	12.88	12.08	12.14	12.04	11.66	11.7	11.66	12.38
18	I	I	12.46	12.28	12.78	12.1	12.2	12.02	11.66	11.78	11.68	12.46
19	11.86	11.48	12.3	12.26	12.68	12.08	12.2	12.0	11.64	11.72	11.68	12.46
20	11.84	11.66	12.22	12.26	12.66	12.06	12.18	11.98	11.64	11.7	11.66	12.46
21	11.82	11.62	12.32	12.2	12.54	12.04	12.18	11.98	11.68	11.7	11.66	12.3
22	11.8	11.64	12.32	12.3	12.46	12.1	12.16	11.98	11.74	11.7	11.68	12.32
23	11.76	11.62	12.32	12.36	12.36	12.18	12.14	11.98	11.72	11.68	11.68	12.1
24	11.74	11.64	12.28	12.36	12.26	12.2	12.14	11.94	11.7	11.64	11.66	12.0
25	11.72	I	12.3	12.34	12.16	12.28	12.12	11.92	11.68	11.68	11.68	11.9
26	11.68	I	12.32	12.38	12.06	12.24	12.16	11.9	11.66	11.68	11.66	11.88
27	11.8	I	12.34	12.38	12.28	12.2	12.18	11.88	11.68	11.66	11.68	11.8
28	11.78	I	12.36	12.28	12.24	12.18	12.18	11.88	11.7	11.66	11.68	12.06
29	11.78		12.34	12.24	12.2	12.16	12.2	11.86	11.66	11.62	11.6	12.0
30	11.76		12.32	12.18	12.18	12.32	12.18	11.84	11.64	11.6	11.7	11.96
31	11.74		12.3		12.14		12.18	11.86		11.58		11.96

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN		12.21	12.25	12.37	12.19	12.16	12.05	11.70	11.61	11.64	12.15
MAX.		12.52	12.38	12.9	12.36	12.26	12.3	11.86	11.78	11.72	12.46
MIN.		11.74	12.08	12.0	12.04	12.1	11.84	11.64	11.46	11.56	11.74

I- ICE

HIGHEST STAGE WAS 12.90, MAY 16.

LOWEST STAGE WAS 11.20, FEB. 15.

DAILY STAGES FOR 1966

47

REELFOOT LAKE AT SPILLWAY, TENN.

LOCATION. LAT. 36-21-06, LONG. 89-24-16. AT STATE HIGHWAY 21 BRIDGE OVER OUTLET CHANNEL, 5-1/2 MILES SOUTHEAST OF TIPTONVILLE.

GENERAL INFORMATION. STAGES WERE FURNISHED BY THE BUREAU OF SPORT FISHERIES AND WILDLIFE.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953, TO DATE.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET

FEET, M.S.L. [1929 ADJ.]

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	A	I	11.12	11.2	12.2	12.18	11.72	11.4	11.7	11.44	11.32	11.3
2	13.18	I	11.1	11.18	12.18	12.14	11.7	11.5	11.66	11.48	11.3	11.38
3	13.96	11.38	11.1	11.18	12.1	12.1	11.7	11.58	11.62	11.46	11.28	11.4
4	14.0	11.34	11.1	11.16	12.06	12.08	11.68	11.54	11.62	11.46	11.24	11.3
5	13.94	11.28	11.1	11.14	11.92	12.08	11.64	11.5	11.62	11.46	11.24	11.3
6	14.0	11.22	11.14	11.1	12.2	12.08	11.62	11.48	11.6	11.42	11.24	11.36
7	13.94	11.18	11.16	11.08	12.3	12.1	11.6	11.44	11.58	11.4	11.24	11.34
8	13.8	11.18	11.2	11.06	12.3	12.08	11.58	11.42	11.56	11.4	11.22	11.34
9	13.6	11.1	11.2	11.04	12.28	12.1	11.58	11.4	11.56	11.4	11.2	11.64
10	13.52	11.28	11.24	11.1	12.28	12.1	11.56	11.4	11.54	11.42	11.24	11.79
11	13.4	11.36	11.2	11.1	12.28	12.1	11.52	11.38	11.5	11.42	11.3	11.88
12	13.28	11.5	11.24	11.24	12.28	12.08	11.5	11.48	11.5	11.4	11.34	11.88
13	13.2	11.58	11.3	11.36	12.36	12.06	11.48	11.5	11.5	11.36	11.36	12.0
14	13.16	11.66	11.3	11.4	12.4	12.1	11.46	11.6	11.5	11.34	11.34	11.88
15	13.06	11.62	11.32	11.4	12.38	12.06	11.42	11.7	11.48	11.36	11.34	12.0
16	13.04	11.6	11.32	11.38	12.54	12.04	11.48	11.8	11.5	11.42	11.32	11.98
17	12.9	11.58	11.3	11.42	12.04	12.02	11.46	11.84	11.48	11.44	11.32	12.0
18	12.82	11.5	11.28	11.4	12.08	12.0	11.5	11.84	11.46	11.42	11.32	11.98
19	12.74	11.48	11.22	11.48	12.18	12.0	11.5	11.88	11.5	11.42	11.38	12.0
20	12.68	11.46	11.18	11.56	12.1	11.98	11.46	11.88	11.46	11.4	11.38	11.98
21	12.26	11.4	11.16	11.68	12.06	11.96	11.44	11.8	11.48	11.36	11.32	11.98
22	12.22	11.3	11.16	11.62	12.0	11.9	11.44	11.82	11.46	11.34	11.32	12.0
23	12.1	11.28	11.1	11.88	12.0	11.9	11.38	11.84	11.4	11.38	11.3	12.0
24	12.0	11.24	11.16	12.0	12.3	11.88	11.38	11.8	11.4	11.4	11.3	12.02
25	11.96	11.14	11.18	12.42	11.98	11.8	11.4	11.8	11.42	11.38	11.3	11.94
26	11.92	11.08	11.2	12.38	12.0	11.8	11.36	11.8	11.42	11.36	11.32	11.94
27	11.78	11.02	11.22	12.26	11.98	11.8	11.34	11.78	11.44	11.34	11.34	11.86
28	11.7	10.98	11.2	12.3	12.3	11.78	11.3	11.72	11.42	11.32	11.4	12.2
29	11.66		11.18	12.26	12.3	11.76	11.3	11.72	11.42	11.32	11.4	12.28
30	I		11.2	12.2	12.26	11.74	11.4	11.72	11.42	11.3	11.36	12.4
31	I		11.2		12.26		11.46	11.72		11.3		12.42

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	11.19	11.52	12.18	11.98	11.49	11.64	11.50	11.38	11.30	11.82
MAX.	11.32	12.42	12.54	12.18	11.72	11.88	11.7	11.48	11.4	12.42
MIN.	11.1	11.04	11.92	11.74	11.3	11.38	11.4	11.3	11.2	11.3

A- NO RECORD

I- ICE

HIGHEST STAGE WAS 14.0, JAN. 4 AND 6.
LOWEST STAGE WAS 10.98, FEB. 28.

REELFOOT LAKE AT SPILLWAY, TENN.

LOCATION. LAT. 36-21-06, LONG. 89-24-16. AT SPILLWAY STRUCTURE, JUST NORTH OF TENNESSEE STATE HIGHWAYS 21 AND 22 BRIDGE OVER OUTLET CHANNEL, FIVE AND A HALF MILES SOUTHEAST OF TIPTONVILLE, TENN.

GAGE. STAFF TYPE. GAGE IS READ AND MAINTAINED BY U.S. GEOLOGICAL SURVEY AND GAME REFUGE PERSONNEL.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953 TO DATE. THIS GAGE IS NOT PUBLISHED IN THE U.S. GEOLOGICAL SURVEY PAMPHLET, SURFACE WATER RECORDS OF TENNESSEE. STAGES FOR ABOVE PERIOD ARE AVAILABLE FROM MEMPHIS DISTRICT, CORPS OF ENGINEERS.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET

GAGE ZERO, 270.46 FEET, M.S.L. (1929 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.1	11.44	11.2	12.14	12.24	12.02	A	11.94	11.7	12.14	11.94	12.26
2	12.12	I	11.22	12.14	12.2	12.0	A	11.92	11.68	12.16	11.94	12.24
3	12.14	11.3	11.54	12.1	12.2	12.0	A	11.9	11.68	12.16	11.92	12.22
4	12.15	11.26	11.68	12.08	12.2	12.1	12.18	11.84	11.66	12.16	11.92	12.2
5	12.14	11.2	11.8	12.02	12.18	12.06	12.5	11.8	11.68	12.14	11.94	12.2
6	12.16	11.1	11.84	11.98	12.18	12.06	12.52	11.8	11.66	12.1	11.92	12.24
7	12.16	11.06	11.9	12.0	12.18	12.1	12.36	11.78	11.66	12.14	11.92	12.26
8	12.14	11.0	11.96	11.94	12.16	12.1	12.3	11.76	11.66	12.14	12.0	12.22
9	12.2	11.92	11.98	12.0	12.2	12.12	12.26	11.74	11.62	12.1	12.06	12.2
10	12.92	11.04	12.0	11.98	12.22	12.1	12.38	11.74	11.62	12.08	12.04	12.18
11	12.98	11.2	12.04	11.84	12.24	12.14	12.14	11.74	11.8	12.04	12.0	12.16
12	12.72	11.4	12.08	11.82	12.22	12.2	12.08	11.72	12.0	12.1	11.98	12.2
13	12.68	11.7	12.08	12.1	12.2	12.2	12.02	11.72	12.08	12.04	12.0	12.24
14	12.64	11.64	12.06	12.24	12.18	12.2	11.94	11.7	12.2	12.1	12.0	12.26
15	12.58	11.82	12.1	12.3	12.16	12.22	11.9	11.68	12.26	12.08	11.98	12.28
16	12.54	11.84	12.1	12.36	12.1	12.22	12.1	11.78	12.2	12.14	11.96	12.3
17	12.48	11.8	12.08	12.1	12.1	12.24	12.2	11.64	12.18	12.14	11.96	12.3
18	12.38	11.74	12.14	11.9	12.1	12.26	12.2	11.62	12.18	12.14	11.96	12.34
19	12.34	11.72	12.16	12.2	12.14	12.2	12.2	11.62	12.14	12.14	11.96	12.32
20	12.28	11.58	12.2	12.2	12.16	12.1	12.18	11.6	12.1	12.1	11.94	12.3
21	12.2	11.5	12.18	12.2	12.12	12.06	12.18	11.58	12.06	12.1	12.12	12.28
22	12.12	11.48	12.1	12.18	12.12	12.04	12.14	11.56	12.08	12.14	12.16	12.26
23	12.08	11.4	12.08	12.2	12.1	12.0	12.1	11.68	12.08	12.08	12.22	12.24
24	12.0	11.38	12.1	12.2	12.1	12.1	12.1	11.66	12.16	12.06	12.22	12.24
25	11.96	11.36	12.2	12.14	12.08	12.03	12.1	11.68	12.16	12.06	12.26	12.28
26	11.86	11.3	12.36	12.24	12.04	12.04	12.06	11.64	12.14	12.0	12.26	12.3
27	11.78	11.24	12.28	12.3	12.06	12.0	12.04	11.6	12.18	12.02	12.24	12.28
28	11.68	11.18	12.26	12.3	12.1	11.96	12.04	11.58	12.14	12.0	12.24	12.26
29	11.66		12.4	12.3	12.1	11.94	12.04	11.56	12.1	12.0	12.24	12.24
30	11.64		12.16	12.24	12.08	11.94	12.0	11.56	12.14	11.98	12.26	12.22
31	11.5		12.2		12.06		11.98	11.48		11.98		12.22

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	12.20	12.02	12.12	12.15	12.09		11.70	11.97	12.09	12.05	12.25
MAX.	12.98	12.4	12.36	12.24	12.26		11.94	12.26	12.16	12.26	12.34
MIN.	11.5	11.2	11.82	12.04	11.94		11.48	11.62	11.98	11.92	12.16

A- NO RECORD

I- ICE

HIGHEST STAGE WAS 12.98 ON JAN. 11.

LOWEST STAGE WAS 11.00 ON FEB. 8.

REELFOOT LAKE AT SPILLWAY, TENN.

LOCATION. LAT. 36-21-06, LONG. 89-24-16. AT SPILLWAY STRUCTURE, JUST NORTH OF TENNESSEE STATE HIGHWAYS 21 AND 22 BRIDGE OVER OUTLET CHANNEL, FIVE AND A HALF MILES SOUTHEAST OF TIPTONVILLE, TENN.

GAGE. STAFF TYPE. GAGE IS READ AND MAINTAINED BY U.S. GEOLOGICAL SURVEY AND GAME REFUGE PERSONNEL.

RECORDS AVAILABLE. STAGE, JAN. 1, 1953 TO DATE. THIS GAGE IS NOT PUBLISHED IN THE U.S. GEOLOGICAL SURVEY PAMPHLET, SURFACE WATER RECORDS OF TENNESSEE. STAGES FOR ABOVE PERIOD ARE AVAILABLE FROM MEMPHIS DISTRICT, CORPS OF ENGINEERS.

EXTREMES. HIGHEST, 15.48 FEET ON MAY 31, 1957. LOWEST, 9.3 FEET ON NOV. 20 AND 21, 1953.

DAILY EIGHT A.M. STAGE IN FEET FOR 1964

GAGE ZERO, 270.46 FEET, M.S.L. (1929 ADJ.)

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	I	10.58	10.64	12.2	12.26	12.14	11.58	11.14	10.9	11.08	10.8	10.88
2	I	10.56	10.66	12.14	12.3	12.1	11.54	11.1	10.9	11.1	10.76	10.88
3	I	10.56	10.7	12.18	12.28	12.1	11.5	11.14	10.88	11.06	10.74	11.06
4	I	10.56	11.0	12.28	12.26	12.08	11.52	11.14	10.84	11.08	10.72	11.16
5	10.4	10.56	11.0	12.3	12.2	12.06	11.5	11.08	10.82	11.1	10.74	11.2
6	10.42	10.6	11.2	12.34	12.2	12.06	11.46	11.02	10.78	11.1	10.74	11.2
7	10.42	10.6	11.38	12.4	12.18	12.02	11.42	11.0	10.78	11.04	10.74	I
8	10.44	10.58	11.68	12.46	12.1	11.96	11.4	11.0	10.74	11.04	10.74	11.24
9	10.46	10.58	12.24	12.38	12.14	11.96	11.36	10.98	10.74	11.04	10.72	11.34
10	I	10.58	12.5	12.32	12.2	11.94	11.34	10.92	10.74	11.02	10.72	11.36
11	I	10.58	12.94	12.28	12.22	11.9	11.34	10.88	10.72	11.0	10.7	11.58
12	10.48	10.58	12.94	12.26	12.34	11.9	11.34	10.84	10.7	10.98	10.64	11.7
13	I	10.6	12.8	12.28	12.2	11.9	11.4	10.8	10.68	10.96	10.64	11.78
14	I	10.64	12.7	12.3	12.2	11.9	11.33	10.94	10.6	10.98	10.62	11.94
15	I	10.68	12.64	12.36	12.3	11.88	11.3	10.98	10.58	10.98	10.64	11.98
16	I	10.68	12.48	12.34	12.3	11.84	11.3	11.0	10.56	10.94	10.64	11.94
17	I	10.68	12.4	12.3	12.28	11.84	11.28	11.02	10.54	10.92	10.64	11.9
18	I	10.7	12.36	12.3	12.28	11.82	11.26	10.98	10.64	10.92	10.68	I
19	10.4	10.7	12.28	12.3	12.24	11.8	11.22	10.96	10.64	10.9	10.78	I
20	10.46	10.72	12.14	12.28	12.24	11.8	11.2	10.94	10.62	10.92	10.86	I
21	10.48	10.72	12.48	12.26	12.24	11.74	11.2	10.92	10.64	10.88	10.88	I
22	10.48	10.72	12.4	12.3	12.2	11.72	11.2	11.02	10.68	10.84	10.78	11.94
23	10.48	10.72	12.36	12.38	12.18	11.72	11.2	11.0	10.72	10.9	10.76	11.94
24	10.5	10.7	12.28	12.4	12.2	11.7	11.18	10.96	10.7	10.88	10.74	11.94
25	10.5	10.7	12.28	12.4	12.18	11.68	11.16	10.94	10.68	10.84	10.78	12.0
26	10.5	10.7	12.26	12.38	12.18	11.64	11.18	11.0	10.64	10.82	10.78	12.04
27	10.5	10.7	12.28	12.4	12.16	11.62	11.2	10.96	10.78	10.92	10.78	12.08
28	10.5	10.68	12.3	12.2	12.16	11.6	11.2	10.98	10.94	10.9	10.8	12.1
29	10.5	10.64	12.2	12.2	12.16	11.58	11.2	10.94	11.02	10.8	10.88	12.08
30	10.52		12.2	12.22	12.18	11.56	11.18	10.92	11.06	10.82	10.9	12.08
31	10.56		12.2		12.16		11.18	10.92		10.8		12.1

THE FOLLOWING REFER ONLY TO READINGS APPEARING IN THE TABLE ABOVE

MEAN	10.64	12.06	12.30	12.22	11.85	11.31	10.98	10.74	10.95	10.74
MAX.	10.72	12.94	12.46	12.34	12.14	11.58	11.14	11.06	11.1	10.9
MIN.	10.56	10.64	12.14	12.1	11.56	11.16	10.8	10.54	10.8	10.62

I- ICE

HIGHEST STAGE WAS 12.94, MAR. 11 AND 12.

LOWEST STAGE WAS 10.4, JAN. 5 AND 19.

MEMPHIS DISTRICT, CORPS OF ENGINEERS.

1963

REELFOOT LAKE
Spillway Gage

Zero of gage: 270.46 m.s.l.
Latitude: 36° 21' 06" - Long.: 89° 24' 16"
U.S.G.S. gage.

Vertical staff at Reelfoot Lake Spillway.

Highest: 12.32 on 7 March
Lowest: 10.26 on 1 November

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	11.90	*	11.38	12.04	11.88	11.98	11.80	11.36	11.20	10.80	10.26	10.42
2	11.90	*	11.44	12.04	11.84	11.98	11.78	11.36	11.18	10.76	10.28	10.40
3	11.92	*	11.46	12.00	11.78	11.98	11.76	11.36	11.18	10.72	10.30	10.36
4	11.92	*	11.42	12.00	11.86	11.96	11.74	11.34	11.18	10.70	10.32	10.32
5	11.92	*	11.80	11.92	11.84	11.96	11.72	11.33	11.16	10.70	10.32	10.30
6	11.92	*	11.88	11.98	11.84	11.92	11.68	11.32	11.16	10.70	10.36	10.30
7	11.92	11.28	12.32	12.02	11.86	11.90	11.64	11.30	11.14	10.70	10.36	10.30
8	11.94	11.28	12.18	11.98	11.84	11.88	11.62	11.28	11.10	10.68	10.34	10.30
9	11.94	11.24	12.18	12.00	11.78	11.86	11.62	11.26	11.10	10.68	10.32	10.28
10	11.94	11.28	12.18	12.02	11.72	11.82	11.64	11.26	11.10	10.64	10.32	10.30
11	11.94	*	12.28	12.00	11.78	11.78	11.60	11.24	11.10	10.64	10.32	10.34
12	11.92	*	11.94	11.98	11.78	11.78	11.60	11.22	11.10	10.62	10.32	10.36
13	11.92	*	11.92	11.98	11.74	11.74	11.56	11.22	11.10	10.62	10.32	10.38
14	*	*	11.94	11.94	11.70	11.72	11.60	11.20	11.08	10.60	10.30	*
15	11.94	11.40	11.84	11.92	11.70	11.70	11.60	11.18	11.08	10.60	10.30	*
16	11.94	11.40	12.02	11.86	11.70	11.78	11.60	11.18	11.04	10.58	10.30	*
17	11.94	*	12.10	11.86	11.72	11.86	11.60	11.16	11.04	10.56	10.30	*
18	11.60	11.38	12.16	11.80	11.70	11.84	11.58	11.14	11.04	10.52	10.30	*
19	11.54	11.36	11.36	11.80	11.68	11.82	11.54	11.12	11.02	10.52	10.30	*
20	11.44	11.36	12.04	11.82	11.68	11.82	11.52	11.10	11.00	10.50	10.30	*
21	11.34	11.34	12.16	11.80	11.64	11.80	11.52	11.10	11.00	10.50	10.30	*
22	11.26	*	12.14	11.76	11.64	11.82	11.52	11.08	11.00	10.50	10.28	*
23	*	*	12.10	11.76	11.62	11.86	11.50	11.08	10.96	10.48	10.32	*
24	*	11.34	12.08	11.86	11.60	11.86	11.48	11.06	10.92	10.46	10.40	*
25	*	11.34	12.04	11.82	11.60	11.86	11.42	11.06	10.90	10.44	10.38	*
26	*	11.38	12.04	11.78	11.76	11.86	11.40	11.06	10.82	10.46	10.40	*
27	*	11.34	12.06	11.78	11.80	11.84	11.38	11.04	10.82	10.46	10.42	*
28	*	11.36	12.06	11.82	11.84	11.84	11.38	11.02	10.86	10.44	10.40	*
29	*		12.06	11.86	11.90	11.82	11.40	11.18	10.86	10.42	10.40	*
30	*		12.02	11.88	11.96	11.82	11.40	11.18	10.82	10.40	10.42	*
31	*		12.06		11.98		11.38	11.18		10.30		*

8:00 a.m. readings.

* Ice.

LMM 21
Feb 64

1962

REELFOOT LAKE
Spillway Gage

Zero of gage: 270.46 m.s.l.
Latitude: 36° 21' 06" - Long.: 89° 24' 16"
U.S.G.S. gage

Vertical staff at Reelfoot Lake Spillway

Highest: 13.08 on 1 March

Lowest: 11.20 on 21, 22 and 24 August

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	11.82	11.60	13.08	12.66	12.64	11.96	11.96	11.56	11.46	11.94	12.00	11.86
2	11.78	11.54	13.02	12.28	12.28	11.96	11.94	11.54	11.40	11.98	11.98	11.86
3	11.74	11.50	12.85	12.26	12.32	11.98	11.92	11.50	11.54	11.94	11.98	11.86
4	11.72	11.44	12.82	12.22	12.26	12.00	11.90	11.48	11.58	11.94	11.96	11.84
5	11.70	11.42	12.74	12.18	12.20	12.00	11.88	11.48	11.60	11.92	11.94	11.84
6	11.76	11.34	12.68	12.14	12.10	12.00	11.86	11.48	11.60	11.90	11.92	11.82
7	11.80	11.40	12.64	12.10	12.06	12.06	11.88	11.48	11.60	11.90	11.90	11.80
8	11.80	11.40	12.80	11.96	11.98	12.08	11.84	11.50	11.58	11.90	12.00	11.80
9	11.72	11.40	12.82	12.00	12.38	12.04	11.80	11.48	11.58	11.88	11.96	11.78
10	11.66	11.42	12.38	12.00	12.38	12.04	11.78	11.42	11.60	11.86	11.94	11.76
11	*	11.40	12.32	12.24	12.36	12.02	11.78	11.42	11.60	11.90	11.90	11.78
12	*	11.38	12.28	12.32	12.34	12.02	11.76	11.42	11.60	11.90	11.96	*
13	*	11.36	12.22	12.30	12.34	12.04	11.72	11.40	11.58	11.96	11.94	*
14	11.60	11.34	12.14	12.28	12.30	11.98	11.68	11.38	11.62	12.06	11.92	*
15	11.84	11.32	12.08	12.26	12.26	11.96	11.66	11.36	11.72	12.10	11.88	*
16	11.64	11.46	11.98	12.14	12.24	11.94	11.78	11.28	11.96	12.16	11.88	*
17	11.66	11.46	11.92	12.08	12.26	11.92	11.78	11.28	11.94	12.22	11.92	*
18	11.68	11.46	11.88	12.00	12.26	11.92	11.76	11.28	11.96	12.16	11.94	*
19	11.64	11.46	11.82	12.96	12.24	11.90	11.76	11.26	11.92	12.14	11.96	11.76
20	11.60	11.46	12.16	12.26	12.22	11.88	11.70	11.24	11.90	12.10	11.96	11.76
21	11.60	11.48	12.24	12.20	12.18	11.88	11.70	11.20	11.98	12.10	11.94	11.84
22	11.68	11.50	12.06	12.16	12.16	11.86	11.70	11.20	11.96	12.10	11.92	11.86
23	11.78	11.64	12.04	12.16	12.10	11.84	11.66	11.24	12.00	12.04	11.92	11.86
24	11.86	11.78	12.00	12.10	12.08	11.84	11.64	11.20	11.98	12.06	11.96	11.88
25	11.88	11.90	11.98	12.06	12.00	11.88	11.62	11.26	12.04	12.02	11.94	11.86
26	11.86	12.26	11.96	12.24	12.02	11.90	11.64	11.36	12.06	12.02	11.94	*
27	11.90	12.64	11.92	12.22	12.00	11.94	11.60	11.36	12.02	12.00	11.92	*
28	11.84	12.78	12.14	12.20	12.00	11.96	11.54	11.34	11.98	11.96	11.94	*
29	11.80		12.16	12.22	11.98	11.94	11.52	11.30	11.96	12.00	11.94	11.90
30	11.72		12.30	12.34	11.98	11.92	11.54	11.32	11.94	12.00	11.94	11.88
31	11.66		12.50		11.96		11.58	11.40		12.00		11.90

IMS 21
June 62

7:00 a.m. readings
*Frozen

1961

REELFOOT LAKE
SPILLWAY GAGE

Zero of gage: 270.46 m.s.l.
Latitude: 36° 21' 06" - Longitude: 89° 24' 16"
U.S.G.S. gage.

Vertical staff at Reelfoot Lake Spillway.

Highest: 12.44 on 6 March.
Lowest: 10.84 on 2 November.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	*	11.20	12.34	12.20	12.34	12.08	12.04	12.10	11.78	11.28	10.90	12.32
2	*	11.24	12.32	12.26	12.30	12.08	12.00	12.08	11.74	11.26	10.84	12.30
3	*	11.26	12.28	12.24	12.24	12.08	12.10	12.08	11.74	11.26	11.06	12.26
4	*	11.26	12.26	12.22	12.18	12.06	12.08	12.06	11.72	11.24	11.10	12.22
5	*	11.24	12.38	12.20	12.16	12.04	12.04	12.04	11.72	11.20	11.10	12.20
6	11.38	11.22	12.44	12.20	12.14	12.04	12.04	12.04	11.72	11.20	11.10	12.20
7	11.40	11.28	12.22	12.20	12.30	12.02	12.02	12.04	11.64	11.18	11.10	12.22
8	11.40	11.30	12.22	12.20	12.42	12.08	12.06	12.00	11.62	11.18	11.08	12.22
9	11.40	11.32	12.08	12.18	12.30	12.10	12.00	11.98	11.62	11.16	11.08	12.42
10	11.38	11.36	12.02	12.18	12.40	12.18	11.98	11.94	11.72	11.16	11.06	12.42
11	11.38	11.38	12.02	12.18	12.40	12.20	11.94	11.92	11.70	11.14	11.06	12.12
12	11.36	11.38	11.90	12.18	12.28	12.26	11.98	11.90	11.70	11.12	11.04	12.12
13	11.36	11.34	11.92	12.20	12.22	12.28	11.98	11.88	11.72	11.12	11.06	12.10
14	11.36	11.36	11.92	12.14	12.18	12.16	11.94	11.88	11.66	11.16	11.12	12.08
15	11.38	11.38	11.90	12.22	12.10	12.24	11.92	11.86	11.54	11.12	11.14	12.06
16	11.38	11.38	11.96	12.28	12.06	12.34	11.94	11.84	11.52	11.10	11.14	12.28
17	11.38	11.38	11.90	11.92	12.32	12.18	11.96	11.84	11.52	11.08	11.28	12.28
18	11.36	11.38	11.80	12.00	12.30	12.18	11.92	11.82	11.50	11.07	11.30	11.94
19	11.34	11.44	11.76	11.94	12.30	12.22	12.00	11.80	11.48	11.06	11.30	11.88
20	11.34	11.44	11.74	12.20	12.30	12.22	12.18	11.80	11.48	11.06	11.30	11.82
21	11.30	11.48	12.24	12.16	12.24	12.22	12.16	11.78	11.40	11.04	11.30	11.76
22	11.28	11.76	12.24	12.08	12.16	12.18	12.16	11.80	11.38	11.02	11.42	11.72
23	11.28	11.84	12.26	12.08	12.14	12.16	12.16	11.82	11.40	11.02	11.82	12.04
24	11.28	12.06	12.26	12.16	12.12	12.18	12.16	11.76	11.40	11.00	12.04	12.04
25	*	12.18	12.24	12.18	12.08	12.18	12.16	11.80	11.34	10.98	12.22	11.94
26	*	12.18	12.22	12.32	12.08	12.14	12.16	11.80	11.34	10.98	12.30	11.96
27	*	12.18	12.20	12.34	12.16	12.12	12.16	11.80	11.34	10.94	12.38	11.90
28	*	12.38	12.22	12.34	12.14	12.10	12.14	11.80	11.32	10.88	12.38	11.94
29	*		12.26	12.28	12.10	12.08	12.14	11.84	11.30	10.88	12.34	11.94
30	*		12.28	12.26	12.10	12.06	12.14	**11.00	11.28	10.92	12.34	11.89
31	11.20		12.30		12.10		12.10	11.78		10.80		11.86

* Frozen.

** Gate opened by persons unknown.

1960

REELFOOT LAKE
SPILLWAY GAGE

Zero of gage: 270.46 m.s.l.

Latitude: 36° 21' 06" - Longitude: 89° 24' 16"

U.S.G.S. gage.

Vertical staff at Reelfoot Lake Spillway.

Highest: 12.46 on 21 March.

Lowest: 10.68 on 26 October and 4 November.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	11.90	11.30	11.68	12.28	12.32	12.16	12.10	11.70	11.28	10.94	10.72	10.94
2	11.86	11.24	11.68	12.26	12.28	12.16	12.10	11.70	11.28	10.94	10.70	10.94
3	11.90	11.18		12.28	12.26	12.18	12.12	11.70	11.28	10.94	10.70	10.92
4	11.90	11.14		12.26	12.22	12.18	12.14	11.68	11.26	10.90	10.68	10.92
5	11.88	11.12		12.28	12.20	12.16	12.16	11.68	11.20	10.88	10.80	10.94
6	11.88	11.10		12.14	12.34	12.16	12.14	11.66	11.20	10.88	10.76	10.96
7	11.86	11.10	11.80	12.18	12.32	12.14	12.12	11.64	11.18	10.88	10.76	11.12
8	11.84	11.20	11.82	12.20	12.34	12.10	12.08	11.64	11.16	10.86	10.74	11.12
9	11.82	11.30	11.88	12.24	12.36	12.08	12.06	11.62	11.14	10.86	10.78	11.12
10	11.82	11.44	11.92	12.22	12.34	12.04	12.06	11.62	11.20	10.84	10.88	11.08
11	11.82	11.54	11.94	12.14	12.34	12.02	12.04	11.60	11.22	10.84	10.86	11.12
12	11.80	11.68	11.98	12.12	12.32	12.00	12.02	11.60	11.20	10.82	10.86	11.28
13	11.80	11.78	11.98	12.10	12.32	11.98	12.00	11.56	11.18	10.80	10.82	11.22
14	11.84	11.78	11.98	12.08	12.28	12.06	12.02	11.64	11.14	10.78	10.84	11.22
15	11.86	11.74	12.04	12.10	12.28	12.00	12.00	11.64	11.12	10.84	10.86	11.20
16	11.92	11.72	12.04	12.16	12.26	11.98	11.96	11.62	11.12	10.84	10.86	11.20
17	11.96	11.70	12.10	12.16	12.22	12.02	11.96	11.62	11.12	10.84	10.86	11.22
18	11.96	11.88	12.20	12.14	12.22	12.06	11.90	11.60	11.10	10.82	10.86	11.22
19	11.98	11.72	12.30	12.10	12.46	12.02	11.90	11.60	11.08	10.82	10.86	11.26
20	11.92	11.70	12.38	12.14	11.90	12.00	11.88	11.56	11.06	10.80	10.86	11.22
21	11.90	11.66	12.46	12.24	12.10	11.98	11.86	11.52	11.06	10.78	10.86	*
22	11.88	11.66	12.36	12.28	12.04	11.94	11.80	11.46	11.04	10.72	10.84	*
23	11.86	11.64	12.34	12.30	12.00	11.94	11.78	11.46	11.02	10.72	10.86	*
24	11.84	11.64	12.34	12.30	11.96	11.92	11.76	11.44	10.96	10.70	10.86	*
25	11.84	11.64	12.32	12.28	11.90	11.92	11.76	11.42	10.94	10.70	10.88	*
26	11.80	11.64	12.30	12.36	11.78	11.90	11.80	11.40	10.94	10.68	10.90	*
27	11.80	11.64	12.30	12.38	11.72	11.94	11.80	11.36	10.96	10.76	10.86	11.26
28	11.80	11.66	12.28	12.30	12.22	12.04	11.80	11.32	10.98	10.76	10.86	11.30
29	11.88	11.66	12.28	12.32	12.22	11.96	11.80	11.32	10.96	10.74	10.90	11.32
30	11.58		12.32	12.34	12.20	12.10	11.78	11.30	10.94	10.74	10.90	11.34
31	11.36		12.30		12.18		11.78	11.30		10.72		11.32

8:00 a.m. readings.

* Frozen

1959
REELFOOT LAKE
SPILLWAY GAGE

Zero of gage: 270.46 m.s.l.
Latitude: 36° 21' 06" - Longitude: 89° 24' 16"
U. S. G. S. gage.

Vertical staff at Reelfoot Lake Spillway.

Highest: 12.56 on 16 February.
Lowest: 11.44 on 24 September.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	11.82	12.04	12.26	12.30	12.20	12.28	11.82	12.00	11.66	11.68	11.60	11.86
2	11.84	12.26	12.12	12.30	12.20	12.22	11.84	12.00	11.72	11.68	11.60	11.90
3	11.84	12.14	12.02	12.32	12.18	12.18	11.82	11.90	11.78	11.68	11.58	11.90
4	11.84	12.20	12.02	12.28	12.18	12.16	11.80	11.90	11.78	11.66	11.64	11.88
5	11.86	12.18	12.02	12.26	12.16	12.14	11.80	11.90	11.78	11.64	11.76	11.88
6	11.86	12.18	12.02	12.32	12.16	12.14	11.84	11.90	11.76	11.66	11.80	11.88
7	11.86	12.14	12.14	12.20	12.14	12.10	11.82	11.90	11.74	11.66	11.86	11.88
8	11.86	12.14	12.12	12.22	12.14	12.08	11.82	11.90	11.74	11.66	11.86	11.90
9	11.86	12.14	12.16	12.36	12.00	12.06	11.80	11.88	11.72	11.70	11.86	11.90
10	11.86	12.10	12.16	12.36	12.04	12.10	11.78	11.84	11.78	11.62	11.84	11.90
11	11.86	12.22	12.22	12.38	12.02	12.16	11.78	11.82	11.74	11.68	11.86	11.96
12	11.88	12.18	12.20	12.34	12.08	12.16	11.78	11.80	11.70	11.66	11.84	12.20
13	11.90	12.24	12.18	12.34	12.16	12.20	11.76	11.78	11.66	11.66	11.84	12.30
14	11.96	12.28	12.02	12.28	12.26	12.18	11.72	11.76	11.62	11.72	11.96	12.40
15	11.98	12.52	12.16	12.26	12.18	12.10	11.70	11.72	11.62	11.72	11.96	12.38
16	12.00	12.56	12.24	12.24	12.14	12.10	11.68	11.74	11.60	11.72	11.96	12.34
17	12.00	12.48	12.26	12.24	12.18	12.08	11.72	11.70	11.58	11.72	11.94	12.38
18	12.00	12.50	12.26	12.22	12.18	12.08	11.74	11.70	11.56	11.68	11.94	12.30
19	11.98	12.46	12.24	12.22	12.16	12.04	11.74	11.70	11.52	11.66	11.90	12.24
20	12.10	12.08	12.20	12.34	12.24	12.00	11.72	11.70	11.50	11.64	11.90	12.20
21	11.70	11.98	12.38	12.40	12.26	12.00	11.70	11.70	11.48	11.64	11.88	12.12
22	12.28	11.94	12.30	12.40	12.26	11.98	11.80	11.70	11.46	11.62	11.88	12.10
23	12.50	11.96	12.28	12.34	12.24	11.98	11.88	11.66	11.46	11.60	11.86	12.06
24	12.44	11.90	12.20	12.26	12.24	11.96	11.92	11.66	11.44	11.62	11.86	12.04
25	12.46	11.86	12.18	12.24	12.24	11.96	11.98	11.62	11.46	11.64	11.86	11.98
26	12.48	11.82	12.22	12.26	12.22	11.96	12.02	11.60	11.46	11.64	11.86	11.92
27	12.40	12.14	12.28	12.14	12.18	11.90	12.04	11.60	11.54	11.64	11.98	11.82
28	12.34	12.20	12.32	12.18	12.20	11.90	12.02	11.62	11.52	11.62	11.92	11.82
29	12.14		12.30	12.20	12.20	11.88	12.02	11.62	11.62	11.62	11.92	11.82
30	12.06		12.28	12.22	12.20	11.86	12.02	11.62	11.64	11.60	11.90	11.90
31	12.08		12.28		12.20		12.02	11.64		11.60		12.00

8:00 a.m. readings.

1958
REELFOOT LAKE
SPILLWAY GAGE

Zero of gage: 270.46 m.s.l.
Latitude: 36° 21' 06" - Longitude: 89° 24' 16"
U.S.G.S. gage

Vertical staff gage at Reelfoot Lake Spillway

Highest: 14.64 on 26 March
Lowest: 11.22 on 13 November

270.46
14.64
275.10

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	14.54	14.04	13.38	14.28	13.68	13.18	12.20	12.14	11.62	11.54	11.32	11.70
2	14.50	13.93	13.38	14.18	13.70	13.18	12.16	12.16	11.62	11.50	11.30	11.74
3	14.48	13.94	13.32	14.14	13.94	13.12	12.16	12.14	11.66	11.46	11.30	11.72
4	14.44	13.88	13.30	14.16	14.06	13.08	12.12	12.12	11.64	11.40	11.28	11.72
5	14.38	13.78	13.30	14.00	14.22	13.02	12.10	12.12	11.64	11.40	11.28	11.74
6	14.28	13.88	13.28	14.00	14.34	12.98	12.12	12.08	11.62	11.40	11.26	11.74
7	14.26	13.94	13.38	14.08	14.28	12.94	12.18	12.04	11.62	11.38	11.26	11.76
8	14.22	13.88	13.48	14.00	14.22	12.88	12.40	12.00	11.62	11.36	11.26	11.76
9	14.14	13.80	13.58	13.96	14.20	12.80	12.48	12.00	11.60	11.36	11.26	11.76
10	14.08	13.76	13.62	13.96	14.24	12.74	12.46	11.98	11.56	11.42	11.26	11.78
11	14.08	13.70	13.62	13.86	14.24	12.86	12.44	11.96	11.56	11.46	11.24	11.80
12	14.02	13.66	13.60	13.82	14.24	12.84	12.44	11.94	11.58	11.42	11.24	11.80
13	14.02	13.60	13.66	13.76	14.20	12.78	12.42	11.96	11.56	11.40	11.22	11.80
14	14.04	13.56	13.64	13.72	14.14	12.76	12.40	11.94	11.52	11.40	11.26	11.80
15	14.04	13.58	13.62	13.80	14.08	12.76	12.38	11.90	11.50	11.38	11.40	11.78
16	14.00	13.54	13.58	13.80	14.04	12.72	12.36	11.88	11.46	11.38	11.46	11.76
17	13.94	13.48	13.60	13.76	14.10	12.68	12.34	11.90	11.48	11.36	11.36	11.76
18	13.92	13.44	13.64	13.74	13.96	12.64	12.32	11.88	11.48	11.38	11.56	11.76
19	13.88	13.40	13.62	13.74	13.88	12.60	12.28	11.88	11.50	11.36	11.60	11.74
20	13.84	13.38	13.58	13.70	13.82	12.56	12.26	11.86	11.54	11.34	11.64	11.76
21	14.00	13.36	13.56	13.74	13.74	12.56	12.30	11.84	11.60	11.30	11.68	11.76
22	14.24	13.36	13.52	13.76	13.68	12.52	12.36	11.84	11.60	11.30	11.70	11.74
23	14.32	13.34	13.68	13.78	13.66	12.48	12.36	11.78	11.58	11.30	11.68	11.80
24	14.36	13.32	14.18	13.72	13.60	12.44	12.36	11.80	11.58	11.30	11.68	11.86
25	14.26	13.32	14.56	13.80	13.58	12.32	12.34	11.78	11.56	11.30	11.68	11.84
26	14.22	13.28	14.64	13.76	13.54	12.38	12.34	11.76	11.56	11.28	11.68	11.80
27	14.18	13.32	14.54	13.76	13.48	12.38	12.30	11.72	11.60	11.28	11.70	11.80
28	14.14	13.34	14.46	13.74	13.40	12.34	12.26	11.68	11.56	11.28	11.70	11.80
29	14.10		14.40	13.80	13.36	12.28	12.24	11.66	11.52	11.28	11.70	11.80
30	14.04		14.38	13.74	13.30	12.24	12.20	11.64	11.50	11.28	11.70	11.84
31	14.02		14.40		13.22		12.14	11.64		11.26		11.80

8:00 a. m. readings

1957
REELFOOT LAKE
SPILLWAY GAGE

Zero of gage: 270.46 m.s.l.
Latitude: 36° 21' 06" - Longitude: 89° 24' 16"
U.S.G.S. gage

Vertical staff gage at Reelfoot Lake Spillway

Highest: 15.48 on 31 May
Lowest: 10.38 on 2-3 January

270.46
150.0
24

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	10.40	12.10	12.64	12.28	12.98		14.68		12.84	12.24	12.26	14.64
2	10.38	12.16	12.60	12.28	12.96	14.92	14.70		12.78	12.20	12.26	14.64
3	10.38	12.16	12.60	12.26	12.96	14.92	14.78	13.42	12.84	12.16	12.34	14.52
4	10.40	12.20	12.60	12.56	12.96	14.82	14.70	13.42	12.82	12.14	12.32	14.54
5	10.50	12.28	12.58	12.74	12.84	14.86	14.66	13.38	12.80	12.14	12.30	14.48
6	10.46	12.30	12.56	12.94	12.84	14.86	14.60	13.34	12.76	12.10	12.30	14.32
7	10.44	12.32	12.62	12.98	12.70	14.78	14.52	13.26	12.74	12.10	12.36	14.64
8	10.40	12.38	12.56	13.10	12.66	14.74	14.46	13.22	12.70	12.08	12.64	15.02
9	10.42	12.36	12.52	13.08	12.64	14.68	14.38	13.16	12.66	12.08	12.68	15.06
10	10.42	12.44	12.46	13.06	12.58	14.68	14.34	13.12	12.62	12.08	12.80	14.94
11	10.42	12.48	12.42	13.06	12.70	14.58	14.28	13.08	12.58	12.04	12.84	14.92
12	10.40	12.48	12.50	13.18	12.72	14.56	14.20	13.04	12.58	12.02	12.80	14.82
13	10.48	12.44	12.50	13.08	12.80	14.58	14.14	13.02	12.56	12.00	13.08	14.68
14	10.52	12.44	12.46	13.02	13.02	14.78	14.08	13.32	12.56	11.96	13.60	14.68
15	10.48	12.44	12.46	13.00	13.20	14.78	14.04	13.40	12.52	11.96	14.00	14.64
16	10.46	12.48	12.44	12.98	13.26	14.74	14.00	13.40	12.50	12.00	14.14	14.78
17	10.46	12.44	12.42	13.00	13.20	14.68	13.94	13.40	12.48	12.10	14.22	14.88
18	10.46	12.42	12.44	13.02	13.18	14.62	13.88	13.38	12.46	12.12	14.60	14.96
19	10.46	12.56	12.42	13.02	13.20	14.66	13.86	13.32	12.42	12.14	15.22	15.00
20	10.46	12.54	12.42	12.98	13.18	14.56	13.80	13.26	12.40	12.10	15.38	15.04
21	10.50	12.50	12.40	12.98	13.36	14.48	13.76	13.22	12.36	12.06	15.36	15.08
22	10.66	12.48	12.38	12.98	13.66	14.40	13.68	13.18	12.44	12.02	15.32	15.02
23	10.92	12.48	12.38	13.04	14.50	14.40	13.64	13.12	12.42	12.14	15.24	14.96
24	11.00	12.44	12.36	13.08	15.10	14.48	13.74	13.06	12.40	12.28	15.12	14.94
25	11.16	12.48	12.36	13.06	15.12	14.44	13.66	13.04	12.38	12.30	15.08	14.84
26	11.26	12.32	12.34	13.04	15.22	14.36	13.62	13.00	12.36	12.28	14.98	14.88
27	11.34	12.70	12.36	13.06	15.32	14.30	13.56	12.98	12.34	12.28	14.90	14.84
28	11.54	12.68	12.32	13.04		14.30		12.94	12.32	12.24	14.88	14.84
29	11.70		12.32	13.02		14.26		12.90	12.28	12.22	14.86	14.76
30	11.86		12.30	13.00		14.48	13.56	12.88	12.24	12.26	14.82	14.70
31	11.96		12.28		15.48		13.56	12.86		12.26		14.62

1956
REELFOOT LAKE
SPILLWAY GAGE

99

Zero of gage: 270.46 m.s.l.
Latitude: 36° 21' 06" - Longitude: 89° 24' 16"
U.S.G.S gage.

Vertical staff gage at Reelfoot Lake Spillway.

Highest: 13.76 on 21 February
Lowest: 9.88 on 18-19 November.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	10.94	11.72	13.48	12.90	12.46	11.94	11.48	11.42	10.84	10.26	10.08	10.04
2	10.92	12.18	13.44	12.86	12.44	11.92	11.46	11.40	10.82	10.30	10.04	10.02
3	10.92	12.44	13.42	12.82	12.42	11.92	11.46	11.38	10.80	10.30	10.04	10.02
4	10.92	12.66	13.38	12.88	12.38	11.88	11.48	11.36	10.80	10.30	10.04	10.00
5	10.92	12.68	13.30	12.80	12.36	11.84	11.46	11.34	10.78	10.30	10.04	10.00
6	10.92	12.66	13.22	12.82	12.32	11.82	11.46	11.32	10.80	10.28	10.16	10.00
7	10.92	12.66	13.32	12.84	12.30	11.80	11.44	11.30	10.76	10.32	10.14	10.06
8	10.92	12.64	13.34	12.82	12.26	11.80	11.42	11.26	10.74	10.24	10.06	10.18
9	10.92	12.64	13.28	12.80	12.18	11.78	11.40	11.24	10.70	10.24	10.02	10.18
10	10.94	12.66	13.26	12.88	12.16	11.74	11.38	11.22	10.64	10.22	9.98	10.20
11	10.96	12.64	13.32	12.92	12.12	11.72	11.32	11.20	10.60	10.18	9.98	10.20
12	10.96	12.62	13.30	12.88	12.08	11.70	11.28	11.16	10.58	10.16	9.96	10.20
13	10.96	12.58	13.24	12.90	12.06	11.70	11.34	11.14	10.58	10.14	9.94	10.22
14	10.96	12.54	13.32	12.80	12.02	11.70	11.40	11.14	10.54	10.10	9.94	10.22
15	10.94	12.60	13.46	12.82	12.16	11.70	11.40	11.12	10.52	10.06	9.94	10.20
16	10.90	12.60	13.54	12.84	12.18	11.70	11.40	11.08	10.46	10.04	9.94	10.20
17	10.88	12.66	13.40	12.82	12.16	11.70	11.38	11.02	10.48	10.02	9.92	10.20
18	10.88	13.30	13.38	12.70	12.12	11.70	11.38	11.02	10.50	10.02	9.88	10.22
19	10.88	13.64	13.40	12.76	12.10	11.68	11.38	11.00	10.46	10.00	9.88	10.22
20	10.88	13.70	13.34	12.74	12.10	11.66	11.44	11.08	10.44	9.98	9.96	10.28
21	10.88	13.76	13.28	12.66	12.06	11.64	11.44	11.04	10.42	9.98	10.00	10.30
22	10.88	13.74	13.28	12.62	12.04	11.64	11.42	11.00	10.40	9.98	10.14	10.30
23	10.88	13.72	13.26	12.62	12.08	11.62	11.42	10.98	10.40	9.96	10.16	10.34
24	10.88	13.48	13.30	12.62	12.08	11.58	11.54	10.96	10.42	10.00	10.14	10.40
25	10.88	13.52	13.14	12.52	12.02	11.60	11.54	10.94	10.40	9.98	10.16	10.42
26	10.88	13.50	13.08	12.48	11.98	11.60	11.52	10.90	10.38	10.22	10.14	10.42
27	10.90	13.48	13.06	12.44	11.98	11.58	11.50	10.90	10.36	10.18	10.14	10.42
28	10.90	13.60	13.08	12.40	11.96	11.56	11.50	10.86	10.34	10.16	10.14	10.46
29	11.20	13.50	13.06	12.42	11.96	11.56	11.48	10.86	10.30	10.14	10.08	10.42
30	11.44		13.02	12.50	11.94	11.54	11.46	10.80	10.28	10.12	10.06	10.40
31	11.60		12.98		11.94		11.44			10.10		10.42

1955
REELFOOT LAKE
SPILLWAY GAGE

97

Zero of gage: 270.53 m.s.l.
Latitude: 36° 21' 06" - Longitude: 89° 24' 16"
U.S.G.S. gage.

Vertical staff gage at Reelfoot Lake Spillway.

Highest: 12.50 on 15, 16, 25-27 April.
Lowest: 10.30 on 5 January.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	10.16	10.58	11.20	12.08	12.10	12.16	11.92	11.72	11.18	10.90	10.70	10.80
2	10.32	10.64	11.24	12.12	12.36	12.18	11.90	11.70	11.16	10.88	10.68	10.80
3	10.36	10.70	11.24	12.12	12.32	12.16	11.88	11.68	11.12	10.84	10.66	10.80
4	10.34	10.64	11.20	12.10	12.28	12.14	11.84	11.64	11.10	10.82	10.70	10.90
5	10.30	10.66	11.30	12.10	12.24	12.12	11.84	11.62	11.08	10.78	10.72	10.92
6	10.58	10.78	11.38	12.26	12.20	12.18	11.82	11.60	11.06	10.78	10.72	10.96
7	10.64	10.76	11.34	12.26	12.16	12.28	11.90	11.56	11.02	10.84	10.70	10.96
8	10.58	10.74	11.26	12.22	12.18	12.30	11.92	11.58	11.00	10.86	10.70	10.96
9	10.58	10.72	11.24	12.20	12.14	12.28	11.90	11.64	10.98	10.82	10.68	10.98
10	10.64	10.70	11.20	12.18	12.08	12.28	11.88	11.64	10.96	10.82	10.68	11.00
11	10.70	10.80	11.20	12.18	12.10	12.30	11.88	11.64	10.92	10.82	10.66	11.00
12	10.68	10.80	11.20	12.20	12.14	12.30	11.86	11.62	10.90	10.80	10.68	11.00
13	10.62	10.80	11.34	12.30	12.18	12.30	11.84	11.60	10.90	10.84	10.68	11.00
14	10.60	10.80	11.36	12.12	12.22	12.28	11.80	11.56	10.88	10.84	10.70	10.98
15	10.62	10.76	11.36	12.50	12.22	12.26	11.86	11.54	10.86	10.82	10.72	10.98
16	10.62	10.80	11.14	12.50	12.22	12.24	11.86	11.52	10.86	10.82	10.76	10.98
17	10.64	10.86	11.12	12.18	12.20	12.20	11.88	11.50	10.82	10.80	10.76	10.98
18	10.66	10.82	11.56	12.16	12.18	12.16	11.92	11.48	10.80	10.80	10.78	10.98
19	10.74	10.78	11.60	12.38	12.16	12.12	11.94	11.48	10.78	10.78	10.80	10.98
20	10.66	10.88	11.68	12.36	12.14	12.10	11.92	11.46	10.76	10.76	10.80	10.98
21	10.60	11.00	11.80	12.12	12.12	12.08	11.92	11.42	10.76	10.74	10.80	10.98
22	10.60	11.04	11.98	12.18	12.14	12.06	11.90	11.40	10.74	10.74	10.76	10.98
23	10.60	11.06	12.12	12.14	12.14	12.10	11.90	11.40	10.76	10.72	10.78	10.90
24	10.58	11.10	12.22	12.10	12.14	12.08	11.88	11.36	10.84	10.68	10.80	10.90
25	10.64	11.10	12.22	12.50	12.16	12.06	11.86	11.34	10.80	10.68	10.82	11.00
26	10.56	11.06	12.30	12.50	12.12	12.06	11.80	11.32	10.80	10.66	10.82	10.98
27	10.60	11.10	12.16	12.50	12.18	12.04	11.84	11.28	10.74	10.64	10.80	10.98
28	10.60	11.12	12.14	12.18	12.16	12.02	11.82	11.26	10.76	10.64	10.82	10.96
29	10.64		12.12	12.16	12.14	11.98	11.80	11.24	10.74	10.72	10.82	10.96
30	10.64		12.10	12.14	12.26	11.96	11.78	11.22	10.86	10.72	10.80	11.00
31	10.64		12.10		12.14		11.78	11.18		10.70		10.96

1951
REELFOOT LAKE
SPILLWAY GAGE

99

Zero of gage: 270.53 m. s. l.
Latitude: 36° 21' 06" Longitude: 89° 24' 16"
U. S. G. S. gage.

Vertical staff gage at Reelfoot Lake Spillway.

Highest: 12.04 on 7 May.
Lowest: 9.60 on 9 January.

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	9.68	10.82	11.38	11.88	11.82	11.88	11.54	10.66	10.20	9.80	9.80	9.74
2	9.64	10.82	11.34	11.84	11.80	11.88	11.50	10.70	10.16	10.04	9.84	9.72
3	9.70	10.88	11.44	11.92	12.00	11.90	11.44	10.70	10.14	10.04	9.76	9.72
4	9.68	10.88	11.40	11.88	12.00	11.90	11.42	10.68	10.04	10.06	9.76	9.70
5	9.70	10.82	11.38	11.84	12.02	11.90	11.30	10.62	10.02	10.08	9.76	9.70
6	9.74	10.84	11.38	11.78	11.98	11.90	11.36	10.64	10.00	10.12	9.74	9.78
7	9.70	10.88	11.36	11.82	12.04	11.88	11.34	10.64	10.02	10.20	9.74	9.78
8	9.66	10.80	11.36	11.88	11.98	11.89	11.32	10.62	10.00	10.04	9.76	9.76
9	9.60	10.80	11.36	11.86	11.98	11.94	11.30	10.60	10.00	10.04	9.76	9.76
10	9.90	10.80	11.38	11.78	11.96	11.96	11.26	10.58	9.98	10.02	9.76	9.76
11	9.86	10.86	11.36	11.80	11.94	12.00	11.24	10.56	9.96	10.02	9.74	9.76
12	9.80	10.86	11.36	11.88	11.92	11.98	11.20	10.54	9.94	10.00	9.72	9.82
13	9.80	10.76	11.30	11.86	11.92	11.96	11.16	10.50	9.90	9.98	9.72	9.98
14	9.84	10.72	11.36	11.80	11.90	11.94	11.14	10.48	9.88	10.00	9.72	9.92
15	9.94	10.70	11.38	11.78	11.90	11.92	11.06	10.46	9.84	10.00	9.72	9.90
16	10.14	10.90	11.36	11.92	11.88	11.90	11.06	10.44	9.82	9.96	9.72	9.90
17	10.14	11.00	11.30	11.96	11.86	11.86	11.04	10.40	9.80	9.92	9.72	9.90
18	10.16	11.06	11.30	11.78	11.86	11.86	11.00	10.40	9.78	9.92	9.72	9.90
19	10.22	11.08	11.30	11.80	11.82	11.84	10.96	10.40	9.76	9.90	9.74	9.90
20	10.36	11.14	11.32	11.80	11.86	11.82	10.92	10.48	9.74	9.90	9.80	9.92
21	10.54	11.22	11.32	11.80	11.84	11.80	10.88	10.44	9.98	9.88	9.80	9.94
22	10.60	11.26	11.30	11.80	11.78	11.73	10.90	10.42	9.94	9.88	9.80	9.94
23	10.64	11.28	11.36	11.82	11.76	11.76	10.94	10.40	9.86	9.88	9.74	9.92
24	10.68	11.32	11.56	11.82	11.74	11.72	10.96	10.38	9.84	9.86	9.70	9.92
25	10.72	11.28	11.62	11.80	11.74	11.66	10.92	10.36	9.82	9.86	9.70	9.90
26	10.74	11.28	11.62	11.80	11.74	11.66	10.88	10.34	9.82	9.84	9.70	9.92
27	10.84	11.28	11.68	11.78	11.74	11.64	10.86	10.30	9.80	9.86	9.70	9.92
28	10.84	11.40	11.66	11.80	11.76	11.62	10.82	10.28	9.78	9.84	9.76	10.00
29	10.86		11.64	11.76	11.82	11.60	11.78	10.28	9.78	9.84	9.74	10.38
30	10.90		11.94	11.76	11.86	11.80	11.74	10.26	9.80	9.82	9.74	10.38
31	10.86		11.96		11.88		11.70	10.24		9.82		10.40