

U.S. ARMY CORPS OF ENGINEERS REGULATORY PROGRAM APPROVED JURISDICTIONAL DETERMINATION FORM (INTERIM) NAVIGABLE WATERS PROTECTION RULE

I. ADMINISTRATIVE INFORMATION

Completion Date of Approved Jurisdictional Determination (AJD): 2/2/2021 ORM Number: MVM-2021-025 Associated JDs: N/A Review Area Location¹: State/Territory: TN City: Oakland County/Parish/Borough: Fayette

Center Coordinates of Review Area: Latitude 35.234757 Longitude -89.53329

II. FINDINGS

A. Summary: Check all that apply. At least one box from the following list MUST be selected. Complete the corresponding sections/tables and summarize data sources.

- □ The review area is comprised entirely of dry land (i.e., there are no waters or water features, including wetlands, of any kind in the entire review area). Rationale: N/A
- □ There are "navigable waters of the United States" within Rivers and Harbors Act jurisdiction within the review area (complete table in Section II.B).
- □ There are "waters of the United States" within Clean Water Act jurisdiction within the review area (complete appropriate tables in Section II.C).
- There are waters or water features excluded from Clean Water Act jurisdiction within the review area (complete table in Section II.D).

B. Rivers and Harbors Act of 1899 Section 10 (§ 10)²

§ 10 Name	§ 10 Size		§ 10 Criteria	Rationale for § 10 Determination
N/A.	N/A.	N/A	N/A.	N/A.

C. Clean Water Act Section 404

Territorial Seas and Traditional Navigable Waters ((a)(1) waters): ³					
(a)(1) Name	(a)(1) Size		(a)(1) Criteria	Rationale for (a)(1) Determination	
N/A.	N/A.	N/A.	N/A.	N/A.	

Tributaries ((a)(2) waters):						
(a)(2) Name	(a)(2) Size		(a)(2) Criteria	Rationale for (a)(2) Determination		
N/A.	N/A.	N/A.	N/A.	N/A.		

Lakes and ponds, and impoundments of jurisdictional waters ((a)(3) waters):					
(a)(3) Name	(a)(3) Size		(a)(3) Criteria	Rationale for (a)(3) Determination	
N/A.	N/A.	N/A.	N/A.	N/A.	

Adjacent wetlands ((a)(4) waters):						
(a)(4) Name	(a)(4) Size		(a)(4) Criteria	Rationale for (a)(4) Determination		
N/A.	N/A.	N/A.	N/A.	N/A.		

¹ Map(s)/figure(s) are attached to the AJD provided to the requestor.

² If the navigable water is not subject to the ebb and flow of the tide or included on the District's list of Rivers and Harbors Act Section 10 navigable waters list, do NOT use this document to make the determination. The District must continue to follow the procedure outlined in 33 CFR part 329.14 to make a Rivers and Harbors Act Section 10 navigability determination.

³ A stand-alone TNW determination is completed independently of a request for an AJD. A stand-alone TNW determination is conducted for a specific segment of river or stream or other type of waterbody, such as a lake, where upstream or downstream limits or lake borders are established. A stand-alone TNW determination should be completed following applicable guidance and should NOT be documented on the AJD Form.



U.S. ARMY CORPS OF ENGINEERS REGULATORY PROGRAM APPROVED JURISDICTIONAL DETERMINATION FORM (INTERIM) NAVIGABLE WATERS PROTECTION RULE

D. Excluded Waters or Features

Excluded waters ((b)(1) - (b))(12)): ⁴		
Exclusion Name	Exclusior	n Size	Exclusion ⁵	Rationale for Exclusion Determination
Farm Pond	1.23	acre(s)	(b)(8) Artificial lake/pond constructed or excavated in upland or a non- jurisdictional water, so long as the artificial lake or pond is not an impoundment of a jurisdictional water that meets (c)(6).	Pond is hydrologically isolated as there is no berm breech or seepage around the toe of the berm slope and no hydrologic connection to downstream waters is present. The pond was previously constructed in uplands and is appropriately sized for livestock use. Therefore, it meets the b(x) exclusion.
Ephemeral Stream	1521	linear feet	(b)(3) Ephemeral feature, including an ephemeral stream, swale, gully, rill, or pool.	Stream does not have an ordinary high-water mark, observable flow, or ground water connection. Channel is located in a dry upland with no adjacent wetlands.

III. SUPPORTING INFORMATION

- **A.** Select/enter all resources that were used to aid in this determination and attach data/maps to this document and/or references/citations in the administrative record, as appropriate.
 - Information submitted by, or on behalf of, the applicant/consultant: EnSafe, Inc. This information is sufficient for purposes of this AJD. Rationale: N/A
 - Data sheets prepared by the Corps: Title(s) and/or date(s).
 - Photographs: Other: EnSafe, Inc
 - Corps site visit(s) conducted on: 2/2/2021
 - Previous Jurisdictional Determinations (AJDs or PJDs): ORM Number(s) and date(s).
 - Antecedent Precipitation Tool: *provide detailed discussion in Section III.B*.
 - USDA NRCS Soil Survey: Title(s) and/or date(s).
 - USFWS NWI maps: Title(s) and/or date(s).
 - USGS topographic maps: Title(s) and/or date(s).

Other data sources used to aid in this determination:

Data Source (select)	Name and/or date and other relevant information
USGS Sources	N/A.
USDA Sources	N/A.
NOAA Sources	N/A.

⁴ Some excluded waters, such as (b)(2) and (b)(4), may not be specifically identified on the AJD form unless a requestor specifically asks a Corps district to do so. Corps districts may, in case-by-case instances, choose to identify some or all of these waters within the review area.

⁵ Because of the broad nature of the (b)(1) exclusion and in an effort to collect data on specific types of waters that would be covered by the (b)(1) exclusion, four sub-categories of (b)(1) exclusions were administratively created for the purposes of the AJD Form. These four sub-categories are not new exclusions, but are simply administrative distinctions and remain (b)(1) exclusions as defined by the NWPR.



U.S. ARMY CORPS OF ENGINEERS REGULATORY PROGRAM APPROVED JURISDICTIONAL DETERMINATION FORM (INTERIM) NAVIGABLE WATERS PROTECTION RULE

Data Source (select)	Name and/or date and other relevant information
USACE Sources	N/A.
State/Local/Tribal Sources	N/A.
Other Sources	N/A.

- B. Typical year assessment(s): The Antecedent Precipitation Tool was used to determine local climatic weather patterns February 2, 2021. The APT tool determined that the time period under review was 'normal' and within the 30 year normal range. The finding based on this assessment is that the time period under review was typical.
- C. Additional comments to support AJD: N/A